





Wheat Performance In Illinois Trials - 2026

Department of Crop Sciences, University of Illinois, August 2026,
Special Report 2026-01, by Jessica Rutkoski and Luís Gehrke





Try our online data browser to interact with the data:

<https://tinyurl.com/WheatOVT>



Download electronic tables:

<https://varietytesting.web.illinois.edu/wheat/>

Wheat Performance In Illinois Trials - 2026

Department of Crop Sciences, University of Illinois August 2026, Special Report 2026-01, by
Jessica Rutkoski and Luís Gehrke

To aid variety selection decisions, we present these wheat variety testing results from six locations across the state of Illinois. Plots were seeded at the rate of 36 seeds per square foot, and consisted of seven, 7-inch rows trimmed to about 15 feet before harvest. Yields were corrected to 13.5% moisture. In addition to yield, we report maturity time and jointing time. Maturity time is measured in days, and it is a factor to consider when selecting varieties to be followed by double-crop soybeans. Jointing time is reported as 'Early' (E), 'Medium' (M), and 'Late' (L). Early jointing is associated with a higher risk of spring freeze damage. We also report scab resistance which is based on Deoxynivalenol (DON) levels and visual ratings observed from a nursery that is misted and inoculated to create good conditions for infection across all varieties.

Testing results are summarized in eight tables. Each table occupies two consecutive pages.

Table 1. Southern Illinois regional wheat variety trial results, 2026

Table 2. Northern Illinois regional wheat variety trial results, 2026

Table 3. Results of the 2026 wheat variety trial at Elkhart, in far southcentral Illinois.

Table 4. Results of the 2026 wheat variety trial at Addicks, in southwestern Illinois.

Table 5. Results of the 2026 wheat variety trial at St Peter, in south central Illinois.

Table 6. Results of the 2026 wheat variety trial at Perry, in western Illinois.

Table 7. Results of the 2026 wheat variety trial at Urbana, in east central Illinois.

Table 8. Results of the 2026 wheat variety trial at Hampshire, in north central Illinois.

Report Highlights

Trial Overview



104 Wheat Varieties Tested



20 Seed Companies



5 Test Locations



Traits Evaluated



Yield



Test Weight



Scab Resistance



Maturity Date

+ 3 Additional Traits



Maturity Timing

8

Day Range in Maturity Timing Across Varieties



Disease Resistance

31

Varieties Showed Excellent Scab Resistance



Maximum Yield of

138

Bushels Per Acre



North Location Information

Location	Hampshire	Perry	Urbana
County	Kane	Pike	Champaign
Host	Dezeri DeRaedt	Luke Merrit	CSREC
Soil type	Drummer silty clay loam	Clarksdale silt loam	Flanagan silt loam
Planting date	September 30, 2025	September 29, 2025	October 1, 2025
Harvest date	July 13, 2026	Not harvested due to a planter malfunction	July 2, 2026
Nitrogen applied	Pounds N/ A		
Fall	30	30	30
Spring	80	80	100
Latitude	42°02'10.2"N	39°48'00.6"N	40°02'50.3"N
Longitude	88°29'43.0"W	90°49'09.5"W	88°14'00.9"W

South Location Information

Location	Elkville	St Peter	Addieville
County	Jackson	Fayette	Washington
Host	John and Trent Funk	Russ Schwarm	David Meyer
Soil type	Hurst silt loam	Hoyleton silt loam	Darmstadt-Coulterville silt loam
Planting date	October 10, 2025	October 13, 2025	October 16, 2025
Harvest date	June 10, 2026	June 15, 2026	June 16, 2026
Nitrogen applied	Pounds N/ A		
Fall	30	0	30
Spring	110	120	100
Latitude	37°55'02.3"N	38°52'14.3"N	38°24'51.4"N
Longitude	89°08'37.1"W	88°52'39.2"W	89°27'46.6"W

Participating Companies

AgriMAXX Wheat Company
AGRIPRO
Albert Lea Seed
American Organic
Baird Seed Co
Bio- Town Seeds
DeRaedt Seed
Dyna-Gro
FS InSPIRE
Green Prarie Seed
Green Valley Seed LLC
Hoffman Seed House, Inc.
Kennel Seed Farms
Kratz Farms KF Brand
KWS Cereals US
Martin Seed
Merschman Seeds
Pioneer
ProHarvest Seeds, Inc
Virginia Crop Improvement Association

*We thank all
companies and
farmer-cooperators
for their support!*

Table 1. Southern Illinois regional wheat variety trial results, 2026

		Regional Average (Excludes Elkhville)				Addieville		Elkhville		St. Peter				Fusarium Head Blight ⁴	
Company	Variety	Yield	Yield Rank	Test wt.	Height	Yield	Test wt.	Yield	Test wt.	Yield	Test wt.	Maturity date ²	Jointing tme ³	Score	Category
		bu/ac	1 to 71	lb/bu	in.	bu/ac	lb/bu	bu/ac	lb/bu	bu/ac	lb/bu	days after earliest variety	category: E, M or L	1 to 9	MR, M, MS, or S
AgriMAXX Wheat Company	AgriMAXX 513	109.2	41	58.1	32.7	92.9	56.7	72.7	61.8	126	59.7	6	L	5.3	M
AgriMAXX Wheat Company	AgriMAXX 543	100.9	66	56.9	31.6	86.8	55.6	73.8	60.8	115	58.5	4	M	4	MR
AgriMAXX Wheat Company	AgriMAXX 545	111.1	29	55.3	31.6	95.1	54.2	81.2	60.4	127.3	56.5	6	M	8.1	S
AgriMAXX Wheat Company	AgriMAXX 553	109.1	42	56.3	30.2	94.7	55.2	63.7	59.6	123.5	57.4	4	M	5.1	M
AgriMAXX Wheat Company	AgriMAXX 555	106.1	55	56.2	33.3	94.3	55.9	70.4	60.1	116.7	55.8	6	M	5.1	M
AgriMAXX Wheat Company	AgriMAXX 561	106.7	51	56.7	30.7	94.9	55	74.5	61	117.9	59	0	M	3	MR
AgriMAXX Wheat Company	AgriMAXX 564	101.6	64	58.3	33.3	87.7	57.2	77.8	61.9	115.3	59.5	5	M/E	6.8	MS
AgriMAXX Wheat Company	AgriMAXX 575	116	7	56	30.7	103.9	55.3	*,*	59.4	127.6	56.5	6	M	5.3	M
AgriMAXX Wheat Company	AgriMAXX EXP 2602	108.5	45	58.3	32.3	94.2	57.4	76.5	62.6	122.8	59.1	2	M	5.9	M
AgriMAXX Wheat Company	AgriMAXX EXP 2505	115.6	9	56.8	32.2	102.6	55.2	82.1	61.1	128	58.9	4	M	4.4	M
AgriMAXX Wheat Company	AgriMAXX 576	111.4	27	57.2	31.6	97.9	56.7	*,*	60.7	124.6	57.5	5	M	4.6	M
AgriMAXX Wheat Company	AgriMAXX EXP 2507	112.4	22	56.7	31.1	98.5	55.7	84.9	60.2	126.1	57.9	5	L	5.2	M
AGRIPRO	GP 543	109.8	37	55.8	31.1	91.5	54.6	*,*	58.9	128.6	57.2	4	M	5.1	M
AGRIPRO	GP 453	99.8	68	59.5	32.3	87.3	58.3	*,*	61.8	111.8	60.8	4	M	6.5	MS
AGRIPRO	GP 432	101.2	65	57.2	32.2	89.1	55.5	69.4	60.7	112.7	59.5	2	M	4.8	M
AGRIPRO	GP 574	105	57	57	32.4	87.3	56	68.1	60.3	123.2	58	4	M	6.5	MS
Bio- Town Seeds	D505W	115	12	56.3	32.3	97.7	55.1	87.8	60.2	132.8	57.7	7	M	3.9	MR
Bio- Town Seeds	D482W	109.1	43	56.3	29.8	93.5	55.2	*,*	59.5	124.8	57.4	5	M	3.3	MR
Bio- Town Seeds	DXW 2521	114.9	13	56	30.4	98.2	54.7	83.9	60.6	132	57.5	4	M/E	4.5	M
Bio- Town Seeds	D423W	119	1	55.8	31.7	100.2	54.4	81.1	59.7	138.9	57.3	4	M	4	MR
Dyna-Gro	9151	107.8	48	59	31.6	91.4	57.8	78.4	61.7	124.4	60.5	4	M	5.4	M
Dyna-Gro	9172	102.4	61	56.4	32	85.2	55.8	*,*	59.4	120.1	56.7	7	M/L	4.4	M
Dyna-Gro	9231	111.3	28	57.2	33.5	96.7	55.9	80.9	61.3	125.8	58.8	5	M/L	4.9	M
Dyna-Gro	9422	107.9	47	56.4	32.2	91.7	55.3	79.8	60.2	124.4	57.7	5	L	8	S
Dyna-Gro	9533	110.6	33	55.7	30.8	92	54.4	78	59.1	130	57.4	7	M/L	6.2	MS
Dyna-Gro	9593	106.4	54	56.2	31.9	91.8	55	83.8	59.9	120.7	57.6	6	M	4.8	M
Dyna-Gro	9570	115.6	10	55.8	32.1	94.5	54.8	78.9	60	137.9	56.6	5	M	4.3	MR
Dyna-Gro	9632	117.4	2	56.2	32.6	101.5	55.1	95.1	60.1	133.6	57.3	8	M	5.2	M
Dyna-Gro	9743	111.8	25	56.5	33.3	94.2	55.9	75.9	60.8	129.8	56.9	5	M	7.4	MS
Dyna-Gro	9751	111	31	57.3	32.9	97	56.5	82	60.9	124.4	57.7	5	M	2.5	MR
Dyna-Gro	9762	112.3	23	57.2	32.3	95.7	56.6	77.1	60.6	129.5	57.7	4	M/L	2.9	MR
Dyna-Gro	9771	114.4	14	56	30.7	101.1	54.8	82.6	61	127.4	57.4	5	M/E	4.5	M
FS InSPIRE	FS 600	103.2	60	59	30.9	85.5	57.5	*,*	62	121.5	60.8	4	M	6.1	MS
FS InSPIRE	FS 606	109.6	39	59.6	33.3	94	58.4	65.7	62	125.3	60.8	3	M	2.2	MR
FS InSPIRE	FS 617	99.9	67	56.8	32.5	89.1	56.5	*,*	59.8	110	56.8	5	M/L	6	M
FS InSPIRE	FS 624	102.1	62	56.9	34.4	89.8	57	62.2	58.1	113.9	56	4	M	8	S
FS InSPIRE	FS 743	111.6	26	57.3	33.8	97	56	81.6	60.6	126.1	58.9	5	L	5.7	M
FS InSPIRE	FS 761	106	56	57.1	31.1	93	56.1	*,*	61.4	118.5	58.1	0	M	3.5	MR
FS InSPIRE	FS 765	109.8	38	57.5	31.2	93.4	57.1	72.1	60.4	126.6	57.4	4	L	8.1	S

FS InSPIRE	FS 765	109.8	38	57.5	31.2	93.4	57.1	72.1	60.4	126.6	57.4	4	L	8.1	S
FS InSPIRE	FS 766	116.9	4	56.1	32.2	100.9	55	97.6	60.1	133.2	57.3	7	M	4.5	M
FS InSPIRE	FS WX26A	115.8	8	56.3	30.4	100.9	55	74.3	61	130.7	57.9	4	M	6.5	MS
FS InSPIRE	FS WX26B	113.8	16	56.3	31.6	99.2	55.5	*.*	59.8	128.4	57.1	4	M	6.6	MS
Green Prairie Seed	KSC 423W	106.4	53	59.5	33	91.9	58.5	74.6	62.4	120.8	60.6	3	L	1.9	MR
Green Prairie Seed	KSC 425W	99.3	69	58.8	36.7	85.8	58.4	*.*	61.5	112.3	58.8	4	M	4.5	M
Hoffman Seed House, Inc.	H7W21	110	36	55.5	30.4	95.1	54.2	85.8	60.8	124.8	57	3	M	6.4	MS
Hoffman Seed House, Inc.	H7W30	104.9	58	56.5	31.6	88.7	55.7	*.*	60.1	121.3	57.2	5	L	7	MS
Hoffman Seed House, Inc.	HX7W86	102.1	63	56.9	31.6	87.8	55.8	70.6	59.9	116.2	58	4	M	4.8	M
Hoffman Seed House, Inc.	HX7W76	98.4	70	59.3	31.2	86.9	58.1	*.*	61.6	109.2	60.6	4	M/L	4	MR
KWS Cereals US	KWS620	110	35	58.5	30.4	100.9	57.4	*.*	61.9	118	59.8	3	E	3	MR
KWS Cereals US	KWS671	106.5	52	55.3	34	88	55	*.*	58	126.2	55.1	7	L	6.3	MS
KWS Cereals US	KWS680	114.2	15	56.9	29.5	102.2	55.6	*.*	60.5	125.7	58.4	2	M	6	M
Merschman Seeds	2701	113.5	17	56.1	31.1	97	54.8	78.1	61	130.4	57.6	3	M	4.9	M
Merschman Seeds	2702	116.2	6	56.5	31.1	100.8	55.6	96.7	60.9	131.5	57.3	5	M	5.7	M
Merschman Seeds	2703	112.5	21	56.9	33.3	95	56	79.4	60.3	130.7	57.8	6	M	5.1	M
Merschman Seeds	2704	110.7	32	56.4	32.3	93.1	56.1	*.*	60.2	128.8	56.1	6	M	7.2	MS
Merschman Seeds	2710	111	30	57.4	31.2	94.6	57.1	72.2	60.2	127.6	57.4	5	L	6.5	MS
Merschman Seeds	2711	107.5	49	57.7	32.3	93.5	57.4	65.8	59.5	121.3	57.4	4	M	5.8	M
Merschman Seeds	2712	109.5	40	57.5	31.3	96.8	57.1	*.*	60	121.8	57.3	5	M	4	MR
Merschman Seeds	2713	112.6	20	55.3	29.7	99.8	54.6	94.7	59.1	124.8	55.7	6	M	5	M
Merschman Seeds	Peyton 2	112.6	18	56.6	30.3	98.3	55.4	*.*	59.7	126.8	58.1	1	E	2.7	MR
Merschman Seeds	Maddie 3	112.6	19	57.2	33.1	98.3	55.9	72.8	60.7	126.8	58.8	5	L	4.7	M
Merschman Seeds	Julie 12	115.1	11	56.6	31.9	97.7	55.7	74.6	59.4	133.2	57.5	6	M	4.9	M
Pioneer	25R65	110.2	34	56.3	32.3	89.8	54.8	80.1	59.8	131.6	58.1	4	M/L	6	M
Pioneer	25R76	112.3	24	57.5	31.3	97.6	56.3	79.8	61.3	127	58.8	4	L	5	M
Pioneer	P25R800	108.6	44	56.1	30.5	95.7	55.7	70.6	60.9	121.1	56.1	3	M	4.3	MR
ProHarvest Seeds, Inc	7S510	103.9	59	56.3	30.6	84	55.6	73	59.4	125.1	56.7	5	M	5.1	M
ProHarvest Seeds, Inc	7B440	116.3	5	55.6	31.6	97.2	54.5	86.5	60	136.2	56.9	4	M	4.8	M
ProHarvest Seeds, Inc	7B520	117	3	56.2	32.9	99.2	55.1	84.5	60.1	135.3	57.2	7	M	3.8	MR
Virginia Crop Improvement #	18VTK10-23	108.1	46	58.8	32	96.8	57.8	74.7	62.9	118.7	60	2	L	5.5	M
Virginia Crop Improvement #	18VTK10-188	107	50	57.7	30.8	97.1	56.5	76.9	61.2	115.9	59.1	4	M	4.2	MR
Virginia Crop Improvement #	VA23W-432	98	71	56.5	33.2	91.7	55.6	74.8	60.9	101.5	57.4	4	M/E	9	S
	Trial Mean	109.4		56.9	31.9	94.4	55.9	78.1	60.5	124.3	57.9	4		5.2	M
	LSD	4.7		0.5	0.9	3.9	0.4	15	0.8	5.5	0.7	1.1			
	CV	15.7		2	6.6	5	0.8	16.4	0.9	4.1	1	0.5			

Note: Elkville was excluded from the regional average due to deer feeding on ~30% of the varieties in the trial. For results including Elkville in the regional average see the next tab in this spreadsheet.

.- Varieties missing due to deer feeding

²Varieties were evaluated for the date when they reached maturity. The maturity date relative to the earliest variety, is reported. Higher values mean later maturity and lower values mean earlier maturity. A value of zero indicates that the variety matured at the same time as the earliest variety.

³Varieties were evaluated for the timing of jointing and classified into categories: E= early, M=medium, L=Late. Jointing begins at Feekes growth stage 6 and marks the beginning of more rapid growth and increased vulnerability to freeze damage. Varieties that are classified as E, jointed at a time when hard freezes are probable. Varieties that are classified as M, jointed at a time when hard freezes are possible, but unlikely. Varieties classified as L, jointed at a time when hard freezes are highly unlikely.

⁴Varieties were evaluated for resistance to FHB at the University of Illinois South Farm at Urbana, IL. To promote disease symptoms, we spread scabby corn kernels on the soil surface 3 weeks before heading and mist irrigated three times per day for 30 minutes. Ratings for each variety are based on expected vomitoxin levels under FHB epidemic conditions. Ratings are expressed on a 1 to 9 scale with 1 being the best (lowest vomitoxin) and 9 being the worst (highest vomitoxin). Varieties with ratings 4.3 or lower are considered at least moderately resistant (MR) to FHB. MR= Moderately Resistant, which is the highest level of resistance

Table 2. Northern Illinois regional wheat variety trial results, 2026

Company	Variety	Regional Average				Hampshire		Urbana				Fusarium Head Blight ⁴	
		Yield	Yield	Test wt.	Height	Yield	Test wt.	Yield	Test wt.	Maturity	Jointing	Score	Category
			Rank							date ²	time ³		
		bu/ac	1 to 83	lb/bu	in.	bu/ac	lb/bu	bu/ac	lb/bu	days after earliest	category: E, M or L	1 to 9	MR, M, MS, or S
AgriMAXX Wheat Company	AgriMAXX 513	118.4	67	54.5	35.9	124	54.6	114.4	54.3	5	L	5.3	M
AgriMAXX Wheat Company	AgriMAXX 531	119.8	62	55.9	37.5	119.4	56	118.4	55.8	5	L	1.8	MR
AgriMAXX Wheat Company	AgriMAXX 543	119.3	64	53.6	35.8	123.5	53	115.9	54.3	4	M	4	MR
AgriMAXX Wheat Company	AgriMAXX 545	125	40	52.8	35.1	126.9	52.6	122.6	52.9	6	M	8.1	S
AgriMAXX Wheat Company	AgriMAXX 553	121.8	58	54.5	34	128.3	54.6	117.3	54.4	5	M	5.1	M
AgriMAXX Wheat Company	AgriMAXX 568	123.2	51	54.3	34	125.2	54.5	120.8	54	4	L	5.7	M
AgriMAXX Wheat Company	AgriMAXX 575	129.3	17	53.8	35.1	138	53.6	123.7	54.1	6	M	5.3	M
AgriMAXX Wheat Company	AgriMAXX EXP 25C	124	47	54.6	36.3	125.8	54.7	121.7	54.5	5	M	4.4	M
AgriMAXX Wheat Company	AgriMAXX 576	134.7	1	55	36.7	139.6	55.2	131	54.7	5	M	4.6	M
Albert Lea Seed	Blue River 861	125.1	39	52.7	33.4	129.1	53	121.7	52.3	4	M	4.4	M
Albert Lea Seed	Blue River 801	127.4	31	54.5	37.6	128.1	54.3	125.5	54.6	4	M	3.8	MR
AGRIPRO	GP 543	127.8	28	54.2	35.8	136	54.4	122.4	53.9	4	M	5.1	M
AGRIPRO	GP 453	118.3	68	56.2	36.1	126.2	56.3	112.9	56.1	3	M	6.5	MS
AGRIPRO	GP 432	113.1	79	54	35.8	109.8	53.5	113	54.6	2	M	4.8	M
AGRIPRO	GP 574	113.5	78	53.9	36.2	119.3	53.4	109.3	54.5	4	M	6.5	MS
American Organic	Erisman	106.9	83	55.5	36.3	101.7	54.5	107.8	56.8	1	M	4.3	MR
Baird Seed Co	BW 148	117.7	70	55.7	38	116.9	55.7	116.5	55.6	4	L	4	MR
Baird Seed Co	BW 252	120.8	60	54.4	38.9	124	54.2	117.8	54.6	6	M	7.8	S
Baird Seed Co	BW 639	117.5	71	56.7	38.1	122.7	56.6	113.6	56.8	4	M/L	2.3	MR
Baird Seed Co	BW 852	114.4	76	54.7	37.1	119.3	54.4	110.6	55.1	3	M	3.5	MR
Bio- Town Seeds	D505W	121.5	59	54.2	35.6	132.7	54.7	114.8	53.5	5	M	3.9	MR
Bio- Town Seeds	D482W	127.4	29	52.8	32.1	129.8	52.1	124.8	53.6	5	M	3.3	MR
Bio- Town Seeds	DXW 2521	123.7	48	53.3	34.9	121.9	53	123.1	53.6	4	M	4.5	M
Bio- Town Seeds	D423W	131.5	10	53.2	36.5	137.9	53.2	127.2	53.2	4	M	4	MR
DeRaedt Seed	DeRaedt 50	125.8	36	53.2	35	119.3	53	127.3	53.5	3	M	5.2	M
DeRaedt Seed	DeRaedt 66	130.2	14	55.1	34	132.1	55.3	127.8	54.9	5	M/L	4.8	M
FS InSPIRE	FS 600	117.8	69	55.4	35.3	120.2	55.3	115.3	55.6	5	M	6.1	MS
FS InSPIRE	FS 606	116.7	72	56.7	38.3	124.7	56.9	111.4	56.4	4	M/L	2.2	MR
FS InSPIRE	FS 617	128	26	54.5	35.8	132.7	54.5	124.3	54.5	5	L	6	M
FS InSPIRE	FS 624	115.7	74	55.6	38.8	117.1	55.6	113.5	55.6	6	M	8	S
FS InSPIRE	FS 743	123.3	50	54.3	36.7	122.4	53.9	122.3	54.8	5	M	5.7	M
FS InSPIRE	FS 761	118.5	66	54.9	35.6	114.6	55.3	119	54.3	1	M	3.5	MR
FS InSPIRE	FS 765	128.6	20	56	34.2	132.5	55.6	125.3	56.4	5	L	8.1	S
FS InSPIRE	FS 766	127.3	32	54.1	36.3	134.5	54.6	122.3	53.5	6	M	4.5	M
FS InSPIRE	FSWX26A	127.9	27	53.5	34.3	132.6	53.4	124.3	53.6	3	M	6.5	MS
FS InSPIRE	FSWX26B	128.3	24	53.6	35.5	124.3	53	128.7	54.3	5	M/L	6.6	MS
Green Prairie Seed	KSC 423W	115.3	75	56.8	36.8	118.4	56.7	112.4	56.8	4	M/L	1.9	MR
Green Prairie Seed	KSC 425W	111.8	80	56	40.8	122.7	56	105.2	55.9	3	M/L	4.5	M
Green Valley Seed LLC	604	114.2	77	54.4	35.8	116.8	55	111.5	53.6	3	M	6.2	MS
Green Valley Seed LLC	624	124.8	42	55.1	34.2	131.8	55.1	120	55	5	M	5.9	M
Green Valley Seed LLC	645	126.8	34	54.7	34.8	134.8	55	121.4	54.3	6	M/L	5.3	M
Green Valley Seed LLC	616X	129.5	16	55.2	36.7	129.5	54.8	128	55.8	6	M	2.8	MR
Green Valley Seed LLC	636X	132.5	6	54.3	37.1	137.9	54.2	128.5	54.4	5	M	4.8	M
Green Valley Seed LLC	656X	134.5	2	54.9	37	137.9	54.9	131.5	55	6	M	5.1	M
Kennel Seed Farms	NS22905	126.4	35	53.3	36.2	123.5	53.1	126.2	53.6	6	M	4.2	MR
Kennel Seed Farms	NS23725	131.6	9	53.7	35.2	140.8	53.4	125.7	54	6	M	4.8	M

Kennel Seed Farms	KS 1618	122.6	53	55.4	35.5	126.9	55.4	119	55.4	5	M	3.7	MR
Kratz Farms KF Brand	KF 667	121.8	56	56	35.9	119.6	56	121.4	56	3	M	3.6	MR
Kratz Farms KF Brand	KF 809	119.7	63	54.7	36.5	114.7	53.8	120.7	55.8	4	M	5.9	M
Kratz Farms KF Brand	KF 831	124.7	43	53.8	34	123.8	53.8	123.7	53.9	5	M	4.8	M
Kratz Farms KF Brand	KF 849	133	4	56.1	34.6	130.4	55.6	132.9	56.6	5	M/L	7.7	S
Kratz Farms KF Brand	KF 883	127.4	30	55.1	33.9	130.5	55.6	124.5	54.5	5	M	3.9	MR
Kratz Farms KF Brand	KF 823	121.8	57	54.3	36.3	127.5	53.9	117.5	54.7	5	M	7.6	S
KWS Cereals US	KWS585	130.2	13	55.2	35.1	129.4	55.3	129.1	55	6	M	3.6	MR
KWS Cereals US	KWS606	130.1	15	54.6	34.7	135	54.3	126.4	54.9	6	M	4.5	M
KWS Cereals US	KWS620	123.2	52	55.5	34.2	126.7	55.8	120.1	55	3	M	3	MR
KWS Cereals US	KWS661	131.8	7	53.4	35.1	136.2	53.5	128.4	53.2	5	M	7.8	S
KWS Cereals US	KWS671	125.2	37	54.3	37.2	124.9	54.4	123.9	54.3	7	L	6.3	MS
KWS Cereals US	KWS678	128.3	23	53.7	35.8	138	54	122.5	53.3	5	L	5.9	M
KWS Cereals US	KWS680	128.3	25	54	32.8	137.7	53.4	122.4	54.7	3	M	6	M
Martin Seed	M25	119.2	65	54.2	33.9	124.2	54.2	115.4	54.2	5	M/L	4.3	MR
Martin Seed	M26	134.2	3	53.1	37.2	135.7	53.2	132.1	53	4	M	5.2	M
Merschman Seeds	2701	125.1	38	53.3	34.8	129.5	53.3	121.6	53.2	3	M	4.9	M
Merschman Seeds	2702	131.2	11	54.4	35.4	134.2	55.1	128.3	53.5	5	M	5.7	M
Merschman Seeds	2703	132.5	5	54.3	36.3	138.4	54.2	128.3	54.3	5	M/E	5.1	M
Merschman Seeds	2704	128.4	22	54.4	36.1	123.8	54.5	129.1	54.2	6	M	7.2	MS
Merschman Seeds	2710	128.8	19	55.8	34.4	132	55.3	125.8	56.4	5	L	6.5	MS
Merschman Seeds	2711	123.6	49	56.1	37.7	125.7	56.2	121.2	56.1	6	M	5.8	M
Merschman Seeds	2712	127	33	55.1	35.7	133.2	55.5	122.6	54.6	5	M/L	4	MR
Merschman Seeds	2713	129.1	18	53.7	35.1	139.9	53.5	122.6	54	6	M	5	M
Merschman Seeds	Peyton 2	109.9	82	54.2	36.5	86.5	53.7	118.9	54.8	0	E	2.7	MR
Merschman Seeds	Maddie 3	124.1	46	54.4	37.7	128.3	54.2	120.6	54.5	5	M	4.7	M
Merschman Seeds	Julie 12	124.9	41	54.4	35.9	126.4	54.3	122.7	54.5	5	M	4.9	M
Pioneer	25R65	128.6	21	53.1	35.4	135.6	53.2	123.9	53	5	M	6	M
Pioneer	25R76	120	61	54.5	36.1	121.1	54.7	118.1	54.2	4	M	5	M
Pioneer	P25R800	121.8	55	53.9	33.9	126.7	54.3	118	53.2	1	M	4.3	MR
ProHarvest Seeds, Inc	7S510	124.1	45	54.2	34.4	129.9	54.3	120	54.1	5	M/L	5.1	M
ProHarvest Seeds, Inc	7B440	131.1	12	53.2	35.8	129.1	53.2	130.6	53.3	4	M	4.8	M
ProHarvest Seeds, Inc	7B520	124.4	44	54	37.2	130.4	54.5	120	53.5	5	M	3.8	MR
ProHarvest Seeds, Inc	XP975	131.7	8	53.7	34.5	139.3	53.4	126.7	54	6	M	5.3	M
Virginia Crop Improvement A	18VTK10-23	122	54	56.6	36.5	129.6	57.1	117	56.1	2	M	5.5	M
Virginia Crop Improvement A	18VTK10-188	116.6	73	55.4	35.2	112	55.3	117.2	55.4	3	M	4.2	MR
Virginia Crop Improvement A	VA23W-432	110.7	81	53.5	36.3	105.7	53.1	111.8	53.9	4	L	9	S
	Trial Mean	124		54.5	35.8	126.8	54.5	121.2	54.6	4		5	M
	LSD	4		0.3	1.1	6.3	0.4	4.5	0.3	0.9			
	CV	3.2		0.3	12.5	4.1	0.6	2.9	0.6	0.4			

²Varieties were evaluated for the date when they reached maturity. The maturity date relative to the earliest variety, is reported. Higher values mean later maturity and lower values mean earlier maturity. A value of zero indicates that the variety matured at the same time as the earliest variety.

³Varieties were evaluated for the timing of jointing and classified in to categories: E= early, M=medium, L=Late. Jointing begins at Feekes growth stage 6 and marks the beginning of more rapid growth and increased vulnerability freeze damage. Varieties that are classified as E, jointed at a time when hard freezes are probable. Varieties that are classified as M, jointed at a time when hard freezes are possible, but unlikely. Varieties classified as L, jointed at a time when hard freezes are highly unlikely.

⁴Varieties were evaluated for resistance to FHB at the University of Illinois South Farm at Urbana, IL. To promote disease symptoms, we spread scabby corn kernels on the soil surface 3 weeks before heading and mist irrigated three times per day for 30 minutes. Ratings for each variety are based on expected vomitoxin levels under FHB epidemic conditions. Ratings are expressed on a 1 to 9 scale with 1 being the best (lowest vomitoxin) and 9 being the worst (highest vomitoxin). Varieties with ratings 4.3 or lower are considered at least moderately resistant (MR) to FHB. MR= Moderately Resistant, which is the highest level of resistance available, M= Intermediate level or resistance, MS= Moderately susceptible, S= Susceptible. Higher levels of resistance provide greater control of the disease. The best control is obtained when moderate resistance is combined with a fungicide at flowering.

Table 3. Results of the 2026 wheat variety trial at Elkhville, in far southcentral Illinois.

						2-yr avg	3-yr avg
<u>Company</u>	<u>Variety</u>	<u>Yield</u>	<u>Yield Rank</u>	<u>Test wt.</u>	<u>Height</u>	<u>2025-26</u>	<u>2024-26</u>
		bu/ac	1 to 52	lb/bu	in.	bu/ac	bu/ac
AgriMAXX Wheat Company	AgriMAXX 513	72.7	41	61.8	27.1	92.1	107.1
AgriMAXX Wheat Company	AgriMAXX 543	73.8	38	60.8	26.4		
AgriMAXX Wheat Company	AgriMAXX 545	81.2	16	60.4	27.8	97.2	107.8
AgriMAXX Wheat Company	AgriMAXX 553	63.7	51	59.6	25.9	87.6	
AgriMAXX Wheat Company	AgriMAXX 555	70.4	46	60.1	28.4	96.9	
AgriMAXX Wheat Company	AgriMAXX 561	74.5	36	61	28.3	103	
AgriMAXX Wheat Company	AgriMAXX 564	77.8	27	61.9	29.1		
AgriMAXX Wheat Company	AgriMAXX 575		*.*	59.4	28.4		
AgriMAXX Wheat Company	AgriMAXX EXP 2602	76.5	30	62.6	27.7		
AgriMAXX Wheat Company	AgriMAXX EXP 2505	82.1	13	61.1	26.5		
AgriMAXX Wheat Company	AgriMAXX 576		*.*	60.7	27.5		
AgriMAXX Wheat Company	AgriMAXX EXP 2507	84.9	8	60.2	28.3		
AGRIPRO	GP 543		*.*	58.9	27		
AGRIPRO	GP 453		*.*	61.8	27.8		
AGRIPRO	GP 432	69.4	47	60.7	26.6		
AGRIPRO	GP 574	68.1	48	60.3	28		
Bio- Town Seeds	D505W	87.8	5	60.2	29.1	102.4	
Bio- Town Seeds	D482W		*.*	59.5	25.2		
Bio- Town Seeds	DXW 2521	83.9	10	60.6	27.4		
Bio- Town Seeds	D423W	81.1	17	59.7	27.8	101.2	
Dyna-Gro	9151	78.4	24	61.7	29.2	102.3	104.7
Dyna-Gro	9172		*.*	59.4	27.6		
Dyna-Gro	9231	80.9	18	61.3	30.9	92.8	105.5
Dyna-Gro	9422	79.8	20	60.2	27.7	97.6	105.6
Dyna-Gro	9533	78	26	59.1	28		
Dyna-Gro	9593	83.8	11	59.9	28.2	96.7	107.1
Dyna-Gro	9570	78.9	23	60	28.2	98.4	109.2
Dyna-Gro	9632	95.1	3	60.1	27.2	107	
Dyna-Gro	9743	75.9	31	60.8	29		
Dyna-Gro	9751	82	14	60.9	29.3		
Dyna-Gro	9762	77.1	28	60.6	30.4		
Dyna-Gro	9771	82.6	12	61	28.3		
FS InSPIRE	FS 600		*.*	62	27.8		
FS InSPIRE	FS 606	65.7	50	62	28.1		
FS InSPIRE	FS 617		*.*	59.8	30.6		

FS InSPIRE	FS 624	62.2	52	58.1	29.2		
FS InSPIRE	FS 743	81.6	15	60.6	29.8	90.7	103.1
FS InSPIRE	FS 761		*.*	61.4	28.3		
FS InSPIRE	FS 765	72.1	43	60.4	27.6		
FS InSPIRE	FS 766	97.6	1	60.1	29.2		
FS InSPIRE	FS WX26A	74.3	37	61	28.7		
FS InSPIRE	FS WX26B		*.*	59.8	25		
Green Prarie Seed	KSC 423W	74.6	34	62.4	27.8		
Green Prarie Seed	KSC 425W		*.*	61.5	31.3		
Hoffman Seed House, Inc.	H7W21	85.8	7	60.8	27.2	101	104.8
Hoffman Seed House, Inc.	H7W30		*.*	60.1	28.6		
Hoffman Seed House, Inc.	HX7W86	70.6	44	59.9	28.4		
Hoffman Seed House, Inc.	HX7W76		*.*	61.6	27.1		
KWS Cereals US	KWS620		*.*	61.9	24.8		
KWS Cereals US	KWS671		*.*	58	30.4		
KWS Cereals US	KWS680		*.*	60.5	24.1		
Merschman Seeds	2701	78.1	25	61	28		
Merschman Seeds	2702	96.7	2	60.9	28.5		
Merschman Seeds	2703	79.4	22	60.3	30.3		
Merschman Seeds	2704		*.*	60.2	27		
Merschman Seeds	2710	72.2	42	60.2	26.9		
Merschman Seeds	2711	65.8	49	59.5	28.7		
Merschman Seeds	2712		*.*	60	25.5		
Merschman Seeds	2713	94.7	4	59.1	27.1		
Merschman Seeds	Peyton 2		*.*	59.7	27.3		
Merschman Seeds	Maddie 3	72.8	40	60.7	27.7	93.4	
Merschman Seeds	Julie 12	74.6	35	59.4	28.1	87.5	
Pioneer	25R65	80.1	19	59.8	28.6	95.4	109.8
Pioneer	25R76	79.8	21	61.3	29.9	99.9	99.1
Pioneer	P25R800	70.6	45	60.9	27.5	91.7	
ProHarvest Seeds, Inc	7S510	73	39	59.4	25.6		
ProHarvest Seeds, Inc	7B440	86.5	6	60	27.1		
ProHarvest Seeds, Inc	7B520	84.5	9	60.1	28.9		
Virginia Crop Improvement Associat	18VTK10-23	74.7	33	62.9	28.2		
Virginia Crop Improvement Associat	18VTK10-188	76.9	29	61.2	26.4		
Virginia Crop Improvement Associat	VA23W-432	74.8	32	60.9	29.6		
	CV	16.4		0.9	4.9		
	LSD	15		0.8	1.6		
	Trial Mean	78.1		60.5	28		
.- Varieties missing due to deer feeding							

Pest management is carried out by the cooperator at this site. In 2026 this included Trivapro fungicide and Warrior insecticide in April, and Prosaro fungicide and Warrior insecticide in May.

Table 4. Results of the 2026 wheat variety trial at Addieville, in southwestern

						2-yr avg	3-yr avg
Company	Variety	Yield	Yield Rank	Test wt.	Height	2025-26	2024-26
		bu/ac	1 to 71	lb/bu	in.	bu/ac	bu/ac
AgriMAXX Wheat Company	AgriMAXX 513	92.9	48	56.7	31.3	96	95.4
AgriMAXX Wheat Company	AgriMAXX 543	86.8	67	55.6	29.9		
AgriMAXX Wheat Company	AgriMAXX 545	95.1	32	54.2	30.4	101.7	96.6
AgriMAXX Wheat Company	AgriMAXX 553	94.7	36	55.2	27.4	99.1	
AgriMAXX Wheat Company	AgriMAXX 555	94.3	39	55.9	32	97.3	
AgriMAXX Wheat Company	AgriMAXX 561	94.9	35	55	29.1	102.4	
AgriMAXX Wheat Company	AgriMAXX 564	87.7	63	57.2	30.9		
AgriMAXX Wheat Company	AgriMAXX 575	103.9	1	55.3	28.3		
AgriMAXX Wheat Company	AgriMAXX EXP 2602	94.2	40	57.4	30.6		
AgriMAXX Wheat Company	AgriMAXX EXP 2505	102.6	2	55.2	30.3		
AgriMAXX Wheat Company	AgriMAXX 576	97.9	18	56.7	29.6		
AgriMAXX Wheat Company	AgriMAXX EXP 2507	98.5	14	55.7	29.4		
AGRIPRO	GP 543	91.5	54	54.6	29.1	93.6	89.7
AGRIPRO	GP 453	87.3	64	58.3	30.3		
AGRIPRO	GP 432	89.1	58	55.5	30.4		
AGRIPRO	GP 574	87.3	65	56	30.4		
Bio- Town Seeds	D505W	97.7	19	55.1	30.4	105	
Bio- Town Seeds	D482W	93.5	43	55.2	28.1	101.2	
Bio- Town Seeds	DXW 2521	98.2	17	54.7	28.3		
Bio- Town Seeds	D423W	100.2	10	54.4	30.2	104.6	
Dyna-Gro	9151	91.4	55	57.8	29.3	99.3	96.3
Dyna-Gro	9172	85.2	70	55.8	30.2	91.2	90.8
Dyna-Gro	9231	96.7	29	55.9	32.5	105.9	101.1
Dyna-Gro	9422	91.7	52	55.3	30.2	97.5	97.2
Dyna-Gro	9533	92	49	54.4	29.4	96.1	93.1
Dyna-Gro	9593	91.8	51	55	29.4	98.3	91.8
Dyna-Gro	9570	94.5	38	54.8	30.6	97.8	96.4
Dyna-Gro	9632	101.5	4	55.1	30.3	106.1	
Dyna-Gro	9743	94.2	41	55.9	31.4		
Dyna-Gro	9751	97	24	56.5	30.4		
Dyna-Gro	9762	95.7	30	56.6	30.7		
Dyna-Gro	9771	101.1	5	54.8	29		
FS InSPIRE	FS 600	85.5	69	57.5	29.3	95.7	94.4
FS InSPIRE	FS 606	94	42	58.4	31.5	96.4	88.6
FS InSPIRE	FS 617	89.1	59	56.5	31.4	94	88.5
FS InSPIRE	FS 624	89.8	56	57	32.5	90.8	87.5

FS InSPIRE	FS 743	97	25	56	32.3	102.3	99
FS InSPIRE	FS 761	93	47	56.1	28.9		
FS InSPIRE	FS 765	93.4	45	57.1	29.7		
FS InSPIRE	FS 766	100.9	6	55	30.8		
FS InSPIRE	FS WX26A	100.9	7	55	27.9		
FS InSPIRE	FS WX26B	99.2	12	55.5	29.7		
Green Prarie Seed	KSC 423W	91.9	50	58.5	30.6	96.3	89.7
Green Prarie Seed	KSC 425W	85.8	68	58.4	36.5	95.2	
Hoffman Seed House, Inc.	H7W21	95.1	33	54.2	27.7	96.6	93.8
Hoffman Seed House, Inc.	H7W30	88.7	60	55.7	30.6	91.4	86.9
Hoffman Seed House, Inc.	HX7W86	87.8	62	55.8	29.9		
Hoffman Seed House, Inc.	HX7W76	86.9	66	58.1	29.5		
KWS Cereals US	KWS620	100.9	8	57.4	27		
KWS Cereals US	KWS671	88	61	55	32		
KWS Cereals US	KWS680	102.2	3	55.6	27.9		
Merschman Seeds	2701	97	26	54.8	28.7		
Merschman Seeds	2702	100.8	9	55.6	28.5		
Merschman Seeds	2703	95	34	56	31.9		
Merschman Seeds	2704	93.1	46	56.1	30.4		
Merschman Seeds	2710	94.6	37	57.1	30		
Merschman Seeds	2711	93.5	44	57.4	30.6		
Merschman Seeds	2712	96.8	27	57.1	29.8		
Merschman Seeds	2713	99.8	11	54.6	27.3		
Merschman Seeds	Peyton 2	98.3	15	55.4	28.3	100.4	
Merschman Seeds	Maddie 3	98.3	16	55.9	31.6	101.6	
Merschman Seeds	Julie 12	97.7	20	55.7	30.6	105.3	
Pioneer	25R65	89.8	57	54.8	31.1	98.7	94.6
Pioneer	25R76	97.6	21	56.3	29	103	95.2
Pioneer	P25R800	95.7	31	55.7	29	98.4	
ProHarvest Seeds, Inc	7S510	84	71	55.6	29.2		
ProHarvest Seeds, Inc	7B440	97.2	22	54.5	30.8		
ProHarvest Seeds, Inc	7B520	99.2	13	55.1	30.2		
Virginia Crop Improvement Assoc	18VTK10-23	96.8	28	57.8	29.9		
Virginia Crop Improvement Assoc	18VTK10-188	97.1	23	56.5	29.1		
Virginia Crop Improvement Assoc	VA23W-432	91.7	53	55.6	32		
	Trial Mean	94.4		55.9	30		
	LSD	3.9		0.4	1.3		
	CV	5		0.8	3.2		
Note: The three-year average includes Belleville, in far southwestern Illinois.							

Table 5. Results of the 2026 wheat variety trial at St Peter, in south central Illinois.

								2-yr avg	3-yr avg
Company	Variety	Yield	Yield Rank	Test wt.	Height	Maturity date ²	Jointing time ³	2025-26	2024-25
		bu/ac	1 to 71	lb/bu	in.	days after earliest variety	category: E, M or L	bu/ac	bu/ac
AgriMAXX Wheat Company	AgriMAXX 513	126	33	59.7	34.1	6	L	119.9	116.1
AgriMAXX Wheat Company	AgriMAXX 543	115	64	58.5	33.4	4	M		
AgriMAXX Wheat Company	AgriMAXX 545	127.3	25	56.5	32.9	6	M	124.2	125
AgriMAXX Wheat Company	AgriMAXX 553	123.5	45	57.4	32.8	4	M	119	
AgriMAXX Wheat Company	AgriMAXX 555	116.7	60	55.8	34.7	6	M	113	
AgriMAXX Wheat Company	AgriMAXX 561	117.9	59	59	32.3	0	M	112.9	
AgriMAXX Wheat Company	AgriMAXX 564	115.3	63	59.5	35.7	5	M/E		
AgriMAXX Wheat Company	AgriMAXX 575	127.6	22	56.5	33	6	M		
AgriMAXX Wheat Company	AgriMAXX EXP 2602	122.8	47	59.1	34	2	M		
AgriMAXX Wheat Company	AgriMAXX EXP 2505	128	21	58.9	34	4	M		
AgriMAXX Wheat Company	AgriMAXX 576	124.6	41	57.5	33.6	5	M		
AgriMAXX Wheat Company	AgriMAXX EXP 2507	126.1	31	57.9	32.9	5	L		
AGRIPRO	GP 543	128.6	19	57.2	33	4	M	124	115.8
AGRIPRO	GP 453	111.8	68	60.8	34.3	4	M		
AGRIPRO	GP 432	112.7	66	59.5	34	2	M		
AGRIPRO	GP 574	123.2	46	58	34.4	4	M		
Bio- Town Seeds	D505W	132.8	8	57.7	34.3	7	M	128.2	
Bio- Town Seeds	D482W	124.8	38	57.4	31.6	5	M	122	
Bio- Town Seeds	DXW 2521	132	9	57.5	32.5	4	M/E		
Bio- Town Seeds	D423W	138.9	1	57.3	33.3	4	M	132.3	
Dyna-Gro	9151	124.4	42	60.5	33.8	4	M	119.6	115.4
Dyna-Gro	9172	120.1	55	56.7	33.8	7	M/L	114.3	114.7
Dyna-Gro	9231	125.8	34	58.8	34.5	5	M/L	120	122.2
Dyna-Gro	9422	124.4	43	57.7	34.2	5	L	120.4	121.2
Dyna-Gro	9533	130	15	57.4	32.4	7	M/L	124.2	127
Dyna-Gro	9593	120.7	54	57.6	34.2	6	M	117.2	116.6
Dyna-Gro	9570	137.9	2	56.6	33.6	5	M	130.4	124.8
Dyna-Gro	9632	133.6	5	57.3	34.8	8	M	126.2	
Dyna-Gro	9743	129.8	16	56.9	35.1	5	M		
Dyna-Gro	9751	124.4	44	57.7	35.5	5	M		
Dyna-Gro	9762	129.5	17	57.7	34	4	M/L		
Dyna-Gro	9771	127.4	24	57.4	32.4	5	M/E		
FS InSPIRE	FS 600	121.5	49	60.8	32.5	4	M	117	116.4
FS InSPIRE	FS 606	125.3	36	60.8	35.1	3	M	119.7	119.3
FS InSPIRE	FS 617	110	69	56.8	33.8	5	M/L	106.7	111.1
FS InSPIRE	FS 624	113.9	65	56	36.3	4	M	109.1	106.5
FS InSPIRE	FS 743	126.1	32	58.9	35.4	5	L	121	120.8

FS InSPIRE	FS 761	118.5	57	58.1	33.3	0	M		
FS InSPIRE	FS 765	126.6	29	57.4	32.8	4	L		
FS InSPIRE	FS 766	133.2	6	57.3	33.8	7	M		
FS InSPIRE	FS WX26A	130.7	12	57.9	32.7	4	M		
FS InSPIRE	FS WX26B	128.4	20	57.1	33.5	4	M		
Green Prairie Seed	KSC 423W	120.8	53	60.6	35.2	3	L	116.8	118.9
Green Prairie Seed	KSC 425W	112.3	67	58.8	37.2	4	M	108.7	
Hoffman Seed House, Inc.	H7W21	124.8	39	57	33	3	M	121.1	118.8
Hoffman Seed House, Inc.	H7W30	121.3	50	57.2	32.8	5	L	117.2	109.3
Hoffman Seed House, Inc.	HX7W86	116.2	61	58	33.4	4	M		
Hoffman Seed House, Inc.	HX7W76	109.2	70	60.6	32.9	4	M/L		
KWS Cereals US	KWS620	118	58	59.8	33.6	3	E		
KWS Cereals US	KWS671	126.2	30	55.1	35.9	7	L		
KWS Cereals US	KWS680	125.7	35	58.4	31.1	2	M		
Merschman Seeds	2701	130.4	14	57.6	33.3	3	M		
Merschman Seeds	2702	131.5	11	57.3	33.6	5	M		
Merschman Seeds	2703	130.7	13	57.8	34.9	6	M		
Merschman Seeds	2704	128.8	18	56.1	34.2	6	M		
Merschman Seeds	2710	127.6	23	57.4	32.5	5	L		
Merschman Seeds	2711	121.3	51	57.4	34.1	4	M		
Merschman Seeds	2712	121.8	48	57.3	32.8	5	M		
Merschman Seeds	2713	124.8	40	55.7	32.1	6	M		
Merschman Seeds	Peyton 2	126.8	27	58.1	32.3	1	E	120.3	
Merschman Seeds	Maddie 3	126.8	28	58.8	34.6	5	L	122.4	
Merschman Seeds	Julie 12	133.2	7	57.5	33.3	6	M	127.7	
Pioneer	25R65	131.6	10	58.1	33.6	4	M/L	126.2	125.8
Pioneer	25R76	127	26	58.8	33.4	4	L	123.1	116.8
Pioneer	P25R800	121.1	52	56.1	32	3	M	115.5	
ProHarvest Seeds, Inc	7S510	125.1	37	56.7	32.1	5	M		
ProHarvest Seeds, Inc	7B440	136.2	3	56.9	32.6	4	M		
ProHarvest Seeds, Inc	7B520	135.3	4	57.2	35.4	7	M		
Virginia Crop Improvement Assoc	18VTK10-23	118.7	56	60	33.9	2	L		
Virginia Crop Improvement Assoc	18VTK10-188	115.9	62	59.1	32.6	4	M		
Virginia Crop Improvement Assoc	VA23W-432	101.5	71	57.4	34.5	4	M/E		
	Trial Mean	124.3		57.9	33.7	4			
	LSD	5.5		0.7	1.1	1.1			
	CV	4.1		1	2.6	0.5			

²Varieties were evaluated for the date when they reached maturity. The maturity date is relative to the earliest variety. Higher values mean later maturity and lower values mean earlier maturity. The earliest variety is at zero.

³Varieties were evaluated for the timing of jointing and classified into categories: E= early, M=medium, L=Late. Jointing begins at Feekes growth stage 6 and marks the beginning of more rapid growth and increased vulnerability to freeze damage. Varieties that are classified as E, jointed at a time when hard freezes are probable. Varieties that are classified as M, jointed at a time when hard freezes are possible, but unlikely. Varieties classified as L, jointed at a time when hard freezes are highly unlikely.

Table 7. Results of the 2026 wheat variety trial at Urbana, in east central Illinois.

									2-yr avg	3-yr avg
Company	Variety	Yield	Yield Rank	Test wt.	Height	Maturity date ²	Heading date ³	Jointing time ⁴	2025-26	2024-26
		bu/ac	1 to 83	lb/bu	in.	days after earliest variety	days after earliest variety	category: E, M or L	bu/ac	bu/ac
AgriMAXX Wheat Company	AgriMAXX 513	114.4	71	54.3	39.1	5	9	L	114.5	111.8
AgriMAXX Wheat Company	AgriMAXX 531	118.4	58	55.8	40.7	5	8	L	117.9	115.4
AgriMAXX Wheat Company	AgriMAXX 543	115.9	67	54.3	39.2	4	9	M	116	
AgriMAXX Wheat Company	AgriMAXX 545	122.6	34	52.9	38	6	12	M	123.9	108.6
AgriMAXX Wheat Company	AgriMAXX 553	117.3	63	54.4	37.7	5	9	M	118.6	
AgriMAXX Wheat Company	AgriMAXX 568	120.8	48	54	37.4	4	12	L		
AgriMAXX Wheat Company	AgriMAXX 575	123.7	30	54.1	38.4	6	11	M		
AgriMAXX Wheat Company	AgriMAXX EXP 2505	121.7	42	54.5	39.9	5	9	M		
AgriMAXX Wheat Company	AgriMAXX 576	131	4	54.7	40.7	5	10	M		
Albert Lea Seed	Blue River 861	121.7	43	52.3	36.7	4	7	M	126.1	114.1
Albert Lea Seed	Blue River 801	125.5	22	54.6	41.8	4	9	M	123.8	116.1
AGRIPRO	GP 543	122.4	38	53.9	39.9	4	5	M		
AGRIPRO	GP 453	112.9	75	56.1	40.1	3	8	M		
AGRIPRO	GP 432	113	74	54.6	39.8	2	6	M		
AGRIPRO	GP 574	109.3	81	54.5	39.9	4	9	M		
American Organic	Erisman	107.8	82	56.8	40.8	1	6	M		
Baird Seed Co	BW 148	116.5	66	55.6	41.3	4	10	L		
Baird Seed Co	BW 252	117.8	61	54.6	41.4	6	12	M		
Baird Seed Co	BW 639	113.6	72	56.8	41.7	4	7	M/L		
Baird Seed Co	BW 852	110.6	80	55.1	41	3	6	M		
Bio- Town Seeds	D505W	114.8	70	53.5	39.5	5	10	M	116.3	
Bio- Town Seeds	D482W	124.8	24	53.6	35.6	5	11	M		
Bio- Town Seeds	DXW 2521	123.1	32	53.6	38.5	4	10	M		
Bio- Town Seeds	D423W	127.2	16	53.2	40.7	4	8	M	127.4	
DeRaedt Seed	DeRaedt 50	127.3	15	53.5	38.3	3	10	M		
DeRaedt Seed	DeRaedt 66	127.8	14	54.9	38.5	5	12	M/L	127.1	
FS InSPIRE	FS 600	115.3	69	55.6	39.3	5	10	M	116.2	110.2
FS InSPIRE	FS 606	111.4	79	56.4	41.9	4	8	M/L	112.1	112.4
FS InSPIRE	FS 617	124.3	26	54.5	39.2	5	13	L	123.8	117.4
FS InSPIRE	FS 624	113.5	73	55.6	42.3	6	12	M	116	102.7
FS InSPIRE	FS 743	122.3	40	54.8	41.4	5	8	M	122.5	115.6
FS InSPIRE	FS 761	119	55	54.3	39.3	1	7	M		
FS InSPIRE	FS 765	125.3	23	56.4	36.6	5	9	L		
FS InSPIRE	FS 766	122.3	41	53.5	39.9	6	10	M		
FS InSPIRE	FS WX26A	124.3	27	53.6	38.2	3	9	M		
FS InSPIRE	FS WX26B	128.7	8	54.3	38.6	5	7	M/L		
Green Prarie Seed	KSC 423W	112.4	76	56.8	40.7	4	8	M/L	112.6	113.7
Green Prarie Seed	KSC 425W	105.2	83	55.9	44.4	3	5	M/L	106.6	
Green Valley Seed LLC	604	111.5	78	53.6	39.4	3	8	M	111.8	110.9
Green Valley Seed LLC	624	120	52	55	37.8	5	9	M	120.8	114.5
Green Valley Seed LLC	645	121.4	45	54.3	38.1	6	13	M/L	121.6	
Green Valley Seed LLC	616X	128	13	55.8	40.7	6	9	M		
Green Valley Seed LLC	636X	128.5	9	54.4	41.5	5	10	M		

Green Valley Seed LLC	656X	131.5	3	55	41.1	6	10	M		
Kennel Seed Farms	NS22905	126.2	19	53.6	40.2	6	12	M		
Kennel Seed Farms	NS23725	125.7	21	54	38.2	6	11	M		
Kennel Seed Farms	KS 1618	119	56	55.4	40.3	5	8	M		
Kratz Farms KF Brand	KF 667	121.4	46	56	39.7	3	7	M	120.2	110.3
Kratz Farms KF Brand	KF 809	120.7	49	55.8	40.5	4	8	M	120.9	107.2
Kratz Farms KF Brand	KF 831	123.7	31	53.9	37	5	12	M	123.4	113.6
Kratz Farms KF Brand	KF 849	132.9	1	56.6	37.2	5	9	M/L	131.3	120.2
Kratz Farms KF Brand	KF 883	124.5	25	54.5	38.2	5	11	M	124.8	123.4
Kratz Farms KF Brand	KF 823	117.5	62	54.7	39.1	5	8	M		
KWS Cereals US	KWS585	129.1	6	55	38.7	6	9	M		
KWS Cereals US	KWS606	126.4	18	54.9	37.6	6	15	M		
KWS Cereals US	KWS620	120.1	51	55	36.8	3	7	M		
KWS Cereals US	KWS661	128.4	10	53.2	38.7	5	9	M		
KWS Cereals US	KWS671	123.9	28	54.3	41	7	14	L		
KWS Cereals US	KWS678	122.5	37	53.3	39.9	5	15	L		
KWS Cereals US	KWS680	122.4	39	54.7	35.9	3	7	M		
Martin Seed	M25	115.4	68	54.2	36.6	5	12	M/L	115.8	
Martin Seed	M26	132.1	2	53	41.4	4	8	M		
Merschman Seeds	2701	121.6	44	53.2	38.6	3	10	M		
Merschman Seeds	2702	128.3	11	53.5	39.2	5	11	M		
Merschman Seeds	2703	128.3	12	54.3	41.3	5	11	M/E		
Merschman Seeds	2704	129.1	7	54.2	39.1	6	14	M		
Merschman Seeds	2710	125.8	20	56.4	37.4	5	11	L		
Merschman Seeds	2711	121.2	47	56.1	40.5	6	12	M		
Merschman Seeds	2712	122.6	35	54.6	39.2	5	10	M/L		
Merschman Seeds	2713	122.6	36	54	37.6	6	10	M		
Merschman Seeds	Peyton 2	118.9	57	54.8	39.4	0	0	E	119.5	
Merschman Seeds	Maddie 3	120.6	50	54.5	42	5	9	M	121.4	
Merschman Seeds	Julie 12	122.7	33	54.5	40.6	5	12	M	122.8	
Pioneer	25R65	123.9	29	53	38.5	5	13	M	124.1	112.6
Pioneer	25R76	118.1	59	54.2	40.4	4	7	M	118.9	112.4
Pioneer	P25R800	118	60	53.2	38	1	3	M	119	
ProHarvest Seeds, Inc	7S510	120	53	54.1	37.5	5	11	M/L		
ProHarvest Seeds, Inc	7B440	130.6	5	53.3	40.5	4	9	M		
ProHarvest Seeds, Inc	7B520	120	54	53.5	40.4	5	10	M		
ProHarvest Seeds, Inc	XP975	126.7	17	54	37.4	6	10	M		
Virginia Crop Improvement Association	18VTK10-23	117	65	56.1	39.2	2	4	M		
Virginia Crop Improvement Association	18VTK10-188	117.2	64	55.4	39.2	3	7	M		
Virginia Crop Improvement Association	VA23W-432	111.8	77	53.9	40.8	4	9	L		
	CV	2.9		0.6	2.8	0.4	0.9	18.3		
	LSD	4.5		0.3	1.2	0.9	1.5	0.7		
	Trial Mean	121.2		54.6	39.4	4	9	2.8		

²Varieties were evaluated for the date when they reached maturity. The maturity date is relative to the earliest variety. Higher values mean later maturity and lower values mean earlier maturity. The earliest variety is at zero.

³Varieties were evaluated for the date when heads emerged. The heading date is relative to the earliest variety. Higher values mean later heading and lower values mean earlier heading. The earliest heading variety is at zero.

⁴Varieties were evaluated for the timing of jointing and classified into categories: E= early, M=medium, L=Late. Jointing begins at Feekes growth stage 6 and marks the beginning of more rapid growth and increased vulnerability to freeze damage. Varieties that are classified as E, jointed at a time when hard freezes are probable. Varieties that are classified as M, jointed at a time when hard freezes are possible, but unlikely. Varieties classified as L, jointed at a time when hard freezes are highly unlikely.

Table 8. Results of the 2026 wheat variety trial at Hampshire, in north central Illinois.

						2-yr avg	3-yr avg
Company	Variety	Yield	Yield Rank	Test wt.	Height	2025-26	2024-26
		bu/ac	1 to 83	lb/bu	in.	bu/ac	bu/ac
AgriMAXX Wheat Company	AgriMAXX 513	124	56	54.6	32.7	125.5	130.3
AgriMAXX Wheat Company	AgriMAXX 531	119.4	69	56	34.3	125.6	127.8
AgriMAXX Wheat Company	AgriMAXX 543	123.5	60	53	32.4	121.8	
AgriMAXX Wheat Company	AgriMAXX 545	126.9	43	52.6	32.4	132.8	139.6
AgriMAXX Wheat Company	AgriMAXX 553	128.3	39	54.6	30.3	128.1	
AgriMAXX Wheat Company	AgriMAXX 568	125.2	51	54.5	30.7		
AgriMAXX Wheat Company	AgriMAXX 575	138	6	53.6	31.9		
AgriMAXX Wheat Company	AgriMAXX EXP 2505	125.8	49	54.7	32.6		
AgriMAXX Wheat Company	AgriMAXX 576	139.6	3	55.2	32.6		
Albert Lea Seed	Blue River 861	129.1	37	53	30.3	132.2	136.7
Albert Lea Seed	Blue River 801	128.1	41	54.3	33.2		
AGRIPRO	GP 543	136	13	54.4	31.6	136.8	136.7
AGRIPRO	GP 453	126.2	48	56.3	31.9		
AGRIPRO	GP 432	109.8	80	53.5	31.8		
AGRIPRO	GP 574	119.3	70	53.4	32.4		
American Organic	Erisman	101.7	82	54.5	31.5		
Baird Seed Co	BW 148	116.9	75	55.7	34.8		
Baird Seed Co	BW 252	124	57	54.2	36.7		
Baird Seed Co	BW 639	122.7	62	56.6	34.5		
Baird Seed Co	BW 852	119.3	71	54.4	33		
Bio- Town Seeds	D505W	132.7	21	54.7	31.6	134	
Bio- Town Seeds	D482W	129.8	32	52.1	28.6		
Bio- Town Seeds	DXW 2521	121.9	65	53	31.2		
Bio- Town Seeds	D423W	137.9	8	53.2	32.1	144.5	
DeRaedt Seed	DeRaedt 50	119.3	72	53	31.7		
DeRaedt Seed	DeRaedt 66	132.1	25	55.3	29.2	140	
FS InSPIRE	FS 600	120.2	67	55.3	31.1	124	131.5
FS InSPIRE	FS 606	124.7	53	56.9	34.7	124	127
FS InSPIRE	FS 617	132.7	22	54.5	32.5	132	136
FS InSPIRE	FS 624	117.1	74	55.6	35.4	121.4	129.7
FS InSPIRE	FS 743	122.4	64	53.9	31.7	125.7	132.6
FS InSPIRE	FS 761	114.6	78	55.3	31.8		
FS InSPIRE	FS 765	132.5	24	55.6	32.1		
FS InSPIRE	FS 766	134.5	18	54.6	32.6		
FS InSPIRE	FS WX26A	132.6	23	53.4	30.4		
FS InSPIRE	FS WX26B	124.3	54	53	32.5		
Green Prairie Seed	KSC 423W	118.4	73	56.7	32.9	122.2	125.5
Green Prairie Seed	KSC 425W	122.7	63	56	37.3	120.6	

Green Valley Seed LLC	604	116.8	76	55	32.1	120	126.8
Green Valley Seed LLC	624	131.8	27	55.1	30.7	130.9	134.7
Green Valley Seed LLC	645	134.8	17	55	31.6	133.5	
Green Valley Seed LLC	616X	129.5	34	54.8	32.6		
Green Valley Seed LLC	636X	137.9	9	54.2	32.4		
Green Valley Seed LLC	656X	137.9	10	54.9	32.8		
Kennel Seed Farms	NS22905	123.5	61	53.1	32.1		
Kennel Seed Farms	NS23725	140.8	1	53.4	32.3		
Kennel Seed Farms	KS 1618	126.9	44	55.4	30.4		
Kratz Farms KF Brand	KF 667	119.6	68	56	31.9	118	125.1
Kratz Farms KF Brand	KF 809	114.7	77	53.8	32.4	126.5	132.8
Kratz Farms KF Brand	KF 831	123.8	58	53.8	31.2	123.8	128.9
Kratz Farms KF Brand	KF 849	130.4	29	55.6	32.4	125	130.4
Kratz Farms KF Brand	KF 883	130.5	28	55.6	29.3	135.5	140.2
Kratz Farms KF Brand	KF 823	127.5	42	53.9	33.6		
KWS Cereals US	KWS585	129.4	36	55.3	31.6		
KWS Cereals US	KWS606	135	16	54.3	32		
KWS Cereals US	KWS620	126.7	45	55.8	31.8		
KWS Cereals US	KWS661	136.2	12	53.5	31.4		
KWS Cereals US	KWS671	124.9	52	54.4	33.5		
KWS Cereals US	KWS678	138	7	54	31.5		
KWS Cereals US	KWS680	137.7	11	53.4	29.8		
Martin Seed	M25	124.2	55	54.2	31.5	126.1	
Martin Seed	M26	135.7	14	53.2	32.8		
Merschman Seeds	2701	129.5	35	53.3	31		
Merschman Seeds	2702	134.2	19	55.1	31.5		
Merschman Seeds	2703	138.4	5	54.2	30.9		
Merschman Seeds	2704	123.8	59	54.5	33.2		
Merschman Seeds	2710	132	26	55.3	31.6		
Merschman Seeds	2711	125.7	50	56.2	35.2		
Merschman Seeds	2712	133.2	20	55.5	32.2		
Merschman Seeds	2713	139.9	2	53.5	32.9		
Merschman Seeds	Peyton 2	86.5	83	53.7	33.9	104	
Merschman Seeds	Maddie 3	128.3	40	54.2	33.2	131.9	
Merschman Seeds	Julie 12	126.4	47	54.3	30.9	134	
Pioneer	25R65	135.6	15	53.2	32.4	139.2	140.6
Pioneer	25R76	121.1	66	54.7	31.5	132.8	135.7
Pioneer	P25R800	126.7	46	54.3	29.6	131	
ProHarvest Seeds, Inc	7S510	129.9	31	54.3	31.5		
ProHarvest Seeds, Inc	7B440	129.1	38	53.2	30.8		
ProHarvest Seeds, Inc	7B520	130.4	30	54.5	34.2		
ProHarvest Seeds, Inc	XP975	139.3	4	53.4	31.8		
Virginia Crop Improvement Association	18VTK10-23	129.6	33	57.1	34.1		
Virginia Crop Improvement Association	18VTK10-188	112	79	55.3	31.2		
Virginia Crop Improvement Association	VA23W-432	105.7	81	53.1	31.5		
	CV	4.1		0.6	3.9		
	LSD	6.3		0.4	1.5		
	Trial Mean	126.8		54.5	32.2		