Multiple Choice Questions

1. which of the following are invalid identifiers in python?

a. Total sum

b. Error

c. Error- Count

d. None of these

2. A____ is a sequence of one or more characters used to provide a name for a given program

element.

a. Identifier

b. Variable

c. String

d. Character

3. Identify the invalid identifier below.

a. _2017discound

b. Profit

c. Total-discount

d. Totaldiscount

 4. _____ are not allowed as part of an identifier.

a. spaces

b. Numbers

c. Underscore

d. All of these

5. identifiers may contain letters and digits, but cannot begin with a _____.

a. Character

b. Digit

c. Underscore

d. Special Symbols

6. Which is not a reserved keyword in python?

a. Insert

b. Except

c. Import

d. Yield

7. identify the invalid keywords below.

a. And

b. As

c. While

d. until

8. _____ is an identifier that has predefined meaning.

a. variable

b. Identifier

c. keywords

d. None of these

9. Bitwise _____operator give 1 if one of the bit is zero and   the   other is 1.

a. Or

b. And

c. xor

d. Not

10. Guess the output of the following code.

(1>2and 9>6)

A. True

b. False

c. Machine Dependent

d. Error

11. how many operands are there in the following arithmetic expression?

6*35+8-25

a. 4

b. 3

c. 5

d. 8

12. how many binary operators are there in the following arithmetic expression?

-6+10/ (23+56)

a. 2

b. 3

c. 4

d. 5

13. which operator returns the remainder of the operands?

a. /

b. //

c. %

d. **

14. A_____ is a name that is associated with a value.

a. Identifier

b. Keyword

c. Variable

d. None of these

15. Guess the output of the following expression.

Float (22//3+3/3)

a. 8

b. 8.0

c. -8.3

d. 8.333

16. what value does the following expression evaluate to?

 2+9*((3*12)-8)/10

a. 27

b. 27.2

c. 30.8

d. None of these

17. _____and_____ are two ways to comment in python.

a. single and multilevel comments

b. Single line and double line comments

c. One and may line comments

d. Single line and multiple comments

18. single- line comments start with the _____ symbol.

a.*#

b. #

c. *

d. &

19. multiline commend can be done by adding _____ on each end of the comment.

a. ''' ''' (triple quote)

b. #(Hash)

c. $ (Doller)

d. %(modulus)

20. python programs get structured through _____?

a. Alignment

b. Indentation

c. Justification

d. None

21. in python, indentation is a _____ and not a matter of style.

a. Requirement

b. Refinement

c. Not Required

d. Not Refined

22. which of the following is correct about python.

a. a python is a high-level, interpreted, interactive and object-oriented language

b. python is designed to be highly readable.

c. it used English keywords frequently and has fewer syntactical constructions

d. all of the above

23. which of the following function is used to read data from the keyboard?

a. function ()

b. Str ()

c. Input ()

d. print ()

24. the one's complement of 60 is given by _____.

a. -61

b. -60

c. -59

d. +59

25. the operator is and not are _____.

a. identity operator

b. Comparison operators

c. Membership Operators

d. Unary Operators

26. in python an identifier is _____.

a. Machine Dependent

b. Keyword

c. Case Sensitive

d. Constant

27. Which of the following operator is truncation division operator?

a. /

b. %

c. /

<mark>d. //</mark>

28. the expression that   requires type conversion when evaluated is _____.

a. 4.7*6.3

b. 1.7%2

<mark>c. 3.4+4.6</mark>

d. 7.9*6.3

29. the operator that has the highest precedence is _____.

a. <<and>>

b. **

c. +

<mark>d. %</mark>

30. the expression that results in an error is _____.

<mark>a. Int ('10.8')</mark>

b. float (10)

c. int (10)

d. float (10.8)

31. which of the following expression is an example of type conversion?

<mark>a. 4.0+float (3)</mark>

b. 5.3+6.3

c. 5.0+3

d. 3+7

32. what is the output when the following statement is executed?

>>>print ('new' 'line')

a. Error

b. Output equivalent to print 'new \'line'

c. new line

<mark>d. newline</mark>

33. what is the output when the following statement is executed?

Print(0*D+0*E+0*F)

<mark>a. Error</mark>

b. 0XD0XE0XF

c. 0X22

d. 42

34. what is the output of print (0,1+0,2==0,3)?

a. True

<mark>b. False</mark>

c. Error

d. Machine dependent

35. which of the following is not a complex number?

<mark>a. 1=4+5j</mark>

b. 1=Complex (4,5)

c. 1= 4+5i

<mark>d. 1=4+5j</mark>

36. guess the output of the expression.

X=15

Y=12

X & y

a. 1101

b. b1101

c. 0b1101

<mark>d. 12</mark>

37. Incorrect indentation results in _____

<mark>a. indentation error</mark>

b. Name error

c. Type error

d. Syntax error

38. the function that converts an integer to a string of one character whose ASCLL code is same as the Integer is _____.

<mark>a. chr(x)</mark>

b. ord(x)

c. eval (x)

d. input(x)