

Test Report

Report No.: CTT26080600533EN

Page 1 of 16

Applicant: Konges Sloejd A/S

Address: Kuglegårdsvej 13-17, Building 13, 1434 Copenhagen, Denmark

Sample Received Date: Aug. 12, 2026

Testing Period: Aug. 12, 2026 - Aug. 31, 2026

Report Date: Aug. 31, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: FANS

Sample Model: KS106926

Sample Color: Pony tales, Cat, flowers

Manufacturer: 10 FASHION LEVEL TEN FASHION LIMITED

Supplier: 10 FASHION LEVEL TEN FASHION LIMITED

Exported to: EU, UK, USA

Brand: Konges Sløjde

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).


Signed for and on Behalf of CTT:

Ramon . Zhong

Ramon . Zhong
Technical Manager



Verification Report



Test Report


Report No.: CTT26080600533EN

Page 2 of 16

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials	PASS
2	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials (Metal)	PASS
3	Refer to US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307 - Phthalates	PASS
4	[Children's Safe Product Act (CSPA)] RCW 70A.430.020 - Cadmium	PASS
5	California Proposition 65, Alameda Superior Court, Case No. RG-07-356892 - Lead	PASS
6	California Proposition 65, Alameda Superior Court, Case No. BG07350969 - Phthalates	PASS
7	Annex XVII items 63 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Lead	PASS
8	Annex XVII items 23 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Cadmium	PASS
9	Annex XVII items 43 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Azo Dyes	PASS
10	Annex XVII items 50 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Polycyclic aromatic hydrocarbons	PASS
11	Annex XVII items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Phthalates	PASS
12	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in paint or surface coating	NA
13	CPSC 16 CFR 1303 - Total Lead (Pb) in paint or surface coating	NA

NOTE: 1. NA = Not Applicable.



Test Report

Report No.: CTT26080600533EN

Page 3 of 16

Test Result(s):

Total Lead (Pb) in accessible substrate materials - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1002-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	PASS
1+2+3	N.D.	

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.


Total Lead (Pb) in accessible substrate materials (Metal) - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1001-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	PASS
4+5	35	

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT26080600533EN

Page 4 of 16

Test Result(s):


Phthalates - Refer to US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307

Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1
1	Di-butyl phthalate (DBP)	84-74-2	1000	50	174
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
4	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.
5	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
6	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.
7	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.
Conclusion					PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					2	3
1	Di-butyl phthalate (DBP)	84-74-2	1000	50	530	137
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
4	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
5	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
6	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
7	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. Children's toys and child care articles shall not more than 1000mg/kg of DBP, BBP, DEHP, DINP, DIBP, DCHP,DPENP and DNHP (DHEXP)
- Children's toys defined as 12 years and under.



Test Report

Report No.: CTT26080600533EN

Page 5 of 16

- Child care articles to facilitate sleep or feeding of children 3 years and under, or to help children with sucking and teething.

4. Polypropylene (PP), polyethylene (PE), acrylonitrile butadiene styrene (ABS), general purpose polystyrene (GPPS), medium-impact polystyrene (MIPS), high-impact polystyrene (HIPS), and super high-impact polystyrene (SHIPS), and their additives as listed in 16 CFR 1308 are exempt from testing. If material identification is not provided, phthalate testing will be conducted on all plastic materials.

5. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.

Test Result(s):


Cadmium - [Children's Safe Product Act (CSPA)] RCW 70A.430.020

Method: CPSC-CH-E1001-08.3ⁿ

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	40	
Material No.	Result (mg/kg)	
4+5	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT26080600533EN

Page 6 of 16

Test Result(s):

Cadmium - [Children's Safe Product Act (CSPA)] RCW 70A.430.020

Method: CPSC-CH-E1002-08.3ⁿ

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	40	
Material No.	Result (mg/kg)	
1+2+3	N.D.	PASS

NOTE:


1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.

Lead - California Proposition 65, Alameda Superior Court, Case No. RG-07-356892

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(4+5)D	35	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1001-08.3.



Test Report

Report No.: CTT26080600533EN

Page 7 of 16


Test Result(s):

Lead - California Proposition 65, Alameda Superior Court, Case No. RG-07-356892

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(1+2+3)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.: CTT26080600533EN

Page 8 of 16

Test Result(s):

Phthalates - California Proposition 65, Alameda Superior Court, Case No. BG07350969


Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1
1	Di-butyl phthalate (DBP)	84-74-2	1000	50	174
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.
5	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
Conclusion					PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					2	3
1	Di-butyl phthalate (DBP)	84-74-2	1000	50	530	137
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT26080600533EN

Page 9 of 16

Test Result(s):

Lead - Annex XVII items 63 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	500	
Material No.	Result (mg/kg)	
(4+5)D	35	PASS

NOTE:


1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1001-08.3.

Lead - Annex XVII items 63 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	500	
Material No.	Result (mg/kg)	
(1+2+3)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.: CTT26080600533EN


Page 10 of 16

Test Result(s):Cadmiumⁿ - Annex XVII items 23 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(1+2+3)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.: CTT26080600533EN

Page 11 of 16

Test Result(s):


Azo Dyes - Annex XVII items 43 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Method: EN ISO 14362-1:2017 & EN ISO 14362-3:2017

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1+2+3
1	4-Aminobiphenyl	92-67-1	30	5	N.D.
2	Benzidine	92-87-5	30	5	N.D.
3	4-Chloro-o-toluidine	95-69-2	30	5	N.D.
4	2-Naphthylamine	91-59-8	30	5	N.D.
5	o-Aminoazotoluene	97-56-3	30	5	N.D.
6	5-Nitro-o-toluidine	99-55-8	30	5	N.D.
7	p-Chloroaniline	106-47-8	30	5	N.D.
8	2,4-Diaminoanisole	615-05-4	30	5	N.D.
9	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	30	5	N.D.
10	3,3'-Dichlorobenzidine	91-94-1	30	5	N.D.
11	3,3'-Dimethoxybenzidine	119-90-4	30	5	N.D.
12	3,3'-Dimethylbenzidine	119-93-7	30	5	N.D.
13	3,3'-Dimethyl-4,4'-diaminobiphenylmethane	838-88-0	30	5	N.D.
14	p-Cresidine	120-71-8	30	5	N.D.
15	4,4'-Methylene-bis-(2-chloroaniline)	101-14-4	30	5	N.D.
16	4,4'-Oxydianiline	101-80-4	30	5	N.D.
17	4,4'-Thiodianiline	139-65-1	30	5	N.D.
18	o-Toluidine	95-53-4	30	5	N.D.
19	2,4-Toluylenediamine	95-80-7	30	5	N.D.
20	2,4,5-Trimethylaniline	137-17-7	30	5	N.D.
21	o-Anisidine	90-04-0	30	5	N.D.
22	4-Aminoazobenzene	60-09-3	30	5	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT26080600533EN

Page 12 of 16

Test Result(s):


Polycyclic aromatic hydrocarbons - Annex XVII items 50 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Method: AfPS GS 2019:01 PAK

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1+2+3
1	Benzo(a)pyrene (BaP)	50-32-8	1	0.20	N.D.
2	Benzo(e)pyrene (BeP)	192-97-2	1	0.20	N.D.
3	Benzo(a)anthracene (BaA)	56-55-3	1	0.20	N.D.
4	Benzo(b)fluoranthene (BbF)	205-99-2	1	0.20	N.D.
5	Benzo(j)fluoranthene (BjF)	205-82-3	1	0.20	N.D.
6	Benzo(k)fluoranthene (BkF)	207-08-9	1	0.20	N.D.
7	Chrysene (CHR)	218-01-9	1	0.20	N.D.
8	Dibenzo(a,h)anthracene (DBA)	53-70-3	1	0.20	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT26080600533EN

Page 13 of 16

Test Result(s):


Phthalates - Annex XVII items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1
1	Di-butyl phthalate (DBP)	84-74-2	--	50	174
2	Butyl benzyl phthalate (BBP)	85-68-7	--	50	N.D.
3	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	--	50	N.D.
4	Di-iso-butyl phthalate (DIBP)	84-69-5	--	50	N.D.
5	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	--	50	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	--	100	N.D.
7	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	--	100	N.D.
8	Sum (DBP+BBP+DEHP+DIBP)	--	1000	50	174
9	Sum (DNOP+DINP+DIDP) ⁿ	--	1000	100	N.D.
Conclusion					PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					2	3
1	Di-butyl phthalate (DBP)	84-74-2	--	50	530	137
2	Butyl benzyl phthalate (BBP)	85-68-7	--	50	N.D.	N.D.
3	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	--	50	N.D.	N.D.
4	Di-iso-butyl phthalate (DIBP)	84-69-5	--	50	N.D.	N.D.
5	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	--	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	--	100	N.D.	N.D.
7	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	--	100	N.D.	N.D.
8	Sum (DBP+BBP+DEHP+DIBP)	--	1000	50	530	137
9	Sum (DNOP+DINP+DIDP) ⁿ	--	1000	100	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The



Test Report

Report No.: CTT26080600533EN

Page 14 of 16

individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.

4. "--" = Not Applicable.

Test Material List

Material No.	Sample Description	Location
1	Multicolor printing fabric	Fan surface (A)
2	Multicolor printing fabric	Fan surface (B)
3	Multicolor printing fabric	Fan surface (C)
4	Silvery metal	Axle (long) (A/B/C)
5	Silvery metal	Axle (short) (A/B/C)


Photo of Sample:



Test Report

Report No.: CTT26080600533EN


Page 15 of 16



Test Report

Report No.: CTT26080600533EN

Page 16 of 16

Photo of Sample:

CTT Co., Ltd. is the US Consumer Product Safety Commission (CPSC) Accredited Third Party Testing Laboratory, identification number is 1500, and shall refer to <http://www.cpsc.gov/cgi-bin/labsearch/>.

*** End of Report ***

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

