

Test Report

Report No.: CTT26080600847EN

Page 1 of 16

Applicant: Konges Sløjd A/S

Address: Kuglegårdsvej 13-17, Building 13, 1434 Copenhagen, Denmark

Sample Received Date: Aug. 18, 2026

Testing Period: Aug. 18, 2026 - Aug. 28, 2026

Report Date: Aug. 28, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Pendants and epoxy paints for SWAN JEWELRY SET

Model No.: KS107287

P/O No.: 27 SPRING

Sample Color: SWAN

Exported to: EU and US

Supplier: 10 FASHION LEVEL TEN FASHION LIMITED

Country of Origin: CHINA

Other Information: MATERIALS:

Metal on pendant: Zinc alloy with gold coating

Swan paint on pendants: Epoxy AB adhesive

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).


Signed for and on Behalf of CTT:

Ramon. Zhong

Ramon . Zhong
Technical Manager



Verification Report




Test Report

Report No.: CTT26080600847EN

Page 2 of 16

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials	PASS
2	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials (Metal)	PASS
3	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307 - Phthalates	PASS
4	[Children's Safe Product Act (CSPA)] RCW 70A.430.020 - Cadmium	PASS
5	California Proposition 65, Alameda Superior Court, Case No. RG-07-356892 - Lead	PASS
6	California Proposition 65, The County of Marin Case No. CIV1103513 - Phthalates	PASS
7	California Proposition 65 (Alameda Superior Court Case No. RG 18-923611) - Cadmium (Cd)	PASS
8	ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry - Nickel Release	PASS
9	ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry - Lead	PASS
10	ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry - Cadmium	PASS
11	ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry - Phthalates	PASS



Test Report

Report No.: CTT26080600847EN

Page 3 of 16

Test Result(s):

Total Lead (Pb) in accessible substrate materials - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1002-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	PASS
14+15+16	N.D.	

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.


Total Lead (Pb) in accessible substrate materials (Metal) - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1001-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	PASS
1+3+9	14	
2+6+8	26	
4+5+7	23	

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT26080600847EN

Page 4 of 16

Test Result(s):


Phthalates - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307

Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					14+15+16
1	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
4	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.
5	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
6	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.
7	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. Children's toys and child care articles shall not more than 1000mg/kg of DBP, BBP, DEHP, DINP, DIBP, DCHP,DPENP and DNHP (DHEXP)
 - Children's toys defined as 12 years and under.
 - Child care articles to facilitate sleep or feeding of children 3 years and under, or to help children with sucking and teething.
4. Polypropylene (PP), polyethylene (PE), acrylonitrile butadiene styrene (ABS), general purpose polystyrene (GPPS), medium-impact polystyrene (MIPS), high-impact polystyrene (HIPS), and super high-impact polystyrene (SHIPS), and their additives as listed in 16 CFR 1308 are exempt from testing. If material identification is not provided, phthalate testing will be conducted on all plastic materials.
5. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT26080600847EN

Page 5 of 16


Test Result(s):

Cadmium - [Children's Safe Product Act (CSPA)] RCW 70A.430.020

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	40	
Material No.	Result (mg/kg)	
1D	14	PASS
(2+6+8)D	5	PASS
3D	11	PASS
(4+5+7)D	N.D.	PASS
9D	13	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1001-08.3.



Test Report

Report No.: CTT26080600847EN

Page 6 of 16

Test Result(s):

Cadmium - [Children's Safe Product Act (CSPA)] RCW 70A.430.020

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	40	
Material No.	Result (mg/kg)	
(14+15+16)D	N.D.	PASS

NOTE:


1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Lead - California Proposition 65, Alameda Superior Court, Case No. RG-07-356892

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(1+3+9)D	14	PASS
(2+6+8)D	26	PASS
(4+5+7)D	23	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1001-08.3.



Test Report

Report No.: CTT26080600847EN

Page 7 of 16

Test Result(s):

Lead - California Proposition 65, Alameda Superior Court, Case No. RG-07-356892

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(14+15+16)D	N.D.	PASS


- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Phthalates - California Proposition 65, The County of Marin Case No. CIV1103513

Method: CPSC-CH-C1001-09.4 (2018)

Substances	Bis(2-ethylhexyl) phthalate (DEHP)	Di-butyl phthalate (DBP)	Butyl benzyl phthalate (BBP)	Conclusion
CAS No.	117-81-7	84-74-2	85-68-7	
LOQ (mg/kg)	50	50	50	
Limit (mg/kg)	1000	1000	--	
Material No.	Result (mg/kg)			
14+15+16	N.D.	N.D.	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "--" = Not Applicable.



Test Report

Report No.: CTT26080600847EN

Page 8 of 16

Test Result(s):

Cadmium (Cd) - California Proposition 65 (Alameda Superior Court Case No. RG 18-923611)

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
1D	14	PASS
(2+6+8)D	5	PASS
3D	11	PASS
(4+5+7)D	N.D.	PASS
9D	13	PASS

NOTE:


1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1001-08.3.

Cadmium (Cd) - California Proposition 65 (Alameda Superior Court Case No. RG 18-923611)

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(14+15+16)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.: CTT26080600847EN

Page 9 of 16

Test Result(s):


Nickel Release - ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry

Method: EN 1811:2023 & EN 12472:2020

Material No.	LOQ ($\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$)	Limit ($\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$)	Sample (s)	Surface Area (cm^2)	Volume of test solution (mL)	Result ($\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$)	Conclusion
10	0.05	0.88	1	6.62	7	N.D.	PASS
	0.05	0.88	2	6.62	7	N.D.	
	0.05	0.88	3	6.62	7	N.D.	
11	0.05	0.88	1	7.66	8	N.D.	PASS
	0.05	0.88	2	7.66	8	N.D.	
	0.05	0.88	3	7.66	8	N.D.	
12	0.05	0.88	1	7.66	8	N.D.	PASS
	0.05	0.88	2	7.66	8	N.D.	
	0.05	0.88	3	7.66	8	N.D.	

NOTE:

- $\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$ = microgram per square centimeter per week.
- N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
- Products intended to come into direct and prolonged contact with the skin, Articles with a migration limit of $0.5\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$:
 - An article will be deemed to be non-compliant when the nickel release value is greater than $0.88\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$.
 - An article will be deemed to be compliant when the nickel release value is less than or equal to $0.88\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$.
- All post assemblies which are inserted into pierced ears and other pierced parts of the human body, Articles with the migration limit of $0.2\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$:
 - An article will be deemed to be non-compliant when the nickel release value is greater than or equal to $0.35\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$.
 - An article will be deemed to be compliant when the nickel release value is less than $0.35\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$.



Test Report

Report No.: CTT26080600847EN

Page 10 of 16

Test Result(s):


Nickel Release - ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry

Method: EN 1811:2023

Material No.	LOQ ($\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$)	Limit ($\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$)	Sample (s)	Surface Area (cm^2)	Volume of test solution (mL)	Result ($\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$)	Conclusion
4	0.05	0.88	1	6.48	6	N.D.	PASS
	0.05	0.88	2	6.48	6	N.D.	
	0.05	0.88	3	6.48	6	N.D.	
5	0.05	0.88	1	4.52	5	N.D.	PASS
	0.05	0.88	2	4.52	5	N.D.	
	0.05	0.88	3	4.52	5	N.D.	
7	0.05	0.88	1	5.38	5	N.D.	PASS
	0.05	0.88	2	5.38	5	N.D.	
	0.05	0.88	3	5.38	5	N.D.	
8	0.05	0.88	1	4.65	5	N.D.	PASS
	0.05	0.88	2	4.65	5	N.D.	
	0.05	0.88	3	4.65	5	N.D.	
13	0.05	0.88	1	7.24	7	N.D.	PASS
	0.05	0.88	2	7.24	7	N.D.	
	0.05	0.88	3	7.24	7	N.D.	

NOTE:

- $\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$ = microgram per square centimeter per week.
- N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
- Products intended to come into direct and prolonged contact with the skin, Articles with a migration limit of $0.5\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$:
 - An article will be deemed to be non-compliant when the nickel release value is greater than $0.88\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$.
 - An article will be deemed to be compliant when the nickel release value is less than or equal to $0.88\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$.
- All post assemblies which are inserted into pierced ears and other pierced parts of the human body, Articles with the migration limit of $0.2\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$:
 - An article will be deemed to be non-compliant when the nickel release value is greater than or equal to $0.35\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$.
 - An article will be deemed to be compliant when the nickel release value is less than $0.35\mu\text{g}\cdot\text{cm}^{-2}\cdot\text{week}^{-1}$.



Test Report

Report No.: CTT26080600847EN

Page 11 of 16

Test Result(s):

Lead - ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(1+3+9)D	14	PASS
(2+6+8)D	26	PASS
(4+5+7)D	23	PASS

NOTE:


1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1001-08.3.

Lead - ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(14+15+16)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.: CTT26080600847EN

Page 12 of 16

Test Result(s):


Cadmium - ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry

Method: CPSC-CH-E1001-08.3

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	75	
Material No.	Result (mg/kg)	
1	14	PASS
2+6+8	5	PASS
3	11	PASS
4+5+7	N.D.	PASS
9	13	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. Accessible metal or plastic/polymeric components of children's jewelry shall be screened for total cadmium content:
 - a) Covered components of children's jewelry containing 75 mg/kg or less total cadmium do not need to be tested for migratable cadmium.
 - b) Covered components of children's jewelry that exceed this 75 mg/kg total content screening level and which are small parts as defined in 16 CFR 1501.4 shall be tested for soluble cadmium using an acid extraction test. Then the test result is comply with the following requirements:
 - 1) If the test sample is not small parts, Migrated Cadmium limit is 18µg.
 - 2) If the test sample is metal small parts, Migrated Cadmium limit is 200µg.
 - 3) If the test sample is plastic small parts, Migrated Cadmium limit is 75mg/kg.
4. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT26080600847EN

Page 13 of 16

Test Result(s):

Cadmium - ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry

Method: CPSC-CH-E1002-08.3


Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	75	
Material No.	Result (mg/kg)	
14+15+16	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.

Phthalates - ASTM F2923-20 Standard Specification for Consumer Product Safety for Children's Jewelry

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					(14+15+16)D
1	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
4	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.
5	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
6	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.
7	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.
8	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test with equal weight for individual material. The test results are the overall results of the mixed materials. The



Test Report

Report No.: CTT26080600847EN

Page 14 of 16


individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.

4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).

Test Material List

Material No.	Sample Description	Location
1	Golden metal	Swan (A)
2	Golden metal	Ring (A)
3	Golden metal	Swan (B)
4	Golden metal	Individual pen (B/C)
5	Golden metal	Bracelet (B) /necklace (C)
6	Golden metal	Lobster clasp/activity buckle (B/C)
7	Golden metal	Tail chain (B/C)
8	Golden metal	Tail chain pendant (B/C)
9	Golden metal	Swan (C)
10	Golden metal with multicolor epoxy	Ring (A)
11	Golden metal with multicolor epoxy	Swan (B)
12	Golden metal with multicolor epoxy	Swan (C)
13	Golden metal	Lobster clasp individual (B/C)
14*	White epoxy	Swan (A/B/C)
15*	Black epoxy	Swan (A/B/C)
16*	Red epoxy	Swan (A/B/C)

Note: The testing material marked "*" are taken from components/raw materials.





Test Report


Report No.: CTT26080600847EN

Page 15 of 16

Photo of Sample:



*** End of Report ***



Test Report

Report No.: CTT26080600847EN

Page 16 of 16

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

