CONSUMER PRODUCTS SERVICES DIVISION

KONGES SLOEJD A/S

Technical Report: **(5225)304-0316(A)(REVISION)** December 01, 2025

The revision is highlighted in bold and noted with an (*)

Date Received: October 31, 2025

LINE GALSGAARD
KONGES SLOEJD A/S
KUGLEGARDSVEJ 13-17, BULDING 13
COPENHAGEN, 1434
DENMARK

Sample Description:	KITE 1.) PLUMERIA 2.) FORMAL GARDEN		
Vendor:	10 FASHION LEVEL TEN FASHION LIMITED	Sample Size:	6
Manufacturer:	N/A	Style No(s):	KS105432
Buyer:	N/A	SKN/SKU No.:	N/A
Labeled Age Grade:	3Y+	PO No.:	#I/T
Appropriate Age Grade:	FOR US STRING & ACCESSORIES, CAN = OVER 8 YEARS OF AGE FOR EU = OVER 5 YEARS OF AGE FOR US KITE = CHILDREN PRODUCTS, OVER 8 YEARS OF AGE	Ref #:	N/A
Client Specified Age Grade:	3Y+	Country of Origin:	CHINA
Tested Age Grade:	OVER 3 YEARS OF AGE	Assortment No.:	N/A
UPC Code:	5715681270639, 5715681270653	Country of Destination:	CANADA;EUROPE;USA
Protocol No.:	KONG-TY-08000-GBL, CPSD-GB-08444-USA	Details of Revision:	UPDATE RESULT

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- Labeling requirements of “CE marking, manufacturer/ Importer name and address, and product identification” under “Directive 2009/48/EC Safety of Toy”.
- The flammability requirement of fabrics under ASTM F963-23 section 4.2 according to Annex A6, "Flammability testing procedure for fabrics".
- The flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".
- The labeling requirements of ASTM F963-23, “Standard consumer safety specification for toy safety”.
- The mechanical hazards requirements of ASTM F963-23, “Standard consumer safety specification for toy safety”.
- The soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).

Bureau Veritas Hong Kong Limited
Kowloon Bay Office
1/F Pacific Trade Centre, 2 Kai Hing Road,
Kowloon Bay, Kowloon, Hong Kong
Tel: (852) 2331 0888 Fax: (852) 2331 0889
www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

The result(s) apply to the sample(s) as received.
The location of performance of the laboratory activities is defined as Kowloon Bay office unless specified.

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The total lead content requirements in children products according to the California Proposition 65 settlements of Alameda Superior Court RG 07356892.

- The total lead content requirements of the Canada Consumer Product Safety Act, Consumer Products Containing Lead Regulations SOR/2018-83.

- The azodyes (blue colorant) content requirement of the client's specification (100mg/kg).

- The total lead content of 100ppm requirements by composite testing in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).

- The labelling requirement of the Consumer Product Safety Act section 14(a)(5), 15 U.S.C. §2063(a)(5) (CPSA) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking Labels for Children's Products.

- The heavy metals requirements of the European "Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste."

- The listed aromatic amines (azocolourants) content requirement of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) with its Latest Amendment, Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 43, Points 1 and 2.

- The cadmium content requirement of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 23 (amended up to EU No. 2016/217).

- The DNOP, DINP and DIDP content requirements of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 52.

- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-7.

- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020.

- The migration of certain elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of Toys", EN 71 Part 3: 2019+A1:2021.

- The migration of certain elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of Toys", EN 71 Part 3: 2019+A2:2024.

- The pentachlorophenol (PCP) content requirement of the European Parliament and Council Regulation (EU) 2019/1021 on Persistent Organic Pollutants (POPs) (recast).

(*)EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The performance requirement of client's specification.
- The heavy metals content in packaging requirements of Model Toxics Legislation of the Toxics in Packaging Clearinghouse, TPCH (formerly the Coalition of Northeastern Governors, CONEG).
- **The phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.8.**
- **The BBP, DBP, DEHP, DnHP and DIDP content requirements in toys, child care articles and watches according to the California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050.**
- **The BBP, DBP DEHP and DIBP content requirements of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 51 (amended up to EU No. 2018/2005).**

Note: At the request of the client, the materials claim requirement was not evaluated for this submission.

Note: No accessible surface coating was present on the received sample(s). Consequently, the lead content analysis of surface coatings according to modified 16 CFR 1303, "Ban of lead-containing paint and certain consumer products bearing lead-containing paint" (Consumer Products Safety Improvement Act (CPSIA) of 2008), was not conducted.

Note: According to the associated documents of Consumer Product Safety Improvement Act (CPSIA) of 2008, exemptions were granted to certain materials or products, such as natural materials / paper and similar materials / CMYK process printing inks / metal & alloys / electronics devices components / ordinary books / dyed & undyed textiles. Therefore, the lead content analysis of some components was not conducted.

Note: No accessible surface coating was present on the received sample(s). Consequently, the heavy metals content analysis of surface coatings according to ASTM F963-23, "Standard consumer safety specification on toy safety", Section 4.3.5.1(2), was not conducted.

Note: No surface coating was present on the received sample(s). Consequently, the heavy metals content analysis on surface coatings according to the Canada Consumer Product Safety Act - Toys Regulations, SOR/2011-17 Sec. 23 with amendment in SOR/2022-122 or the lead content analysis on surface coatings according to the Canada Consumer Product Safety Act, Surface Coating Materials Regulation, SOR/2016-193 Sec 2 and 6 with amendment in SOR/2022-122 was not conducted.

Note: At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).

Note: Based on visual evaluation and/or material breakdown received, there is no polyvinyl chloride (PVC) found in the samples submitted and thus the corresponding testing of the Canada Consumer Product Safety Act, Phthalates Regulations, SOR/2016-188 regarding to the restriction of use of certain phthalates content have not been conducted.

(*)EXECUTIVE SUMMARY:

Note: At the request of the client, the following requirement(s) was waived for this submission.
- - Uniform packaging and labeling regulation
"Net quantity of contents"

BUREAU VERITAS HONG KONG LIMITED

Lai Ka Ming, Kent
Head of Technical Assurance
Toys and Juvenile Products Department

KL/nc

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71: Part 1 : 2014 +A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age Determination Guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2

Symbol	Explanation
NM	The sample(s) DOES NOT MEET the requirement of this Subclause
M	The sample(s) MEET the requirement of this Subclause
N/A	Not Applicable
NR	Not Requested
NE	Not Evaluated
NT	Not Tested
NP	None Present
P	Present
R	Refer to Comment Section of this report

Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		

RESULTS:

MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	M
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA

RESULTS:

MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)

Subclause	Requirement	Result
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20.2.1-4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	NA
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
	FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA

RESULTS:

MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)

Subclause	Requirement	Result
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	NA
	WARNINGS, INSTRUCTIONS FOR USE	
7.1	General	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	NA

RESULTS:

FLAMMABILITY (EN 71 PART 2: 2020)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	NA
4.1	Flammable gases	NA
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by a child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	NA

2009/48/EC GENERAL LABELING REQUIREMENT

Requirement	Result
CE Mark	M
Manufacturer/ Importer name and address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety". Annex A1
Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing. Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable		
Test	**Test Parameters**	**Standard Reference**
Impact Test	4 x 3 ft	1500.53(b)
Torque Test	4 in-lbs	1500.53(e)
Tension Test	15 lbs	1500.53(f)
Compression Test	30 lbs	1500.53(g)

RESULTS:

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-23)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials	N/A
4.5	Sound-producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	M
4.8	Projections	N/A
4.9	Accessible Points	M
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	M
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-operated Toys (exclude Section 4.25.9 Battery-powered ride-on toys & Section 4.25.10 Toys that Contain Secondary Cells or Secondary Batteries)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

RESULTS:

LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-23)

Section	Requirement	Result
5.1.2	Tracking label	M
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpen Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	N/A
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.14	Battery-Operated Toys (exclude 5.14.1 and 5.14.2)	N/A
5.14.1 & 5.3	Battery-Powered Ride-On Toys	N/A
5.14.2 & 5.3	Button or Coin Cell Batteries	N/A
5.15	Promotional Materials	M
5.16 & 5.3	Magnets	N/A
6.1	Definition and Description	M
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4 & 5.3	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery-Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
6.9	Toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7.1	Producer's Name and Address	M
7.2	Battery-powered Ride-on Toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

FLAMMABILITY (ASTM F963-23 section 4.2 according to Annex A5)

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	ASTM F963-23 section 4.2 according to Annex A5	Most rapid burn rate not exceed 0.1 of an inch per second.

FLAMMABILITY OF FABRICS (ASTM F963-23)

Textile Material Type: Plain surface fabrics

Requirement Reference	Observation	Result
Annex 6	Ignited but Self-Extinguished	M

M = Meet NM-See comment = Not Meet - Refer to Comment Section NA = Not Applicable

RESULTS:

TOTAL LEAD CONTENT IN SUBSTRATE BY COMPOSITE TESTING (100PPM) (Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1001-08.3:2012 or U.S. CPSC-CH-E1002-08.3:2012

Analyte	Lead	
Requirement: Maximum allowable limit:	100 mg/kg	

Analyte				Lead (Pb)	Conclusion
Sample Description				Result (mg/kg)	
	Color / Component	Location	Style		
(A)	red plastic clear soft plastic	handle pocket of bag	1 1,2	LT 10	Pass
(B)	black plastic	joint of frame	1,2	32	Pass
(C)	bright black plastic	handle	2	*84	Pass
(D)	black fibre glass	frame	1,2	LT 10	Pass
(E)	silvery metal	eyelet	1,2	LT 10	Pass
(F)	light silvery metal	ring of eyelet	1,2	LT 10	Pass

LT = Less Than *mg/kg = milligrams per kilogram (ppm = parts per million)*
** = Average of duplicate analyses*

RESULTS:

SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-23, Section 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3))

Sample Identity	Color	Location	Style
A	red plastic	handle	1
B	clear soft plastic	pocket of bag	1,2
C	black plastic	joint of frame	1,2
D	bright black plastic	handle	2
E	white string	string	1,2
F	deep pink thread/ deep pink fabric	kite & bag rim of kite & bag	1
G	bright hot pink fabric	bag	1
H	black hook & loop fastener	bag	1,2
I	black strap	loop of bag	1,2
J	multicolour printed white fabric	kite	1,2
K	dull deep pink fabric	kite	1
L	white loop fastener	kite	1,2
M	black thread/ black fabric	kite & bag rim of kite & bag	2 2
N	bright green fabric	bag	2
O	dull green fabric	kite	2

RESULTS:

SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-23, Section 4.3.5.2(2)(b))

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit (mg/kg)	25	1000	75	60	60	90	60	500
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Sample	Result (mg/kg)								(g)	
A	LT 0.15	LT 2	LT 0.15	0.0905	LT 0.15	LT 0.2	LT 2	LT 2		Pass
B	LT 0.15	5	3	0.0786	LT 0.15	LT 0.2	LT 2	LT 2		Pass
C	LT 0.15	LT 2	LT 0.15	0.226	LT 0.15	LT 0.2	LT 2	LT 2		Pass
D	LT 0.15	LT 2	LT 0.15	0.0471	LT 0.15	LT 0.2	LT 2	LT 2		Pass
E	LT 0.15	LT 2	LT 0.15	0.158	LT 0.15	LT 0.2	LT 2	LT 2		Pass
F	LT 0.15	LT 2	LT 0.15	0.086	LT 0.15	LT 0.2	LT 2	LT 2		Pass
G	LT 0.15	LT 2	LT 0.15	0.0501	LT 0.15	LT 0.2	LT 2	LT 2		Pass
H	LT 0.15	LT 2	LT 0.15	0.066	LT 0.15	LT 0.2	LT 2	LT 2		Pass
I	LT 0.15	LT 2	LT 0.15	0.11	LT 0.15	LT 0.2	LT 2	LT 2		Pass
J	LT 0.15	LT 2	LT 0.15	0.245	LT 0.15	LT 0.2	8	LT 2		Pass
K	LT 0.15	LT 2	LT 0.15	1.36	LT 0.15	LT 0.2	LT 2	LT 2		Pass
L	LT 0.15	LT 2	LT 0.15	1.01	LT 0.15	LT 0.2	LT 2	LT 2		Pass

RESULTS:

SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-23, Section 4.3.5.2(2)(b))

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit (mg/kg)	25	1000	75	60	60	90	60	500
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Sample	Result (mg/kg)								(g)	
M	LT 0.15	LT 2	0.188	0.148	LT 0.15	LT 0.2	LT 2	LT 2		Pass
N	LT 0.15	LT 2	LT 0.15	0.0946	LT 0.15	LT 0.2	3	LT 2		Pass
O	LT 0.15	LT 2	LT 0.15	0.135	LT 0.15	LT 0.2	2	LT 2		Pass

mg/kg = milligrams per kilogram (ppm=parts per million)
CR = adjusted analytical result
LT = Less Than
ND = None Detected

As = Arsenic, Ba = Barium, Cd = Cadmium,
Cr = Chromium, Hg = Mercury, Pb = Lead,
Sb = Antimony, Se = Selenium

Remark:
Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-23. The lead content analysis result of corresponding material herein is for client's reference only.

RESULTS:

Heavy Metals Content In Packaging – Model Toxics Legislation Of The Toxics In Packaging Clearinghouse (TPCH)

Analyte	Sum of Pb, Cd, Hg & Cr VI	
Requirement: Maximum allowable limit:	100 mg/kg	

Analyte				Sum of Pb, Cd, Hg & Cr VI	Conclusion
Sample Description				Result (mg/kg)	
Color / Component		Location	Style		
(A)	clear laminated multicolour printed white paper card	tag, insert	1,2	LT 20	PASS
(B)	white string	tag	1,2	LT 20	PASS
(C)	black printed white paper sticker	label	1,2	LT 20	PASS

LT = Less Than
** = Average of duplicate analysis*
mg/kg = milligrams per kilogram (ppm=parts per million)
Pb = Lead, Cd = Cadmium, Hg = Mercury, Cr VI = Hexavalent chromium

Remark:
The former name of the working group of this legislation was Coalition of Northeastern Governors (CONEG).

TOTAL LEAD CONTENT IN CHILDREN PRODUCTS (California Proposition 65 settlements of Alameda Superior Court RG 07356892)

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry or Inductively Coupled Plasma Spectrometry

		Maximum allowable limit	
Analyte		Lead	
Type 1	Paint and surface coatings	90 mg/kg	
Type 2	Substrate materials	100 mg/kg	

Analyte				Lead (Pb)	Conclusion
Sample Description				Result (mg/kg)	
Color / Component		Location	Style		
Type 2: Substrate materials					
(A)	red plastic clear soft plastic	handle pocket of bag	1 1,2	LT 10	Pass
(B)	black plastic	joint of frame	1,2	32	Pass
(C)	bright black plastic	handle	2	*84	Pass
(D)	black fibre glass	frame	1,2	LT 10	Pass
(E)	silvery metal	eyelet	1,2	LT 10	Pass
(F)	light silvery metal	ring of eyelet	1,2	LT 10	Pass

LT = Less Than
** = Average of duplicate analyses*
mg/kg = milligrams per kilogram (ppm=parts per million)

RESULTS:

TOTAL LEAD CONTENT (Canada Consumer Product Safety Act – Consumer Products Containing Lead Regulations SOR/2018-83)

Test Method: Health Canada, Product Safety Laboratory, Reference Manual, Book 5 - Laboratory Policies and Procedures – Part B: Test Method Section, Method C-02.2:2017, C-02.3:2017 or C-02.4-2017

Analyte	Lead	
Requirement: Maximum allowable limit:	90 mg/kg	

Analyte				Lead (Pb)	
Sample Description				Result	Conclusion
	Color / Component	Location	Style	(mg/kg)	
(A)	red plastic clear soft plastic	handle pocket of bag	1 1,2	LT 10	Pass
(B)	black plastic	joint of frame	1,2	32	Pass
(C)	bright black plastic	handle	2	*84	Pass
(D)	black fibre glass	frame	1,2	LT 10	Pass
(E)	silvery metal	eyelet	1,2	LT 10	Pass
(F)	light silvery metal	ring of eyelet	1,2	LT 10	Pass

LT = Less Than
** = Average of duplicate analyses*
mg/kg =milligrams per kilogram (ppm=parts per million)
ND=Not detected

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019+A2:2024)

Test Method : European Standard EN 71 Part 3: 2019+A2:2024, Section 8 and 9.

Class: Category III - Scraped off toy material

Sample Identity	Color	Location	Style
A.	red plastic	handle	1
B.	clear soft plastic	pocket of bag	1,2
C.	black plastic	joint of frame	1,2
D.	bright black plastic	handle	2
E.	white string	string	1,2
F.	deep pink thread/ deep pink fabric	kite & bag rim of kite & bag	1
G.	bright hot pink fabric	bag	1
H.	black hook & loop fastener	bag	1,2
I.	black strap	loop of bag	1,2
J.	multicolour printed white fabric	kite	1,2
K.	dull deep pink fabric	kite	1
L.	white loop fastener	kite	1,2
M.	black thread/ black fabric	kite & bag rim of kite & bag	2 2
N.	bright green fabric	bag	2
O.	dull green fabric	kite	2

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019+A2:2024)

Analyte	Requirement (mg/kg)	Result (mg/kg)					
		Sample ID					
	Category III	A.	B.	C.	D.	E.	F.
Aluminium (Al)	28130	10	2	4	LT 2	5	4
Arsenic (As)	47	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Boron (B)	15000	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5
Barium (Ba)	18750	LT 2	5	LT 2	LT 2	LT 2	LT 2
Cadmium (Cd)	17	LT 0.15	3	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Cobalt (Co)	130	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Chromium III (Cr III)	460	0.0905	0.0786	0.226	0.0471	0.158	0.086
Chromium VI (Cr VI)	0.053	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#
Copper (Cu)	7700	LT 2	LT 2	4	LT 2	LT 2	LT 2
Mercury (Hg)	94	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Manganese (Mn)	15000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Nickel (Ni)	930	17	LT 2	LT 2	LT 2	LT 2	LT 2
Lead (Pb)	23	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2
Antimony (Sb)	560	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Selenium (Se)	460	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Tin (Sn)	180000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Organic tin	12	LT 0.55	LT 0.55	LT 0.55	LT 0.55	LT 0.55	LT 0.55
Strontium (Sr)	56000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Zinc (Zn)	46000	LT 5	12	7	LT 5	5	LT 5
Mass of trace amount (gram)		---	---	---	---	---	---
Conclusion		Pass	Pass	Pass	Pass	Pass	Pass

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019+A2:2024)

Analyte	Requirement (mg/kg)	Result (mg/kg)					
		Sample ID					
	Category III	G.	H.	I.	J.	K.	L.
Aluminium (Al)	28130	4	2	6	3	7	3
Arsenic (As)	47	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Boron (B)	15000	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5
Barium (Ba)	18750	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Cadmium (Cd)	17	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Cobalt (Co)	130	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Chromium III (Cr III)	460	0.0501	0.066	0.11	0.245	1.36	1.01
Chromium VI (Cr VI)	0.053	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#
Copper (Cu)	7700	LT 2	LT 2	LT 2	LT 2	6	LT 2
Mercury (Hg)	94	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Manganese (Mn)	15000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Nickel (Ni)	930	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Lead (Pb)	23	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2
Antimony (Sb)	560	LT 2	LT 2	LT 2	8	LT 2	LT 2
Selenium (Se)	460	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Tin (Sn)	180000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Organic tin	12	LT 0.55	LT 0.55	LT 0.55	LT 0.55	LT 0.55	LT 0.55
Strontium (Sr)	56000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Zinc (Zn)	46000	LT 5	LT 5	LT 5	LT 5	16	LT 5
Mass of trace amount (gram)		---	---	---	---	---	---
Conclusion		Pass	Pass	Pass	Pass	Pass	Pass

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019+A2:2024)

Analyte	Requirement (mg/kg)	Result (mg/kg)					
		Sample ID					
	Category III	M.	N.	O.			
Aluminium (Al)	28130	4	3	3			
Arsenic (As)	47	LT 0.15	LT 0.15	LT 0.15			
Boron (B)	15000	LT 5	LT 5	LT 5			
Barium (Ba)	18750	LT 2	LT 2	LT 2			
Cadmium (Cd)	17	0.188	LT 0.15	LT 0.15			
Cobalt (Co)	130	LT 2	LT 2	LT 2			
Chromium III (Cr III)	460	0.148	0.0946	0.135			
Chromium VI (Cr VI)	0.053	LT 0.02#	LT 0.02#	LT 0.02#			
Copper (Cu)	7700	LT 2	LT 2	LT 2			
Mercury (Hg)	94	LT 0.15	LT 0.15	LT 0.15			
Manganese (Mn)	15000	LT 2	LT 2	LT 2			
Nickel (Ni)	930	LT 2	LT 2	LT 2			
Lead (Pb)	23	LT 0.2	LT 0.2	LT 0.2			
Antimony (Sb)	560	LT 2	3	2			
Selenium (Se)	460	LT 2	LT 2	LT 2			
Tin (Sn)	180000	LT 2	LT 2	LT 2			
Organic tin	12	LT 0.55	LT 0.55	LT 0.55			
Strontium (Sr)	56000	LT 2	LT 2	LT 2			
Zinc (Zn)	46000	LT 5	LT 5	LT 5			
Mass of trace amount (gram)		---	---	---			
Conclusion		Pass	Pass	Pass			

mg/kg = milligrams per kilogram (ppm=parts per million) *LT = Less Than*
** = Average of duplicate analysis* *FR = Failed Result*
Organic tin = migration of total organic tin is expressed as tributyl tin cation content in mg/kg
 # = Verified results (see note)

Remark: - Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.

Note: If soluble chromium content exceeded the screening limits of soluble chromium (VI), the results were verified by
- EN71 part 3:2019+A2:2024, Annex F

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019+A1:2021)

Test Method : European Standard EN 71 Part 3: 2019+A1:2021, Section 8 and 9.

Class: Category III - Scraped off toy material

Sample Identity	Color	Location	Style
A.	red plastic	handle	1
B.	clear soft plastic	pocket of bag	1,2
C.	black plastic	joint of frame	1,2
D.	bright black plastic	handle	2
E.	white string	string	1,2
F.	deep pink thread/ deep pink fabric	kite & bag rim of kite & bag	1
G.	bright hot pink fabric	bag	1
H.	black hook & loop fastener	bag	1,2
I.	black strap	loop of bag	1,2
J.	multicolour printed white fabric	kite	1,2
K.	dull deep pink fabric	kite	1
L.	white loop fastener	kite	1,2
M.	black thread/ black fabric	kite & bag rim of kite & bag	2 2
N.	bright green fabric	bag	2
O.	dull green fabric	kite	2

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019+A1:2021)

Analyte	Requirement (mg/kg)	Result (mg/kg)					
		Sample ID					
	Category III	A.	B.	C.	D.	E.	F.
Aluminium (Al)	28130	10	2	4	LT 2	5	4
Arsenic (As)	47	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Boron (B)	15000	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5
Barium (Ba)	18750	LT 2	5	LT 2	LT 2	LT 2	LT 2
Cadmium (Cd)	17	LT 0.15	3	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Cobalt (Co)	130	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Chromium III (Cr III)	460	0.0905	0.0786	0.226	0.0471	0.158	0.086
Chromium VI (Cr VI)	0.053	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#
Copper (Cu)	7700	LT 2	LT 2	4	LT 2	LT 2	LT 2
Mercury (Hg)	94	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Manganese (Mn)	15000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Nickel (Ni)	930	17	LT 2	LT 2	LT 2	LT 2	LT 2
Lead (Pb)	23	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2
Antimony (Sb)	560	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Selenium (Se)	460	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Tin (Sn)	180000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Organic tin	12	LT 0.55	LT 0.55	LT 0.55	LT 0.55	LT 0.55	LT 0.55
Strontium (Sr)	56000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Zinc (Zn)	46000	LT 5	12	7	LT 5	5	LT 5
Mass of trace amount (gram)		---	---	---	---	---	---
Conclusion		Pass	Pass	Pass	Pass	Pass	Pass

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019+A1:2021)

Analyte	Requirement (mg/kg)	Result (mg/kg)					
		Sample ID					
	Category III	G.	H.	I.	J.	K.	L.
Aluminium (Al)	28130	4	2	6	3	7	3
Arsenic (As)	47	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Boron (B)	15000	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5
Barium (Ba)	18750	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Cadmium (Cd)	17	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Cobalt (Co)	130	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Chromium III (Cr III)	460	0.0501	0.066	0.11	0.245	1.36	1.01
Chromium VI (Cr VI)	0.053	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#	LT 0.02#
Copper (Cu)	7700	LT 2	LT 2	LT 2	LT 2	6	LT 2
Mercury (Hg)	94	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Manganese (Mn)	15000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Nickel (Ni)	930	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Lead (Pb)	23	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2
Antimony (Sb)	560	LT 2	LT 2	LT 2	8	LT 2	LT 2
Selenium (Se)	460	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Tin (Sn)	180000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Organic tin	12	LT 0.55	LT 0.55	LT 0.55	LT 0.55	LT 0.55	LT 0.55
Strontium (Sr)	56000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Zinc (Zn)	46000	LT 5	LT 5	LT 5	LT 5	16	LT 5
Mass of trace amount (gram)		---	---	---	---	---	---
Conclusion		Pass	Pass	Pass	Pass	Pass	Pass

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2019+A1:2021)

Analyte	Requirement (mg/kg)	Result (mg/kg)					
		Sample ID					
	Category III	M.	N.	O.			
Aluminium (Al)	28130	4	3	3			
Arsenic (As)	47	LT 0.15	LT 0.15	LT 0.15			
Boron (B)	15000	LT 5	LT 5	LT 5			
Barium (Ba)	18750	LT 2	LT 2	LT 2			
Cadmium (Cd)	17	0.188	LT 0.15	LT 0.15			
Cobalt (Co)	130	LT 2	LT 2	LT 2			
Chromium III (Cr III)	460	0.148	0.0946	0.135			
Chromium VI (Cr VI)	0.053	LT 0.02#	LT 0.02#	LT 0.02#			
Copper (Cu)	7700	LT 2	LT 2	LT 2			
Mercury (Hg)	94	LT 0.15	LT 0.15	LT 0.15			
Manganese (Mn)	15000	LT 2	LT 2	LT 2			
Nickel (Ni)	930	LT 2	LT 2	LT 2			
Lead (Pb)	23	LT 0.2	LT 0.2	LT 0.2			
Antimony (Sb)	560	LT 2	3	2			
Selenium (Se)	460	LT 2	LT 2	LT 2			
Tin (Sn)	180000	LT 2	LT 2	LT 2			
Organic tin	12	LT 0.55	LT 0.55	LT 0.55			
Strontium (Sr)	56000	LT 2	LT 2	LT 2			
Zinc (Zn)	46000	LT 5	LT 5	LT 5			
Mass of trace amount (gram)		---	---	---			
Conclusion		Pass	Pass	Pass			

mg/kg = milligrams per kilogram (ppm=parts per million) *LT = Less Than*
** = Average of duplicate analysis* *FR = Failed Result*
Organic tin = migration of total organic tin is expressed as tributyl tin cation content in mg/kg
 # = Verified results (see note)

Remark: - Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.

Note: If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method
- Chromium VI: EN71 part 3:2019+A1:2021, Annex F
- Organic tin: EN71 part 3:2019+A1:2021, Annex G by Gas Chromatography – Mass Spectroscopy analysis.

RESULTS:

CADMIUM CONTENT (European Regulation (EC) No. 1907/2006 REACH Annex XVII and its amendments up to Commission Regulation (EU) No. 2016/217, Item no. 23)

Category:				Plastics			
Element:				Cadmium			
Test Method				BS EN 1122: 2001, Method B			
Maximum Allowable Limit:				100 mg/kg (0.01% by weight)			
Sample Description				Reading 1	Reading 2	Average	Conclusion
Color / Component		Location	Style	Result (mg/kg)			
(A)	red plastic	handle	1	16	16	16	Pass
	clear soft plastic	pocket of bag	1,2				
	black plastic	joint of frame	1,2				
	bright black plastic	handle	2				
(B)	black hook & loop fastener	bag	1,2	LT 10	LT 10	LT 10	Pass
	white loop fastener	kite	1,2				

LT = Less than *mg/kg = milligrams per kilogram (ppm = parts per million)*
 # = Insufficient sample for duplicate analyses *Operator: Chan Sai Kit, Tim*

HEAVY METALS PRESENT IN PACKAGING (European Council Directive 94/62/EC on Packaging and Packaging Waste)

Parameter:	The sum of lead, cadmium, mercury and hexavalent chromium				
Maximum Allowable Limit:	- 600 ppm by weight after June 30, 1998 - 250 ppm by weight after June 30, 1999 - 100 ppm by weight after June 30, 2001				
Sample Description				Result	Conclusion
Color/Component		Location	Style	(mg/kg (ppm))	
(A)	clear laminated multicolour printed white paper card	tag, insert	1,2	LT 20	PASS
(B)	white string	tag	1,2	LT 20	PASS
(C)	black printed white paper sticker	label	1,2	LT 20	PASS

LT = Less Than *mg/kg = milligrams per kilogram (ppm = parts per million)*
** = Average of duplicate analyses*

RESULTS:

PENTACHLOROPHENOL (PCP) CONTENT (European Parliament and Council Regulation (EU) 2019/1021 on Persistent Organic Pollutants (POPs) (recast), Annex I, Part A)

Analyte	PCP	
Limit (mg/kg)	None Detected	

Analyte				PCP	
Sample Description				Result	Conclusion
	Color / Component	Location	Style	(mg/kg)	
(A)	white string	string	1,2	ND	Pass
	deep pink thread/ deep pink fabric	kite & bag rim of kite & bag	1		
(B)	bright hot pink fabric	bag	1	ND	Pass
	black hook & loop fastener	bag	1,2		
	black strap	loop of bag	1,2		
(C)	multicolour printed white fabric	kite	1,2	ND	Pass
	dull deep pink fabric	kite	1		
	white loop fastener	kite	1,2		
(D)	black thread/ black fabric	kite & bag rim of kite & bag	2 2	ND	Pass
(E)	bright green fabric	bag	2	ND	Pass
	dull green fabric	kite	2		

LT = Less Than
** = Average of duplicate analyses*
PCP = Pentachlorophenol
mg/kg = milligrams per kilogram (ppm=parts per million)
ND = None Detected (detection limit = 5 mg/kg)

Remark:
Textiles, leather, wood/cord, paper and paperboard of product(s) are applicable to be tested only.

RESULTS:

AROMATIC AMINES (AZOCOLOURANTS) CONTENT (European Regulation (EC) No. 1907/2006 REACH with its Latest Amendment, Annex XVII, Item no. 43, Points 1 and 2)

Test Method: Quantification by Gas Chromatography/Mass Spectrometry (GC/MS)
Additional chromatographic technique employed to confirm positive result by HPLC/TLC

Sample ID	Color / Component	Location	Style
	Composite of		
(A)	deep pink fabric	rim of kite & bag	1
	bright hot pink fabric	bag	1
	black hook & loop fastener	bag	1,2
(B)	black strap	loop of bag	1,2
(C)	multicolour printed white fabric	kite	1,2
(D)	dull deep pink fabric	kite	1
	black fabric	rim of kite & bag	2
(E)	bright green fabric	bag	2
	dull green fabric	kite	2

RESULTS:

AROMATIC AMINES (AZOCOLOURANTS) CONTENT (European Regulation (EC) No. 1907/2006 REACH with its Latest Amendment, Annex XVII, Item no. 43, Points 1 and 2)

Test Parameter:		Aromatic Amines (Azocolourants)		
Requirement:		30 mg/kg		
Sample ID	Test Method	Detected Amine Number	Concentration (mg/kg (ppm))	Conclusion
A.	II	ND	ND	Pass
B.	I	ND	ND	Pass
C.	II	ND	ND	Pass
D.	II	ND	ND	Pass
E.	II	ND	ND	Pass

ND = Not Detected (Detection Limit = 5 mg/kg (ppm)) *ppm = parts per million*
mg/kg = milligrams per kilogram *NR = Not Requested*
** = The specimen is a minor component. As only a reduced mass (< 0.5 g) could be used for the test the result may have a greater uncertainty due to lower material homogeneity*

Amine No. = Refer to List of Banned Amines for the description of the detected Amine.
Test Method I = European Standard EN ISO 14362-1: 2017, Clauses 9, 10.2 and afterwards.
Test Method II = European Standard EN ISO 14362-1: 2017, Clauses 9, 10.1, 10.3 and afterwards.
Test Method III = International Standard EN ISO 17234-1: 2015.

Remark:
The list of aromatic amines in azo colorants is summarized in table of Appendix.
The CAS-number 97-56-3 (no. 5) and 99-55-8 (no. 6) are further reduced to CAS-number 95-53-4 (no. 18) and 95-80-7 (no. 19), respectively.
The colorant(s) of Test Item(s), that are able to form 4-aminoazobenzene, is (are) able to generate aniline and 1,4-phenylenediamine under the condition of Test Method.
The absence of 4-aminoazobenzene is inferred by the absence of aniline and 1,4-phenylenediamine under the condition of Test Method.

Note: The received sample(s) contained specimen of less than 0.2 g by weight on one single sample, therefore such specimen was not subjected to this requirement, according to test method EN ISO 14362-1: 2017, Section 9.2.

RESULTS:

AROMATIC AMINES (AZOCOLOURANTS) CONTENT (European Regulation (EC) No. 1907/2006 REACH with its Latest Amendment, Annex XVII, Item no. 43, Points 1 and 2)

LIST OF BANNED AMINES **Specified Amines**		
Number	Chemical Name	CAS Number
1.	4-aminobiphenyl	92-67-1
2.	Benzidine	92-87-5
3.	4-chloro-o-toluidine	95-69-2
4.	2-naphthylamine	91-59-8
5.	o-aminoazotoluene	97-56-3
6.	5-nitro-o-toluidine	99-55-8
7.	4-chloroaniline	106-47-8
8.	4-methoxy-m-phenylenediamine	615-05-4
9.	4,4'-diaminodiphenylmethane	101-77-9
10.	3,3'-dichlorobenzidine	91-94-1
11.	3,3'-dimethoxybenzidine	119-90-4
12.	3,3'-dimethylbenzidine	119-93-7
13.	4,4'-methylenedi-o-toluidine	838-88-0
14.	p-cresidine	120-71-8
15.	4,4'-methylene-bis-(2-chloro-aniline)	101-14-4
16.	4,4'-oxydianiline	101-80-4
17.	4,4'-thiodianiline	139-65-1
18.	o-toluidine	95-53-4
19.	4-methyl-m-phenylenediamine	95-80-7
20.	2,4,5-trimethylaniline	137-17-7
21.	o-anisidine	90-04-0
22.	4-amino azobenzene	60-09-3

RESULTS:

AZODYES (BLUE COLORANT) CONTENT (Client's Specification)

Parameter:				Blue Colorant (CAS number: 118685-33-9)	
Required Limit:				100 mg/kg	
Test Component				Result	Conclusion
Color/Component		Location	Style No.	(mg/kg)	
(A)	deep pink thread/ deep pink fabric bright hot pink fabric	kite & bag rim of kite & bag bag	1 1	ND	Pass
(B)	black hook & loop fastener black strap dull deep pink fabric	bag loop of bag kite	1,2 1,2 1	ND	Pass
(C)	multicolour printed white fabric	kite	1,2	ND	Pass
(D)	black thread/ black fabric	kite & bag rim of kite & bag	2 2	ND	Pass
(E)	bright green fabric dull green fabric	bag kite	2 2	ND	Pass

ND = Not Detected (Detection Limit = 10 mg/kg (ppm)) *mg/kg (ppm) = milligrams per kilogram (parts per million)*
LT = Less than

RESULTS:

DNOP/DINP/DIDP CONTENTS IN TOYS AND CHILDCARE ARTICLES WHICH CAN BE PLACED IN MOUTH BY THE CHILDREN (European Regulation (EC) No. 1907/2006 REACH Annex XVII, Item no. 52)

Test Method: With referenced to EN 14372:2004 Section 6.3.2, sample was extracted with organic solvent and then analyzed by Gas Chromatograph Mass Spectrometer

Sample Identity	Test Component	Location	Style
A.	black plastic	joint of frame	1,2
	bright black plastic	handle	2
B.	red plastic	handle	1
C.	clear soft plastic	pocket of bag	1,2

Test Parameter:	DNOP	DINP	DIDP	Sum of three phthalates	
Limit (%):	0.1	0.1	0.1	0.1	
Sample	Result (%)				Conclusion
A.	LT 0.005	LT 0.005	LT 0.005	LT 0.015	Pass
B.	LT 0.005	LT 0.005	LT 0.005	LT 0.015	Pass
C.	LT 0.005	LT 0.005	LT 0.005	LT 0.015	Pass

Detection Limit :
DNOP = Di-n-octyl phthalate (0.005%)
DINP = Di-iso-nonyl phthalate (0.005%)
DIDP = Di-iso-decyl phthalate (0.005%)

Results reported in percentage
LT = Less than
GT = Greater than
ND = None detected

(*)RESULTS:

BBP/DBP/DEHP/DIBP CONTENTS (European Regulation (EC) No. 1907/2006 REACH Annex XVII, Item no. 51 (amended up to EU No. 2018/2005))

Test Method: With referenced to EN 14372:2004 Section 6.3.2, sample was extracted with organic solvent and then analyzed by Gas Chromatograph Mass Spectrometer

Sample Identity	Test Component	Location	Style
A.	black plastic	joint of frame	1,2
	bright black plastic	handle	2
B.	red plastic	handle	1
C.	**clear soft plastic**	**pocket of bag, parts**	**1,2**

Test Parameter:	BBP	DBP	DEHP	DIBP	Sum of four phthalates	
Limit (%):	0.1	0.1	0.1	0.1	0.1	
Sample	Result (%)					Conclusion
A.	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.020	Pass
B.	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.020	Pass
C.	**LT 0.005**	**LT 0.005**	**LT 0.005**	**LT 0.005**	**LT 0.020**	**Pass**

Detection Limit :
BBP = Butyl benzyl phthalate (0.005%)
DBP = Dibutyl phthalate (0.005%)
DEHP = Di(2-ethylhexyl) phthalate (0.005%)
DIBP = Diisobutyl phthalate (0.005%)

Results reported in percentage
LT = Less than
ND = None detected

(*)RESULTS:

PHTHALATES CONTENT IN CHILDREN`S TOYS (ASTM F963-23, Section 4.3.8)

Test Method: With reference to U. S. CPSC-CH-C1001-09.3 (April 1, 2010) / CPSC-CH-C1001-09.4 (January 17, 2018).

Sample Identity	Color / Component	Location	Style
A.	black plastic bright black plastic	joint of frame handle	1,2 2
B.	red plastic	handle	1
C.	**clear soft plastic**	**pocket of bag, parts**	**1,2**

Test Parameter:	Listed Phthalates (See Remark)		
Requirement:	Each 0.1%		
Sample ID	Detected Analyte	Concentration (%)	Conclusion
A.	ND	ND	Pass
B.	ND	ND	Pass
C.	**ND**	**ND**	**Pass**

Results reported in percentage
ND = None detected
Detection Limit: Each Phthalate (0.005%)

LIST OF RESTRICTED PHTHALATES		
Number	Chemical Name	CAS Number
1.	Butyl benzyl phthalate (BBP)	85-68-7
2.	Dibutyl phthalate (DBP)	84-74-2
3.	Di(2-ethylhexyl) phthalate (DEHP)	117-81-7
4.	Di-iso-nonyl phthalate (DINP)	28553-12-0 & 68515-48-0
5.	Di-iso-butyl phthalate (DIBP)	84-69-5
6.	Di-n-pentyl phthalate (DPENP or DnPP)	131-18-0
7.	Di-n-hexyl phthalate (DHEXP or DnHP)	84-75-3
8.	Dicyclohexyl phthalate (DCHP)	84-61-7

(*)RESULTS:

BBP/DBP/DEHP/DnHP/DIDP PHTHALATES CONTENT REQUIREMENTS IN TOYS, CHILD CARE ARTICLES AND WATCHES (California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050)

Color / Component		Location	Style
A.	Composite of black plastic bright black plastic	 joint of frame handle	 1,2 2
B.	red plastic	handle	1
C.	**clear soft plastic**	**pocket of bag, parts**	**1,2**

Test Parameter	BBP	DBP	DEHP	DnHP	DIDP	
Limit (%)	0.1	0.1	0.1	0.1	0.1	
Sample	Result (%)					Conclusion
A	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	Pass
B	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	Pass
C	**LT 0.005**	**LT 0.005**	**LT 0.005**	**LT 0.005**	**LT 0.005**	**Pass**

Detection Limit :
BBP = Butyl benzyl phthalate (0.005%)
DBP = Dibutyl phthalate (0.005%)
DEHP = Di(2-ethylhexyl) phthalate (0.005%)
DnHP = Di-n-hexyl phthalate (0.005%)
DIDP = Di-iso-decyl phthalate (0.005%)

Results reported in percentage
LT = Less than
ND = None detected

RESULTS:

Protocol Number	KONG-TY-08000-GBL	**Version**	35
Protocol Description	TOYS		
Country	All Countries		
Scope	The countries of distribution include Europe, United Kingdom, United States, Canada, Australia, Hong Kong, Japan. USA: Toy is defined as any object designed, manufactured, or marketed as a plaything for children under 14 years of age. Game consoles and it's associated accessories are defined as General Use Product unless it is embellished or decorated with childish themes or are marketed to children as per Interpretation of "Children's Product" - 16 CFR Part 1200 and will not be covered under this protocol. CAN: Toy is defined as a product that is intended for use by a child in learning or play intended for use by children under 14 years of age. EUR, GBR: This protocol is applicable to toys for children, toys being any product or material designed or intended whether or not exclusively, for use in play by children of less than 14 years. This protocol does not cover buried trampoline This protocol does not cover requirement for PPE covered under Directive 425/2016/EU. For a toy which is also a PPE, additional testing is required. AUS: Toy is any product or material designed or clearly intended for use in play by children less than 14 years of age. JPN: Toy is defined as any product or material designed or clearly intended for use in play by children under 14 years of age. This protocol does not cover any food or cosmetic which comes with the toys. HKG: This protocol applies to toys According to CAP 424 - Toys and Children’s Products Safety Ordinance, schedule 1 toys shall meet the requirement in applicable ISO standards, IEC standards, EN standards or ASTM standards, as well as any additional safety requirement imposed by the Safety Authority. This protocol only included the applicable ASTM standards for toys and additional safety requirement imposed by the Safety Authority.		

RESULTS:

Protocol Number	KONG-TY-08000-GBL			**Version**	35
Creation Date	15/Mar/2025	**Last Revision Date**	05/Aug/2025		
Client Approval Date	07/Aug/2025	**Approver**	Michelle IRANI		
No. of Sample for testing	3	Dinnerware, Mugs, Pitchers, etc(decorated lip/rim): 12(18) Product contain Fiber Content: 1 additonal Product contain Care Label: Minimum additional 2 pcs and 1 additional pc for each care instruction Toys with rechargeable battery : 5 additional Electric/Battery Operated (per style) Electric (per style with adapter/transformer) Additional 6 for sunglasses and fashion spectacles			
No. of Carton for transit testing	1				
No. of Working Days for testing	10	19 workings days for toy with rechargeable battery 15 working days for EN 71-14 tests 12 working days for EN 71-8 tests 12 working days for AS/NZS 8124.6 tests 9 working days for CEN/TS 17876 tests			

Keys					
A	Additional Charge For This Test	M	Mandatory	R	Regulatory

	Evaluation	Citation / Method	Criteria	Country	Result	Rating
PERFORMANCE						
	Actual use - functionality	Actual use / functionality	Shall function as intended as received. Testing is limited to verification of basic function. Only function failures will be reported. NT rating shall be given to product that cannot be tested due to testing cannot be replicated in laboratory conditions. Report any features not evaluated.	All Countries	M	PASS

RESULTS: