

Generated by Talend Cloud Data Management Platform

Project Name	Cloud	GENERATION DATE	Nov 30, 2022, 3:48:31 PM
AUTHOR	Rathod, Roja	Talend Cloud VERSION	8.0.1.20220923_1236-patch

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	Cloud
Language	java

Description	

Description

Properties	Values
Name	Copy_of_TC_1
Author	Rathod, Roja
Version	0.1
Purpose	
Status	
Description	
Creation	Nov 29, 2022, 5:19:06 PM
Modification	Nov 29, 2022, 5:44:47 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
f_name	f_name?	false	id_String	Roja	
I_name	I_name?	false	id_String	Rathod	
city	city?	false	id_String	Hyd	
state	state?	false	id_String	Telengana	

Component List

Component Name	Component Type
tFixedFlowInput_1	tFixedFlowInput
tLogRow_1	tLogRow
tMap_1	tMap

Components Description

Component tFixedFlowInput

UNIQUE NAME	tFixedFlowInput_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tMap_1

Component Parameters:

Component i arameters.		
Properties	Values	
Unique Name	tFixedFlowInput_1	
Component Name	tFixedFlowInput	
Version	0.102 (ALPHA)	
Family	Misc	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
	<u> </u>	

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFixedFlowInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	Z:\Talend_Cloud\Talend-Studio-20221003_1400-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In
Number of rows	1
Use Single Table	true
Values	[{SCHEMA_COLUMN=f_name, VALUE=context.f_name}, {SCHEMA_COLUMN=l_name, VALUE=context.l_name}, {SCHEMA_COLUMN=city, VALUE=context.city}, {SCHEMA_COLUMN=state, VALUE=context.state}]
Use Inline Table	false
Inline Table	
Use Inline Content(delimited file)	false
Row Separator	"\n"

Field Separator	"."
Content	
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFixedFlowInput_1:

<u></u>	ti ixcai iow	p «				
Column	Key	Туре	Length	Precision	Nullable	Comment
f_name	false	String			true	
I_name	false	String			true	
city	false	String			true	
state	false	String			true	

Original Function Parameters: Component tLogRow

 UNIQUE NAME	tLogRow_1	INPUT(S)	tMap_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:


Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	Z:\Talend_Cloud\Talend-Studio-20221003_1400-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In


Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
	[{SCHEMA_COLUMN=Name, LENGTH=10}, {SCHEMA_COLUMN=city, LENGTH=10}, {SCHEMA_COLUMN=state, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1:

	Key		Length	Precision	Nullable	Comment
Name	false	String			true	
city	false	String			true	
state	false	String			true	

Original Function Parameters: Component tMap





Component Parameters:

Properties	Values	

tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties (row1):

wapper table i ropertie.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
f_name	String		true
I_name	String		true
city	String		true
state	String		true

Constraint Table Entries(row1):

|--|

Mapper table for tMap_1 (output):

Mapper table Properties(out):

mapper table i reporties (ear):		
Properties	Values	
Name	out	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(out):

Name	Туре	Expression	isNullable
Name	String	Var.l_name	true
city	String	StringHandling.DQUOTE(row1.city)	true
state	String	StringHandling.UPCASE(row1.state)	true

Constraint Table Entries(out):

Name Type Expression isNullable	ullable

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

5(vai).
Values
Var
false
false
false
false
null

Metadata Table Entries(Var):

Name	Туре	Expression	isNullable
I_name	String	row1.f_name+"."+row1.l_name	false

Constraint Table Entries(Var):

	· · · · · · · · · · · · · · · · · · ·		
Name	Туре	Expression	isNullable