

Contents


Landing page template	1
Subsection (1)	1
Another section in here yo!	1
Final countdown	1
Subsection (2)	2
test section	2
bob section	3
Test link	3
Test Markdown section	3
h1 Heading 8-)	3
h2 Heading	3
h3 Heading	3
h4 Heading	3
h5 Heading	3
h6 Heading	3
Horizontal Rules	3
bob	3
Typographic replacements	3
Emphasis	4
Blockquotes	4
Lists	4
Code	4
Syntax highlighting	5
Tables	5
Links	5
Images	5
Plugins	6
Emojies	6
Subscript / Superscript	6
<ins>	6
<mark>	6
Footnotes	6
Definition lists	6
Abbreviations	6
Custom containers	7

Landing page template

Landing page template

Description of the application purpose goes here...

Subsection (1)



this is an image

1. Carte, fonds de plan et outils de navigation
2. Gestionnaire de données: catalogue, affichage et symbologie
3. Changement de langue, aide et contact
4. Recherche et géolocalisation [link weburl](#)
5. Fonctionnalités avancées
6. Panneau des résultats de la sélection
7. Vues alternatives [link](#)

!!! todo Find a way to link between mds

Another section in here yo!

dfa adf afaafafd afaafda

Final countdown


Tip

toto was here yo!

Subsection (2)

Subsection (2)

The application detects the default language of the browser. If you prefer a different language, choose your preference from the menu located at the top right.



this is an image

test section

The application detects the default language of the browser. If you prefer a different language, choose your preference from the menu located at the top right.



Test Markdown section

this is an image

bob section

The application detects the default language of the browser. If you prefer a different language, choose your preference from the menu located at the top right.

bob bob **bob**

Test link

first.md final countdown using title

first.md final countdown using ref

Test Markdown section

Advertisement :)

- **pica** - high quality and fast image resize in browser.
- **babelfish** - developer friendly i18n with plurals support and easy syntax.

You will like those projects!

h1 Heading 8-)

h2 Heading

h3 Heading

h4 Heading

balb bla blalblllaalba

h5 Heading

h6 Heading

text ting

Horizontal Rules

fsfd sd fsdg sdfg s ssgf

bob

ok

Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!....

Test Markdown section

!!!!!! ???? , , —

“Smarty pants, double quotes” and ‘single quotes’

Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

~~Strikethrough~~

Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

Lists

Unordered

- Create a list by starting a line with +, -, or *
- Sub-lists are made by indenting 2 spaces:
 - Marker character change forces new list start:
 - Ac tristique libero volutpat at
 - Facilisis in pretium nisl aliquet
 - Nulla volutpat aliquam velit
- Very easy!

Ordered

1. Lorem ipsum dolor sit amet
2. Consectetur adipiscing elit
3. Integer molestie lorem at massa
4. You can use sequential numbers...
5. ...or keep all the numbers as 1.

Start numbering with offset:

57 foo

.

58 bar

.

Code

Inline code

Indented code

Syntax highlighting

```
// Some comments
line 1 of code
line 2 of code
line 3 of code
```

Block code “fences”

```
Sample text here...
```

Syntax highlighting

```
var foo = function (bar) {
  return bar++;
};

console.log(foo(5));
```

Tables

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Right aligned columns

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Links

[link text](#)

[link with title](#)

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)

[link to section](#)

[link to other section](#)

Images

Like links, Images also have a footnote style syntax

![Alt text][id]

Syntax highlighting

With a reference later in the document defining the URL location:

Plugins

The killer feature of `markdown-it` is very effective support of [syntax plugins](#).

Emojies

Classic markup: `:wink: :crush: :cry: :tear: :laughing: :yum:`

Shortcuts (emoticons): `:-) :-(8-) ;)`

see [how to change output](#) with `twemoji`.

Subscript / Superscript

- `19th`
- `H2O`

`<ins>`

`++Inserted text++`

`<mark>`

`==Marked text==`

Footnotes

Footnote 1 link¹.

Footnote 2 link².

Inline footnote[^][Text of inline footnote] definition.

Duplicated footnote reference².

Definition lists

Term 1

: Definition 1 with lazy continuation.

Term 2 with *inline markup*

: Definition 2

```
{ some code, part of Definition 2 }
```

Third paragraph of definition 2.

Compact style:

Term 1 ~ Definition 1

Term 2 ~ Definition 2a ~ Definition 2b

Abbreviations

This is HTML abbreviation example.

It converts “HTML”, but keep intact partial entries like “xxxHTMLyyy” and so on.

*[HTML]: Hyper Text Markup Language

Syntax highlighting

Custom containers

::: warning *here be dragons* :::

- | | |
|---------|-------------------------------------------------------------|
| 1 | Footnote can have markup
and multiple paragraphs. |
| 2(1, 2) | Footnote text. |