

[Articles](#)[Community](#)[Research](#)[IT Tools](#)[Cloud Help Desk](#)[Remote Support](#)[Inventory Online](#)[Contracts](#)[Connectivity Dashboard](#)[All IT Tools](#)[Newsletters](#)[Vendors](#)[SpiceWorld](#)[#Servers2026](#)[Login](#) [Join](#)[Login](#) [Join](#)[Networking](#)

What Is DSL (Digital Subscriber Line)? Working, Types, and Importance

DSL uses telephone lines to send and receive internet data, enabling high-speed downloads.



Chiradeep BasuMallick Technical Writer

December 7, 2022

Your privacy is important to us.

This website uses cookies to view and retain your site interactions, enable site functionality, enhance user experience, perform analytics, and for advertising and marketing purposes. We may share this data with third parties. Please click I Consent below to give us permission to do this. You understand that once you agree, we have no control over these third parties' use of your information. By making a selection below or closing this box and continuing to use the site, you agree to our [Privacy Policy](#).

[More Options](#)[I Consent](#)



A digital subscriber line or DSL is defined as a type of internet connection that uses the voice frequency of telephone lines to send and receive internet data and traffic, enabling high-speed downloads when the user is situated close to the DSL provider. This article explains the working, types, and importance of a digital subscriber line (DSL).

Table of Contents

- [What Is DSL?](#)
- [How Does DSL Work?](#)
- [Top 7 Types of DSL](#)
- [Importance of DSL](#)

What Is DSL?

A digital subscriber line or DSL, formerly called a digital subscriber loop, is a type of internet connection that uses the voice frequency of telephone lines to send and receive internet data and traffic. This type of connection enables high-speed downloads when the user is situated close to the DSL provider.

→ within 6 Km

Your privacy is important to us.

~~A user can access the internet through a limited number of alternatives. The standard modem that utilizes LAN (local area network) is one choice, while the cable modem is another. Another alternative, i.e., a digital subscriber line (DSL) is, however, the most adaptable one. It is a high-speed connection that utilizes the same cables as a standard telephone line.~~

This website uses cookies to view and retain your site interactions, enable site

functionality, enhance user experience, gather analytics, and for advertising and

marketing purposes. We may share this data with third parties. Please click I

Consent below to give us permission to do this. You understand that once you

make a selection below or closing this box and continuing to use the site, you

agree to our [Privacy Policy](#).

READ MORE:

[How quantum integration is reshaping enterprise cloud workflows](#)

DSL uses modems that utilize existing phone lines to transmit high-bandwidth content, like multimedia or video, to customers. It delivers dedicated, point-to-point network connections to the public. This connection often exists between the central office of a network service provider (NSP) and the client location or on local loops constructed inside buildings or campuses.

With a DSL link, you may concurrently utilize the internet and your phone line. This is mainly used in homes and small companies that simultaneously need access to the internet and phone lines. DSL connections are a popular choice among users because they are readily accessible, unlike optic fibers, which are generally limited to metropolitan regions and tech centers. DSL is also favored over cable internet due to greater dependability.

Consumer DSL bit rates may vary between 256 Kbps and over 100 Mbps. However, other variables, like line condition, DSL technology, and service level implementation, might influence this speed. Another element is the copper wire's gauge. The bulkier 24 gauge cable transmits the same data rate over a greater distance than the lighter 26 gauge wire. If a person resides outside a range of 5.5 kilometers, network connectivity relies on whether or not the provider will supply the connection through fiber optic cables.

DSL attracts a great deal of interest from integrators and service providers because it provides high-bandwidth data speeds to scattered sites with little modifications to the current telecommunications infrastructure. The term ~~DSL~~ encompasses a variety of comparable but competing DSL technologies.

The two most common types of DSL are:

- Asymmetric DSL (ADSL): ADSL is less expensive and more prevalent because of its quicker download speed as opposed to upload speed.
- Symmetric (SDSL): SDSL is preferred by professionals who need to back up large amounts of information to **cloud storage** or **virtual private network (VPN)** users due to its equivalent download and upload speeds.

The past few decades have seen many variants of DSLs. These include:

READ MORE:

[How the US inverter ban affects IT equipment](#)

- **Phase 1:** The first avatar of DSL, i.e., 144 Kbps basic rate integrated services digital network (ISDN), was initially used for ISDN service in 1986. It was subsequently adapted to packet mode ISDN DSL (IDSL) and local delivery of multiple voice conversations across a pair of lines (DAML: digital added main line). ISDN basic rate was derived from voice band [modem](#) (V.34) as well as T1/E1 digital transmission technologies.
- **Phase 2:** In 1992, high bit-rate DSL (HDSL) was created for 1.5 Mbps (with two pairs of cables) as well as 2 Mbps (utilizing 2 or 3 pairings of wiring) symmetric transmission over local lines (employing 2 or 3 pairs of wires). By eliminating the requirement for midspan repeaters, therefore, streamlining line architecture, HDSL drastically decreased the expense and implementation timeframe necessary to deliver service. Private line services and linkages to distant network nodes, like digital loop carrier faraway endpoints and wireless cell sites, rely heavily on HDSL.
- **Phase 3:** 1995 saw the introduction of asymmetric digital subscriber line (ADSL) service, which used a variety of innovative technologies, including greater downstream bit rates, enhanced transmission methods, rate-adaptive distribution, and more.
- **Phase 4:** HDSL2 was created in 2000 to achieve the same data rate and line range as HDSL utilizing only one pair of wiring as opposed to the two pairs needed by HDSL. Both HDSL and HDSL2 use CSA (carrier serving area) length connections. At the midpoint of 2002, there were roughly 26 million ADSLs under operation globally, with around 80% of the connections servicing residential consumers and 20% servicing commercial customers.

See More: [What Is MPLS \(Multi-Protocol Label Switching\)? Definition, Working, and Architecture](#)

How Does DSL Work?

Your privacy is important to us.

DSL utilizes old copper telephone lines to transfer digital data, including internet

downloads and uploads and VoIP calls, together with conventional phone signals. It runs at

different frequencies than phone signals, but dial-up internet inhibits phone signals from

utilizing the connection. DSL may be an always-on option since it does not interfere with

phone service. [Privacy Policy](#)

DSL networks are offered by several internet service providers (ISP). This does not imply that DSL providers exclusively provide DSL. In many circumstances, the very same

provider may run numerous internet network types, spanning DSL, cables, and fiber. A provider's services may differ depending on where your business is located.

The frequency range for human voices speaking in regular conversational tones is 0 to 3,400 Hertz. This frequency range is minor. Compare this to the frequency range of the majority of stereo speakers, which is around 20 Hz to 20,000 Hz. In most situations, the cables can accommodate frequencies that reach many million Hertz.

The usage of such a tiny percentage of the wire's overall bandwidth is historical. Remember that the phone system has existed for almost a century, with copper lines running into every residence. By restricting the frequencies conveyed across the wires, the telephone system can pack many wires into a relatively compact area without interference. Modern technology that transmits digital rather than analog data may use the phone line's capacity considerably more securely. DSL accomplishes precisely that.

DSL requires two pieces of hardware, one at the customer's end and the other at the internet provider, phone company, or other suppliers of DSL services. There is a DSL transceiver at the customer's location, which may also offer add-on services. The DSL network operator carries a DSL Access Multiplexer (DSLAM) to accept client connections.

Currently, DSL modems gather signals through telephone lines and transform them into digital data for your usage. This information may be sent wirelessly or using an Ethernet connection. Utilizing existing telephone connections renders DSL accessible in both rural and urban regions. Phone lines have more capacity than is necessary for phone conversations, so DSL signals may simply ride along on the same infrastructure.

DSL modems or [routers](#) are independent devices capable of connecting several PCs or mobile devices. Due to distinct operating frequencies, DSL technology will not compromise your landline telephone connection. Phone and internet networks may operate concurrently.

The operation of asymmetric and symmetric DSL connections varies. Symmetric DSL (SDSL) divides the upstream and downstream streams equitably, allowing equal data transmission and reception rates. In most instances, people prefer to consume more data than they upload. Therefore, service providers provide asymmetric DSL (ADSL) services in such instances.

ADSL service provides a larger frequency band for downloads over [computer networks](#), often resulting in much faster downstream speeds. Technically, an SDSL connection might deliver 2 Mbps downstream and upstream, but an ADSL connection can deliver 20 Mbps download and 1.5 Mbps upstream.

See More: [What Is Software-Defined Networking \(SDN\)? Definition, Architecture, and Applications](#)

Top 7 Types of DSL

Let's understand the most common types of DSL connections.

1. Asymmetric DSL (ADSL)

ADSL offers transmission frequencies between 9 Mbps/640 Kbps downstream/upstream over a very short area and around 1.544 Mbps/16 Kbps up to 18,000 feet away. The first is better suited for commercial computing demands, while the latter works better for domestic computer demands. Large downstream transfers, like receiving information via host PC or acquiring multimedia files, are supported by ADSL's considerable capacity.

ADSL is appealing for high-speed internet access due to its asymmetrical nature and the various speed/distance possible alternatives within this range. ADSL, like other DSL services — which are ANSI-standardized — as T1.413, allows you to rent and pay just for the capacity you need.

2. High-bit-rate DSL or HDSL

Standardized in 1994, HDSL used two sets of 24 AWG copper cables to offer symmetric E1/T1 download speeds at lengths of up to 3657 meters. HDSL2 and HDSL4 are its predecessors, with the latter utilizing four types of wiring instead of two.

3. Very high-bit-rate DSL or VDSL

VDSL provides downstream/upstream speeds of up to 52 Mbps/16 Mbps. Extensions for [local area networks](#) provide 100 Mbps/60 Mbps speeds while connecting across a singular voice-grade twisted pair at distances of up to 500 feet (152.4 m). VDSL permits the concurrent transmission of speech, text, and media, enabling HDTV, video on demand, and high-quality video calls. VDSL may be configured to operate symmetrically or asymmetrically, depending on the application.

5. Symmetric DSL

SDSL replaced HDSL as the single-wire variant of symmetric DSL. SDSL is also called HDSL2 in ANSI. SDSL provides T1 speeds (1.54 Mbps) over distances ranging through 10,000 feet and is, therefore, mainly intended for corporate applications.

See **More:** [Wifi 5 vs. Wifi 6: Understanding the 10 Key Differences](#)

6. Single-pair, high-speed DSL or SHDSL

This type of DSL transfers data much faster than prior DSL versions. It provides quicker transmission and internet connectivity over standard copper phone lines than conventional voice modems. Businesses that use PBXs, secure connections, web hosting, and other services find SHDSL more useful due to its support for symmetrical data rates.

SHDSL is suitable for corporate LAN applications. When linking locations on an enterprise site, a campus, facilities, and networking equipment is often out of range of a normal Ethernet connection. Now, old copper network infrastructure may be used to link distant LANs over greater distances and at better speeds than previously achievable.

Combining ADSL and SDSL characteristics for communications across two to four (multiplexed) copper lines, SHDSL became a standard in 2001. SHDSL offers symmetrical downstream and upstream connectivity between 192 Kbps and 2.3 Mbps. In contrast to prior DSL services that were intended to deliver greater downstream speeds, SHDSL also provides faster upstream speeds.

7. Very-high-bit-rate DSL 2

Standardized in 2006, VDSL2 has more capacity (up to 100 Mbps) and better symmetric speed than VDSL, allowing its usage with Triple Play offerings (data, video, voice) across greater distances. While VDSL2 provides equivalent upstream/downstream rates as VDSL, transmission speeds over longer distances are much less affected than with conventional VDSL equipment or network hardware.

See **More:** [What is an Intranet? Meaning, Features, and Best Practices](#)

agreed to our [Privacy Policy](#).

Importance of DSL

DSL connections are essential to network infrastructure for various reasons. Let's understand some of them.

1. High-speed file downloads

Technological advancements have enabled optimum download rates and performance for high requirements and multi-user homes. This is particularly helpful when connecting a Wi-Fi router to a modem that doesn't have a wireless antenna — it enables everyone in your home or organization to access the internet without physical connections. An ethernet connection is an excellent choice for maximum download speeds and is actively supported by DSL modems.

2. The opportunity to have a dedicated line

A dedicated DSL can manage enormous volumes of data and bandwidth-intensive applications, such as video and other data applications. Under normal circumstances, this would lead to network congestion and slower data transmission rates. When using a dedicated DSL connection, only users inside the company have access to the connection.

3. Less dependence on additional cables

A DSL connection utilizes your current telephone cabling. Therefore, you will not need to invest in expensive phone system upgrades. In addition, DSL uses unused telephone lines, so customers will not have to establish an additional line.

4. Cost effectiveness

Thanks to its widespread usage and adoption across the globe, DSL has only improved over time. Earlier, it was more costly to implement as the technology was newer, but now, it's the standard for home and business internet. As a result, prices are more like deals nowadays, giving you great performance and speeds in various tiers suitable for all budget ranges.

5. Greater reliability and transparency

Typically, while using a dedicated DSL connection, you interact with a single provider and no other entities. If a service employs redundant [network topology](#) design, the outcome is extraordinary dependability and dedicated, always-on access to a connection. When utilizing a cable connection, the cable company may sometimes be a third party, which might complicate matters if there is an issue with your connection.

6. Support for security measures

DSL has a security benefit over cable because it offers stronger protection. You will typically have a connection with a different network. Cable-led networks are often shared by several computer users, putting your privacy at risk. In addition to facilitating the deployment of security apps and the provision of authentication services, the management of total network security and safe internet access is streamlined.

7. Better uptime assurance

When you have a dedicated DSL connection, you experience less downtime than a shared connection. Numerous critical business applications rely largely on internet access nowadays. This may have a detrimental influence on corporate productivity, retaining existing customers, and revenue streams if there is a significant amount of downtime. You have significant autonomy over network maintenance and monitoring with a dedicated DSL connection, allowing you to discover faults before they become a serious issue.

However, a key drawback of DSL is its proximity-dependent efficacy. The greater the distance between you and the DSL operator, the less effective the services will be. If you are located more than 6,000 meters away from the service provider, you may have no access to the service. This makes DSL selectively important — regions with a capable DSL provider can enjoy smart, affordable connectivity, while those without a local provider may have to look for other options.

See [More: What Is IPv6 \(Internet Protocol Version 6\)? Definition, Features, and Uses](#)

Takeaway

The popularity of DSL is slowly but steadily waning. Cellular networks and the global penetration of mobile devices have made [4G LTE](#) and [5G](#) the mainstay of connectivity. Yet, DSL remains relevant in towns and regions with established providers. It offers an easy, cost-effective way to connect to the internet without having to lay out new cabling or infrastructure. In other words, DSL is central to global connectivity and still serves many users worldwide.

MORE ON NETWORKING

- [Wide Area Network \(WAN\) vs. Local Area Network \(LAN\): Key Differences and Similarities](#)
- [Top 10 Network Management and Monitoring Tools in 2022](#)
- [What Is TCP \(Transmission Control Protocol\)? Definition, Model Layers, and Best Practices for 2022](#)
- [Switch vs. Router: Understanding 15 Key Comparisons](#)
- [What Is Network Time Protocol \(NTP\)? Meaning, Working, Benefits, and Challenges](#)

Hardware

YOUR ESSENTIAL DAILY TECH BRIEF

Sign up for the Spiceworks Newsletter and stay ahead with a curated mix of expert advice, technical tips, and the trending discussions your peers are having right now.

Subscribe

- ☐ By subscribing to the Spiceworks Newsletter, you confirm that you are 18 years of age or older and agree to our [Terms of Use](#) and [Privacy Policy](#).

Share This Article:

Your privacy is important to us.

This website uses cookies to view and retain your site interactions, enable site functionality, enhance user experience, perform analytics, and for advertising and marketing purposes. We may share this data with third parties. Please click I



Chiradeep Basu Mallick

Technical Writer

Do not send any sensitive information to us and do this. You understand that once you agree, we have no control over these third parties' use of your information. By making a selection below or closing this box and continuing to use the site, you agree to our [Privacy Policy](#).

in