Step 1 · Choose a Lineage *ATLAS §1 Step 1*

Lineage: Immunan — the Registered

Immunan — the Registered. AFF +1, RTC −1. Bonded Domain: Galvanic.

Gift Self/Kin (once per scene). **Frailty Literal**: Disadvantage in any contest involving deception; you answer truthfully when asked directly.

Natural apparatus: antigen barb (Projector, Mid, BD 1/3/5/7/9, Voltaic, Lodged) · *ATLAS §2 · IMMUNAN*

Step 2 · Assign your Metabolic Baselines *ATLAS §1 Step 2*

Take the array **4, 4, 3, 3, 2** and place the five numbers on VSC, DFF, RTC, OSM, AFF; then apply the Lineage's ±1. No Baseline may start above 5 or below 1. Grade cap 6 (7–8 only via Apotheosis or a Relic).

Baseline	placed	Lineage	grown	Grade	what the Grade sets
VSC Viscosity *CORE §3.1*	4	—	0	**4**	Maximum MI, Bulk capacity, Lysis Countdown boxes
DFF Diffusion *CORE §3.1*	3	—	0	**3**	Pulse Points, Membrane Threshold, Frequency
RTC Reactivity *CORE §3.1*	4	−1	0	**3**	Maximum ATP, Burst Effect Value
OSM Osmosis *CORE §3.1*	2	—	0	**2**	Detection range, Harvest checks, Hazard notice
AFF Affinity *CORE §3.1*	3	+1	0	**4**	Bond strength, Cohesion gains, minion control

`placed total 16 of 16 · array intact (4,4,3,3,2) · ATLAS §1 Step 2`

Step 3 · Choose a Phenotype (your class) *ATLAS §1 Step 3*

Phenotype: Antigen Detector — Support / counter-infiltration outside your Lineage? ☐

Antigen Detector — Support / counter-infiltration · Immunan tradition · Hull 4 · Key OSM, AFF · Bonded Domain Galvanic

Signature Mechanic — ASSAY: 1 Assay per scene

Granted Pathways: Chemoreception 2 · Signal Discourse 1 · Pulse Discipline 1

Printed kit line: Needle Scatter or Spore Pistol, Secondary Lens graft, Memory Vial *ATLAS §3 · ANTIGEN DETECTOR*

Step 4 · Take your Pathway ranks *ATLAS §1 Step 4*

Your Phenotype grants ranks. Then choose **two additional Pathways at rank 1**. Max rank 4 (Sovereign), never above 2 at creation. A +1 rank is one Synthesis Choice at a Growth (ATLAS §4.1).

Pathway	rank	Usual Baseline	pool	unrushed	governs
Chemoreception *granted*	2 Anchored 0	OSM	4	12	*CORE §3.2*
Signal Discourse *granted*	1 Expressed 0	AFF	5	15	*CORE §3.2*
Pulse Discipline *granted*	1 Expressed 0	DFF	4	12	*CORE §3.2*
Catalysis	1 Expressed 0	RTC	4	12	*CORE §3.2*
Pressure Tolerance	1 Expressed 0	VSC	5	15	*CORE §3.2*

extra rank-1 Pathway 1 Catalysis extra rank-1 Pathway 2 Pressure Tolerance

`Rank names: 0 Latent · 1 Expressed +1 · 2 Anchored +2 · 3 Dominant +3 · 4 Sovereign +4` *CORE §3.2*

Step 5 · Buy kit *ATLAS §1 Step 5*

Level 1 Stage I · starting Substrate 40 S · Codon 0 · Burst Tier up to I *ATLAS §1 Step 8*

Size class Minute (MI +0, MT +0) *CORE §4.5*

`starting Substrate 40 S · spent 55 S · over by 15 S · Bulk 3 carried of 20 (CORE §2.2) · Graft slots 0/1`

write the debt instead? a Hegemony licence loan is 100 S at 5 S/Beat ☐

▶ Apparatus (CORE §9.3)

▼ Grafts — slots, soak and family (CORE §9.4)

item	qty	S	family / slots / soak
Lipid Weave Wrap	1	20	Lipid · 0 slots · soak 1 · free slot
Reinforced Weave	0	60	Lipid · 1 slot · soak 2
Fibrous Lattice Vest	0	120	Fibrous · 1 slot · soak 3
Testate Half-Shell	0	200	Testate · 1 slot · soak 4
Full Testate Carapace	0	650	Testate · 2 slots · soak 6 · cannot be pushed by Momentum, push, or Brute actions
Mucoid Mantle	0	180	Mucoid · 1 slot · soak 3 · Voltaic/Thermal soak doubled; Genetic −2
Somatic Bulwark	0	900	Somatic · 2 slots · soak 5 · self-repairs 2 MI per Cycle if fed 1 ATP
Chitin Spurs	0	90	Fibrous · 1 slot · soak 1 · natural attacks BD +2
Osmotic Filter	0	150	Lipid · 1 slot · soak 1 · immune to one tonic state
Scent Dampener	0	220	Mucoid · 1 slot · soak — · cannot be tracked by Chemoreception
Secondary Lens	0	140	Lipid · 1 slot · soak — · one sensory channel; +2 to one Sense type
Deep Ear	0	160	Fibrous · 1 slot · soak —
Vacuole Sac	0	110	Lipid · 1 slot · soak —
Flagellar Motor	0	300	Fibrous · 1 slot · soak —
Pore Locks	0	240	Testate · 1 slot · soak 2 · cannot be Grappled or Tethered
Heat Sink	0	320	Testate · 1 slot · soak 2
Reactive Nodes	0	550	Somatic · 2 slots · soak 1 · Reactive Osmosis 2×/Cycle
Signal Vane	0	400	Mucoid · 1 slot · soak —
Antigen Hood	0	500	Fibrous · 1 slot · soak 2 · your antigen signature reads as registered anywhere
Nucleoid Shard Inlay	0	1400	Somatic · 2 slots · soak 1

▶ Vials (CORE §9.5)

▶ Bursts known — the universal catalogue, CORE §6.4 (this file carries 30 printed rows; the Core's own heading says 24)

▶ Adaptations taken (ATLAS §4.2) — each costs one Synthesis Choice

Step 6 · Write three things down *ATLAS §1 Step 6*

A chemical name — a scent-phrase. One Oath, and Oath boxes = AFF Grade; this Oath uses one: say what it forbids. One Vector: who hired you, what you were paid, why it is not finished.

Chemical name

Ache-of-the-Red Vein

Oath — say what it forbids

Vector

The books this page is made of

The Player's Atlas (ATLAS-01 … ATLAS-08) and The Catalytic Engine core rulebook (CORE-01 … CORE-07) of The Osmotic Expanse; numbers taken where the books disagree from books/DESIGN-BIBLE.md

40 Substrate at Level 1. You may buy one Apparatus, one graft, and Vials. *ATLAS §1 Step 5*
Then choose two additional Pathways at rank 1 (Expressed). Max rank 4 (Sovereign), never above 2 at creation. *ATLAS §1 Step 4*
Take the array 4, 4, 3, 3, 2 and place the five numbers on VSC, DFF, RTC, OSM, AFF. Then apply your Lineage's ±1. No Baseline may start above 5 or below 1. *ATLAS §1 Step 2*
Starting Substrate 40 / 150 / 500 / 1,600 at Level 1 / 6 / 11 / 16; Codon 400 / 1,300 / 2,700; one free Synthesis Choice per level above 1. *ATLAS §1 Step 8*
+6 max MI, and +1 Graft Slot, at each Stage transition (Levels 6, 11, 16). *ATLAS §4.3*
Exceeding your slots causes Rejection: at the start of each Pulse War mark 2 Stress, and your maximum MI drops by 4 per excess slot. *CORE §9.2*
A hit always deals at least 1 damage, no matter how much soak. *CORE §5.2*
Every 20 S of loose goods is 1 Bulk. Your carrying Bulk = VSC × 5. *CORE §2.2*
Beyond Level 20 Growth costs 1,000 Codon per Level and opens the Apotheosis track — outside this sheet, which stops at Level 20. *ATLAS §1 Step 8 · CORE Ch. XII*

The sheet — Ache-of-the-Red Vein *ATLAS §5.4*

```
NAME Ache-of-the-Red Vein LINEAGE Immunan PHENOTYPE Antigen Detector STAGE I LEVEL 1
BASELINES VSC 4 DFF 3 RTC 3 OSM 2 AFF 4
POOL CHEAT Chemoreception 4 Signal Discourse 5 Pulse Discipline 4 Catalysis 4 Pressure Tolerance 5
MI 37 / 37 SOAK 1 (family: Lipid ×1) MT 13 PP 5 FLOW 6
ATP 14 / 14 STRESS [ ][ ][ ][ ][ ][ ][ ] 0/8 COUNTDOWN [ ]x 8 SLOTS 0/1
CODON 0 SUBSTRATE -15 BULK 3/20 SPECIMENS C__ G__ P__ T__
OATH BOXES 0/4 BONDS __________ COHESION (group) ___/10
SIGNATURE MECHANIC TRACK ASSAY — 1 Assay per scene
GRAFTS (slot by slot, with family and Minor Cost) Lipid Weave Wrap (Lipid, 0 slots, soak 1)
CONDITIONS RIGHT NOW (write them; cross them out when shed) _______________
```

MI (max)	ATP (max)	PP	MT
37	**14**	**5**	**13**
12 + VSC×4 + Hull + 2×(L−1) · CORE §5.1	8 + RTC×2 · ATLAS Step 7	2 + DFF · ATLAS Step 7	10 + DFF + mods · ATLAS Step 7

Flow	Countdown	Soak	Graft slots
6	**8**	**1**	**0 / 1**
3 + DFF Drifts · ATLAS Step 7	VSC + ceil(Hull/2) + 2 · CORE §5.5	Σ graft soak, bought not granted · CORE §5.2	1 Stage I · 2 II · 3 III · 4 IV · CORE §9.2

Codon
0
+40 to Level 2 (20L+20)

How the numbers were made

`MI: 12 + (4 × 4) + 4 + 2 × (1 − 1) = 32 = 32` · kit/adaptation +5 → `max MI 37` *CORE §5.1 · ATLAS §4.3*

`ATP max = 8 + (3 × 2) = 14` *ATLAS §1 Step 7*

`PP = 2 + 3 = 5` · `MT = 10 + 3 = 13` · `Flow = 3 + 3 = 6 Drifts` *ATLAS §1 Step 7*

`Countdown = 4 + ceil(4/2) + 2 = 8 boxes` *CORE §5.5*

`Oath boxes = AFF 4 = 4` · `AE capacity = RTC 3 + Catalysis 1 = 4 hot Bursts` *ATLAS §1 Step 6 · CORE §6.2*

`Frequency Check = d6 + DFF 3 + Pulse Discipline 1 → +4` *CORE §4.1*

Soak by damage type

`Kinetic 1` · `Lytic 0` · `Osmotic 3` · `Thermal 2` · `Voltaic 1` · `Genetic 1`

Printed graft soak is summed, then the family matrix (CORE §5.3) is added per type: Lipid Lytic -2, Osmotic +2, Thermal +1. A hit always deals at least 1 damage (CORE §5.2). The books print the two halves separately and never say how to combine them — this addition is this generator's own reading.

Attack pools

class	formula	pool	unrushed (3 × dice)
Weight	VSC + Membrane Penetration	**4**	12
Lash	DFF + Membrane Penetration	**3**	9
Projector	DFF or RTC + Membrane Penetration or Signal Discourse	**4**	12
Resonator	RTC + Catalysis	**4**	12

CORE §4.8 · CORE §1.6

Bursts written down

none chosen — the universal catalogue is CORE §6.4; Tier I at Level 1, II at 6, III at 11, IV at 16.

Three things

`NAME: Ache-of-the-Red Vein`

`OATH: —`

`VECTOR: —`

Bought

item	qty	kind / BD ladder / type	S
Grapple Tendril	1	Lash · BD 1/2/3/4/5 · Kinetic	35
Lipid Weave Wrap	1	Graft (Lipid) · BD soak 1 · Lipid	20

What the page flags

· nothing: the array is intact, the ranks and slots are inside what the Atlas allows at this Level, and the kit fits the purse.

Stress track 0–2 Nothing. You are still in control of your chemistry. · 3 −1 Reagent to all pools · 5 −2 Reagents; no Overclocked benefits · 6 −3 Reagents; ATP costs +1 · 7 on your next failed roll, roll on the Cascade table · 8 Autophagic Collapse: mark 2 Lysis Countdown boxes and drop to Stress 5 *CORE §5.8*

Rest: Vent −2 Stress (2 ATP, 1 PP) · Reconstitution 1 Fugue Interval: full ATP, clear Stress, heal VSC + Hull MI · Dormant Cycle 6 hours: full MI, clear Countdown boxes *CORE §5.10*