TEST 3: CSS 3.1 Which of the following selector selects all paragraph elements with a lang attribute?

- p[lang] X
- p[lang="fr"]
- p[lang~="fr"]
- p[lang|="fr"]

3.2 Which of the following selector selects all paragraph elements whose lang attribute contains the word "fr"?

- p[lang]
- p[lang="fr"]
- p[lang~="fr"] X
- p[lang|="fr"]

3.3 Which of the following defines a measurement in points?

- in
- mm
- pc
- pt X

3.4 Which of the following properties is used to control the repetition of an image in the background?

- background-color
- background-image
- background-repeat X
- background-position

3.5 Which of the following properties is used as shorthand to specify a number of other font properties?

- font-size
- font X
- font-variant
- font-weight

3.6 Which of the following properties is used to set the width of an image?

- border
- height
- width X
- -moz-opacity

3.7 Which of the following properties of a table element specifies whether the browser should control the appearance of the adjacent borders that touch each other or whether each cell should maintain its style?

- :border-collapse X
- :border-spacing
- :caption-side
- :empty-cells

3.8 Which of the following properties changes the width of the left border?
- :border-bottom-width
- :border-top-width
- :border-left-width X
- :border-right-width

3.9 Which of the following properties specifies the bottom margin of an element?
- :margin
- :margin-bottom X
- :margin-top
- :margin-left

3.10 Which of the following values of the cursor shows it as the 'I' bar?
- crosshair
- default
- pointer
- move

Probably thas depends on the browser support. But none of the above options shows the I bar. The one showing the I is the "text" cursor value.