# Papers timeline

# JR

# March 13, 2025

# Contents

202	5		
1.1	March		
1.2	February		
1.3	January		
202	4		
2.1	December		
2.2	September		
2.3	June		
2.4	May		
2.5	February		
2.6	January		
202	$oldsymbol{3}$		
3.1	December		
3.2	October		
3.3	July		
3.4	May		
3.5	April		
3.6	March		
3.7	February		
2022			
4.1	December		
4.2	November		
4.3	October		
_	September		
	June		
_	May		
	April		
-	March		
4.9	January		
	1.1 1.2 1.3 202 2.1 2.2 2.3 2.4 2.5 2.6 202 3.1 3.2 3.3 3.4 3.5 3.6 3.7 202 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8		

<b>5</b>	2021	9		
	5.1 December	9		
	5.2 October	9		
	5.3 September	9		
	5.4 October	9		
	5.5 January	9		
6	2019			
	6.1 February	10		
7	2018			
	7.1 June	11		
8	2017	12		

- 1.1 March
- 1.2 February
- 1.3 January
- [1] DeepSeek-AI et al., DeepSeek-R1: Incentivizing Reasoning Capability in LLMs via Reinforcement Learning, arXiv:2501.12948 [cs], Jan. 2025. DOI: 10.48550/arXiv. 2501.12948. [Online]. Available: http://arxiv.org/abs/2501.12948 (visited on 03/14/2025).

#### 2.1 December

[1] Qwen et al., Qwen2.5 Technical Report, arXiv:2412.15115 [cs], Jan. 2025. DOI: 10. 48550/arXiv.2412.15115. [Online]. Available: http://arxiv.org/abs/2412.15115 (visited on 03/14/2025).

### 2.2 September

[1] N. Muennighoff et al., OLMoE: Open Mixture-of-Experts Language Models, arXiv:2409.02060
 [cs], Mar. 2025. DOI: 10.48550/arXiv.2409.02060. [Online]. Available: http://arxiv.org/abs/2409.02060 (visited on 03/14/2025).

#### 2.3 June

[1] G. Penedo et al., The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale, arXiv:2406.17557 [cs], Oct. 2024. DOI: 10.48550/arXiv.2406.17557. [Online]. Available: http://arxiv.org/abs/2406.17557 (visited on 03/14/2025).

#### 2.4 May

- [1] A. Grattafiori et al., The llama 3 herd of models, 2024. arXiv: 2407.21783 [cs.AI]. [Online]. Available: https://arxiv.org/abs/2407.21783.
- [2] A. Gu and T. Dao, Mamba: Linear-Time Sequence Modeling with Selective State Spaces, arXiv:2312.00752 [cs], May 2024. DOI: 10.48550/arXiv.2312.00752. [Online]. Available: http://arxiv.org/abs/2312.00752 (visited on 03/14/2025).

## 2.5 February

[1] D. Groeneveld et al., OLMo: Accelerating the Science of Language Models, arXiv:2402.00838
 [cs], Jun. 2024. DOI: 10.48550/arXiv.2402.00838. [Online]. Available: http://arxiv.org/abs/2402.00838 (visited on 03/14/2025).

# 2.6 January

[1] DeepSeek-AI et al., DeepSeek-V2: A Strong, Economical, and Efficient Mixture-of-Experts Language Model, arXiv:2405.04434 [cs], Jun. 2024. DOI: 10.48550/arXiv. 2405.04434. [Online]. Available: http://arxiv.org/abs/2405.04434 (visited on 03/14/2025).

#### 3.1 December

[1] A. Gu and T. Dao, Mamba: Linear-Time Sequence Modeling with Selective State Spaces, arXiv:2312.00752 [cs], May 2024. DOI: 10.48550/arXiv.2312.00752. [Online]. Available: http://arxiv.org/abs/2312.00752 (visited on 03/14/2025).

#### 3.2 October

[1] A. Q. Jiang et al., Mistral 7B, arXiv:2310.06825 [cs], Oct. 2023. DOI: 10.48550/arXiv.2310.06825. [Online]. Available: http://arxiv.org/abs/2310.06825 (visited on 03/14/2025).

### 3.3 July

[1] H. Touvron et al., Llama 2: Open Foundation and Fine-Tuned Chat Models, arXiv:2307.09288 [cs], Jul. 2023. DOI: 10.48550/arXiv.2307.09288. [Online]. Available: http://arxiv.org/abs/2307.09288 (visited on 03/14/2025).

### 3.4 May

- [1] Z. Sun et al., Principle-Driven Self-Alignment of Language Models from Scratch with Minimal Human Supervision, arXiv:2305.03047 [cs], Dec. 2023. DOI: 10.48550/arXiv.2305.03047. [Online]. Available: http://arxiv.org/abs/2305.03047 (visited on 03/14/2025).
- [2] R. Anil et al., PaLM 2 Technical Report, arXiv:2305.10403 [cs], Sep. 2023. DOI: 10.48550/arXiv.2305.10403. [Online]. Available: http://arxiv.org/abs/2305.10403 (visited on 03/14/2025).
- [3] B. Peng et al., RWKV: Reinventing RNNs for the Transformer Era, arXiv:2305.13048 [cs], Dec. 2023. DOI: 10.48550/arXiv.2305.13048. [Online]. Available: http://arxiv.org/abs/2305.13048 (visited on 03/14/2025).
- [4] R. Rafailov, A. Sharma, E. Mitchell, S. Ermon, C. D. Manning, and C. Finn, *Direct Preference Optimization: Your Language Model is Secretly a Reward Model*, arXiv:2305.18290 [cs], Jul. 2024. DOI: 10.48550/arXiv.2305.18290. [Online]. Available: http://arxiv.org/abs/2305.18290 (visited on 03/14/2025).
- [5] S. Yao et al., Tree of Thoughts: Deliberate Problem Solving with Large Language Models, arXiv:2305.10601 [cs], Dec. 2023. DOI: 10.48550/arXiv.2305.10601. [Online]. Available: http://arxiv.org/abs/2305.10601 (visited on 03/14/2025).

# 3.5 April

- [1] [2304.01373] Pythia: A Suite for Analyzing Large Language Models Across Training and Scaling. [Online]. Available: https://arxiv.org/abs/2304.01373 (visited on 03/14/2025).
- [2] H. Liu, C. Li, Q. Wu, and Y. J. Lee, *Visual Instruction Tuning*, arXiv:2304.08485 [cs], Dec. 2023. DOI: 10.48550/arXiv.2304.08485. [Online]. Available: http://arxiv.org/abs/2304.08485 (visited on 03/14/2025).

#### 3.6 March

- [1] S. Longpre et al., The Flan Collection: Designing Data and Methods for Effective Instruction Tuning, arXiv:2301.13688 [cs], Feb. 2023. DOI: 10.48550/arXiv.2301.13688. [Online]. Available: http://arxiv.org/abs/2301.13688 (visited on 03/14/2025).
- [2] H. Touvron et al., Llama: Open and efficient foundation language models, 2023. arXiv: 2302.13971 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2302.13971.
- [3] S. Huang et al., Language Is Not All You Need: Aligning Perception with Language Models, arXiv:2302.14045 [cs], Mar. 2023. DOI: 10.48550/arXiv.2302.14045. [Online]. Available: http://arxiv.org/abs/2302.14045 (visited on 03/14/2025).
- [4] A. Orvieto et al., Resurrecting recurrent neural networks for long sequences, 2023. arXiv: 2303.06349 [cs.LG]. [Online]. Available: https://arxiv.org/abs/2303.06349.
- [5] PaLM-E: An Embodied Multimodal Language Model. [Online]. Available: https://palm-e.github.io/ (visited on 03/14/2025).
- [6] GPT-4, en-US, Jan. 2024. [Online]. Available: https://openai.com/index/gpt-4-research/ (visited on 03/14/2025).

#### 3.7 February

- [1] S. Longpre et al., The Flan Collection: Designing Data and Methods for Effective Instruction Tuning, arXiv:2301.13688 [cs], Feb. 2023. DOI: 10.48550/arXiv.2301. 13688. [Online]. Available: http://arxiv.org/abs/2301.13688 (visited on 03/14/2025).
- [2] H. Touvron et al., Llama: Open and efficient foundation language models, 2023. arXiv: 2302.13971 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2302.13971.

#### $4 \quad 2022$

#### 4.1 December

[1] S. Iyer et al., OPT-IML: Scaling Language Model Instruction Meta Learning through the Lens of Generalization, arXiv:2212.12017 [cs], Jan. 2023. DOI: 10.48550/arXiv. 2212.12017. [Online]. Available: http://arxiv.org/abs/2212.12017 (visited on 03/14/2025).

#### 4.2 November

- [1] P. Liang et al., Holistic Evaluation of Language Models, arXiv:2211.09110 [cs], Oct. 2023. DOI: 10.48550/arXiv.2211.09110. [Online]. Available: http://arxiv.org/abs/2211.09110 (visited on 03/14/2025).
- [2] B. Workshop et al., BLOOM: A 176B-Parameter Open-Access Multilingual Language Model, arXiv:2211.05100 [cs], Jun. 2023. DOI: 10.48550/arXiv.2211.05100. [Online]. Available: http://arxiv.org/abs/2211.05100 (visited on 03/14/2025).
- [3] R. Taylor et al., Galactica: A Large Language Model for Science, arXiv:2211.09085 [cs], Nov. 2022. DOI: 10.48550/arXiv.2211.09085. [Online]. Available: http://arxiv.org/abs/2211.09085 (visited on 03/14/2025).

#### 4.3 October

- [1] H. W. Chung et al., Scaling Instruction-Finetuned Language Models, arXiv:2210.11416 [cs], Dec. 2022. DOI: 10.48550/arXiv.2210.11416. [Online]. Available: http://arxiv.org/abs/2210.11416 (visited on 03/14/2025).
- A. Zeng et al., GLM-130B: An Open Bilingual Pre-trained Model, arXiv:2210.02414
   [cs], Oct. 2023. DOI: 10.48550/arXiv.2210.02414. [Online]. Available: http://arxiv.org/abs/2210.02414 (visited on 03/14/2025).

## 4.4 September

[1] A. Glaese et al., Improving alignment of dialogue agents via targeted human judgements, arXiv:2209.14375 [cs], Sep. 2022. DOI: 10.48550/arXiv.2209.14375. [Online]. Available: http://arxiv.org/abs/2209.14375 (visited on 03/14/2025).

#### **4.5** June

- [1] J. Wei et al., "Emergent Abilities of Large Language Models," en,
- [2] Y. Hao et al., Language models are general-purpose interfaces, 2022. arXiv: 2206. 06336 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2206.06336.
- [3] Google/BIG-bench, original-date: 2021-01-15T23:28:20Z, Mar. 2025. [Online]. Available: https://github.com/google/BIG-bench (visited on 03/14/2025).

#### 4.6 May

- [1] S. Zhang et al., Opt: Open pre-trained transformer language models, 2022. arXiv: 2205.01068 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2205.01068.
- Y. Tay et al., Unifying Language Learning Paradigms, arXiv:2205.05131 [cs] version:
   1, May 2022. DOI: 10.48550/arXiv.2205.05131. [Online]. Available: http://arxiv.org/abs/2205.05131 (visited on 03/14/2025).

#### 4.7 April

- [1] A. Chowdhery et al., Palm: Scaling language modeling with pathways, 2022. arXiv: 2204.02311 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2204.02311.
- [2] Y. Wu, Z. Sun, S. Li, S. Welleck, and Y. Yang, Inference Scaling Laws: An Empirical Analysis of Compute-Optimal Inference for Problem-Solving with Language Models, arXiv:2408.00724 [cs], Mar. 2025. DOI: 10.48550/arXiv.2408.00724. [Online]. Available: http://arxiv.org/abs/2408.00724 (visited on 03/14/2025).

#### 4.8 March

[1] L. Ouyang et al., Training language models to follow instructions with human feed-back, arXiv:2203.02155 [cs], Mar. 2022. DOI: 10.48550/arXiv.2203.02155. [Online]. Available: http://arxiv.org/abs/2203.02155 (visited on 03/14/2025).

### 4.9 January

- [1] J. Wei et al., Chain-of-Thought Prompting Elicits Reasoning in Large Language Models, arXiv:2201.11903 [cs], Jan. 2023. DOI: 10.48550/arXiv.2201.11903. [Online]. Available: http://arxiv.org/abs/2201.11903 (visited on 03/14/2025).
- [2] R. Thoppilan et al., LaMDA: Language Models for Dialog Applications, arXiv:2201.08239 [cs], Feb. 2022. DOI: 10.48550/arXiv.2201.08239. [Online]. Available: http://arxiv.org/abs/2201.08239 (visited on 03/14/2025).
- [3] A. Lewkowycz et al., Solving Quantitative Reasoning Problems with Language Models, arXiv:2206.14858 [cs], Jul. 2022. DOI: 10.48550/arXiv.2206.14858. [Online]. Available: http://arxiv.org/abs/2206.14858 (visited on 03/14/2025).
- [4] S. Smith et al., Using DeepSpeed and Megatron to Train Megatron-Turing NLG 530B, A Large-Scale Generative Language Model, arXiv:2201.11990 [cs], Feb. 2022. DOI: 10.48550/arXiv.2201.11990. [Online]. Available: http://arxiv.org/abs/2201.11990 (visited on 03/14/2025).

#### 5.1 December

- [1] N. Du et al., GLaM: Efficient Scaling of Language Models with Mixture-of-Experts, arXiv:2112.06905 [cs], Aug. 2022. DOI: 10.48550/arXiv.2112.06905. [Online]. Available: http://arxiv.org/abs/2112.06905 (visited on 03/14/2025).
- [2] R. Nakano *et al.*, "WebGPT: Browser-assisted question-answering with human feedback," *ArXiv*, Dec. 2021. [Online]. Available: https://www.semanticscholar.org/paper/WebGPT%3A-Browser-assisted-question-answering-with-Nakano-Hilton/2f3efe44083af91cef562c1a3451eee2f8601d22 (visited on 03/14/2025).
- [3] S. Borgeaud et al., Improving language models by retrieving from trillions of tokens, arXiv:2112.04426 [cs], Feb. 2022. DOI: 10.48550/arXiv.2112.04426. [Online]. Available: http://arxiv.org/abs/2112.04426 (visited on 03/14/2025).
- [4] J. W. Rae et al., Scaling Language Models: Methods, Analysis & Insights from Training Gopher, arXiv:2112.11446 [cs], Jan. 2022. DOI: 10.48550/arXiv.2112.11446. [Online]. Available: http://arxiv.org/abs/2112.11446 (visited on 03/14/2025).

#### 5.2 October

[1] V. Sanh et al., Multitask Prompted Training Enables Zero-Shot Task Generalization, arXiv:2110.08207 [cs], Mar. 2022. DOI: 10.48550/arXiv.2110.08207. [Online]. Available: http://arxiv.org/abs/2110.08207 (visited on 03/14/2025).

### 5.3 September

[1] J. Wei et al., "Finetuned Language Models are Zero-Shot Learners," en, Oct. 2021. [Online]. Available: https://openreview.net/forum?id=gEZrGCozdqR (visited on 03/14/2025).

#### 5.4 October

[1] R. Bommasani et al., On the Opportunities and Risks of Foundation Models, arXiv:2108.07258 [cs], Jul. 2022. DOI: 10.48550/arXiv.2108.07258. [Online]. Available: http://arxiv.org/abs/2108.07258 (visited on 03/14/2025).

### 5.5 January

# 6.1 February

[1] A. Radford, J. Wu, R. Child, D. Luan, D. Amodei, and I. Sutskever, "Language Models are Unsupervised Multitask Learners," 2019. [Online]. Available: https://www.semanticscholar.org/paper/Language-Models-are-Unsupervised-Multitask-Learners-Radford-Wu/9405cc0d6169988371b2755e573cc28650d14dfe (visited on 03/14/2025).

# **7.1** June

[1] A. Radford, K. Narasimhan, T. Salimans, and I. Sutskever, "Improving Language Understanding by Generative Pre-Training," en,