Papers timeline

JR

March 13, 2025

Contents

202	5		
1.1	March		
1.2	February		
1.3	January		
202	4		
2.1	December		
2.2	September		
2.3	June		
2.4	May		
2.5	February		
2.6	January		
2023			
3.1	December		
3.2	October		
3.3	July		
3.4	May		
3.5	April		
3.6	March		
3.7	February		
2022			
4.1	December		
4.2	November		
4.3	October		
_	September		
	June		
_	May		
	April		
-	March		
4.9	January		
	1.1 1.2 1.3 202 2.1 2.2 2.3 2.4 2.5 2.6 202 3.1 3.2 3.3 3.4 3.5 3.6 3.7 202 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8		

5	2021	9		
	5.1 December	9		
	5.2 October	9		
	5.3 September	9		
	5.4 August	9		
	5.5 January	9		
6	2020			
	6.1 May	10		
	6.2 January	10		
7	2019			
	7.1 October	11		
	7.2 September	11		
	7.3 February	11		
8	2018			
	8.1 October	12		
	8.2 June	12		
9	2017	13		

- 1.1 March
- 1.2 February
- 1.3 January
- [1] DeepSeek-AI et al., DeepSeek-R1: Incentivizing Reasoning Capability in LLMs via Reinforcement Learning, arXiv:2501.12948 [cs], Jan. 2025. DOI: 10.48550/arXiv. 2501.12948. [Online]. Available: http://arxiv.org/abs/2501.12948 (visited on 03/14/2025).

2.1 December

[1] Qwen et al., Qwen2.5 Technical Report, arXiv:2412.15115 [cs], Jan. 2025. DOI: 10. 48550/arXiv.2412.15115. [Online]. Available: http://arxiv.org/abs/2412.15115 (visited on 03/14/2025).

2.2 September

[1] N. Muennighoff et al., OLMoE: Open Mixture-of-Experts Language Models, arXiv:2409.02060
 [cs], Mar. 2025. DOI: 10.48550/arXiv.2409.02060. [Online]. Available: http://arxiv.org/abs/2409.02060 (visited on 03/14/2025).

2.3 June

[1] G. Penedo et al., The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale, arXiv:2406.17557 [cs], Oct. 2024. DOI: 10.48550/arXiv.2406.17557. [Online]. Available: http://arxiv.org/abs/2406.17557 (visited on 03/14/2025).

2.4 May

- [1] A. Grattafiori et al., The llama 3 herd of models, 2024. arXiv: 2407.21783 [cs.AI]. [Online]. Available: https://arxiv.org/abs/2407.21783.
- [2] A. Gu and T. Dao, Mamba: Linear-Time Sequence Modeling with Selective State Spaces, arXiv:2312.00752 [cs], May 2024. DOI: 10.48550/arXiv.2312.00752. [Online]. Available: http://arxiv.org/abs/2312.00752 (visited on 03/14/2025).

2.5 February

[1] D. Groeneveld et al., OLMo: Accelerating the Science of Language Models, arXiv:2402.00838
 [cs], Jun. 2024. DOI: 10.48550/arXiv.2402.00838. [Online]. Available: http://arxiv.org/abs/2402.00838 (visited on 03/14/2025).

2.6 January

[1] DeepSeek-AI et al., DeepSeek-V2: A Strong, Economical, and Efficient Mixture-of-Experts Language Model, arXiv:2405.04434 [cs], Jun. 2024. DOI: 10.48550/arXiv. 2405.04434. [Online]. Available: http://arxiv.org/abs/2405.04434 (visited on 03/14/2025).

3.1 December

[1] A. Gu and T. Dao, Mamba: Linear-Time Sequence Modeling with Selective State Spaces, arXiv:2312.00752 [cs], May 2024. DOI: 10.48550/arXiv.2312.00752. [Online]. Available: http://arxiv.org/abs/2312.00752 (visited on 03/14/2025).

3.2 October

[1] A. Q. Jiang et al., Mistral 7B, arXiv:2310.06825 [cs], Oct. 2023. DOI: 10.48550/arXiv.2310.06825. [Online]. Available: http://arxiv.org/abs/2310.06825 (visited on 03/14/2025).

3.3 July

[1] H. Touvron et al., Llama 2: Open Foundation and Fine-Tuned Chat Models, arXiv:2307.09288 [cs], Jul. 2023. DOI: 10.48550/arXiv.2307.09288. [Online]. Available: http://arxiv.org/abs/2307.09288 (visited on 03/14/2025).

3.4 May

- [1] Z. Sun et al., Principle-Driven Self-Alignment of Language Models from Scratch with Minimal Human Supervision, arXiv:2305.03047 [cs], Dec. 2023. DOI: 10.48550/arXiv.2305.03047. [Online]. Available: http://arxiv.org/abs/2305.03047 (visited on 03/14/2025).
- [2] R. Anil et al., PaLM 2 Technical Report, arXiv:2305.10403 [cs], Sep. 2023. DOI: 10.48550/arXiv.2305.10403. [Online]. Available: http://arxiv.org/abs/2305.10403 (visited on 03/14/2025).
- [3] B. Peng et al., RWKV: Reinventing RNNs for the Transformer Era, arXiv:2305.13048 [cs], Dec. 2023. DOI: 10.48550/arXiv.2305.13048. [Online]. Available: http://arxiv.org/abs/2305.13048 (visited on 03/14/2025).
- [4] R. Rafailov, A. Sharma, E. Mitchell, S. Ermon, C. D. Manning, and C. Finn, *Direct Preference Optimization: Your Language Model is Secretly a Reward Model*, arXiv:2305.18290 [cs], Jul. 2024. DOI: 10.48550/arXiv.2305.18290. [Online]. Available: http://arxiv.org/abs/2305.18290 (visited on 03/14/2025).
- [5] S. Yao et al., Tree of Thoughts: Deliberate Problem Solving with Large Language Models, arXiv:2305.10601 [cs], Dec. 2023. DOI: 10.48550/arXiv.2305.10601. [Online]. Available: http://arxiv.org/abs/2305.10601 (visited on 03/14/2025).

3.5 April

- [1] [2304.01373] Pythia: A Suite for Analyzing Large Language Models Across Training and Scaling. [Online]. Available: https://arxiv.org/abs/2304.01373 (visited on 03/14/2025).
- [2] H. Liu, C. Li, Q. Wu, and Y. J. Lee, *Visual Instruction Tuning*, arXiv:2304.08485 [cs], Dec. 2023. DOI: 10.48550/arXiv.2304.08485. [Online]. Available: http://arxiv.org/abs/2304.08485 (visited on 03/14/2025).

3.6 March

- [1] S. Longpre et al., The Flan Collection: Designing Data and Methods for Effective Instruction Tuning, arXiv:2301.13688 [cs], Feb. 2023. DOI: 10.48550/arXiv.2301.13688. [Online]. Available: http://arxiv.org/abs/2301.13688 (visited on 03/14/2025).
- [2] H. Touvron et al., Llama: Open and efficient foundation language models, 2023. arXiv: 2302.13971 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2302.13971.
- [3] S. Huang et al., Language Is Not All You Need: Aligning Perception with Language Models, arXiv:2302.14045 [cs], Mar. 2023. DOI: 10.48550/arXiv.2302.14045. [Online]. Available: http://arxiv.org/abs/2302.14045 (visited on 03/14/2025).
- [4] A. Orvieto et al., Resurrecting recurrent neural networks for long sequences, 2023. arXiv: 2303.06349 [cs.LG]. [Online]. Available: https://arxiv.org/abs/2303.06349.
- [5] PaLM-E: An Embodied Multimodal Language Model. [Online]. Available: https://palm-e.github.io/ (visited on 03/14/2025).
- [6] GPT-4, en-US, Jan. 2024. [Online]. Available: https://openai.com/index/gpt-4-research/ (visited on 03/14/2025).

3.7 February

- [1] S. Longpre et al., The Flan Collection: Designing Data and Methods for Effective Instruction Tuning, arXiv:2301.13688 [cs], Feb. 2023. DOI: 10.48550/arXiv.2301. 13688. [Online]. Available: http://arxiv.org/abs/2301.13688 (visited on 03/14/2025).
- [2] H. Touvron et al., Llama: Open and efficient foundation language models, 2023. arXiv: 2302.13971 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2302.13971.

$4 \quad 2022$

4.1 December

[1] S. Iyer et al., OPT-IML: Scaling Language Model Instruction Meta Learning through the Lens of Generalization, arXiv:2212.12017 [cs], Jan. 2023. DOI: 10.48550/arXiv. 2212.12017. [Online]. Available: http://arxiv.org/abs/2212.12017 (visited on 03/14/2025).

4.2 November

- [1] P. Liang et al., Holistic Evaluation of Language Models, arXiv:2211.09110 [cs], Oct. 2023. DOI: 10.48550/arXiv.2211.09110. [Online]. Available: http://arxiv.org/abs/2211.09110 (visited on 03/14/2025).
- [2] B. Workshop et al., BLOOM: A 176B-Parameter Open-Access Multilingual Language Model, arXiv:2211.05100 [cs], Jun. 2023. DOI: 10.48550/arXiv.2211.05100. [Online]. Available: http://arxiv.org/abs/2211.05100 (visited on 03/14/2025).
- [3] R. Taylor et al., Galactica: A Large Language Model for Science, arXiv:2211.09085 [cs], Nov. 2022. DOI: 10.48550/arXiv.2211.09085. [Online]. Available: http://arxiv.org/abs/2211.09085 (visited on 03/14/2025).

4.3 October

- [1] H. W. Chung et al., Scaling Instruction-Finetuned Language Models, arXiv:2210.11416 [cs], Dec. 2022. DOI: 10.48550/arXiv.2210.11416. [Online]. Available: http://arxiv.org/abs/2210.11416 (visited on 03/14/2025).
- A. Zeng et al., GLM-130B: An Open Bilingual Pre-trained Model, arXiv:2210.02414
 [cs], Oct. 2023. DOI: 10.48550/arXiv.2210.02414. [Online]. Available: http://arxiv.org/abs/2210.02414 (visited on 03/14/2025).

4.4 September

[1] A. Glaese et al., Improving alignment of dialogue agents via targeted human judgements, arXiv:2209.14375 [cs], Sep. 2022. DOI: 10.48550/arXiv.2209.14375. [Online]. Available: http://arxiv.org/abs/2209.14375 (visited on 03/14/2025).

4.5 June

- [1] J. Wei et al., "Emergent Abilities of Large Language Models," en,
- [2] Y. Hao et al., Language models are general-purpose interfaces, 2022. arXiv: 2206. 06336 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2206.06336.
- [3] Google/BIG-bench, original-date: 2021-01-15T23:28:20Z, Mar. 2025. [Online]. Available: https://github.com/google/BIG-bench (visited on 03/14/2025).

4.6 May

- [1] S. Zhang et al., Opt: Open pre-trained transformer language models, 2022. arXiv: 2205.01068 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2205.01068.
- Y. Tay et al., Unifying Language Learning Paradigms, arXiv:2205.05131 [cs] version:
 1, May 2022. DOI: 10.48550/arXiv.2205.05131. [Online]. Available: http://arxiv.org/abs/2205.05131 (visited on 03/14/2025).

4.7 April

- [1] A. Chowdhery et al., Palm: Scaling language modeling with pathways, 2022. arXiv: 2204.02311 [cs.CL]. [Online]. Available: https://arxiv.org/abs/2204.02311.
- [2] Y. Wu, Z. Sun, S. Li, S. Welleck, and Y. Yang, Inference Scaling Laws: An Empirical Analysis of Compute-Optimal Inference for Problem-Solving with Language Models, arXiv:2408.00724 [cs], Mar. 2025. DOI: 10.48550/arXiv.2408.00724. [Online]. Available: http://arxiv.org/abs/2408.00724 (visited on 03/14/2025).

4.8 March

[1] L. Ouyang et al., Training language models to follow instructions with human feed-back, arXiv:2203.02155 [cs], Mar. 2022. DOI: 10.48550/arXiv.2203.02155. [Online]. Available: http://arxiv.org/abs/2203.02155 (visited on 03/14/2025).

4.9 January

- [1] J. Wei et al., Chain-of-Thought Prompting Elicits Reasoning in Large Language Models, arXiv:2201.11903 [cs], Jan. 2023. DOI: 10.48550/arXiv.2201.11903. [Online]. Available: http://arxiv.org/abs/2201.11903 (visited on 03/14/2025).
- [2] R. Thoppilan et al., LaMDA: Language Models for Dialog Applications, arXiv:2201.08239 [cs], Feb. 2022. DOI: 10.48550/arXiv.2201.08239. [Online]. Available: http://arxiv.org/abs/2201.08239 (visited on 03/14/2025).
- [3] A. Lewkowycz et al., Solving Quantitative Reasoning Problems with Language Models, arXiv:2206.14858 [cs], Jul. 2022. DOI: 10.48550/arXiv.2206.14858. [Online]. Available: http://arxiv.org/abs/2206.14858 (visited on 03/14/2025).
- [4] S. Smith et al., Using DeepSpeed and Megatron to Train Megatron-Turing NLG 530B, A Large-Scale Generative Language Model, arXiv:2201.11990 [cs], Feb. 2022. DOI: 10.48550/arXiv.2201.11990. [Online]. Available: http://arxiv.org/abs/2201.11990 (visited on 03/14/2025).

5.1 December

- [1] N. Du et al., GLaM: Efficient Scaling of Language Models with Mixture-of-Experts, arXiv:2112.06905 [cs], Aug. 2022. DOI: 10.48550/arXiv.2112.06905. [Online]. Available: http://arxiv.org/abs/2112.06905 (visited on 03/14/2025).
- [2] R. Nakano *et al.*, "WebGPT: Browser-assisted question-answering with human feedback," *ArXiv*, Dec. 2021. [Online]. Available: https://www.semanticscholar.org/paper/WebGPT%3A-Browser-assisted-question-answering-with-Nakano-Hilton/2f3efe44083af91cef562c1a3451eee2f8601d22 (visited on 03/14/2025).
- [3] S. Borgeaud et al., Improving language models by retrieving from trillions of tokens, arXiv:2112.04426 [cs], Feb. 2022. DOI: 10.48550/arXiv.2112.04426. [Online]. Available: http://arxiv.org/abs/2112.04426 (visited on 03/14/2025).
- [4] J. W. Rae et al., Scaling Language Models: Methods, Analysis & Insights from Training Gopher, arXiv:2112.11446 [cs], Jan. 2022. DOI: 10.48550/arXiv.2112.11446. [Online]. Available: http://arxiv.org/abs/2112.11446 (visited on 03/14/2025).

5.2 October

[1] V. Sanh et al., Multitask Prompted Training Enables Zero-Shot Task Generalization, arXiv:2110.08207 [cs], Mar. 2022. DOI: 10.48550/arXiv.2110.08207. [Online]. Available: http://arxiv.org/abs/2110.08207 (visited on 03/14/2025).

5.3 September

[1] J. Wei et al., "Finetuned Language Models are Zero-Shot Learners," en, Oct. 2021. [Online]. Available: https://openreview.net/forum?id=gEZrGCozdqR (visited on 03/14/2025).

5.4 August

- [1] M. Chen et al., Evaluating Large Language Models Trained on Code, arXiv:2107.03374 [cs], Jul. 2021. DOI: 10.48550/arXiv.2107.03374. [Online]. Available: http://arxiv.org/abs/2107.03374 (visited on 03/14/2025).
- [2] R. Bommasani et al., On the Opportunities and Risks of Foundation Models, arXiv:2108.07258
 [cs], Jul. 2022. DOI: 10.48550/arXiv.2108.07258. [Online]. Available: http://arxiv.org/abs/2108.07258 (visited on 03/14/2025).

5.5 January

[1] W. Fedus, B. Zoph, and N. Shazeer, Switch Transformers: Scaling to Trillion Parameter Models with Simple and Efficient Sparsity, arXiv:2101.03961 [cs], Jun. 2022. DOI: 10.48550/arXiv.2101.03961. [Online]. Available: http://arxiv.org/abs/2101.03961 (visited on 03/14/2025).

6.1 May

[1] T. Brown et al., "Language Models are Few-Shot Learners," in Advances in Neural Information Processing Systems, vol. 33, Curran Associates, Inc., 2020, pp. 1877—1901. [Online]. Available: https://papers.nips.cc/paper/2020/hash/1457c0d6bfcb4967418bf Abstract.html (visited on 03/14/2025).

6.2 January

- [1] C. Raffel *et al.*, "Exploring the Limits of Transfer Learning with a Unified Text-to-Text Transformer," *Journal of Machine Learning Research*, vol. 21, no. 140, pp. 1–67, 2020, ISSN: 1533-7928. [Online]. Available: http://jmlr.org/papers/v21/20-074.html (visited on 03/14/2025).
- [2] J. Kaplan et al., Scaling laws for neural language models, 2020. arXiv: 2001.08361 [cs.LG]. [Online]. Available: https://arxiv.org/abs/2001.08361.

7.1 October

- [1] C. Raffel et al., "Exploring the Limits of Transfer Learning with a Unified Text-to-Text Transformer," Journal of Machine Learning Research, vol. 21, no. 140, pp. 1–67, 2020, ISSN: 1533-7928. [Online]. Available: http://jmlr.org/papers/v21/20-074.html (visited on 03/14/2025).
- [2] S. Rajbhandari, J. Rasley, O. Ruwase, and Y. He, ZeRO: Memory Optimizations Toward Training Trillion Parameter Models, arXiv:1910.02054 [cs], May 2020. DOI: 10.48550/arXiv.1910.02054. [Online]. Available: http://arxiv.org/abs/1910. 02054 (visited on 03/14/2025).

7.2 September

[1] M. Shoeybi, M. Patwary, R. Puri, P. LeGresley, J. Casper, and B. Catanzaro, Megatron-LM: Training Multi-Billion Parameter Language Models Using Model Parallelism, arXiv:1909.08053 [cs], Mar. 2020. DOI: 10.48550/arXiv.1909.08053. [Online]. Available: http://arxiv.org/abs/1909.08053 (visited on 03/14/2025).

7.3 February

[1] A. Radford, J. Wu, R. Child, D. Luan, D. Amodei, and I. Sutskever, "Language models are unsupervised multitask learners," 2019. [Online]. Available: https://api.semanticscholar.org/CorpusID:160025533.

8.1 October

[1] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, Bert: Pre-training of deep bidirectional transformers for language understanding, 2019. arXiv: 1810.04805 [cs.CL]. [Online]. Available: https://arxiv.org/abs/1810.04805.

8.2 June

[1] A. Radford, K. Narasimhan, T. Salimans, and I. Sutskever, "Improving Language Understanding by Generative Pre-Training," en,

[1] A. Vaswani et al., Attention is all you need, 2023. arXiv: 1706.03762 [cs.CL]. [Online]. Available: https://arxiv.org/abs/1706.03762.