
Coordinate Reference Systems

Rolf Becker






https://de.wikipedia.org/wiki/Datei:Gloabl and Regional Ellipsoids.svg

Global Ellipsoid: Center?

- Geometric Center (GC): green dot
- Center of Mass (CM), Center of Gravity: yellow dot
- Example: one block made of two materials, half iron, half wood




GRS80


- GRS 80, or Geodetic Reference System 1980, is a geodetic reference system consisting of a **global reference ellipsoid** and a **gravity field model**.
- The reference ellipsoid is regular.
- The geoid (/ˈdʒiːɔɪd/) is the shape that the surface of the oceans would take under the influence of Earth's gravity and rotation alone, in the absence of other influences such as winds and tides.
- Gravitational equipotential surface
- The geoid is irregular.

Deviation of the Geoid from the idealized figure of the Earth

(difference between the EGM96 geoid and the WGS84 reference ellipsoid)




Red areas are above the idealized ellipsoid; blue areas are below.



https://commons.wikimedia.org/wiki/File:Geoid height red blue averagebw.png


World Geodetic System WGS84 (EPSG:4326)

- Used by GPS
- Origin located in Earth's center of mass
- Ref. elipsoid differs slightly from GRS80
- Equatorial (a), polar (b) and mean Earth radii as defined in the 1984 World Geodetic System revision (not to scale)




https://commons.wikimedia.org/wiki/File:WGS84_mean_Earth_radius.svg https://en.wikipedia.org/wiki/World_Geodetic_System#WGS84 Different Reference Ellipsoids


NOAA:
National Oceanic
and Atmospheric
Agency




Ellipsoid
 approximates
 geoid locally




The red ellipsoid fits the geoid well in North America.



The blue ellipsoid fits the geoid well in Europe.






center of mass of geoid
 center of ellipsoid

http://www.geography.hunter.cuny.edu/~jochen/gtech361/lectures/lecture04/concepts/Datums/Components%20of%20a%20datum.htm


WGS 84: Latitude, Longitude (lat, lon)


- Prime Meridian: λ = 0°
 (approx. Greenwich)
- Latitude (Breite) φ, φ : measured from equator, North +, South -
- Logitude (Länge) λ : measured from PM, East + , West -




• Lat: N – S

• Lon: E – W





Longitude



https://commons.wikimedia.org/wiki/File:Longitude (PSF).png

Metropolis

Kamp-Lintfort:

• WGS84: 51° 30′ 0″ N 6° 32′ 0″ E

• WGS84: 51.5° 6.533333°

UTM: 32U 328794 5708314

Which city?

• WGS84: 40° 42′ 46″ N 74° 0′ 21″ W


• WGS84: 40.712778° -74.005833°

• UTM: 18T 583973 4507349


https://tools.wmflabs.org/geohack/geohack.php?pagename=Kamp-Lintfort&language=de¶ms=51.5 N 6.53333333333 E region:DE-NW type:city(37346)

Map Projections

- Geographic coordinates: lat, lon (radius)
- Cartesian coordinates:x, y (z)
- Mostly optimized locally!




Map Projections



The coordinate system of the Netherlands is derived from an oblique azimuthal stereographic projection.

http://kartoweb.itc.nl/geometrics/Introduction/introduction.html

Different Azimuthal Projections





http://www.geo.hunter.cuny.edu/~jochen/gtech201/lectures/lec6concepts/Map%20coordinate%20systems/Perspective.htm

Projection Invariants (what is preserved)

- Preserving direction (azimuthal or zenithal), a trait possible only from one or two points to every other point
- Preserving shape locally (conformal or orthomorphic)
- Preserving area (equal-area or equiareal or equivalent or authalic)
- Preserving distance (equidistant), a trait possible only between one or two points and every other point
- Preserving shortest route, a trait preserved only by the gnomonic projection
- Because the sphere is not a developable surface, it is impossible to construct a map projection that is both equal-area and conformal.


Map Projection - Tissot's Indicatrices






https://www.researchgate.net/publication/273517879 User preferences for world map projections


Mecator Projection



Red Dots: Tissot's Indicatrix / Indicatrices



Mercator Projection




Directions along a Rhumb line are true between any two points on a map. Distances are true only along the Equator. Although it has a conformal property, areas are greatly distorted increasing size at poles.

https://gisgeography.com/cylindrical-projection/


Rhumb Line

• In navigation, a rhumb line, rhumb, (/rʌm/) or loxodrome is an arc crossing all meridians of longitude at the same angle, that is, a path with constant bearing as measured relative to true or magnetic north.



https://en.wikipedia.org/wiki/Rhumb line


Tranverse Mercator Projection



Lambert introduced the
Transverse Mercator in 1772. It
uses a horizontally oriented
cylinder tangent to a Meridian.
This is particular useful for
mapping large areas that are
mainly north-south in extent.

https://gisgeography.com/cylindrical-projection/

Universal Transverse Mercator (UTM): Conformal Projection



Nordrhein-Westfalen: ETRS89 / UTM, Realisation of WGS84

• ETRS89: European Terrestial Reference System

Bezugssystem	Europäisch terrestrisches Referenzsystem 1989
Bezugsfläche	GRS80-Ellipsoid, Große Halbachse a: 6 378 137 m und Abplattung f: 1 : 298, 257 222 101
Datum/Lagerung	Fundamentalstationen des ITRS zum Zeitpunkt Januar 1989
Abbildung	Universale Transversale Mercatorabbildung (UTM)
Projektion	Schnittzylinder - siehe Abb. 2
Meridianstreifensystem	6° breite Meridianstreifen (Zonen)
Hauptmeridian	nicht längentreu, Maßstabsfaktor 0,9996
Netzgrundlage	ETRS89

X X

Tab. 1: Wesentliche Merkmale von ETRS89/UTM

Abb. 1: Dreidimensionales kartesisches geozentrisches Koordinatensystem

https://www.bezreg-

koeln.nrw.de/brk internet/publikationen/abteilung07/pub geobasis etrs89.pdf

Nordrhein-Westfalen: ETRS89 / UTM




Abb. 2: Schnittzylinder der UTM-Abbildung


Abb. 3: Die Lage von NRW in der UTM-Zone 32

https://www.bezreg-

koeln.nrw.de/brk internet/publikationen/abteilung07/pub geobasis etrs89.pdf


EPSG: Unique ID for CRS

- EPSG: European Petroleum Survey Group Geodesy
- Provides a unique numeric key for all registered CRS
- EPSG:4326 -> WGS84 (GPS coord.), https://epsg.io/4326
- **EPSG:25832** -> ETRS89 / UTM zone 32N, https://epsg.io/25832
 - Ka-Li coord: 327896.29, 5710585.12
- EPSG:4647 -> ETRS89 / UTM zone 32N (zE-N), https://epsg.io/4647
 - Ka-Li coord: **32**327896.29, 5710585.12
 - Remarks: Variant of ETRS89 / UTM zone 32N
 (CRS code 25832) in which easting has zone prefix.
- EPSG:3857 -> WGS 84 / Pseudo-Mercator, https://epsg.io/3857
 - Spherical Mercator, Google Maps, OpenStreetMap, Bing, ArcGIS, ESRI




http://theconversation.com/five-maps-that-will-change-how-you-see-the-world-74967

WGS 84: GPS Trilateration




https://gisgeography.com/wgs84-world-geodetic-system/

Geoid, Ellipsoid, Topography



https://gis.stackexchange.com/questions/80533/which-of-egm96-geoid-or-wgs84-ellipsoid-fits-the-earth-better



https://nptel.ac.in/courses/105104100/lectureB 8/B 8 8coordinate.htm