

Matong Wheat Fungicide Trial — Spray Map

Site	Grid	Design	Plot	Rep 1	Date
Matong	12 rows × 8 positions	24 treatments, RCB, 3 reps	2 m × 12 m, 100 L/ha	sequential down the rows	6 August 2026

Rep 1 runs down the rows: treatments 1–12 at position 1 (101, 201 ... 1201) and 13–24 at position 2 (102 ... 1202). Reps are now vertical bands of plot positions rather than groups of rows — rep 1 is positions 1–2, rep 2 is 3–5, rep 3 is 6–8. Still 3 reps: 4 × 24 needs all 96 positions and five are off.

Two rep-1 plots are marginal. Position 1 is completely clean, but 702 and 802 are on your maybe list and rep 1 has no spare positions to shuffle into. Treatments 19 and 20 sit on them. **703 and 803 are held in reserve** — if 702 or 802 fails, move that treatment one plot across. Those are the nearest clean ground, though they do sit in rep 2's band, so note the substitution if you use it.

Row	Pos 1 Rep 1	Pos 2 Rep 1	Pos 3 Rep 2	Pos 4 Rep 2	Pos 5 Rep 2	Pos 6 Rep 3	Pos 7 Rep 3	Pos 8 Rep 3
R1	1 A only 101	13 102	5 103	— 104	6 105	OUT 106	OUT 107	6 108
R2	2 201	14 202	19 203	20 204	2 205	14 206	— 207	12 208
R3	3 301	15 302	23 A only 303	16 304	7 305	skip 306	21 307	— 308
R4	4 401	16 402	17 403	— 404	8 405	— 406	4 407	17 408
R5	5 501	17 502	21 503	3 504	14 505	20 506	19 507	— 508
R6	6 601	18 602	skip 603	— 604	9 605	13 606	22 A only 607	8 608
R7	7 701	19 maybe 702	res 703	12 704	skip 705	skip 706	11 707	16 708
R8	8 801	20 maybe 802	res 803	15 804	1 A only 805	3 806	15 807	— 808
R9	9 901	21 902	18 903	22 A only 904	11 905	2 906	— 907	5 908
R10	10 1001	22 A only 1002	10 1003	4 1004	skip 1005	skip 1006	1 A only 1007	10 1008
R11	11 1101	23 A only 1102	OUT 1103	OUT 1104	OUT 1105	7 1106	24 A only 1107	— 1108
R12	12 1201	24 A only 1202	24 A only 1203	13 1204	— 1205	23 A only 1206	9 1207	18 1208

Number = treatment. **Small number** = plot ID (row + position).

OUT = right off, not used

skip = maybe plot left empty;
maybe = marginal plot in use

res = held as a rep-1 substitute

— = spare, no treatment

A only = no B application

Matong Wheat — Plot Allocation by Treatment

Spray order for the operator. Each treatment goes into three plots, one per rep. Treatments 1, 22, 23 and 24 take an A application only — skip those twelve plots at B timing.

Trt	Treatment	Rep 1	Rep 2	Rep 3	B spray?
1	Untreated	101	805	1007	no
2	Aviator Xpro	201	205	906	yes
3	Elatus Ace	301	504	806	yes
4	Opera	401	1004	407	yes
5	Radial Opti (made up)	501	103	908	yes
6	Proviso Opti	601	105	108	yes
7	Revystar	701	305	1106	yes
8	Balaya A+B	801	405	608	yes
9	Flute A	901	605	1207	yes
10	Experimental 1 A	1001	1003	1008	yes
11	Experimental 2 AL	1101	905	707	yes
12	Experimental 2 AH	1201	704	208	yes
13	Experimental 3 A	102	1204	606	yes
14	Experimental 4 A	202	505	206	yes
15	Balaya B	302	804	807	yes
16	Flute B	402	304	708	yes
17	Experimental 2 BL	502	403	408	yes
18	Experimental 2 BH	602	903	1208	yes
19	Experimental 3 B	702	203	507	yes
20	Experimental 4 B	802	204	506	yes
21	Marvis A+B	902	503	307	yes
22	Marvis A	1002	904	607	no
23	Balaya A	1102	303	1206	no
24	Soprano A	1202	1203	1107	no

Rep 1 runs treatments 1 to 12 straight down position 1 and 13 to 24 down position 2, so standing at the near end of the trial you see the full treatment list laid out across the front in order. That is the rep to walk at a field day. Reps 2 and 3 are randomised within their bands.

Blocking now runs across the rows rather than along them. That controls for variation with distance down the paddock, and gives up control of variation between rows — the opposite of the previous layout. If the sowing problems ran along the rows rather than across them, this is the better blocking; if they ran between passes, it is not. Worth a look before pegging.

Positions left as spare carry no treatment and should not be sprayed. If a maybe plot comes good, leave it out anyway — the design is already balanced without it.

Mixing volumes are on the 2026 Fungicide Trials Mixing Plan (rev. D). Standard partner is Soprano 500 at 125 ml/ha.