

**Authors:**

Marco Fruscione

CQO, Integration Project and Regulatory Director – EBIT s.r.l.

Gianluca Severi

R&D Director – EBIT s.r.l.

Sandro Ubbiali

Planning & Product Manager – EBIT s.r.l.

| Date of issue -<br>Revision | Change history                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 29/09/2025 – rev. V         | <p>Updated coding of referenced procedures after migration to Arcadoc.</p> <p>Sections 1 and 5.1: detailed reference to IEC 81001-5-1.</p> <p>General revision for further specification of elementary activities as per Agile development methodology.</p> <p>Correction of typos and text rephrasing to improve document readability.</p>                                                                                                                                                                                                                                                                                                         |
| 29/11/2024 – rev. U         | <p>Added references to POL000022 and IPR000021 in sections 2 and 5.1</p> <p>Updated section 5.2.1 with detailed list of Design Input requirements</p> <p>Updated section 5.2.2 with detailed list of the items included in the Project Development Plan document</p> <p>Revision of Annex A:</p> <ul style="list-style-type: none"> <li>Section 3.4 – specification of the verification activities executed on the software release Setup package at the Deploy stage</li> <li>Section 3.4 – specification of the software delivery and installation methods</li> <li>section 3.5 – typo correction, added Translations for Service Pack</li> </ul> |
| 28/06/2024 – rev. T         | <p>Updated section 5.2.3.7 and 5.2.3.14 related to the Risk Management Activities in compliance with the new Risk Management Plan defined in MDR transition</p> <p>Updated section 5.2.5 and 5.2.6 related to Test Plan definition and Test Case specification in compliance with MDR transition</p>                                                                                                                                                                                                                                                                                                                                                |
| 24/04/2024 – rev. S         | <p>General revision (also of related Annex A) for MDR transition and introduction of Agile methodology</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 30/11/2023 – rev. R         | <p>Revision of activities of section 5.2.8</p> <p>Updated section 5.2.8.5 – Software Verification and Validation, with more detail on test methods, acceptance criteria and expected results</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 31/03/2023 – rev. Q         | <p>Updated section 5.2.3 with more details on the revision process of Product Requirement during Intermediate Planning Review</p> <p>Updated section 5.2.8 – Software Verification and Validation, with addition of activity 5.2.8.5 related to the definition of the validation criteria of the Product Requirement</p>                                                                                                                                                                                                                                                                                                                            |
| 30/06/2022 – rev. P         | <p>Updated 5.2.3.7 and 5.2.3.14 with more details on responsibility of the Risk Management Activities</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                     |                                                                                                                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     | Updated 5.2.11.4: Revision of the OTS Software verification and validation process<br>Revision of Annex A                                                                                                                       |
| 28/02/2020 – rev. N | Updated 5.2.8.2 in Software Test plan Definition.<br>Updated 5.2.9 Software Release Section.<br>Reference to the Microsoft Azure DevOps (was Team Foundation Server).                                                           |
| 30/04/2019 – rev. M | Annex A Revision on OTS Software Management.<br>Minor revision to introduce the Product Manager function.                                                                                                                       |
| 30/11/2018 – rev. L | Annex A Revision:<br>Introduction and description of the User Story Concept and management in TFS.<br>Update description of product non-conformity management through TFS.                                                      |
| 20/06/2018 – rev. H | 5.2.4.3, 5.2.5.1, 5.2.11.2 and 5.2.11.8: Added specific activities in compliance to GDPR EU Rules 679/2016, in effect from 25.05.2018.<br>Introduction of the usability engineering process activities according to IEC62366-1. |
| 31/10/2017 – rev. G | 5.2.7.4 – Explicit reference to impact analysis in the Hotfix production process.                                                                                                                                               |
| 30/01/2017 – rev. F | 5.2.11 - OTS Software – Maintenance and Integration process revised.                                                                                                                                                            |
| 30/09/2016 – rev. E | Modified section 2 – References, eliminate reference not more valid to ESAOTE.<br>Annex A – English Translation                                                                                                                 |
| 20/07/2015 – rev. D | Modified section 5.2.3.16 – Clearly specified the risk assessment process in the phase of a change request of an existing device (new release input specification process).                                                     |
| 11/11/2014 – rev. C | New version of Annex A of this document.                                                                                                                                                                                        |
| 03/10/2013 – rev. B | Reference to the Microsoft TFS (Team Foundation Server) and introduction of the Annex A. Since April 2013 the User Product Requirements are electronically registered and listed on TFS.                                        |
| 19/02/2013 – rev. A | First issue                                                                                                                                                                                                                     |

|                                                                                                              |                                                   |            |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------|------------|
| <br>an Esaote Group Company | <b>LC-SUITESTENSA-EN</b>                          | rev. V     |
|                                                                                                              | SUITESTENSA Software Development Life-cycle Model | 29/09/2025 |

## Content

|         |                                                                   |    |
|---------|-------------------------------------------------------------------|----|
| 1.      | Scope .....                                                       | 4  |
| 2.      | References .....                                                  | 4  |
| 3.      | Terms and Definitions .....                                       | 5  |
| 3.1.    | Definitions.....                                                  | 5  |
| 4.      | Roles and Responsibilities.....                                   | 6  |
| 5.      | Software development .....                                        | 6  |
| 5.1.    | Overview.....                                                     | 6  |
| 5.2.    | The Software Development Lifecycle.....                           | 9  |
| 5.2.1.  | Concept Development & Product Requirement Definition .....        | 9  |
| 5.2.2.  | Project Initiation and Management .....                           | 10 |
| 5.2.3.  | Software Requirements Development .....                           | 11 |
| 5.2.4.  | Software Unit Implementation and Verification .....               | 15 |
| 5.2.5.  | Software Test Plan Definition .....                               | 15 |
| 5.2.6.  | Software Integration and Software System integration testing..... | 17 |
| 5.2.7.  | Problem Resolution Process.....                                   | 18 |
| 5.2.8.  | Software Verification and Validation.....                         | 19 |
| 5.2.9.  | Software Release.....                                             | 20 |
| 5.2.10. | Post-Launch Software Releases, Change Management .....            | 21 |
| 5.2.11. | Externally-Sourced Software Management .....                      | 22 |

|                                                                                   |                                                   |            |
|-----------------------------------------------------------------------------------|---------------------------------------------------|------------|
|  | <b>LC-SUITESTENSA-EN</b>                          | rev. V     |
|                                                                                   | SUITESTENSA Software Development Life-cycle Model | 29/09/2025 |

## 1. Scope

Scope of this document is to specify in detail the software development life-cycle model used in EBIT, in application of the standard operating procedure QPR000149 *"Development and Design"* of EBIT QMS (Quality Management System), for the development and life-cycle management of the SUITESTENSA Software and in compliance with:

- IEC 62304:2015-Ed1.1 - Medical Device Software – Software life-cycle process
- IEC 81001-5-1:2021 - Health software and health IT systems safety, effectiveness and security - Part 5-1: Security - Activities in the product life cycle
- IEC 82304-1:2016 - Health software - Part 1: General requirements for product safety
- IEC 62366-1:2015+AMD1:2020 - Application of usability engineering processes to medical devices.

This standard procedure is applicable to new projects starting from and including the SUITESTENSA platform project. The application of the IEC 62366-1 is in application of Annex C, for those modules of SUITESTENSA platform designed and released before the introduction of IEC 62366-1.

In the Annex A is described the operative process that should be followed when using the software suite Microsoft Azure DevOps (formerly, Team Foundation Server) in order to electronically register and manage the software life- cycle development and documentation.

## 2. References

| Reference                   | Title                                                                             |
|-----------------------------|-----------------------------------------------------------------------------------|
| QMS                         | Quality Management System EBIT                                                    |
| QPR                         | Quality Operating Procedure of EBIT QMS                                           |
| QOI                         | Quality Operating Instructions of EBIT QMS                                        |
| QPR000147                   | Product requirements definition and planning                                      |
| QPR000149                   | Design and Development                                                            |
| QPR000150                   | Procurement                                                                       |
| POL000022                   | Policy for secure software development (EBIT ISMS)                                |
| IPR000021                   | Secure Software Development Requirements Management (EBIT ISMS)                   |
| QOI000136                   | Risk Management Process                                                           |
| RMP-SUITESTENSA             | Risk Management Plan                                                              |
| IEC 62304:2006+AMD1:2015    | Medical Device Software – Software life-cycle process                             |
| IEC 82304-1:2016            | Health software - Part 1: General requirements for product safety                 |
| IEC 62366-1:2015 +AMD1:2020 | Medical devices - Part 1: Application of usability engineering to medical devices |
| ISO 14971:2019+A11:2021     | Application of Risk Management to Medical devices                                 |

|                                                                                                              |                                                   |            |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------|------------|
| <br>an Esaote Group Company | <b>LC-SUITESTENSA-EN</b>                          | rev. V     |
|                                                                                                              | SUITESTENSA Software Development Life-cycle Model | 29/09/2025 |

|                    |                                                                          |
|--------------------|--------------------------------------------------------------------------|
| IEC 81001-5-1:2021 | Health software and health IT systems safety, effectiveness and security |
|--------------------|--------------------------------------------------------------------------|

## 3. Terms and Definitions

|      |                                                                                |
|------|--------------------------------------------------------------------------------|
| CR   | Change Request (request to change a product requirement of an existing device) |
| DA   | Diary of Activities                                                            |
| DRC  | Head of Sales department                                                       |
| DT   | Technical Description                                                          |
| INT  | Integration department                                                         |
| ISMS | Information Security Management System                                         |
| PdP  | Project Development Plan                                                       |
| PNPM | Proposal of New Product/Module                                                 |
| PP   | Planning & Product Management                                                  |
| PR   | Planning Review                                                                |
| QMS  | EBIT Quality Management System                                                 |
| R&D  | Research and Development                                                       |
| RADR | Risk Analysis Design Review document                                           |
| RAV  | Risk Analysis Verification document                                            |
| RQ   | Product Requirement                                                            |
| SI   | Input Specifications – Software Technical Specification Document               |
| SPV  | Post-Sales department (includes Technical Assistance, Help Desk)               |
| SP   | Sprint Planning                                                                |
| SR   | Sprint Review                                                                  |
| STM  | Software Test Manager                                                          |
| SW   | Software                                                                       |
| TP   | Test Plan                                                                      |
| TR   | Test Report                                                                    |
| TFS  | Microsoft Azure DevOps suite (previously Team Foundation Server)               |
| UEF  | Usability Engineering File                                                     |
| USD  | Usability Specification Document                                               |

### 3.1. Definitions

The following definitions are taken from the IEC 62366 International Standard:

|                                   |                                                                                                                                             |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Primary Operating Function</b> | Function that involves user interaction that is either frequently used or related to the safety of a medical device.                        |
| <b>Usability</b>                  | Characteristic of the operator equipment interface that establishes effectiveness, efficiency, ease of user learning and user satisfaction. |
| <b>Usability Engineering</b>      | Application of knowledge about human behaviour, abilities, limitations, and other characteristics related to the design of                  |

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
|                                   | tools, devices, systems, tasks, jobs, and environments to achieve adequate usability.                   |
| <b>Usability Engineering File</b> | Set of records and other documents that are produced by the usability engineering process.              |
| <b>Use Error</b>                  | Act or omission of an act that results in a different response than intended or expected.               |
| <b>Use Scenario</b>               | Specified sequence of events and tasks as performed by a specified operator in a specified environment. |

## 4. Roles and Responsibilities

| Role                                 | Initials | Responsibility                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Planning & Product Manager           | PP       | <ul style="list-style-type: none"> <li>- create the concepts for new products to be developed</li> <li>- produce a first level set of product and business user requirements (New Product Requirements) as well as of Change Requests (new requirements) on the existing device</li> <li>- perform the product Validation</li> <li>- call and lead the Inception meeting (initial Planning Review)</li> <li>- with R&amp;D, review and approve the final Planning Review meeting minutes prior to product release</li> </ul> |
| R&D Manager                          | R&D      | <ul style="list-style-type: none"> <li>- review and approve the Product Requirements</li> <li>- appoint a SW Development Project Manager to the project, with a development team</li> <li>- approve and deliver the SW Project Development Plan</li> <li>- with PP, review and approve the Sprint Planning and Sprint Review meeting minutes</li> <li>- Approve the Software System Test Plan</li> </ul>                                                                                                                     |
| Software Development Project Manager | RdP      | <ul style="list-style-type: none"> <li>- Approve the Software Input Specification documents</li> <li>- Manage the Sprint Planning and Sprint Review meeting minutes</li> </ul>                                                                                                                                                                                                                                                                                                                                               |
| Software Test Manager                | STM      | <ul style="list-style-type: none"> <li>- Deliver the Software System Test Plan</li> <li>- Manage the Test Plan</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                    |

## 5. Software development

### 5.1. Overview

Software development is performed according to:


- the Company's QMS documentation, in which are described the processes in place to manage the various life cycle activities for product development, design control, and risk management. Dedicated QMS operating procedures describe the product and software development processes, from the time a new device or a new set of device features are formally defined through the release of the product to the market, including provisions for changes and maintenance planning for each device and for the software within each device.

- the guidelines and the operating methods for the fulfilment of the requirements and criteria for secure software development, expressed in the documents POL000022 and IPR000021 part of the Company's ISMS.
- the IEC 62304 standard, that is intended to provide a framework of the whole life-cycle (processes, activities and task) necessary to safe design and maintenance processes of software medical devices.
- the IEC 82304 standard, that is intended to provide a framework of the whole life-cycle (processes, activities and task) necessary to cover and manage requirements for the safety and security of health software products.
- IEC 81001-5-1 standard, that is intended to define the life-cycle requirements for the development and maintenance of health software, with a specific focus on cybersecurity. It establishes a structured set of processes, activities, and tasks to ensure secure software development, maintenance, and risk management, complementing standards IEC 62304 and IEC 82304. The standard aims to increase the cybersecurity of health software by embedding security practices throughout the software life cycle, and is applicable to both medical device software and other health-related software products.

Risk analysis activities are part of the development process and are carried out over the duration of the project plan, following the stage defined in the Risk Management Plan, and consistently with the development activities and in order for being able to properly implement software countermeasures to hazards that may be identified.

Being SUITESTENSA a software medical device, risk identification is based on the product requirements of the software version to which the Risk Analysis applies

An agile software development approach is adopted for the management of the software development life-cycle. Such iterative, incremental and adaptive methodology is depicted in the figure below and its key elements are discussed in the table below.



| Item | Description | Participants |
|------|-------------|--------------|
|------|-------------|--------------|



|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Sprint                 | One full iteration of software development: a set period of time (usually two weeks) during which specific work (Sprint Backlog) has to be completed and made ready for review.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Scrum Team                     |
| Inception              | <p>A structured meeting (initial Planning Review) conducted at the beginning of the development project. It serves to align stakeholders on the product vision, clarify objectives, define the scope and delivery strategy, and assess potential risks: the goal of the meeting is to establish the scope and timeline for the release of the target software version.</p> <p>Through collaborative sessions, the development team and key stakeholders establish a shared understanding of priorities, constraints, and success criteria. This early alignment ensures that the project starts with a clear direction and a validated foundation for iterative development, i.e. the Product Backlog is defined in its initial version (1.0).</p> | PP<br>SPV<br>INT<br>R&D<br>DRC |
| Product Backlog        | List of all the CRs and RQs included as of the Inception meeting (kick-off) and potentially updated, redefined and reviewed following Delivery Updates sessions and/or due to other inputs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | N.A.                           |
| Sprint Backlog         | Subset of the Product Backlog items that the components of the Scrum Team are assigned to develop within the scope of the ongoing Sprint.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | N.A.                           |
| Backlog Prioritization | The process of ordering Product Backlog items based on their value and priority, in order to ensure that the team focuses on delivering the most impactful features first. Prioritization is typically revisited at regular intervals (e.g. during Sprint Planning sessions) to reflect changing priorities, evolving goals and feedbacks.                                                                                                                                                                                                                                                                                                                                                                                                         | PP                             |
| Requirement Analysis   | Session for in-depth analysis of those RQs and CRs that need further analysis and/or clarification functional to their development, before the Sprint Planning execution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | PP<br>SPV<br>INT<br>R&D        |
| Delivery Updates       | Regular session for evaluating and discussing the external feedbacks collected on the use of the software device.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | PP<br>SPV<br>INT               |
| Scrum Team             | Cross-functional group of professionals accountable for the development of the Sprint Backlog within the scope of the ongoing Sprint.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | PP<br>R&D                      |
| Sprint Planning (SP)   | Bi-weekly meeting for: <ul style="list-style-type: none"> <li>- selecting the RQs and CRs that compose the Sprint Backlog;</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | PP<br>R&D                      |



|                                                                                   |                                                   |            |
|-----------------------------------------------------------------------------------|---------------------------------------------------|------------|
|  | <b>LC-SUITESTENSA-EN</b>                          | rev. V     |
|                                                                                   | SUITESTENSA Software Development Life-cycle Model | 29/09/2025 |

|                    |                                                                                                              |            |
|--------------------|--------------------------------------------------------------------------------------------------------------|------------|
|                    | - designating the RQs and CRs that need further clarification and will be developed in future Sprints.       |            |
| Sprint Review (SR) | Bi-weekly project progress meeting.                                                                          | PP<br>R&D  |
| Daily Scrum        | Brief daily communication and status-check meeting for the Scrum Team members working on the ongoing Sprint. | Scrum Team |

## 5.2. The Software Development Lifecycle

### 5.2.1. Concept Development & Product Requirement Definition

According to QMS procedure for Product Concept and Planning (QPR000147), the Product Manager group has the responsibility for creating the concepts for any new product to be developed and for proposing it to EBIT management. It is mandatory to include in the "New Product Proposal" document a first level set of product and business requirements. It includes also provisions for changes and maintenance planning for each device and the software requirements within each device for the product to be developed (the Product Requirements – RQ Document), including:

- Intended Use and Intended User base and Intended Use environment
- Basic Technical Specifications.
- Needed approvals, possible voluntary marking and product classification
- Compatibility and relationship with other products
- Costs and production volume targets
- Product validation and market test activities
- Required investments (project budget)
- Project time Schedule

During Product Requirement Specification it is required to address the definition of the Usability Specification Document (USD), to be used in the Usability Engineering Process activities. USD Document should include at least the application specifications and the frequently used functions of the medical device. The USD shall include:

- intended medical indication
- intended patient population
- intended part of the body or type of tissue applied to or interact with
- intended operator profile
- intended conditions of use
- operating principle

The Primary Operating Functions shall include:

- frequently used functions
- functions related to safety

The Design Input requirements of the device under development include the following items:

- user product-specific requirements, which identify the User Need requirements and are used to drive downstream software requirements development;

|                                                                                   |                                                   |            |
|-----------------------------------------------------------------------------------|---------------------------------------------------|------------|
|  | <b>LC-SUITESTENSA-EN</b>                          | rev. V     |
|                                                                                   | SUITESTENSA Software Development Life-cycle Model | 29/09/2025 |

- labelling requirements, which are registered in Azure DevOps by means of a specific "Requirement" in order to be appropriately documented as design inputs and included in the verification process;
- applicable regulatory requirements, which are identified and recorded in the Project Development Plan document and are regularly evaluated, discussed and reviewed during project progress meetings;
- certain business requirements that influence the product's strategic positioning and market readiness, which are considered during the development of the Design and Development Plan and may indirectly inform design input activities.

Since April 2013 the User Product Requirements are electronically registered and listed on the Microsoft Azure DevOps (previously named Team Foundation Server) – cfr. Annex A.

EBIT uses Microsoft Azure DevOps for the management of the SUITESTENSA Software development life-cycle documentation.

Microsoft Azure DevOps is an ALM (Application Life-cycle Management) Software Suite.

The User Product Requirements and Software Specification Requirements are electronically registered and listed in Microsoft Azure DevOps which provides interactive tools and report capabilities to:

1. list the open requirement for a specific release version
2. assess the status of each product requirement, both in term of analysis & verification.
3. give traceability of the specific product requirements with relation to the task assigned in the software development plan and the software developer responsible for the task.
4. register the output of the verification and validation phase on the specific requirement.

The approval of the Product Requirements Backlog in its initial version (1.0) related to a specific release version takes place within the context of the Inception meeting (initial Planning Review), in presence of PP, R&D, SPV, INT and Sales Managers.

The R&D manager is required to review the Product Requirements.

Upon approval of the development, a SW Development Project Manager is appointed to the project and the development team is structured into dedicated working groups, whose organization and composition are formally defined during the Inception meeting (initial Planning Review).

### 5.2.2. Project Initiation and Management

According to the procedure for Design Control (QPR000149), design and product development are managed through a Project Development Plan (PdP) that identifies the activities and responsibilities for the management of the following items:

1. identification of the project objectives and expected product requirements and of the sustainability and risk elements underlying the project;
2. definition and identification of the elements of technological innovation, if any, and, where applicable, definition of the related system software architecture;
3. identification of the standards and mandatory regulatory requirements with which the development project and the product to be released shall comply;
4. identification of development services and tools;
5. identification of the Risk Management Plan (cfr. QOI000136);
6. identification of the Test Plan;
7. identification of the plan for product management and maintenance activities;

|                                                                                                              |                                                   |            |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------|------------|
| <br>an Esaote Group Company | <b>LC-SUITESTENSA-EN</b>                          | rev. V     |
|                                                                                                              | SUITESTENSA Software Development Life-cycle Model | 29/09/2025 |

8. organisation of work and assignment of activities and responsibilities;
9. identification of the methods for verifying the progress of the plan;
10. definition of the time development plan for the project and the related activities.

The activities included in the PdP, also referred to as Software Development Plan, are managed through the Microsoft Azure DevOps software suite. From the activities defined in the suite, detailed project plans and responsibilities are developed in order to manage the document specification creation, documentation development, verification testing activities that demonstrate compliance of the design to its Design Input requirements.

The software Test and Verification Processes and the Risk Management Process are delivered in compliance to the Test Plan and Risk Management Plan documents, that define:

- the action to be performed,
- the methodology and guideline to be followed, and
- the timeline that should be respected during the software development plan.

Activities and specifications are assigned to the team members. In order to help control development activities, Microsoft Azure DevOps Suite is used as a project management tool as the project team's bug-tracking system, as well as the means by which project task activities are managed.

### 5.2.3. Software Requirements Development

Product Requirements are regarded as system input requirements (Design Input) for the development team.

The Software Requirement Specification process consists in Requirement Analysis sessions and/or dedicated meetings over the duration of the Sprint, during which the Product Requirements are discussed so as to clearly identify the User Need requirements. The goal of such process, referred to as "Definition of Ready", is to ensure that Product Requirements reach a "Ready" status, suitable for subsequent development activities.

As soon as an architecture is identified for the device to be developed, the system input requirements are further specified in SW Technical Specification Documents that describe the various subsystems.

Table 1 summarizes the task to be accomplished during this phase for the design and development of a new system. The following process and its approval phases are registered in the Microsoft Azure DevOps Suite.

| <b>Table 1 - Software requirements of a new system</b> |                                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.3.1                                                | Product Requirements are reviewed and accepted by the SW Project Manager and the team.<br>The review activity includes identification of User Need requirements.<br>The Product Backlog in its initial version (1.0) includes Product Requirements that have reached a "Ready" status. |
| 5.2.3.2                                                | The development team identifies a system architecture to meet the design input.                                                                                                                                                                                                        |
| 5.2.3.3                                                | The software system is divided into items.                                                                                                                                                                                                                                             |
| 5.2.3.4                                                | The main software items are identified to fit the system architecture.                                                                                                                                                                                                                 |

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.3.5 | <p>A number of SW Technical Specification Documents to cover the User Need requirements is identified, when necessary.</p> <p>Starting from the Primary Operating Functions, the Usability Specification shall be extended to describe:</p> <ul style="list-style-type: none"> <li>- use scenarios related to the Primary Operating Functions (frequent and reasonably foreseeable worst-case use scenarios);</li> <li>- operator equipment interface requirements for Primary Operating Functions, including those to mitigate risk;</li> <li>- requirements for determining whether Primary Operating Functions are easily recognizable by the operator, if applicable.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 5.2.3.6 | <p>A Technical Description document (ADD - Architectural Design Document) reports the system architecture, approved by the RdP and/or R&amp;D Manager.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 5.2.3.7 | <p>Risk Management activities are initiated for the device under development during this phase of the software requirement specification. Risk Management activities are planned to remove or reduce as far as possible the risks associated with:</p> <ul style="list-style-type: none"> <li>- the use of the device;</li> <li>- the possible negative interactions between software and the IT environment within which it operates and interacts (where applicable) in terms of cybersecurity.</li> </ul> <p>Risk Management activities and Risk Analysis, as defined in the Risk Management Plan, shall include:</p> <ol style="list-style-type: none"> <li>Identification of possible safety and security risks arising from the use of the medical device. Identification of hazards and hazardous situations shall be performed as early as possible in the design and development process, in order to facilitate risk control, and shall continue throughout the entire lifecycle of the product.<br/>Being SUITESTENSA a software medical device, risk identification is based on the product requirements of the software version to which the Risk Analysis applies and is performed according to: <ul style="list-style-type: none"> <li>- questions in UNI ISO/TR 24971:2020 Annex A, for the evaluation of safety risks;</li> <li>- IEC/TR 80001-2-2:2012 and, where applicable, IEC/TR 80002-1 with particular reference to Annex B, for the evaluation of security risks.</li> </ul> </li> <li>Assessment of the probability and severity of the risk, and the resulting acceptability level.</li> <li>Identification of countermeasures – that could be software risk mitigation measures, warning and instructions within IFU and within Operative Instruction and Quality Operating Procedure of the EBIT QMS - to be applied for risk mitigation.</li> </ol> <p>Software design measures to control the risk are identified by R&amp;D, to be part of SW Technical Specification Documents (SI) when necessary.</p> |

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            | <p>Risk Management activities shall specifically include identification of Hazards and Hazardous Situations related to Usability as per the Risk Management Process, starting from the Usability Specification Document and the frequently used operating functions. Responsible of the Risk Management Activities related to Usability is PP. Software design measures to control the risk are identified by R&amp;D department, to be part of SW Technical Specification Documents (SI) when necessary.</p> <p>The results of risk identification analysis mentioned above are recorded and documented in the Risk Management Summary document (RMS-SUITESTENSA).</p> <p>Similarly to the product requirements definition stage, which follows the aforementioned iterative, incremental and adaptive Agile methodology, also the Risk Management Plan follows an iterative approach.</p> <p>During the planning and design phase, and in compliance with the Agile methodology principle, the Risk Management Summary document (RMS-SUITESTENSA) can be updated and/or modified if new risk elements emerge during the definition of the software detailed architecture and/or if new design elements and requirement are introduced.</p> |
| 5.2.3.8    | The software development team identifies a system software architecture to meet the system software requirements. System software Items are identified including Third-Party and OTS Software.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 5.2.3.9    | In the Technical Description document (ADD - Architectural Design Document), Software Items are classified based on safety, according to IEC 62304 and on the outcomes of the Risk Analysis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 5.2.3.10   | Technical Description document (ADD – System Software Architecture document) reports the system software architecture and is approved by the RdP and/or R&D Manager.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 5.2.3.10.1 | <p>During project progress meetings (SR):</p> <ul style="list-style-type: none"> <li>the list of Product Requirements may be revised based on the current status of the release plan, as well as in the case where new RQs, not originally planned, have to be incorporated in the release plan with higher priority. Any changes to the list of Product Requirements are formalized through subsequent versions of the Product Backlog, ensuring traceability and consistency with the updated development scope;</li> <li>applicable regulatory requirements are evaluated, discussed and reviewed to ensure ongoing compliance and alignment with project objectives.</li> </ul> <p>All relevant evidence related to these activities is recorded within the Azure DevOps system, where each Sprint is managed as a structured container encompassing work items and their associated workflows and interdependencies.</p>                                                                                                                                                                                                                                                                                                                |

Table 2 summarizes the tasks to be accomplished during this phase for the design and development of changes to software of an existing device.

**Table 2 - Software requirements of changes to an existing device**

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.3.11 | <p>The Product Requirements for the release (RQ and CR) are reviewed and accepted by the SW Development Project Manager (RdP) and the team.</p> <p>USD Document should be updated if any modification should occur on existing requirement on:</p> <ul style="list-style-type: none"> <li>- intended medical indication;</li> <li>- intended patient population;</li> <li>- intended part of the body or type of tissue applied to or interact with;</li> <li>- intended operator profile;</li> <li>- intended conditions of use;</li> <li>- operating principle.</li> </ul> <p>In the case of new Primary Operating Functions, USD shall include:</p> <ul style="list-style-type: none"> <li>- frequently used functions;</li> <li>- functions related to safety.</li> </ul> |
| 5.2.3.12 | Revision includes also compatibility with the current system architecture and identification of the parts of the system affected and involved in the new requirements.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 5.2.3.13 | New System Input Specifications (SI) documents or changes to existing SI are identified.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 5.2.3.14 | <p>Risk Management activities are initiated in case of changes to an existing device, following the same process described earlier in 5.2.3.7</p> <p>As defined in the Risk Management Plan, if new software design measures to control the risk are added as results of the Risk Analysis, they have to be verified in the Test Case Session on risk control measures.</p> <p>In the case that no design measures to control the risk have to be added due to changes to an existing device, this should also be clearly defined and stated within the context of the relevant SP/SR meeting and in the final RADR document (Risk Analysis Design Review) document, as defined in the Risk Management Plan.</p>                                                              |
| 5.2.3.15 | SW Technical Specification Documents, when deemed necessary, are drafted, approved by RdP.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 5.2.3.16 | The system software architecture and the software items, including safety classification, are reviewed to confirm applicability of the new requirements or to identify and classify new items in the architecture.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 5.2.3.17 | <p>During project progress meetings (SR):</p> <ul style="list-style-type: none"> <li>• the list of Product Requirements may be revised based on the current status of the release plan, as well as in the case where new RQs, not originally planned, have to be incorporated in the release plan with higher priority. Any changes to the list of Product Requirements are formalized through subsequent versions of the Product Backlog, ensuring traceability and consistency with the updated development scope;</li> <li>• applicable regulatory requirements are evaluated, discussed and reviewed to ensure ongoing compliance and alignment with project objectives.</li> </ul>                                                                                       |



**Table 2 - Software requirements of changes to an existing device**

All relevant evidence related to these activities is recorded within the Azure DevOps system, where each Sprint is managed as a structured container encompassing work items and their associated workflows and interdependencies.

#### 5.2.4. Software Unit Implementation and Verification

**Table 3 - Software/Firmware Unit Implementation and Verification**

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.4.1 | Once the software architecture has been reviewed and approved, the software unit and module development activities are assigned to the Scrum Team members according to the software architecture specifications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 5.2.4.2 | Software is developed and verified at the unit level directly by the software development engineer as specified in Test Plan.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 5.2.4.3 | Programming Languages and development tools (including software configuration management programs) are identified and documented. Development Environment must be hosted in logical segregated network and must not be available on the Internet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 5.2.4.4 | <p><b>Software Item Test</b> (unit test) is performed by the software developer to verify the requirement implementation against its Specifications.</p> <p>Test Cases are specified for those work items (RQs/CRs) that have reached the "Definition of Done": in accordance with Agile methodology, this status indicates that all development activities related to the work item have been completed. Upon reaching this status, two activities are executed:</p> <ul style="list-style-type: none"> <li>• specification of Test Cases by the software developer;</li> <li>• execution of Test Cases (unit testing activities) by the software developer.</li> </ul> <p>To bring efficiency to the software development process, simulators or emulators might be used for unit testing that reproduce the device's software environment. This allows for detailed testing of all input and output conditions at the unit and module level. Test cases are specified within the simulation environment to thoroughly test each software unit and module.</p> |
| 5.2.4.5 | Test cases are specified by the developers to ensure traceability to software requirements, clarity of expected outcomes and repeatability of test procedures. Each test case shall target specific functional or non-functional aspects of the software, contributing to the overall demonstration of product quality and reliability.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 5.2.4.6 | <p><b>Software Items</b> Verification activities include:</p> <ul style="list-style-type: none"> <li>- proper event sequence;</li> <li>- data flow;</li> <li>- fault handling;</li> <li>- initialization of variables;</li> <li>- memory management;</li> <li>- boundary conditions;</li> <li>- implementation of risk control measures.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

#### 5.2.5. Software Test Plan Definition

**Table 4 - Software System Test Plan**



#### 5.2.5.1

In the Project Development Plan, the Software Test Manager creates the Test Plan as a series of item, software item integration and system-level test cases/checklists.

In alignment with the Agile methodology, the Test Plan is progressively defined over time: during each Sprint, the Testing team performs pre-testing activities on Test Cases (TCs) that have reached the "Ready" state. These TCs are incrementally included in the Test Plan, which is therefore managed as an evolving artifact.

The execution of these tests is recorded within the Azure DevOps system, ensuring full traceability of the testing activities and their alignment with the development workflow.

Test cases with execution outcome "PASSED" in previous sessions are not re-executed in subsequent testing sessions, unless they are linked to unresolved issues, bug-related work items or identified regression risks.

The Test Plan includes, where appropriate for software releases of devices already in the market, a regression testing section to assure that modules not subjected to change requests or new requirement still work properly and that no unintended side effects have been introduced to that modules by the changes made to the device's software.

The plan definition of Verification and Validation Tests of CR/RQs under development within a Sprint (Sprint Backlog) is carried out over the duration of the Sprint itself: relevant Test Case objects related to Sprint Backlog are defined on the Microsoft Azure DevOps system.

Verification and Validation Tests are generally executed subsequent to project progress meetings (SP/SR), after which the Verification team (R&D) and the Validation team (PP) coordinate to align on the testing activities planned for the Sprint.

Where applicable, the Validation team (PP) proceeds with the execution of validation tests upon completion and positive outcome of an initial round of verification tests executed by the Verification team (R&D). This approach ensures that testing activities efforts are based on a stable and verified software baseline.

Test Environment must be hosted in logical segregated network and must not be available on the Internet.

The Test Plan shall include the plan of the software risk mitigation control measure defined for the version under test, and related to safety, security and usability of the device, as defined in the Risk Management Plan.

The Test Plan may also include specific activities related to security measures, in order to identify vulnerabilities through:

- Vulnerability Assessment/Penetration Tests;
- Source Code Review activities.

As defined in document IPR000021, which is part of EBIT ISMS implemented in compliance with ISO/IEC 27001:2022, periodic Vulnerability Assessments

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | <p>and Penetration Tests are conducted on released product versions to detect emerging threats in deployed software components.</p> <p>In parallel, Code Review activities -supported by off-the-shelf (OTS) tools- are regularly performed during development to identify security vulnerabilities, quality issues, and deviations from secure coding standards through static code analysis. These reviews are periodically assessed by the development team and their outcomes inform corrective actions across both new development and maintenance cycles.</p> <p>All findings related to the activities described above contribute to the continuous update of risk analysis documentation, in alignment with the provisions of the Risk Management Plan (RMP) document.</p> |
| 5.2.5.2 | A Software Test Plan document identifies the procedures and criteria for test execution and acceptance of test results.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 5.2.5.3 | <p>Test Plans are issued and approved before the tests start.</p> <p>The software system test plan (with all the checklists) is approved by R&amp;D or RdP.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 5.2.5.4 | Software Verification Checklists are developed for each major software function that define the software function's requirements. These Software Verification Checklists are then used to develop test cases and acceptance criteria.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 5.2.5.5 | <p>Test specification (checklists) are developed from System Input Specifications and Product Requirement definition. These checklists may include individual test cases with acceptance criteria defined for each test case.</p> <p>Test specifications for new modules/features: this task is assigned to the module manager (Dev), possibly supported by the Test Team.</p> <p>Test specifications for release-specific requirements and issues: this activity is performed by the module manager (Dev) and, if necessary, by the project manager (RdP).</p>                                                                                                                                                                                                                    |

## 5.2.6. Software Integration and Software System integration testing

**Table 5 - Software Integration and integration testing**

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.6.1 | <p>From Project Development Plan, the Software Test Manager creates the Test Plan as a series of item, software item integration and system-level test cases/checklists.</p> <p>The Test Plan includes, where appropriate for software releases of devices already in the market, a regression testing section to assure that modules not subjected to change requests or new requirement still work properly and that no unintended side effects have been introduced to that modules by the changes made to the device's software.</p> |
| 5.2.6.2 | <p><b>Software integration tests</b> are performed by a group dedicated to this function within the software development department.</p> <p>Software Integration test address whether the integrated items perform as specified in the Input Specification documents.</p>                                                                                                                                                                                                                                                                |
| 5.2.6.3 | Software Integration Test Reports are approved by the Software team manager and delivered to RdP.                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.6.4 | Full integration testing and software system testing are combined in a Software System Testing set of activities.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 5.2.6.5 | <p><b>Software System Verification Tests</b> are performed by the Software System Test Group. This group performs verification testing to assess that the system software requirements, developed to cover the User Needs, have been met. Software System Verification Tests may include the following:</p> <ul style="list-style-type: none"> <li>• Integrated tests/Flow tests specification: these tests are designed to verify interaction procedures, intended as data and control flows between individual software modules.</li> <li>• Software Module verification sessions: they shall be conducted in accordance with formal test specifications and at the verification milestones defined in the project plan. They consist of parallel execution of test suites performed by a dedicated test team.</li> <li>• Integrated Verification sessions: these sessions support the qualification of candidate software builds for both preliminary and final product releases, ensuring compliance with functional and regulatory requirements.</li> </ul> |
| 5.2.6.6 | <p>A "Risk" Analysis Verification (RAV) Checklist is drafted at the completion of the Risk Analysis and during the analysis and design of software risk mitigation measures.</p> <p>RAV is issued to assess that the measures to control the risk involving software have been implemented correctly, as defined in the Risk Management Plan. The RAV is updated with changes made to the Risk Management documents.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 5.2.6.7 | <p>Software System Test Report is issued and approved by RdP to document the test result.</p> <p>Approval includes verification that:</p> <ul style="list-style-type: none"> <li>- Test Methodology is correct;</li> <li>- Test procedure trace to Software System Requirements;</li> <li>- all applicable Software System Requirements have been verified.</li> <li>- Test results meet the pass/fail criteria.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## 5.2.7. Problem Resolution Process

**Table 6 - Problem Resolution Process**

|         |                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.7.1 | Problems are identified and tracked using the Azure DevOps tool (cfr. Annex A – Issue definition).                                                                                                                                                                                                                                                                                                                      |
| 5.2.7.2 | <p>Anomalies detected in software during the test phases or reported by field service are investigated for reproducibility and to identify the causes.</p> <p>The problems are also evaluated for relevance to the safety and effectiveness of the system and classified accordingly.</p>                                                                                                                               |
| 5.2.7.3 | All bugs discovered during verification of measure taken to reduce a risk (Risk Analysis Checklist), according to the risk management documentation, are set to "Critical" severity.                                                                                                                                                                                                                                    |
| 5.2.7.4 | <p>The implementation of the solution (HotFix) to correct each bug is verified.</p> <p>The verification is carried out by the bug Reporter or an independent person.</p> <p>In the case the HF is not specifically related to a single installation and a Service Pack is not planned (see Annex A), the impact analysis on the module affected by the HF is mandatory and regression test is performed, if needed.</p> |

## 5.2.8. Software Verification and Validation

**Table 7 - Software Validation**

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.8.1 | Software is validated at the system level. At the end of the verification phase, the system is delivered to the PP group for Validation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 5.2.8.2 | <p>PP, responsible for Validation activities, operates independently from the design team.</p> <p>PP shall prepare and maintain a Validation Plan. The Validation Plan defines the structured approach to validation activities, ensuring that the medical device consistently meets its intended use, safety and performance requirements throughout its lifecycle, in compliance with MDR (EU) 2017/745. It outlines the scope, methods, responsibilities, and acceptance criteria for validation, supporting regulatory conformity and patient safety.</p> <p>Validation is performed with regards to the Input User Requirement Document and includes, as defined in the following 5.2.8.5, the verification of:</p> <ul style="list-style-type: none"> <li>- the usability of the requirement;</li> <li>- the performance of the requirement;</li> <li>- the functionality of the requirement.</li> </ul> <p>The specific list of Input User Requirements to be validated is defined following the criteria defined in 5.2.8.4 hereinafter.</p> <p>PP shall also prepare and maintain a Usability Evaluation Plan specifying:</p> <ul style="list-style-type: none"> <li>- the methods and acceptance criteria for validation of the Usability of the Primary Operating Functions based on the Usability Specification;</li> <li>- the kind of environment where the validation is performed;</li> <li>- the specific user training needs that should be addressed with respect to the device performance.</li> </ul> <p>The Usability Evaluation Plan is part of the Validation Plan of the product.</p> |
| 5.2.8.3 | <p>According to Product Concept and Planning procedure (QPR000147), two phases could be identified:</p> <ul style="list-style-type: none"> <li>- product validation: demonstration of conformance to product requirements and user needs;</li> <li>- market test (optional): to gauge market acceptance and to confirm market penetration rates, especially in consideration of the product's innovations and applications.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 5.2.8.4 | During Requirement Analysis sessions and/or within the context of the Inception (initial Planning Review) and the project progress meetings (SR/SP) assessing the status of development and possibly update of the List of Product Requirements, the specific list of Input User Requirements to be validated is defined. Those requirements are validated and verified with a registration on the Azure DevOps system.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

The general criteria to determine whether an Input User Requirement may not be subjected to validation are the following:

- the requirement is related to a technical and or architectural back-end functionality;
- the requirement has no direct impact on the User Interface;
- the requirement is classified as a Change Request to an existing functionality and has no relevant impact on the User Experience and User Interface. This criterion could be applied also to new Requirements;
- the requirement is related to integration process (back-end requirements).

In more general terms, a requirement may not be subjected to validation in those cases where, due to the nature of the requirement itself, there is no need for the PP validation process, since the following topics are already verified and tested in the Verification Phase defined in 5.2.6:

- the usability of the requirement;
- the performance of the requirement;
- the functionality of the requirement.

5.2.8.5

Validation is performed with regards to the Input User Requirement Document and includes verification of:

- the usability of the requirement;
- performance;
- functionality.

For each of them, PP creates one (or more) Validation Test Case object(s) on the Azure DevOps system. Each Test Case object provides a tab "Steps" where PP defines test methods, acceptance criteria and expected results of the validation to be performed. Such structured information aims to define proper implementing rules for running the Validation Test Cases in order to assess the Usability, the Performance and the Functionality of each requirement.

## 5.2.9. Software Release

**Table 8 - Software Release**

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.9.1 | At the final Planning Review prior to release (for both a new device software and a change to an existing device) the following activities are performed: <ul style="list-style-type: none"> <li>- residual anomalies are identified and evaluated to ensure that they don't contribute to an unacceptable risk;</li> <li>- verification that all the software risk reduction measures have been successfully tested;</li> <li>- verification that no Critical bug has been left unresolved.</li> </ul> |
| 5.2.9.2 | The registration of the validation test case on the Azure DevOps system is reviewed within the context of the final Planning Review formalizing the release. Acceptance and release of this validation test case is required for device release.                                                                                                                                                                                                                                                        |

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.9.3 | The version of the software that is being released is documented through the formal filing of source codes, executable code, archive documentation to identify the components of the release and the references for specifications and test plan.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 5.2.9.4 | The Product Release Note shall contain a clear evidence of the following: <ul style="list-style-type: none"> <li>- list of all the released functionalities;</li> <li>- for specific functionalities, released only for testing purpose with third-party software, a clear indication must be specified. As soon as the integration test with third-parties is completed, the Integration Project Release Note, already part of the documentation produced, is officially part of the Product Release Note.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 5.2.9.5 | During the final Planning Review prior to software release, the checklist of the compliance to IEC 62304, 81001-5-1 and 82304 shall be verified.<br>The responsibility of the checklist is of R&D, who appoints the contribution to: <ul style="list-style-type: none"> <li>- RdP – Software Development Phase;</li> <li>- Test Plan Manager;</li> <li>- PP – Verification and Validation.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 5.2.9.6 | The final Planning Review meeting minutes document is approved by the R&D manager and the PP manager.<br>The meeting formalizes the verification of successful outcomes from verification and validation testing, as well as the completeness of the documentation required for product release. Specifically, the following items are reviewed: <ul style="list-style-type: none"> <li>• the results and conclusions of the Validation Report (VR-SUITESTENSA);</li> <li>• the results and conclusions of the Risk Management Report (RMR-SUITESTENSA);</li> <li>• the product's compliance with the General Safety and Performance Requirements (GSPR) of Regulation (EU) 2017/745, verified through the GSPR checklist (GSPR-SUITESTENSA);</li> <li>• confirmation that the changes introduced to the device do not constitute significant modifications to its design or intended use, in accordance with the classification criteria and verification schemes defined in MDCG 2020-3 and NBOG BPG 2014-3;</li> <li>• the availability and content of the Product Release Note.</li> </ul> Based on the above, the commercial release of the product is formally approved and authorized. Final release actions are identified and planned, including the delivery of internal training activities to relevant company personnel. |

## 5.2.10. Post-Launch Software Releases, Change Management

**Table 9 - Post-Launch Software Releases, Change Management**

|          |                                                                                                                                                                                    |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.10.1 | According to the Product Development Procedure, changes to device software after initial market release are processed following the same steps of the first release of the device. |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



**Table 9 - Post-Launch Software Releases, Change Management**

|          |                                                                                                                                                                                                                                                                                      |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.10.2 | A new software release is formally required to have all software development processes completed, from Requirements and Specification through Verification and Validation.                                                                                                           |
| 5.2.10.3 | When applicable, Regression testing must be performed at the Software System Test level.                                                                                                                                                                                             |
| 5.2.10.4 | All new system software releases are verified for their compatibility with legacy product hardware configurations already on the market. Any compatibility limitations are explained in the release notes and in the Field Service information provided with a new software release. |

### 5.2.11. Externally-Sourced Software Management

Externally-Sourced Software can be of multiple types:

**1. OTS (Off-The-Shelf) software:**

OTS software may be divided in two main categories:

- a generally available software component, intended for general purpose computing, that has not been developed for the purpose of being incorporated into a medical device;
- a software medical device, with its own clearance and/or certification, that is integrated providing end-user clinical functionalities.

**2. SOUP (Software Of Unknown Provenance):** a software component for which adequate documentation may be difficult to obtain, because it has not been developed under a controlled software development life-cycle.

**3. Sub-contracted Software:** custom software that is externally developed by contract software developers under the direction of the Company.

**Table 10 - OTS Software**

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.11.1 | The use of OTS software is desired to reduce development costs and exploit specific supplier expertise which is out of the boundary of the Company's field of interest.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 5.2.11.2 | <p>Prior to its use in a device, OTS software modules are evaluated for their performance and limitations and are evaluated for their suitability for use integrated with the device.</p> <p>In the case of OTS Software Medical Device, EBIT shall ensure that the source code complies with functional and security requirements. Where applicable, specific contract clauses may be defined so as to ensure the test of the source code through Vulnerability Assessment/Penetration Test or Source Code Review before release in production environment. These activities shall be executed in compliance with the provisions of document IPR000021 (which forms part of the EBIT ISMS, implemented in compliance with ISO/IEC 27001:2022). The outcomes of periodic security assessments and regular static code reviews enable ongoing updates to EBIT risk analysis documentation, in accordance with the Risk Management Plan.</p> |
| 5.2.11.3 | OTS software components are integrated in the device's software design. Because of their integration with the overall operating system, OTS software modules are tested as part of the system software testing process.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |



**Table 10 - OTS Software**

5.2.11.4

Whenever a new release or version of the OTS is available, the changes introduced in the OTS are analysed to assess any possible impact on the device's system performance, safety or efficacy.

In case of OTS Software Medical Device, PP defines whether or not it is required to incorporate the latest revision of the OTS from the vendor, in order to benefit of new functionalities and or bug fixing included in the new release.

The evaluation, verification and validation process of a new OTS major software release requires the activities described in the following table. The activity responsible is defined with regard to the type of OTS Software (Medical Device or General Available Software).

| Activity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Responsible<br>OTS Medical<br>Device SW | Responsible<br>OTS Generally<br>Available SW |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------|
| Evaluation if integration of a new release of OTS Software is needed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | PP                                      | R&D                                          |
| Definition of new product requirement related with the integration of the new OTS release.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | PP                                      | R&D                                          |
| <ul style="list-style-type: none"> <li>a. Verification of the requirement. New OTS software version requirements (OS, devices, etc...) have to be strictly verified with regards to the software device OS requirements, in order to maintain and/or update a compatibility list.</li> <li>b. New OTS software versions, that should be natively embedded in the devices are checked into the source code control system as the software is built.</li> <li>c. The inclusion of a different version of the OTS requires integration test of the software at the system level.</li> <li>d. Due to the integration with the overall operating system, OTS software modules are tested as part of the system software testing process.</li> </ul> | R&D                                     | R&D                                          |
| Validation of the integration of the new OTS, when necessary in particular in the case of Generally                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | PP                                      | PP                                           |

**Table 10 - OTS Software**

|  |                                                                                                         |  |  |
|--|---------------------------------------------------------------------------------------------------------|--|--|
|  | Available sw, in particular whenever the changes to OTS software integration affect the user interface. |  |  |
|--|---------------------------------------------------------------------------------------------------------|--|--|

**Table 11 - SOUP**

|          |                                                                                                                                                                                                |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.11.6 | SOUP software application is carefully controlled.                                                                                                                                             |
| 5.2.11.7 | SOUP software is managed similarly to OTS software, with a thorough analysis of its performance and limitations being performed in advance of its application into a device's software system. |

**Table 12 – Sub-contracted Software**

|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.2.11.8  | <p>When software is sub-contracted to an outside software development subcontractor, the subcontractor is contractually required to follow EBIT software development procedures or provide their own software development procedures which are evaluated to be equivalent to those in place at EBIT and which will deliver the same documentation set as if the module were internally developed.</p> <p>In the case of subcontracted software, EBIT shall ensure that the source code complies with functional and security requirements.</p> <p>Where applicable, specific contract clauses may be defined so as to ensure the test of the source code through Vulnerability Assessment/Penetration Test or Source Code Review before release in production environment. These activities shall be executed in compliance with the provisions of document IPR000021 (which forms part of the EBIT ISMS, implemented in compliance with ISO/IEC 27001:2022). The outcomes of periodic security assessments and regular static code reviews enable ongoing updates to EBIT risk analysis documentation, in accordance with the Risk Management Plan.</p> |
| 5.2.11.9  | Changes to subcontracted software are managed as changes to an internally developed software.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 5.2.11.10 | Software suppliers of subcontracted software are selected, qualified and monitored as defined in the EBIT QMS procedure QPR000150 – Procurement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |