ServiceM8 Premium Plus — Complete Technical Reference for AI Coding Agents

This document is a build specification for replicating ServiceM8's Premium Plus functionality as a Next.js dispatch board and job management system. It covers every major subsystem — from the dispatch board UX through to API endpoint schemas — with field names, status enumerations, edge cases, and configuration paths extracted from ServiceM8's official support documentation and developer API reference. Every section is structured for direct implementation: data model fields map to database columns, UI flows map to component trees, and API patterns map to integration code.

ServiceM8 is an Australian-built field service management platform serving trades businesses (plumbing, electrical, HVAC). Zoho Show +3 Its architecture follows a **hub-and-spoke model**: a web-based Online Dashboard for office dispatchers, paired with iOS and Android field apps for technicians. The platform is add-on driven — core features ship on all plans, but capabilities like Job Allocations, Automation, Forms, and Asset Management require individual add-on activation at **Settings → ServiceM8 Add-ons**.

---

1. Dispatch board — the central scheduling hub

The Dispatch Board is where office staff spend roughly **90% of their time**. ServiceM8 It is a single-page application with a persistent left rail and a tabbed main pane.

Layout architecture

The **left rail** contains a job list panel with a dropdown selector offering these built-in filters: Action Required, Unscheduled Jobs, In Progress Jobs, Completed Jobs (visible for **48 hours** after completion), ServiceM8 All Jobs, and any custom saved searches. Each job row displays the job number, client name, address, first line of description, and a status-coloured indicator dot.

The **main pane** has five tabs across the top:

Tab	Purpose	Grid type
Staff Schedules	Gantt-style horizontal timeline with one row per staff member	Time × Staff matrix
Calendar	Traditional calendar grid with time slots	Time grid (vertical hours)
Queues	Columnar Kanban-style view of queue folders	Column per queue
Recurring Jobs	Table of recurring job rules and upcoming instances	List/table
Dispatch Map	Geographic map showing job pins and staff GPS locations	Map + markers

All schedule-based views support **four zoom levels**: Day, Week, 2 Weeks, and Month, toggled via buttons. ServiceM8 Navigation arrows move forward/back by one period, and a "Today" button returns to the current

date. ServiceM8 Staff members appear as labelled rows on the Y-axis of Staff Schedules, each with their own **colour** that carries into Calendar view. ServiceM8

Drag-and-drop behaviour

There are three distinct drag targets that produce different outcomes:

Drag to a time slot on Staff Schedules creates a **Scheduled Booking** (exact time). The job snaps into place as a coloured block. Duration is adjustable by dragging the block's trailing edge. Double-clicking opens an Edit Booking dialog for precise time/date/staff adjustments. ServiceM8

Drag onto a staff member's icon (not a time slot) creates a **Job Allocation** with a booking window. A popup appears with fields for Booking Window (dropdown: Urgent, Morning, Afternoon, Anytime, or custom), Estimated Duration, Start Date, Booking Expiry, and an optional message to the staff member. ServiceM8 ServiceM8 This requires the **Job Allocations add-on**. ServiceM8

Drag onto a queue folder icon moves the job into that queue. ServiceM8 A dialog prompts for the expiry date, pre-filled with the queue's default timeframe. ServiceM8 ServiceM8

For **rescheduling**, drag an existing booking block to a new time/date/staff row. For multi-staff bookings, **SHIFT + click-drag** moves only one staff member's portion. ServiceM8 Dragging a booking from one staff row to another replaces the assigned staff member. ServiceM8

Booking creation methods

Bookings can also be created through the **Job Card → Schedule button**, which opens a smart booking dialog with suggestions that account for staff availability, existing bookings, leave, and estimated travel time between sequential jobs. Servicem8 The suggestions update dynamically as you select different staff members. ServiceM8 A **Booking Link** option generates an SMS-sent URL for client self-scheduling. ServiceM8

Clicking and dragging on empty time in Staff Schedules creates a new booking slot that can be attached to an existing or new job. ServiceM8 In Calendar view, dragging a job from the Jobs List to a day/time triggers a popup for staff selection and duration. ServiceM8

Status indicator dots

Three coloured dots appear on jobs in the left rail list:

- **Blue dot** — Job is scheduled but the assigned staff member has not opened it (unread) ServiceM8
- **Red dot** — Staff needs to review; the job was not completed following a scheduled appointment
- **Yellow dot** — Job is in a queue or has expired from a queue (hover reveals queue name and expiry date) ServiceM8 +2

Action Required list logic

A job surfaces to Action Required when any of these conditions are true: **(1)** It has no future booking and was not placed in a queue, **(2)** a past booking exists but the job was neither completed, rescheduled, nor queued afterward, **(3)** a job has expired out of a queue without further action, or **(4)** an unanswered client email or SMS

reply exists on the job. ServiceM8 Resolving any of these conditions (scheduling, queuing, completing, dismissing) removes the job from the list. The operational goal is to keep this list empty. ServiceM8

---

2. Job lifecycle — four fixed statuses and how they flow

ServiceM8 enforces exactly **four immutable job statuses** that cannot be customised, added to, or renamed. ServiceM8 This is a hard architectural constraint.

Status	API value	Meaning
Quote	Quote	Job requires quoting or quote sent awaiting approval
Work Order	Work Order	Work approved, ready to schedule and execute
Completed	Completed	All physical work finished, ready for invoicing
Unsuccessful	Unsuccessful	Quote rejected, job cancelled, or otherwise not proceeding

The primary status flow is: **Quote → Work Order → Completed**, with Unsuccessful as an exit ramp from any stage. Jobs can also skip Quote and start directly as Work Order when no quoting is needed. ServiceM8 Any status can be changed manually via dropdown, but the system also triggers automatic transitions.

Automatic status triggers

Quote → Work Order fires when a client accepts a quote online via the {document} merge field link in an email/SMS. ServiceM8 It also fires when an admin clicks "Mark as Accepted" on the Enhanced Job Card workflow button.

Work Order → Completed fires through the **checkout wizard** on mobile: the technician taps Check Out → Job Complete. The checkout wizard presents these sequential steps: (1) Choose "Job Complete" or "Not Complete", (2) add optional diary notes, (3) billing screen to verify materials/services and enter work-completed description, (4) payment collection options (Tap to Pay, Scan & Pay QR, manual card entry, cash/cheque/EFT recording), ServiceM8 (5) toggle "Approve Invoice" for immediate accounting sync, and (6) send invoice via SMS or email. ServiceM8 ServiceM8

Check-in / check-out behaviour on mobile

The iOS app flow begins when a technician taps **Start Job**, choosing either Navigate to Job (opens maps, logs travel time, optionally sends "on my way" SMS) or Skip Navigation. On arrival, tapping **Arrived** starts the job timer and logs GPS coordinates. ServiceM8 ServiceM8 During the job, the technician completes checklist items, takes photos, fills forms, and adds notes. Tapping **Check Out** triggers the checkout wizard described above. ServiceM8 ServiceM8

Automated time tracking (ServiceM8 11+) uses GPS proximity to auto-check-in/out when the device detects arrival at or departure from a job site. This requires iOS "Always Allow" location permission with Precise

Location enabled. (ServiceM8)

Post-completion invoicing stages

Once a job reaches Completed status, it enters the **Invoicing page** pipeline: **Awaiting Approval** (office reviews and approves the invoice) → **Awaiting Payment** (tracking unpaid approved invoices) → **Paid** (shown for 2 weeks then archived). The Approve action triggers the sync to the connected accounting package (Xero, QuickBooks Online, or MYOB). (ServiceM8) Zero-value invoices are not exported.

Completed jobs remain visible in the "Completed Jobs" filter for **48 hours** only, then move to job history. (ServiceM8) Unsuccessful jobs are never deleted — they're retained for client contact storage and potential future reactivation. (ServiceM8) (ServiceM8)

---

3. Enhanced Job Card — the primary job interface

The Enhanced Job Card (activated at **Account → Features & Integrations**) is a modal/panel that serves as the single source of truth for every job. (ServiceM8) It features auto-save, undo/redo, and live real-time sync across all users viewing the same job. (ServiceM8)

Two-tab layout with side-by-side diary

The card has two primary tabs — **Details** and **Billing** — with a persistent right-side pane containing three mini-tabs: **Diary**, **Photos & Videos**, and **Attachments**. This creates a side-by-side view where dispatchers can browse the activity timeline while editing job details or building an invoice. (Mint Dynamics) The diary pane is collapsible for full-width editing. (Servicem8)

Details tab fields

Field	Required	Type	Notes
Customer	Yes	Search/create	Links to Company entity (ServiceM8)
Job Address	Yes	Address autocomplete	Auto-populates from client card (ServiceM8)
Job Status	Yes	Dropdown enum	Quote, Work Order, Completed, Unsuccessful (ServiceM8)
Job Category	No	Dropdown	Defaults: After-Hours, Standard, VIP, Warranty. Custom via Settings → Job Categories (ServiceM8)
PO Number	No	String	Client's purchase order reference (ServiceM8)
Job Description	No	Expanding textarea	Internal scope of work
Checklist	No	Interactive list	Tasks, forms, and assets as checklist items

Field	Required	Type	Notes
Billing Contact	No	Contact search	If different from job contact
Badges	No	Toggle panel	Displayed prominently under client details Servicem8
Job Number	Auto	Auto-generated	Configurable prefix/suffix at account level

Badge system with five types

Badges are visual indicators and functional triggers displayed at the top of the job card. ServiceM8 They come in five categories:

Information Only badges are passive indicators (e.g., VIP, Bad Payer) with no triggered actions. **Form badges** link to a specific electronic form — when activated, the form appears as a checklist item and can be made mandatory at check-in or check-out. Hazel Whicher **Automation badges** connect to automation workflows; enabling the badge on a job arms the associated automation. Hazel Whicher **Follow-Up badges** (created by the Recurring Jobs add-on) trigger inbox reminders before a follow-up date. **Asset badges** are auto-created per Asset Type and must be enabled to access the Assets menu on a job. Hazel Whicher

Badges are configured at **Settings → Badges** and can also be applied at the client level on the Client Card so they auto-appear on all future jobs for that client. ServiceM8 The API stores badges as an array of UUIDs on the Job object's `badges` field. A known API limitation: **updating badges via API replaces the entire array** — you cannot incrementally add or remove a single badge. ServiceM8

Checklist system

Checklists live in a dedicated section below Job Description on the Details tab. Items are created by typing and pressing Enter. Each item supports: **staff assignment** (hover to assign, which triggers a notification), **reminders** (Navigate to Job, Check In, Check Out, Today, Tomorrow, Monday, or custom date/time), **reordering** via drag-and-drop, ServiceM8 and **copy/paste** between jobs. ServiceM8 ServiceM8 Forms and Assets can be added directly as checklist items by searching within the checklist interface. Servicem8 Completion logs who completed each item and when to the Diary. ServiceM8 The API endpoint is `/api_1.0/jobchecklist.json` with scopes `read_job_checklists` / `manage_job_checklists`. ServiceM8 Servicem8

Billing tab

The Billing tab presents the Work Completed description field, an expandable/searchable items list for adding Materials & Services, a totals section showing job value, payments made, and balance due, Servicem8 and a payment recording interface. The side-by-side diary pane remains visible so dispatchers can reference job history while building the invoice. Mint Dynamics Invoice approval can happen directly from the Dispatch Board without opening the full job card. Servicem8

Job Actions bar

On the desktop Enhanced Job Card, the top bar includes Email, SMS, Print (More → Print → Print Work Order/Invoice), and Save to Diary (for generating quote/invoice PDFs). ServiceM8 The iOS app has a bottom

action bar with Phone, SMS, Email, Camera, Notes, Forms, and More icons. ServiceM8 Action visibility is controlled per-staff through **Security Roles** at Settings → Security Roles.

---

4. Scheduling — bookings, allocations, and allocation windows

ServiceM8 uses two distinct scheduling paradigms that map to separate API entities.

Scheduled Bookings (JobActivity)

A **Scheduled Booking** is a time-specific appointment. In the API, these are `JobActivity` records where `activity_was_scheduled == 1`. When `activity_was_scheduled == 0`, the record represents **Recorded Time** from a check-in/check-out event. servicem8

API endpoint: `GET/POST/DELETE /api_1.0/jobactivity.json` **OAuth scopes**: `read_schedule` / `manage_schedule` ServiceM8 ServiceM8

Field	Type	Description
`uuid`	UUID string	Primary key
`job_uuid`	UUID string	FK → Job
`staff_uuid`	UUID string	FK → Staff (one per record)
`start_date`	Datetime `YYYY-MM-DD HH:MM:SS`	Booking start
`end_date`	Datetime `YYYY-MM-DD HH:MM:SS`	Booking end
`activity_was_scheduled`	Integer (0/1)	1 = scheduled booking, 0 = recorded time
`active`	Integer (0/1)	Soft-delete flag
`edit_date`	Datetime (read-only)	Last modified
`allocation_window_uuid`	UUID (optional)	Links to allocation window
`generated_by_recurring_uuid`	UUID (optional)	For recurring job instances

Multi-staff bookings create one JobActivity record per staff member, sharing the same `job_uuid` and start/end times. Each staff member's duration can be independently adjusted using SHIFT + drag on the dispatch board.

Job Allocations (window-based scheduling)

Job Allocations assign a job to a staff member without specifying an exact time. Instead, they use an **Allocation Window** (e.g., "Morning 7:00–12:00") and an expiry period. Servicem8 ServiceM8 The staff member sees the job in their mobile app list, prioritised by the window's urgency level. ServiceM8

API endpoint: /api_1.0/joballocation.json

Field	Type	Description
uuid	UUID	Primary key
job_uuid	UUID	FK → Job
staff_uuid	UUID	FK → Staff
allocation_window_uuid	UUID	FK → AllocationWindow
start_date	Datetime	Allocation start date
expiry_date	Datetime	When the allocation expires
active	Integer (0/1)	Soft-delete flag

Allocation Windows

API endpoint: /api_1.0/allocationwindow.json ServiceM8

Field	Type	Description
uuid	UUID	Primary key
name	String	e.g., "Urgent", "Morning", "Afternoon", "Anytime"
start_time	Time	Window start (e.g., "07:00")
end_time	Time	Window end (e.g., "12:00")
priority	Integer (1–5)	Sort order in staff's list. Urgent = 1 (top), Anytime = 5
active	Integer (0/1)	Soft-delete flag

Default windows are Urgent, Morning, Afternoon, and Anytime. Custom windows are configured at **Settings → Allocation Windows**. ServiceM8 The entire allocation system requires the **Job Allocations add-on**. ServiceM8

Allocation expiry

When an allocation's expiry date passes and the job hasn't been actioned, the job returns to the **Action Required** list for reassignment. This prevents jobs from being forgotten when a staff member can't get to them within the expected window. ServiceM8 ServiceM8

Staff leave blocking

Leave is added via right-click on a staff member's name in the Staff Schedules pane → "Add Leave", or through

Settings → Staff → Edit → Leave. ServiceM8 ServiceM8 ServiceM8 supports natural-language date patterns: "Friday 1/08/2025", "Friday 1/08/2025 – Friday 29/08/2025" for multi-day, "Fri 1/08/2025 11:00 AM – 2:00 PM" for partial day, and recurring patterns like "Every Thursday and Friday" or "First Mon of every month." ServiceM8

Critical edge case: leave displays as blocked-out time on the schedule but **does not prevent manual scheduling**. Servicem8 The smart booking suggestion engine respects leave and won't suggest leave times, but a dispatcher can force-book over leave. External calendars (Google Calendar, Office 365, iCal) can be imported per-staff; imported events display as "Busy" blocks. Servicem8

Suggested Teams

ServiceM8 automatically learns which staff members are frequently booked together. Over time, these combinations appear as "Suggested Teams" at the bottom of the staff selection list, speeding up multi-staff scheduling. ServiceM8

---

5. Queues — workflow holding pens with expiry timers

Queues extend ServiceM8's fixed four-status system by providing **named holding folders** for jobs that need to wait. They appear as coloured folder icons on the Dispatch Board and as columns in the Queues tab.

Two queue types

Type	Folder colour	Purpose	Example
Regular Queue	Blue	Jobs waiting on external action	"Parts on Order", "Pending Quotes"
Assignable Queue	Orange	Jobs waiting on internal staff action	"Order Parts" (assigned to specific person)

Regular queues track external dependencies (client approval, parts delivery). Assignable queues have a **default staff member** who is responsible for completing the internal action, with shorter default expiry windows. ServiceM8 Hazel Whicher

Configuration

Path: Settings → Job Queues → Add Queue

Regular queue fields: Name, Default Timeframe (expiry period). Assignable queue fields: Name, Default Staff Member, Default Timeframe. ServiceM8

API endpoint: `/api_1.0/jobqueue.json` with scopes `read_job_queues` / `manage_job_queues`. servicem8

Expiry mechanism and state transitions

When placing a job into a queue, an **expiry date** is always set (pre-filled from the queue's default timeframe, overridable per-job). When the expiry date passes: ServiceM8

1. The job automatically resurfaces to the **Unscheduled Jobs** list
2. It also appears in the **Action Required** list (ServiceM8)
3. The yellow dot indicator updates — hovering shows "expired from queue" (ServiceM8)

Due for Review represents jobs approaching their expiry date (near-expiry state). **Expired** means the expiry date has passed. On the mobile app, expired jobs show with a lighter background within the queue view. For Assignable Queues, expired jobs can be reassigned to the same or different staff member. (ServiceM8)

Jobs move between queues via drag-and-drop (a new expiry date is set for the destination queue) and can be manually removed from a queue via right-click → "Remove from queue." (ServiceM8)

---

6. Billing engine — materials, quotes, invoices, and costing

Materials & Services database

All billable items — materials, services, and labour — live in a single `material.json` table. There is no structural type field; **labour detection is keyword-based**: if an item's `item_number` or `name` contains "labor" or "labour", ServiceM8 treats it as a labour item for job costing calculations. (ServiceM8)

API endpoint: `/api_1.0/material.json` (scope: `read_inventory` / `manage_inventory`)

Key fields: `uuid`, `item_number` (alphanumeric, case-sensitive in API filters), `name` (max 500 chars), `price` (selling price ex-tax), `cost` (purchase cost, syncs from accounting), `tax_rate_uuid`, `displayed_amount_is_tax_inclusive`, `active`.

Job-level line items are stored separately in `/api_1.0/jobmaterial.json` (scope: `read_job_materials` / `manage_job_materials`), linked via `job_uuid` and `material_uuid`. (servicem8) Job materials are **copies** — per-job edits don't affect the catalogue or other jobs. Each line item carries `quantity`, `price`, `cost`, `tax_rate_uuid`, `sort_order`, and `job_material_bundle_uuid` (links to parent bundle, blank if standalone). (Servicem8)

Bundles

Bundles group multiple materials/services into a single customer-facing line item. (Servicem8) The customer sees only the bundle name and total price; individual components are hidden. Configured at **Settings → Materials & Services → Bundles** (requires Bundles add-on). (ServiceM8) API endpoints: `/api_1.0/materialbundle.json` (catalogue) and `/api_1.0/jobmaterialbundle.json` (job-level instances). Per-job bundle modifications don't affect the saved catalogue bundle. (ServiceM8)

Quote versioning

Every time a quote PDF is generated for a job, ServiceM8 creates a **version snapshot** preserving the price, billable items, and "Work Completed" description. Restoring a version resets those three elements on the Billing tab. (ServiceM8) Multiple quote options (different scopes/prices) can be issued as separate PDFs in the Job Diary. When a client accepts a quote online, the system auto-restores the accepted version's data and changes the job status from Quote to Work Order. (ServiceM8)

Deposits: A default deposit percentage is configurable globally at **Settings → Preferences**. Custom deposits can be set per-client (Client Card → Billing Details) or per-job (Job Card → Billing → Customise Quote). ServiceM8 ServiceM8 Pay auto-prompts clients for deposit on quote acceptance. Servicem8 Servicem8

Smart Labour (time-to-labour conversion)

When a technician checks in and out, the recorded time can be converted to a labour line item on the invoice. The system applies a **default labour rate per staff member** (configured at Settings → Staff → Edit → Options → Default Labour Rate) ServiceM8 and **configurable rounding** (15-minute, 30-minute, or 60-minute increments, rounding up). ServiceM8 Travel time can be included or excluded. ServiceM8 The dashboard conversion flow is: Billing tab → Job Time → select recorded entries → set rounding → click green "+" to add to invoice. ServiceM8 also auto-tracks "Trips" (offsite departures during a check-in, such as supply runs) and presents them during checkout as optional billable time. ServiceM8 Servicem8

Markup Billing and Job Costing

The **Markup Billing add-on** adds Cost and Markup % columns to the Billing tab, allowing price calculation as cost + markup percentage. The **Job Costing add-on** computes estimated profit by combining material costs (from purchase cost), labour costs (from check-in time × hourly rate or total labour quantity billed), and administration time. Servicem8 ServiceM8 The profit icon on the Billing tab shows GP% (Gross Profit = Profit / Selling Price) with a Materials vs Labour breakdown.

Supplier Invoice Import

Each ServiceM8 account gets a unique email address for supplier invoices. Staff provide the ServiceM8 Job Number as PO/reference when purchasing. Supplier emails with matching PO numbers auto-attach to the correct job. Unmatched invoices go to the Inbox for manual attachment. ServiceM8 Three application modes: Apply Total to Job (single amount), Apply Line Items (each as separate billing item), Apply Bundle (all items as single customer-facing line). ServiceM8

---

7. Payments — ServiceM8 Pay and collection methods

ServiceM8 Pay architecture

ServiceM8 Pay uses **Stripe Connect**, creating a sub-account profile within the business's Stripe account. Stripe Setup at **Settings → ServiceM8 Add-ons → ServiceM8 Pay**. Only available on monthly subscription plans (not per-job pricing). ServiceM8

Collection methods

Pay Now Links: When ServiceM8 Pay is active, all online invoices display a "Pay Now" button. ServiceM8 Supports credit/debit cards, Apple Pay, Google Pay, Microsoft Pay. Servicem8

Tap to Pay on iPhone: Available in Australia, Canada, UK, and USA. Uses Stripe Terminal SDK — no additional hardware needed. Accepts contactless payments from physical cards and digital wallets. Stripe ServiceM8

Scan & Pay QR: The app generates an on-screen QR code. The client scans with their phone, sees a payment screen supporting Apple Pay, Android Pay, Google Pay, and credit card entry. Servicem8 ServiceM8

Fee structure

Region	Standard domestic rate	Notes
Australia	1.75% + 30c	Tap to Pay: 15c fixed fee
Canada	2.90% + 30c	—
New Zealand	2.70% + 30c	—
United Kingdom	1.50% + 20p	—
United States	2.90% + 30c	Tap to Pay: 10c fixed fee

Payouts arrive next business day, with a **7–14 day holding period** for first payouts. ServiceM8 ServiceM8 Surcharging is configurable at **Settings → Preferences → Invoicing → Card Payments** with options to always add or only above a threshold. ServiceM8 UK prohibits surcharges; US/Canada prohibit debit card surcharges. ServiceM8

Payment recording API

Endpoint: /api_1.0/jobpayment.json ServiceM8 (scopes: read_job_payments / manage_job_payments). Records link to jobs via job_uuid. Multiple partial payments can be recorded against a single job. Pre-approval payments are held in ServiceM8 until the invoice is exported to accounting. Payment methods include: Cash, Card (VISA, Mastercard, AMEX), EFTPOS, PayPal, Bank Transfer.

Reconciliation with accounting

ServiceM8 Pay uses a **clearing account pattern**: payment processed → clearing account balance increases → fees auto-created as expenses → Stripe payout moves funds from clearing to bank account. ServiceM8 This is configured at **Settings → Preferences → Invoicing → ServiceM8 Pay Transactions** with fields for Clearing Account, Bank Account, Expense Account, Tax Rate, and Supplier Contact ("ServiceM8 Payments Pty Ltd"). ServiceM8

---

8. Communications — SMS, email, and inbox

SMS system

SMS messages are sent from the job card via a messaging window that supports template selection, manual text entry, and file attachment. Templates use curly-brace merge fields: Hazel Whicher {job.contact_first}, {staff.first}, {staff.mobile}, {job.next_booking_time}, {and_will_be_arriving_in_approximately_x_minutes}, {feedback}. Templates are managed at **Settings → SMS Templates**. ServiceM8

Two-Way SMS (free add-on, all plans) appends a "Reply here" link to outgoing messages. Servicem8 Client replies open a branded mobile web portal showing conversation threads separated by job, with a speed-dial option, photo attachment capability, and unsubscribe button. servicem8 Client replies are logged to the relevant job's Diary. Servicem8 ServiceM8 Late replies to completed jobs also copy to the ServiceM8 Inbox for potential new job creation. servicem8

Branded SMS (Premium/Premium Plus only) displays the business name instead of "ServiceM8" as the sender. Servicem8 Requires authorization documents and trademark proof. Setup at **Settings → ServiceM8 Add-ons → Branded SMS**. ServiceM8

Email system

Two-Way Email syncs customer replies to the Job Diary automatically. Draft emails auto-save if interrupted. Software Buddy Custom SMTP and Office 365 integration are available. Email templates are managed at **Settings → Email Templates**.

Email Inbox

Each account gets a unique inbox email address (viewable at **Settings → Email Inbox**). Inbound emails appear in the Inbox panel (top-right of Online Dashboard). One-click conversion creates a new job card with all info and attachments saved to the diary. Servicem8 Emails can also be attached to existing jobs by searching. ServiceM8 Job Templates can be applied during conversion. ServiceM8

Work Order Scanning automatically extracts key details from PDF work orders (common from property managers) and auto-fills the job card. ServiceM8

Auto-Fill from Emails uses field codes — keywords followed by a colon in the email body — to auto-populate job card fields during conversion. ServiceM8

API messaging

- **Send SMS**: `POST https://api.servicem8.com/sms` (scope: `publish_sms`, incurs charges)
- **Send Email**: `POST https://api.servicem8.com/email` (scope: `publish_email`) ServiceM8

---

9. Automation — eight configurable workflow triggers

The Automation add-on is **free to activate** from the Starter plan upward Software Buddy (Settings → ServiceM8 Add-ons → Automation). ServiceM8 Automated SMS messages cost **8c per text**. Servicem8 Eight automations are available:

Pre-built automations

Booking Confirmation sends immediately when a new booking is scheduled. ServiceM8 **Booking Reminder** triggers based on the Booking Reminder badge being active on a job — sends at a configurable interval before the booking time, but only between **7:00 AM and 7:00 PM** (messages after 7 PM are delayed to 7 AM next day). ServiceM8 **Quote Follow-Up** supports up to **5 sequential follow-up messages** at configurable intervals

after a quote is sent. ServiceM8 **Payment Follow-Up** triggers from the date the job status changed to Completed, only if payment hasn't been received. ServiceM8 **Customer Feedback** sends after the customer has paid, only if they haven't already given feedback for that job. For regular clients, there's a **30-day cooldown** between feedback requests. ServiceM8

Create-as-needed automations

Badge Follow-Up sends messages at a set date after job completion based on a specific badge. **Form Follow-Up** triggers based on form question responses (up to 3 conditions), creating inbox messages that can convert to new jobs. ServiceM8 **Live Invoice Statements** sends outstanding invoice statements to specific clients on a weekly, bi-weekly, or monthly schedule. ServiceM8

Universal cancellation logic

All automations follow this pattern: **(1)** objective met → auto-cancelled (payment received cancels payment follow-up; quote accepted cancels quote follow-up), Servicem8 **(2)** status change → auto-cancelled, **(3)** customer reply → automation paused until staff responds or dismisses, ServiceM8 **(4)** manual cancellation via dropdown in job diary, **(5)** missing contact info → warning in diary, automation won't send. ServiceM8 Automations are visible in each job's Diary as scheduled/processed entries.

---

10. API and webhooks — complete endpoint reference

Base URL and protocol

Base URL: https://api.servicem8.com/api_1.0 ** ServiceM8Format**: JSON over HTTPS using GET, POST, and DELETE methods. ServiceM8 Rollout All endpoints follow the pattern /{resource}.json for list/create and /{:antCitation[]{citations="32e6a574-c780-42cb-88e0-8edcba02f8c4"}resource}/{uuid}.json for retrieve/update/delete.

Authentication

API Key (private applications): Generate at Settings → API Keys. Include as X-API-Key: {key} header. servicem8

OAuth 2.0 (public applications): Authorization Code flow.

Parameter	Value
Authorize URL	https://go.servicem8.com/oauth/authorize
Token URL	https://go.servicem8.com/oauth/access_token
Grant types	authorization_code, refresh_token
Token lifetime	3600 seconds (1 hour)

Access tokens are sent as `Authorization: Bearer {token}` header. Refresh tokens use the same token endpoint with `grant_type=refresh_token`. servicem8 **User impersonation** is available via the `x-impersonate-uuid` header with a valid staff UUID. servicem8

Rate limits

Limit	Value
Requests per minute	**180**
Requests per day	**20,000**
Basis	Per-application, per-account
Exceeded response	HTTP 429

Limiting OAuth scopes to essentials unlocks higher rate limits. servicem8

Filtering

OData-style filtering: `$filter={field} {operator} {value}`. Supported operators: `eq`, `ne`, `gt`, `lt`. Note: `ge` (≥) and `le` (≤) are **not supported**. Up to 10 conditions can be combined with `and`. No `or`, `not`, or parenthetical grouping. String values in single quotes. Sorting via `$sort=field desc`. Cursor-based pagination via `cursor=-1`.

Complete endpoint catalogue

#	Resource	Endpoint	OAuth scopes
1	Jobs	`/job.json`	`read_jobs` / `manage_jobs` / `create_jobs`
2	Companies (Clients)	`/company.json`	`read_customers` / `manage_customers`
3	Company Contacts	`/companycontact.json`	`read_customer_contacts` / `manage_customer_contacts`
4	Staff	`/staff.json`	`read_staff` / `manage_staff`
5	Job Activities (Bookings)	`/jobactivity.json`	`read_schedule` / `manage_schedule`
6	Job Allocations	`/joballocation.json`	`read_schedule` / `manage_schedule`
7	Allocation Windows	`/allocationwindow.json`	`read_schedule` / `manage_schedule`
8	Job Queues	`/jobqueue.json`	`read_job_queues` / `manage_job_queues`
9	Badges	`/badge.json`	`manage_badges`
10	Categories	`/category.json`	`read_job_categories` / `manage_job_categories`

#	Resource	Endpoint	OAuth scopes
11	Job Checklists	/jobchecklist.json	read_job_checklists / manage_job_checklists
12	Tasks (deprecated → Checklists)	/task.json	read_tasks / manage_tasks
13	Materials (Catalogue)	/material.json	read_inventory / manage_inventory
14	Material Bundles	/materialbundle.json	read_inventory / manage_inventory
15	Job Materials (Line Items)	/jobmaterial.json	read_job_materials / manage_job_materials
16	Job Material Bundles	/jobmaterialbundle.json	read_job_materials / manage_job_materials
17	Job Payments	/jobpayment.json	read_job_payments / manage_job_payments
18	Tax Rates	/taxrate.json	read_tax_rates / manage_tax_rates
19	Notes	/note.json	read_job_notes / publish_job_notes
20	Attachments	/attachment.json	read_attachments / manage_attachments
21	Forms	/form.json	read_forms / manage_forms
22	Form Fields	/formfield.json	read_forms / manage_forms
23	Form Responses	/formresponse.json	read_forms / manage_forms
24	Assets	/asset.json	read_assets / manage_assets
25	Asset Types	/assettype.json	read_assets / manage_assets
26	Asset Type Fields	/assettypefield.json	read_assets / manage_assets
27	Feedback	/feedback.json	read_feedback / manage_feedback
28	Staff Messages	/staffmessage.json	read_messages
29	Email Templates	/emailtemplate.json	manage_templates
30	SMS Templates	/smstemplate.json	manage_templates
31	Document Templates	/documenttemplate.json	manage_templates
32	Job Templates	/jobtemplate.json	Special: POST /jobtemplate/create-job
33	Security Roles	/securityrole.json	read_security_roles (read-only)
34	Locations	/location.json	read_locations / manage_locations

#	Resource	Endpoint	OAuth scopes
35	Suppliers	`/supplier.json`	Standard CRUD
36	Knowledge Articles	`/knowledgearticle.json`	`read_knowledge_base` / `manage_knowledge_base`
37	Vendors (Account info)	`/vendor.json`	`vendor` (read-only)
38	Inbox	`/inbox.json`	`read_inbox` (special operations below)
39	Job Contacts	`/jobcontact.json`	`read_job_contacts` / `manage_job_contacts`

Inbox special operations: `PUT /inbox/{uuid}/read` (mark read), `PUT /inbox/{uuid}/archive`, `PUT /inbox/{uuid}/snooze`, `POST /inbox/{uuid}/convert-to-job`, `POST /inbox/{uuid}/attach-to-job`, `POST /inbox/{uuid}/note`.

Search endpoints: `GET /search.json` (cross-object), `GET /search/{objectType}.json` (type-specific), `GET /search/job/embeddings.json` (semantic search).

Webhooks

ServiceM8 offers two webhook types:

Object webhooks (field-change based) subscribe to specific field changes on a resource. Registration: `POST https://api.servicem8.com/webhook_subscriptions/object` with form-encoded body: `object` (e.g., "job"), `fields` (comma-separated field names to watch), `callback_url` (HTTPS). Supported objects: Job, Job Activity, Job Payment, Note, Task, Material, Company, Attachment, Form Response.

Event webhooks (business-event based) subscribe to named events like `job.created`, `job.completed`. Registration: `POST https://api.servicem8.com/webhook_subscriptions/event`.

Webhook payload format (object webhooks):

```json
{
  "object": "job",
  "entry": [{
    "changed_fields": ["badges", "status"],
    "time": "2025-01-01 00:00:00",
    "uuid": "de305d54-75b4-431b-adb2-eb6b9e546013"
  }],
  "resource_url": "https://api.servicem8.com/api_1.0/job/de305d54-75b4-431b-adb2-eb6b9e546013.json"
}
```

Webhooks deliver **only UUIDs and changed field names** — you must fetch the `resource_url` to get actual values. Webhook timestamps are **UTC** (unlike most ServiceM8 timestamps which use account timezone).

OAuth apps require challenge verification; API key subscriptions do not. Failed callbacks retry for up to **72 hours**, then auto-cancel. A **410** response auto-unsubscribes; a **429** triggers 15-minute volume throttling.

---

11. Data model — entity relationship map

Universal field conventions

All entities share: `uuid` (auto-generated primary key), `active` (integer 0/1, soft-delete flag — DELETE sets to 0, records remain accessible via API), `edit_date` (read-only, last-modified timestamp in format "YYYY-MM-DD HH:MM:SS").

Entity relationship diagram

```
Company (client)
  ├── CompanyContact ──────────────── via company_uuid
  ├── Job ──────────────────────────── via company_uuid
  │   ├── JobActivity (booking/recorded time) ── via job_uuid + staff_uuid → Staff
  │   ├── JobAllocation ──────────── via job_uuid + staff_uuid → Staff
  │   │   └── AllocationWindow ── via allocation_window_uuid
  │   ├── JobMaterial ──────────── via job_uuid + material_uuid → Material
  │   │   └── JobMaterialBundle ── via job_material_bundle_uuid
  │   ├── JobPayment ──────────── via job_uuid
  │   ├── JobContact ──────────── via job_uuid + company_contact_uuid → CompanyContact
  │   ├── JobChecklist ──────────── via job_uuid
  │   ├── Note ──────────────────── via related_object_uuid (polymorphic, related_object="Job")
  │   ├── Attachment ──────────── via related_object_uuid (polymorphic, related_object="Job")
  │   ├── FormResponse ──────────── via related_object_uuid + form_uuid → Form
  │   ├── Feedback ──────────── via job_uuid (inferred)
  │   └── Badge ──────────────── linked via job.badges array of UUIDs
  │
  └── JobQueue ──────────────────── via queue_uuid on Job (0..1 relationship)

Staff
  ├── StaffMessage ── via staff_uuid
  ├── JobActivity ─── via staff_uuid
  └── JobAllocation ── via staff_uuid

Material (catalogue)
  └── JobMaterial ─── via material_uuid

MaterialBundle (catalogue)
  └── JobMaterialBundle ── via bundle relationship

Form
  ├── FormField ─── via form_uuid
```

```
  └── FormResponse ── via form_uuid

AssetType
  ├── AssetTypeField ── via asset_type_uuid
  └── Asset ──────────── via asset_type_uuid

Category ── linked to Job via category_uuid
TaxRate ── linked to JobMaterial, Material via tax_rate_uuid
Location ── standalone (business premises/yards)
SecurityRole ── linked to Staff
Vendor ── account-level info (read-only)
```

Key relationship rules

- **Multi-staff bookings** = multiple JobActivity records sharing the same `job_uuid` with different `staff_uuid` values
- **Job diary** is assembled from multiple endpoints: Notes, JobActivity, FormResponse, Attachment, JobPayment — there is no single "diary" endpoint
- **Queue membership** is tracked via `queue_uuid` on the Job entity (nullable FK to JobQueue)
- **Badges on jobs** are stored as a UUID array on the Job object, not as a join table
- **Materials at job level are copies** — the `material_uuid` FK maintains the catalogue link, but price/quantity can be overridden per-job
- **Polymorphic attachment model** — Notes and Attachments use `related_object` (string type) + `related_object_uuid` (FK) to link to Jobs or other entities

---

12. Forms and assets — electronic forms and equipment tracking

Forms system

Forms is a paid add-on (custom form creation requires activation; pre-made Form Store purchases available on all plans including Free). Configuration at **Settings → Forms**.

A form consists of: a **Form Definition** (name, badge name, badge requirement), **Form Questions** (created in the online Form Editor), and a **Word Template** (.docx with merge fields). On completion, answers merge into the template to produce a PDF saved to the Job Diary.

Question types: Text, Number, Date, Time, Multiple Choice (single select), Multiple Answer (checkboxes), Signature (capture), Photo (camera), Barcode scan, GPS location. Each question has: question text, template field code (format `form_{field_code}`), help text, mandatory flag, and conditional skip logic.

Badge requirement settings per form: Optional, Mandatory at Check In, or Mandatory at Check Out. When set to mandatory, the technician cannot proceed past check-in/check-out until the form is completed.

Forms can be paused mid-completion and resumed later. Completed forms produce a PDF saved to the Job Diary and structured response data accessible via the FormResponse API. Forms can be sent for **remote signature** — the client receives a link to view and sign online.

Asset Management

The Asset Management add-on (Settings → Asset Management) serves businesses that install, service, or inspect equipment. The hierarchy is: **Asset Type** (e.g., "Fire Extinguisher") → **Asset Type Fields** (custom fields per type) → **Asset** (individual physical item with a globally unique QR code label).

Forms completed against an asset show **past value history** per question, enabling inspectors to spot changes over time. A **Service Report** PDF auto-generates on job completion showing all assets serviced. Clients can scan QR codes with their phone to view asset details and report issues online.

---

13. Customer Feedback — star ratings and review routing

Activated at **Settings → ServiceM8 Add-ons → Customer Feedback**. Customers click a feedback link → land on a web page → give a **5-star rating** → write a short review (limited to **160 characters**).

The `{feedback}` merge field creates a **job-specific smart link** that ties feedback to a particular job. A separate static link exists for general use (email signatures, websites). If a **Google Reviews link** is configured at Settings → Feedback, the `{feedback}` link redirects clients directly to the Google review page. For Facebook Reviews, customers who leave 4+ stars on ServiceM8 get directed to also leave a Facebook review.

Feedback data is accessible via `/api_1.0/feedback.json` (scopes: `read_feedback` / `manage_feedback`).

---

14. Track My Arrival — live technician tracking for customers

Activated at **Settings → ServiceM8 Add-ons → Track My Arrival**. When a technician taps Start Job → Notify Client → Navigate to Job, an "on the way" SMS is sent with an auto-calculated ETA. If GPS location is available, a **tracking link** is automatically appended.

The customer taps the link and sees a **live map portal** showing the technician's vehicle moving toward their location in real time. The portal integrates with the Two-Way SMS branded interface. Tracking is active **only during navigation** — it starts when navigation begins and deactivates shortly after the technician arrives, preserving privacy.

Office staff see navigation status on the Staff Schedules view (ETA displayed) and a green navigation line on the Dispatch Map. Technical requirement: iOS device with GPS "Always Allow" and Precise Location enabled.

---

15. Accounting integrations — Xero and QuickBooks Online sync

Xero bidirectional sync

Setup at **Settings → ServiceM8 Add-ons → Xero Integration**. Sync frequency: within **30 minutes** for ongoing changes.

Xero → ServiceM8: Contacts (customers only, not suppliers), Items (as Materials), Tax Rates, Income account codes, Payments on exported invoices.

ServiceM8 → Xero: Clients and Materials sync with the **first approved invoice** (not before). Invoices sync on the Approve action. Payments sync either with the invoice export (if pre-approval) or immediately (if post-approval). Shift times via Automated Timesheet Sync (Australia only).

Key rules: Tax changes can only be made in Xero (read-only in ServiceM8 when integrated). Contacts deleted/archived in Xero are removed from ServiceM8 within 30 minutes. Contacts deleted in ServiceM8 are archived in Xero. Zero-value invoices are not exported. Invoices created directly in Xero do not sync to ServiceM8. Payment account is configurable at **Settings → Preferences → Invoicing**.

QuickBooks Online sync

Sync frequency: within **20 minutes**. Same directional pattern as Xero with key differences: payments go to "Unassigned Account" (not configurable), payment sync from QBO to ServiceM8 is not documented as bidirectional, and items must be marked "I purchase this item" in QBO for Purchase Cost to sync.

Supported packages

Xero (worldwide), QuickBooks Online (worldwide), MYOB (Australia and New Zealand only).

---

16. Reporting — standard reports and advanced analytics

Standard reports (all plans)

Available to Business Owner security role only at **Online Dashboard → Reports**: Job Backlog (active/new/completed by week), Completed Jobs By Category, Jobs By Month (year-on-year comparison), Jobs By Status, Revenue By Month, Revenue By Category, Top 10 Clients by revenue, Feedback By Month, Materials Usage Report (exportable as CSV).

Business Dashboard KPIs

Individual metric reports: Jobs Completed, Average Job Value, Quote Win Rate, First Time Fix Rate, Returning Customer Rate, Days to Payment, Gross Profit Margin, Customer Feedback.

Advanced Reporting Pack add-on

Available on all plans (Settings → ServiceM8 Add-ons → Advanced Reporting Pack). Adds CSV exports for Job List, Client List, and Recurring Job List. Includes a **custom report builder** (Reports → Create Report) with

selectable metrics (Jobs, Job Bookings, Job Checklists, Job Payments), configurable time frames with period-over-period comparison, filter criteria (Staff Member, Job Status, Badge, Category), and CSV export of table data. A **Smart Reporting Helper** accepts natural-language queries (e.g., "total invoiced by staff member") to generate reports.

Appendix A — Complete OAuth scope reference

Scope	Description
vendor / vendor_logo / vendor_email	Account info, logo, email
staff_locations / staff_activity	Real-time GPS, clock on/off data
read_staff / manage_staff	Staff CRUD
read_customers / manage_customers	Company CRUD
read_customer_contacts / manage_customer_contacts	CompanyContact CRUD
read_jobs / manage_jobs / create_jobs	Job CRUD (create may incur charges)
read_schedule / manage_schedule	JobActivity + JobAllocation CRUD
read_inventory / manage_inventory	Material + MaterialBundle CRUD
read_job_materials / manage_job_materials	JobMaterial CRUD
read_job_payments / manage_job_payments	JobPayment CRUD
read_job_contacts / manage_job_contacts	JobContact CRUD
read_job_checklists / manage_job_checklists	JobChecklist CRUD
read_job_queues / manage_job_queues	JobQueue CRUD
read_job_categories / manage_job_categories	Category CRUD
read_job_notes / publish_job_notes	Note CRUD
read_job_photos / publish_job_photos	Photo handling
read_job_attachments / publish_job_attachments	Attachment handling
read_attachments / manage_attachments	Attachment CRUD
read_tasks / manage_tasks	Task CRUD (deprecated)
read_forms / manage_forms	Form + FormField + FormResponse CRUD

Scope	Description
read_assets / manage_assets	Asset + AssetType CRUD
read_feedback / manage_feedback	Feedback CRUD
read_tax_rates / manage_tax_rates	TaxRate CRUD
read_inbox	Inbox read + special operations
read_messages	StaffMessage read
read_security_roles	SecurityRole read-only
manage_badges	Badge CRUD
manage_templates	Email/SMS/Document template CRUD
manage_notifications	Notification management
publish_sms / publish_email	Send SMS/email (incurs charges)
read_knowledge_base / manage_knowledge_base	Knowledge articles
read_locations / manage_locations	Location CRUD

Appendix B — Add-on activation paths and plan gating

Feature	Add-on name	Plan requirement	Activation path
Job Allocations	Job Allocations	Starter+	Settings → Add-ons
Recurring Jobs	Recurring Jobs + Reminders	Starter+	Settings → Add-ons
Automation	Automation	Starter+ (free)	Settings → Add-ons
Forms (custom)	Forms	All plans	Settings → Add-ons
Badges	Badges	Starter+	Settings → Add-ons
Asset Management	Asset Management	Higher plans	Settings → Add-ons
ServiceM8 Pay	ServiceM8 Pay	Monthly plans only	Settings → Add-ons
Bundles	Bundles	Certain plans	Settings → Add-ons
Markup Billing	Markup Billing	Plan-gated	Settings → Add-ons
Job Costing	Job Costing	Plan-gated	Settings → Add-ons

Feature	Add-on name	Plan requirement	Activation path
Partial Invoicing	Partial/Progress Invoice	Certain plans	Settings → Add-ons
Supplier Invoice Import	Supplier Invoice Import	Plan-gated	Settings → Add-ons
Two-Way SMS	Two Way SMS	All plans (free)	Settings → Add-ons
Email Inbox	Email Inbox	All plans	Settings → Add-ons
Customer Feedback	Customer Feedback	All plans	Settings → Add-ons
Track My Arrival	Track My Arrival	All plans	Settings → Add-ons
Branded SMS	Branded SMS	Premium/Premium Plus	Settings → Add-ons
Advanced Reporting	Advanced Reporting Pack	All plans	Settings → Add-ons
Xero Integration	Xero	All plans	Settings → Add-ons
QuickBooks Online	QuickBooks Online	All plans	Settings → Add-ons
Enhanced Job Card	Feature toggle	All plans	Account → Features & Integrations

Appendix C — HTTP response codes

Code	Meaning
200	OK — successful request
400	Bad Request — validation error
401	Unauthorized — invalid credentials/token
402	Payment Required — account not in good standing
403	Forbidden — invalid scope or impersonation UUID
404	Not Found — resource doesn't exist
426	Upgrade Required — must use HTTPS
429	Too Many Requests — rate limit exceeded
500	Internal Server Error
503	Service Unavailable — platform down

Conclusion

This reference covers the full surface area of ServiceM8's Premium Plus tier as an implementable specification. The four fixed job statuses are a hard constraint that shapes the entire architecture — workflows requiring more granularity must use Queues and Categories as workarounds. The dispatch board's dual scheduling paradigm (time-specific JobActivity bookings vs window-based JobAllocations) is the most architecturally significant pattern to replicate correctly. For a Next.js implementation, the API's OData-style filtering limitations (no `>=`, no `or`, max 10 conditions) and the webhook payload design (field names only, no values — requiring a follow-up fetch) are the most important integration constraints to design around early. The soft-delete pattern (`active` = 0/1) across all entities means the database schema should include active flags universally, and all list queries should filter by `active eq 1` by default.