1. Introduction

While it's true that we are now in the so-called Information Age, it's good to keep in mind that there are still many industries in which computers do not play a dominant role in day-to-day processes. Typically, these industries have a very long tradition, with processes and techniques that are passed on from masters to apprentices, generation after generation. However, as a reality check, unless it's a completely niche industry, chances are that companies who do not embrace new technologies will find themselves with a huge competitive disadvantage against competitors who have done so. We believe that by implementing a new order processing system for XYZ Printing Co. we can help propel the company into the 21st century without interfering with company values and other long standing traditions of the trade; but rather enhancing their ability to grow and adapt into this new way of doing business on a global scale.

1.1 Purpose of the system

To facilitate and automate production for XYZ printing Co. To provide a uniform interface for customer order submission, employee workflow, and management activities - this will enhance productivity and efficiency.

1.2 Scope of the system

The system will consist of a web based front-end for customers place orders and track progress; and a back end to allow managers and workers to receive, organize and schedule customer orders for production. Billing will not be within the initial scope of the system, however, the system shall be easily extensible to support future credit / debit features.

1.3 Objectives and success criteria of the project

To centralize and streamline order entry and processing. Success Scenario: Order entry is done solely by customers, without need to call the print company. No orders are lost due to human error during processing. Production times should be reduced from 3 to 1 business days.

1.4 Definitions, acronyms, and abbreviations

PWAS: Printshop Workflow Automation System, the name of the proposed system.

1.5 References

This system does not reference any other system.

1.6 Overview

This is a custom-built system, specifically to meet XYZ Printing Company's needs. It will be customized to help the company manage incoming orders and enhance production, thus saving the cost of hiring additional personnel. In the next sections, the challenges faced by the company will be explained in more detail, along with the proposed solutions.

2. Current system

Orders are submitted by customers, using various methods. For example, one customer might submit an order by email, another may submit one in person, and a third may choose to use the postal service. Employees receive individual orders and create corresponding job tickets based on the customer's requirements. New orders are printed and placed in a folder, where plant managers will physically sort and aggregate them, according to size, quantities and stocks to be used. These aggregations are then run in gang-style print runs, where many orders are processed simultaneously.

3. Proposed system

3.1 Overview

Printshop Workflow Automation System ("PWAS") is a web-based order taking and tracking portal. It will allow customers to place and track orders online, providing them updates at each production milestone. The system will allow employees to organize customer orders into print runs and track their completion status. System administrators will be able to manage existing user accounts or add new ones. User-access control will be provided to differentiate views of the system between customers, employees, and administrators.

3.2 Functional requirements

The proposed system shall provide the following major characteristics:

- The system shall allow customers to place and track orders, utilizing a payment method of their choice.
- The system shall allow customers to view their order history and account information.
- The system shall allow employees to organize, track and complete customer orders.
- The system shall allow administrators to manage user accounts, customer orders and printing properties.
- The system shall have user access control for security and access differentiation.

3.3 Nonfunctional requirements

3.3.1 Usability

The user interface should understandable to non-technical customers, allowing them to submit, view, and edit orders. The logo should not have any religious, political, racist, sexual, or discriminatory connotations. Fonts should be clear and easy to read. Color scheme should be light background with dark foreground, to maximize contrast. There will be various help options for customers that explain the order submission and tracking processes.

3.3.2 Reliability

The system should be highly available, with 99% up time. Maintenance should not be required more than once a month.

3.3.3 Performance

The system will respond within thirty seconds for any user action, including work-order submission, order tracking, and any other user interaction with the system. The system should be available during business hours 99% of the time, with downtime allowed as specified by Section 3.3.2.

3.3.4 Supportability

The system will not interfere with previously created orders or with the history of previous transactions. The existing process for ordering will be supported by the system via a customer service employee, who will act as a proxy for offline customers. System maintenance should handle all updates required to fix defects, or handle change requests. The system will be available only in English. The system is web-based, so it is compatible with any operating system that can run a supported web-browser and connect to the Internet.

3.3.5 Implementation

The system will be web-based. It will support Internet Explorer 7+ and Firefox 3+. It should be implemented in a programming language that is cross-platform, so no porting will be required to change platforms.

3.3.6 Interface

The system shall be extensible to interface with a credit card processing service in the future. This functionality is not within the current scope of the system, as defined in Section 1.2.

3.3.7 Packaging

Personalized installation/configuration will be offered by the software company. The product should be hosted internally by the print shop.

3.3.8 Legal

The system does not have any legal requirements. No government or security clearance is necessary. The system is not implemented to comply with any particular disability users may have. Reasonable measures will be taken to protect private customer information, such as order history or account information.

3.4 System models

3.4.1 Scenarios

Scenario Name	<u>register</u>
Participating	bob: Customer
actor instances	
Flow of events	 Bob selects the "Register" function on the PWAS website. PWAS responds by displaying a form containing all information needed to register a new user. Bob enters his full name, username, password, email address, and home address, then submits the form. PWAS responds by confirming Bob's choice, creating his account and emailing Bob with his account information.
Scenario Name	<u>login</u>
Participating	bob: Customer
actor instances Flow of events	 Bob selects the "Login" function on the PWAS website. PWAS responds by displaying a form with username and password fields. Bob enters his username and password, but makes a mistake, then submits the form. PWAS responds by telling Bob that his username / password combination is invalid. Bob corrects his mistake and submits the form. PWAS responds by granting Bob access to the system.
Scenario Name Participating	logout bob: Customer
actor instances	bob. Custonici
Flow of events	 Bob selects the "Logout" function on the PWAS website. PWAS responds by confirming Bob's choice and logging Bob out of the system.
Scenario Name	editProfile
Participating	bob: Customer
actor instances	300.00000000000000000000000000000000000
Flow of events	 Bob selects the "Edit Profile" function on the PWAS website. PWAS responds by displaying a form containing all information already stored for Bob. Bob decides to change his address and enters a new address into the form. Bob then saves the profile changes.

Scenario Name	customerOrdering
Participating	alice: Customer
actor instances	
Flow of events	1. Alice logs into the system and selects the "Create Order"
	function on the PWAS website.
	PWAS responds by displaying a form containing all the specifications of an order.
	3. Alice fills out the form with all relevant details.
	PWAS responds by confirming Alice's choices and asking her whether she wants to pay the order now, or save it to pay later.
	4. Alice chooses to pay the order later, so her order is saved and she is redirected into the Payment function of PWAS.
	5. Later, Alice logs in and selects to submit and pay for her saved order, but makes a mistake when filling out her billing information.
	6. PWAS responds by notifying Alice that her billing information is invalid, and asking her to check for errors.
	7. Alice corrects the mistake and resubmits the order form.
	8. PWAS responds by confirming her order, submitting her order, and processing the payment.
	9. Later, Alice logs in and selects the "Order Tracking" function of PWAS.
	10. PWAS responds by displaying a list of all her orders, including previously saved orders and submitted orders.
	11. Alice selects her most recent order.
	12. PWAS responds by displaying all relevant details of her order.

Scenario Name	<u>customerService</u>
Participating	bob:CustomerService
actor instances	kimi:OfflineCustomer
Flow of events	 Bob receives a phone call from Kimi who wishes to place an order.
	2. Bob logs into the system and selects the "Create Order" function on the PWAS website.
	3. PWAS responds by displaying a form containing all relevant specifications of an order, to be filled out by Bob.
	4. Bob fills out the form, according to Kimi's requirements, by selecting a typical business flyer, the type of paper, and color specifications.
	5. After creating the order, PWAS asks Bob whether he wants to pay the order now, or save it to pay later.
	6. Kimi would like to pay later, so Bob chooses to save the order without submitting it to be processed.
	7. PWAS responds by confirming that the order is saved.
	8. Kimi asks Bob for the status of a previous order.
	9. Bob selects the "Order Info" function on the PWAS website.
	10. PWAS responds with a list of all Kimi's orders.
	11. Bob selects Kimi's previous order.
	12. PWAS responds by displaying all relevant details of the past order.

Scenario Name	<u>userAdministration</u>
Participating actor instances	lenny:Administrator
Flow of events	 Lenny logs into the system and selects the "View User Account" function on the PWAS website. PWAS responds by displaying a list of all users registered with the system. Lenny chooses a particular user account. PWAS responds by displaying a detailed, read-only, summary of that account. Lenny reviews the information, then selects the "Edit User Account" function on the PWAS website. PWAS responds by making the user account editable. Lenny changes the user's address and saves his changes. PWAS responds by confirming Lenny's request and updating the user's record. Lenny then selects a former employee and selects the "Delete Account" function on the PWAS website. PWAS responds by confirming Lenny's request and deleting the user's record.

Scenario Name	orderAdministration_
Participating actor instances	lenny:Administrator
Flow of events	 Lenny logs into the system and selects the "View Orders" function on the PWAS website. PWAS responds by displaying a list of all orders contained within the system. Lenny selects a particular customer order. PWAS responds by displaying a detailed, read-only, summary of that order. Lenny reviews the information, then selects the "Edit Order Status" function on the PWAS website. PWAS responds by making the order editable. Lenny changes the order's status and saves his changes. PWAS responds by confirming Lenny's request and updating the order's record. Lenny then selects a canceled order and selects the "Delete Order" function on the PWAS website. PWAS responds by confirming Lenny's request and deleting the canceled order.

Scenario Name	preprinting
Participating Participating	alice, bob:Employee
actor instances	unce, ooo.Emproyee
Flow of events	Alice logs into the system and selects the "View Work Pool" function on the PWAS website.
	2. PWAS responds by displaying a view of all customer orders that have yet to be sorted into a print run, along with relevant details.
	 Alice selects an order to examine in further detail. PWAS responds by displaying a detailed view of that specific order.
	4. Alice returns to the list of all customer orders yet to be sorted into a print run.
	5. PWAS responds by displaying a view of all customer orders that have yet to be sorted into a print run.
	6. Alice selects the "Create Print Run" function of PWAS.
	7. PWAS responds by creating an empty print run and notifying Alice.
	8. Alice selects the "Edit Run" function of PWAS, with the new print run selected.
	9. PWAS responds by showing Alice a form with options to add / remove orders to the print run.
	10. Alice adds five orders to the print run.
	11. PWAS responds by updating the status of the print run and notifying Alice.
	12. Alice selects the "Submit Run To Printing" function of PWAS.
	13. PWAS confirms Alice's choice, then finalizes the changes to the new print run, updates its status, and notifies the proper employees that a new job is ready for printing.

Scenario Name	printing
Participating actor instances	bob: Customer
Flow of events	 Bob logs into the system and selects the "Printing" function on the PWAS website. PWAS responds by displaying a list of orders that are ready for printing. Bob selects an order to be printed, according to the queue,
	prints the order, and submits the information to PWAS.4. PWAS responds by confirming Bob's choice and updates the print run's status to "Printed".

Scenario Name	<u>finishing</u>
Participating actor instances	bob: Customer
Flow of events	 Bob logs into the system and selects the "Finishing" function on the PWAS website. PWAS responds by displaying a list of orders that are ready for finishing. Bob selects an order to be finished, according to the queue, finishes the order, and submits the information to PWAS. PWAS responds by confirming Bob's choice and updates the print run's status to "Finished".
Scenario Name	shipping
Participating actor instances	bob: Customer
Flow of events	 Bob logs into the system and selects the "Shipping" function on the PWAS website. PWAS responds by displaying a list of orders that are ready for shipping. Bob selects an order to be shipped, according to the queue, ships the order, and submits the information to PWAS. PWAS responds by confirming Bob's choice and updates the




Figure 1 – Use Case Diagram for PWAS

Use case Name	Register
Participating Actors	User
Flow of Events	 User activates the "Register" function The System responds with a form for the User to fill out User provides required information (Full Name, Username,
	Password, Email address, home address) 4. User submits form
	5. User receives a confirmation message that his account is
	created
	6. User receives an email (to his provided email address) with the account information
Entry Conditions	• None
Exit Conditions	 User has a working username / password combination to login to the system
Exception	Email Password is not valid
	 Password does not meet security requirements Required information is missing from the form
	_
Use case Name	Login
Participating Actors	User
Flow of Events	 User activates the "Login" function The System responds with a form for the User to fill out
	3. User provides correct username and password
	4. User submits login form
Entry Conditions	User is registered in the System
Exit Conditions	User is authenticated in the System
	User is redirected to the home page
Exception	 Username or password field is left empty.
	Incorrect username or password is entered.
Use case Name	
ose case manie	Logout
Participating Actors	Logout User
Participating Actors	
	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation
Participating Actors Flow of Events	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout
Participating Actors Flow of Events Entry Conditions	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System
Participating Actors Flow of Events	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System • User is logged out of the System
Participating Actors Flow of Events Entry Conditions Exit Conditions	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System
Participating Actors Flow of Events Entry Conditions	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System • User is logged out of the System • User is redirected to the home page
Participating Actors Flow of Events Entry Conditions Exit Conditions Exception Use case Name	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System • User is logged out of the System • User is redirected to the home page • No Exceptions ForgotPassword
Participating Actors Flow of Events Entry Conditions Exit Conditions Exception Use case Name Participating Actors	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System • User is logged out of the System • User is redirected to the home page • No Exceptions ForgotPassword User
Participating Actors Flow of Events Entry Conditions Exit Conditions Exception Use case Name Participating Actors Flow of Events	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System • User is logged out of the System • User is redirected to the home page • No Exceptions ForgotPassword User User has a valid login
Participating Actors Flow of Events Entry Conditions Exit Conditions Exception Use case Name Participating Actors	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System • User is logged out of the System • User is redirected to the home page • No Exceptions ForgotPassword User User has a valid login 1. User activates the "Forgot Password" function
Participating Actors Flow of Events Entry Conditions Exit Conditions Exception Use case Name Participating Actors Flow of Events	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System • User is logged out of the System • User is redirected to the home page • No Exceptions ForgotPassword User User has a valid login 1. User activates the "Forgot Password" function 2. The Systems prompts the User for a username
Participating Actors Flow of Events Entry Conditions Exit Conditions Exception Use case Name Participating Actors Flow of Events	User 1. User activates the "Logout" function 2. The System prompts the User for confirmation 3. User confirms logout • User is logged into the System • User is logged out of the System • User is redirected to the home page • No Exceptions ForgotPassword User User has a valid login 1. User activates the "Forgot Password" function

	username entered
Evantion	 System displays status message The username entered is not found in the System
Exception	The username entered is not found in the System
Use case Name	EditProfile
Participating Actors	User
Flow of Events	1. User activates the "Edit Profile" function
Tion of Brems	2. The System responds with a form containing the existing User Information3. User makes changes to any of the information fields
	4. User submits the updated information to the System.
Entry Conditions	User is logged in.
Exit Conditions	 Information is updated into the User's profile.
Exception	The new information entered does not pass validation
77 N	Const. On Lon
Use case Name	CreateOrder Cystomer CystomerService
Participating Actors	Customer, CustomerService
Flow of Events	 Customer activates the "Create Order" function on the System The System responds by showing the "Create Order Form"
	3. Customer fills out the order form by selecting all the specs of
	the order, and uploads the file that will be printed.
	4. After filling out the form the Customer saves the Order into the System.
Entry Conditions	Customer is logged into the System
Exit Conditions	The Customer has created an order into the System.
Exception	No Exceptions
Use case Name	EditOrder
Participating Actors	Customer, CustomerService
Flow of Events	5. Customer activates the "Edit Order" function on the System6. The System responds by showing the Customer the list of Orders that this Customer has created.
	7. Customer changes details about the Order, such as the quantity to print, or the paper type.
	8. After filling out the changes the Customer saves them into the System.
Entry Conditions	 Customer is logged into the System Order has been created, saved, and has not been paid for.
Exit Conditions	The Customer has edited some information about the Order.
Exception	No Exceptions
**	PayAndSubmitOrder
Use case Name	Constant of Constant of
Use case Name Participating Actors Flow of Events	Customer, CustomerService 1. The Customer activates the "Pay and Submit" function of the

	2. System shows the Customer a "Payment Form".
	3. The Customer enters the Payment information into the Payment Form and submits the Payment.
	4. The System validates the Payment information to make sure it's correct.
	5. After the payment is accepted, the Order is submitted into the System and is now available to be processed.
Entry Conditions	An Order has been selected for payment
Exit Conditions	The order has been paid and submitted for processing.
Exception	If the payment information that the Customer entered is not correct, the System will let Customer know, and allow Customer to re-enter this information

Use case Name	TrackOrder
Participating Actors	Customer, Customer Service
Flow of Events	 Customer activates the "Order Tracking" function of the System.
	2. The System shows the Customer a list of orders belonging to this Customer.
	3. The Customer selects an Order.
	4. The System returns to the Customer the details about the Order.
Entry Conditions	 The Customer initiating function already has orders in the System
Exit Conditions	The Customer sees the Order Tracking information
Exception	The Customer doesn't have any order on the System.

Use case Name	ManageUserAccount (View)
Participating Actors	Administrator
Flow of Events	Administrator activates "Manage User Account" function
•	2. The System responds by displaying a list of System users
	3. Administrator selects a System user to see their information
	4. The System displays the User's information
	5. Administrator checks the information
Entry Conditions	Administrator is logged into the System
Exit Conditions	Administrator has viewed the information
Exception	No Exceptions

Use case Name	ManageUserAccount (Edit)
Participating Actors	Administrator
Flow of Events	 The Administrator activates "Manage User Account" function The System responds by displaying a list of System users The Administrator selects an entry from the list, edits the information and submits it. The System responds by confirming the modifications The Administrator confirms the information The System updates the System user's information
Entry Conditions	Administrator is logged into the System
Exit Conditions	 The information is successfully updated

Exception	Administrator cancels the edit process
Use case Name	ManageUserAccess
Participating Actors	Administrator
Flow of Events	 The Administrator activates "Manage User Access" function The System responds by displaying a list of System users The Administrator edits the user's role and access level, then submits the form. The System responds by confirming the modifications The Administrator confirms the information The System updates the System user's information
Entry Conditions	 Administrator is logged into the System
Exit Conditions	 The information is successfully updated
Exception	Administrator cancels the edit process
Use case Name	ManageOrder
Participating Actors	Administrator
Flow of Events	 The Administrator activates "Manage Order" function The System responds by displaying a list of current orders that satisfy the Entry Condition. The Administrator selects an order to edit details for. The System responds by displaying the order's information The Administrator changes some Order details, like quantity, or paper type. The Administrator then saves the changes into the System.
Entry Conditions	 Administrator is logged into the System An Order has been paid for by a Customer, but has not been added to a Print Run by a Worker.
Exit Conditions	Administrator has changed Order details.
Exception	No Exceptions
77	W. W. ID. I
Use case Name	ViewWorkPool
Participating Actors Flow of Events	 Worker Worker activates the "View Work Pool" function of the System The System responds by presenting a view of all available customer orders to fill. The Worker may select an order to see details of a specific order. The System responds by showing all details of a specific order
Entry Conditions	Worker is logged into the System
Exit Conditions	The Worker has completed viewing the available customer orders
Exception	No exceptions
Use case Name	CreateRun
Participating Actors	Worker

1. Worker activates the "Create Print Run" function of the System
2. The System responds by creating an empty print run and
notifying the Worker.
Worker is logged into the System
The Worker has completed creating a print run.
No exceptions
EditRun
Worker
1. The Worker initiates the "Edit Run" function
2. The System responds by showing the Worker a form with
options to add/remove orders to the print run 3. The Worker adds or removes orders to / from the print run
4. The System updates the status of the print run
Worker is logged into the System
Worker has selected an existing print run to edit, which is
currently in the "Created" state.
A print run has been edited and saved.
No exceptions
UpdateRunStatus (PrePrinting)
Worker
1. The Worker activates the "Update Run Status" function
2. The System shows the Worker a list of Runs
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created"
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state.
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" ->
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting"
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for printing
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for printing
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for printing Worker is logged into the System
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for printing Worker is logged into the System The System contains Runs, in the "Created" state, that have already been edited to contain Orders assigned to it.
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for printing Worker is logged into the System The System contains Runs, in the "Created" state, that have already been edited to contain Orders assigned to it.
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for printing Worker is logged into the System The System contains Runs, in the "Created" state, that have already been edited to contain Orders assigned to it. The print run's status has been updated to reflect that it's now in
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for printing Worker is logged into the System The System contains Runs, in the "Created" state, that have already been edited to contain Orders assigned to it. The print run's status has been updated to reflect that it's now it the 'Pre-Printing' phase No exceptions
 The System shows the Worker a list of Runs The Worker selects a Run that's currently in the "Created" state. The Worker then changes the Run status from "Created" -> "PrePrinting" The System notifies Worker that a new print run is ready for printing Worker is logged into the System The System contains Runs, in the "Created" state, that have already been edited to contain Orders assigned to it. The print run's status has been updated to reflect that it's now in the 'Pre-Printing' phase

Use case Name	UpdateRunStatus (Printing)
Participating Actors	Worker
Flow of Events	1. The Worker activates the "Update Run Status" function
	2. The System shows the Worker a list of Runs
	3. The Worker selects a Run that's currently in the "PrePrinting" state.
	4. The Worker then changes the Run status from "PrePrinting" -> "Printing"
	5. The new Run status is saved into the System.
Entry Conditions	Worker is logged into the System
•	• The System contains Runs in the "PrePrinting" state.

Exit Conditions	• The print run's status has been updated to reflect that it's now in the Printing phase
Exception	No exceptions
Use case Name	UpdateRunStatus (Finishing)
Participating Actors	Worker
Flow of Events	1. The Worker activates the "Update Run Status" function
	2. The System shows the Worker a list of Runs3. The Worker selects a Run that's currently in the "Printing"
	state.
	4. The Worker then changes the Run status from "Printing" ->
	"Finishing"
	5. The new Run status is saved into the System.
Entry Conditions	Worker is logged into the System
	• The System contains Runs in the "Printing" state.
Exit Conditions	• The print run's status has been updated to reflect that it's now in
	the Finishing phase
Exception	 No exceptions
Use case Name	UpdateRunStatus (Shipping)
Participating Actors	Worker
Flow of Events	1. The Worker activates the "Update Run Status" function
J	2. The System shows the Worker a list of Runs
	3. The Worker selects a Run that's currently in the "Finishing"
	state.
	4. The Worker then changes the Run status from "Finishing" ->
	"Shipping"
F + C 1:::	5. The new Run status is saved into the System.
Entry Conditions	 Worker is logged into the System The System contains Puns in the "Finishing" state
Exit Conditions	 The System contains Runs in the "Finishing" state. The print run's status has been updated to reflect that it's now in
CALLA ARRIGINATIONS	The print run s status has been updated to reflect that it's flow life
Ziiii Comminis	the Printing' phase
	the Printing' phase • No exceptions
Exception	
Exception	No exceptions
Exception Use case Name	No exceptions UpdateOrderStatus
Exception Use case Name Participating Actors	No exceptions UpdateOrderStatus Worker
Exception Use case Name	No exceptions UpdateOrderStatus Worker 1. The Worker activates the "Update Order Status" function
Exception Use case Name Participating Actors	Vo exceptions UpdateOrderStatus Worker 1. The Worker activates the "Update Order Status" function 2. The System shows the Worker a list of Runs
Exception Use case Name Participating Actors	 No exceptions UpdateOrderStatus Worker 1. The Worker activates the "Update Order Status" function 2. The System shows the Worker a list of Runs 3. The Worker selects an Order and updates its status.
Exception Use case Name Participating Actors Flow of Events	 No exceptions UpdateOrderStatus Worker 1. The Worker activates the "Update Order Status" function 2. The System shows the Worker a list of Runs 3. The Worker selects an Order and updates its status. 4. The new Order status is saved into the System.
Exception Use case Name Participating Actors	 • No exceptions UpdateOrderStatus Worker 1. The Worker activates the "Update Order Status" function 2. The System shows the Worker a list of Runs 3. The Worker selects an Order and updates its status. 4. The new Order status is saved into the System. • Worker is logged into the System
Exception Use case Name Participating Actors Flow of Events	 No exceptions UpdateOrderStatus Worker 1. The Worker activates the "Update Order Status" function 2. The System shows the Worker a list of Runs 3. The Worker selects an Order and updates its status. 4. The new Order status is saved into the System.




Figure 2 – Object Diagram for PWAS




Figure 3 – Statechart Diagram for "Order"




Figure 4 – Statechart Diagram for "Print Run"




Figure 5 – Statechart Diagram for "Register"




Figure 6 - Statechart Diagram for "Track Order"




Figure 7 – Statechart Diagram for "Pay Order"




Figure 8 – Statechart Diagram for "Forgot Password"




Figure 9 - Statechart Diagram for "Manage User Access"




Figure 10 - Statechart Diagram for "Create Order"




Figure 11 - Statechart Diagram for "Manage Order"




Figure 12 - Statechart Diagram for "Create Run"




Figure 13 - Statechart Diagram for "Manage User Account (Edit)"




Figure 14 – Statechart Diagram for "Update Run Status (Shipping)"

3.4.5 User Interface





News!

Vestibulum sit amet nulla era

20th May 2009



From a simple invitation to a full color magazine, we're your one-stop shop

Not only are we fast, we have very competitive pricing Check out why more people turn to XYZ printing everyday.

Our state of the art equipment allows us to produce products like:

- → Business Cards.
- → Banners.
- → Direct Mail.

► read more











Profile

Contact Information



Shipping Information







Order History

Job#	Job Name	Status	Date
34526	500 Business Cards	Received	10/05/2009
87623	1000 Flyers	Printing	10/04/2009
43353	5 Posters	Finishing	10/04/2009
12341	75 Invitations	Shipped	05/24/2009
45435	2000 Postcards	Shipped	01/04/2008





consectetur.



Current Job

Components for run# 471

Job#	Job Name	Final size
34526	500 Business Cards	2 x 3.5
87623	1000 Flyers	8.5 x 11
43353	5 Posters	24 x 36
12341	75 Invitations	5 x 7
45435	2000 Postcards	4 x 6











Incoming Orders

Move Selected Jobs to → Run 471 💌

Select	Job#	Job Name	Status	Date
	34526	500 Business Cards	Unassigned	10/05/2009
	87623	1000 Flyers	Unassigned	10/04/2009
	43353	5 Posters	Unassigned	10/04/2009
	12341	75 Invitations	Assigned (471)	05/24/2009
	45435	2000 Postcards	Assigned (471)	01/04/2008

Created Runs

Print selected

Select	Run ID	Run type	Status	Date
	471	500 23 x 29 Glossy Heavy	Open	10/05/2009
	470	1000 23 x 29 Glossy Light	Open	10/04/2009
	469	500 23 x 29 Matte Heavy	Open	10/04/2009
	468	200 23 x 29 Glossy Heavy	Printing	10/02/2009
	467	500 23 x 29 Glossy Heavy	Printing	10/01/2009





Current Job

Run ID	Run type	Status	Date
471	500 23 x 29 Glossy Heavy	Open	10/05/2009



4. Glossary

- **Administrator**: A member of the company, who has all the rights of a regular Employee plus other administrative rights such as deleting a user, editing a user's information, etc.
- **Customer**: A client of the company, who can submit orders for printing, pay those orders, and track the orders as well.
- Company: Specifically, XYZ Printing Co.
- **Customer Service:** A member of the company who can take an order on behalf of a customer to act as a proxy for an offline customer.
- **Employee**: A member of the company, who has all the rights of any User plus other rights such as process customer orders, create print runs, etc.
- **Finishing:** The part of the company workflow where the cutting and resizing process is taking place.
- Order: A User can create an order and save it into the system, which contains specifications regarding printing details, a file to be printed, and payment information.
- **Portal**: Web-based interface presented to customer and employees.
- **Printing:** The part of the company workflow where the print-manufacturing process is taking place.
- **Print Run**: A single file created by an employee, which is sent to printing.
- **System**: PWAS is considered the system, and it entails all the software that takes care of the workflow management.