






IC222, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC223, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC224, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC225, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC226, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC227, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC228, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC229, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC230, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC231, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC232, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC233, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC234, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC235, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC236, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC237, fresh_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC111, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC112, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC113, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC114, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC115, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC116, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC117, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC118, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC119, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC120, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC121, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC122, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC123, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC124, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC125, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC126, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC127, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC128, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC129, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC130, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC131, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC132, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC133, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC134, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC135, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC136, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC137, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC138, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC139, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC140, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC141, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC142, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC143, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC144, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC145, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC146, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC147, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC148, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC149, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC150, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC151, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC152, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC153, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC154, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC155, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC156, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC157, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC158, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC159, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC160, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC161, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC162, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC163, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC164, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC165, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC166, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC167, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC168, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC169, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC170, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC171, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC172, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC173, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC174, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC175, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC176, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC177, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC178, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC179, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC180, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC181, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC182, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC183, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC184, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC185, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC186, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC187, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC188, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC189, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC190, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC191, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC192, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC193, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC194, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC195, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC196, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC197, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC198, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC199, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC200, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC201, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC202, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC203, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC204, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC205, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC206, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC207, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC208, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC209, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC210, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC211, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC212, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC213, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC214, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC215, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC216, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC217, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC218, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC219, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC220, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC221, paper_test: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC41, train: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC99, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC100, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC101, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC102, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC103, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC104, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final



IC105, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final


IC106, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final


IC107, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final


IC108, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final


IC109, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final


IC110, val: unconstrained curve diagnostic; physical validity recorded separately
T
H2
H
O2
H2O
Fifth-root normalized [0,1]
Time [ms]
Cantera
Validation-selected
Protocol final