

Roma Adjei

Week 13 - Individual Challenge - File Inclusion and File Upload Attacks

The screenshot shows the 'File Inclusion' module page in the University of South Florida Academy Lab. The user, romaadjei, is a member. The progress bar is at 100%, and the status is 'Completed'. The module is Tier 0, Medium difficulty, and takes 8 hours. It was created by 21y4d and MinatoTW, and last updated on 28 Oct 2025. The left sidebar contains navigation links: Dashboard, Leaderboard, My Profile, Explore, ACADemy LAB (Main, CIS4200-Fall25), and DEDICATED LAB (Instructional DedL..., CIS4200-Fall25). The main content area has tabs for 'INTRODUCTION' and 'CONCLUSION'. The introduction text states: 'This module introduces the fundamentals of file inclusion vulnerabilities. Web applications often present a large attack surface, and as information security professionals, it is important to understand common attacks against a variety of frameworks and server-side languages. A successful file inclusion attack may result in sensitive data exposure (such as configuration files containing credentials) or even remote code execution. In this module, we will cover: An intro to file inclusion vulnerabilities'. A table of contents on the right lists: 1 Introduction, 2 File Disclosure, 3 Remote Code Execution, and 4 Automation and Prevention.

The screenshot shows the 'File Upload Attacks' module page in the University of South Florida Academy Lab. The user, romaadjei, is a member. The progress bar is at 91%, and the status is 'Continue learning'. The module is Tier II, Medium difficulty, and takes 8 hours. It was created by 21y4d, and last updated on 7 Oct 2025. The left sidebar contains navigation links: Dashboard, Leaderboard, My Profile, Explore, ACADemy LAB (Main, CIS4200-Fall25), and DEDICATED LAB (Instructional DedL..., CIS4200-Fall25). The main content area has a paragraph: 'Many modern web applications have file upload capabilities, which are usually necessary for the web application's functionality to enable features like attaching files or changing a user's profile image. If the file upload functionality is not securely coded, it may be abused to upload arbitrary files to the back-end server, eventually leading to compromise of the back-end server. When an attacker can upload arbitrary files to the back-end server, they can upload malicious files, like web shells, which would enable them to execute arbitrary commands on the back-end server. This eventually allows attackers to take control over the entire server and all web applications hosted on it, which makes File Upload Attacks among the most critical web vulnerabilities.' A table of contents on the right lists: 1 Intro to File Upload Attacks, 2 Basic Exploitation, 3 Bypassing Filters, and 4 Other Upload Attacks.