

Romain CAILLÉ

Fullstack developer, ready for the agentic era.

romain-caille.fr

r.caille@icloud.com

github.com/romain-cll

linkedin.com/in/romain-caillé

• Open to work • available now Remote or relocation • from Nantes, France

I build TypeScript and Go backends, from REST APIs to event-driven pipelines on Kafka. I also run Spotime, a time-tracking SaaS for field crews, end to end: product, code and sales. French native, English C1.

EXPERIENCE

• Spotime • Founder, fullstack developer

May 2025 – Present

Time-tracking SaaS for construction and field crews • spotime.fr

- 3-surface product: web back office (admin/scheduling), employee mobile app (iOS/Android) and Electron desktop app for on-site clock-in (Windows Store). Replaces paper timesheets and month-end re-entry.
- Cold-call prospecting: no traction in construction, so I pivoted to test the personal care services market, which proved more receptive, with prospects coming in inbound.
- Clock-ins are stored local-first and synced as soon as the network returns, with no data loss or duplicates. GPS location is captured only at the moment of clock-in.
- Development assisted by a team of subagents (PO, architect, tester, developer, reviewer), framed by user stories, a DoR/DoD and TDD.

NestJS • TypeScript • PostgreSQL • React • TanStack Router • shadcn/ui • Plausible • Expo/React Native • Electron

Enedis • Fullstack developer, Enedis Lab

2023–2025

France's electricity grid, Europe's largest smart grid (37M+ connected meters) • Enedis Lab builds apps for field agents

- Worksite inspection app (Pays de la Loire): ~15 field agents inspect ~3,000 contractor-run worksites a year for safety, schedule and work quality.
- Mon Orga, Enedis's company-wide org chart (41,000 employees): Nuxt 3 app and TypeScript REST API (AdonisJS, PostgreSQL), the single source of org data for internal apps. Main frontend dev in a team of 4.
- GitLab CI/CD (80% coverage gate, Checkmarx, Docker, auto deploy, health check); OIDC SSO, role-based access, rate limiting, no personal data stored locally.
- Quantified the time lost to cross-team CI/CD blockers and got a weekly sync set up with the Cloud and CI/CD teams.

Nuxt 3 • TypeScript • AdonisJS (Node.js) • PostgreSQL (SQL) • Docker • GitLab CI/CD • Symfony • AWS

U Tech • Fullstack developer, apprentice

2022–2023

Tech subsidiary of Système U • team building the applications for its 28 warehouses

- Routing app: moves pallets to the loading dock.
- Loading app: loading those pallets onto trucks.

Vue • JavaScript • Java Spring Boot • PWA

PROJECTS

• Event Hub • analytics + Stripe revenue attribution

[github](#)

- Joins web traffic and Stripe revenue to show which source, campaign or page brings money, without a data warehouse.
- One endpoint, POST /v1/events, for browser SDK, backend, CI and Stripe webhooks. The server derives source, session and visitor.
- Cookieless by default: daily-rotating HMAC visitor key, IP and User-Agent never stored.
- Maps the four webhooks of one Stripe payment to disjoint event types so each euro is counted once.

NestJS • PostgreSQL • Drizzle • Zod • TanStack Start • Stripe Connect • Turborepo

• Fraud Engine • event-driven fraud scoring

[github](#)

- Three Go services linked by Kafka, partitioned by card_id so a card is always scored by the same worker. Redis keeps per-card velocity in a sliding window, ClickHouse stores scored transactions.
- Lifted throughput from ~3 tx/s with explicit batching and pipelined Redis calls.
- Scales without code changes: lag of ~410 messages drains to 0 when 2 scorers join. Three scorers handle ~220 tx/s.

Go • Kafka • Redis • ClickHouse • Prometheus • Grafana • Docker

EDUCATION

Master's in IT & Information Systems • EPSI