



deeplearning.ai

NLP and Word Embeddings


Word representation

Word representation

$V = [a, aaron, \dots, zulu, <UNK>]$

$|V| = 10,000$

1-hot representation



I want a glass of orange juice.

I want a glass of apple ?.

Featurized representation: word embedding


	Man (5391)	Woman (9853)	King (4914)	Queen (7157)	Apple (456)	Orange (6257)
Gender	-1	1	-0.95	0.97	0.00	0.01
Royal	0.01	0.02	<u>0.93</u>	<u>0.95</u>	-0.01	0.00
Age	0.03	0.02	0.7	0.69	0.03	-0.02
Food	0.04	0.01	0.02	0.01	0.95	0.97
...				
size						
cost						
alive						
verb						

I want a glass of orange juice.

I want a glass of apple juice.

Andrew Ng

Visualizing word embeddings




t-SNE

→ 300D



2D






deeplearning.ai


NLP and Word Embeddings

Using word
embeddings

Named entity recognition example






Transfer learning and word embeddings

- 
1. Learn word embeddings from large text corpus. (1-100B words)
(Or download pre-trained embedding online.)
 2. Transfer embedding to new task with smaller training set.
(say, 100k words) → 10,000 → 300
 3. Optional: Continue to finetune the word embeddings with new data.

Relation to face encoding (embedding) 128D





$x^{(i)}$



$f(x^{(i)})$



$x^{(j)}$



$f(x^{(j)})$



\hat{y}

$|V| = 10,000$

$e_1, \dots, e_{10,000}$



deeplearning.ai

NLP and Word Embeddings

Properties of word embeddings


Analogy

	Man (5391)	Woman (9853)	King (4914)	Queen (7157)	Apple (456)	Orange (6257)
Gender	-1	1	-0.95	0.97	0.00	0.01
Royal	0.01	0.02	0.93	0.95	-0.01	0.00
Age	0.03	0.02	0.70	0.69	0.03	-0.02
Food	0.09	0.01	0.02	0.01	0.95	0.97

$\underbrace{e_{5391}}_{e_{\text{man}}} \rightarrow \underbrace{e_{9853}}_{e_{\text{woman}}} \quad \Leftrightarrow \quad \underbrace{e_{4914}}_{e_{\text{king}}} \rightarrow ? \quad \underbrace{e_{7157}}_{e_{\text{queen}}}$
 $e_{\text{man}} - e_{\text{woman}} \approx e_{\text{king}} - e_{\text{?}}$

$\underline{e_{\text{man}}} - \underline{e_{\text{woman}}} \approx \begin{bmatrix} -2 \\ 0 \\ 0 \\ 0 \end{bmatrix}$
 $\underline{e_{\text{king}}} - \underline{e_{\text{queen}}} \approx \begin{bmatrix} -2 \\ 0 \\ 0 \\ 0 \end{bmatrix}$


Analogies using word vectors



300 D

Find word w : $\arg \max_w$

3000 \rightarrow 20
↑



t-SNE

$$e_{man} - e_{woman} \approx e_{king} - \cancel{e_w} \quad e_w$$


$$\text{Sim}(e_w, e_{king} - e_{man} + e_{woman})$$

30 - 75%

Cosine similarity

$$\rightarrow \text{sim}(e_w, e_{king} - e_{man} + e_{woman})$$

$$\text{sim}(u, v) = \frac{u^T v}{\|u\|_2 \|v\|_2}$$



$$\|u - v\|^2$$

Man:Woman as Boy:Girl

Ottawa:Canada as Nairobi:Kenya

Big:Bigger as Tall:Taller

Yen:Japan as Ruble:Russia




deeplearning.ai

NLP and Word Embeddings

Embedding matrix

Embedding matrix



In practice, use specialized function to look up an embedding.
 $\rightarrow \text{Embedding}$