

RSI 1h Edge Discovery - Phase 2E Final Findings

Batch: ema200_rsi_1h_edge_phase2e_focused_1h_width_ridge_check_fee04; candidates 113, ok 113, failed 0.

1. Executive conclusion

Phase 2E confirms the 1h-width ridge. Best performance/symmetry candidate: 1h 2.15 w2.2/r2.75/lb35. More symmetric comparator: 1h 2.15 w1.9/r2.75/lb35. Base width remains the cleanest pure-symmetry reference; carry both lanes into RSI diagnostics.

2. Group summary

Group	n	Median PF	Max PF	Median PnL	Max PnL	WR	Trades	Accept	Strict
control_1h	2	1.243	1.279	4 224	4 679	57.8%	166	2	1
control_base	3	1.202	1.218	4 009	4 088	57.4%	199	2	2
focused_1h	108	1.194	1.435	3 022	6 816	57.2%	162	26	8



3. Accepted candidates



Candidate	Trades	PnL	PF	WR	DD	Long PF	Short PF	Gap
1h 2.35 w2.2/r2.65/lb20	171	5 076	1.268	59.6%	-19.0%	1.280	1.247	0.033
1h 2.35 w2.25/r2.65/lb20	171	5 076	1.268	59.6%	-19.0%	1.280	1.247	0.033
base 2.15 w11/r12/lb10	197	4 088	1.218	57.9%	-20.3%	1.214	1.222	0.008
1h 2.35 w2.3/r2.65/lb20	170	6 550	1.364	60.0%	-19.0%	1.288	1.534	0.247
base 2.15 w11/r12/lb20	200	3 812	1.202	57.5%	-20.3%	1.184	1.224	0.040
1h 2.35 w2.2/r2.75/lb35	162	6 331	1.345	59.3%	-17.3%	1.283	1.477	0.194
1h 2.35 w2.25/r2.75/lb35	162	6 331	1.345	59.3%	-17.3%	1.283	1.477	0.194
1h 2.35 w2.3/r2.75/lb35	162	6 331	1.345	59.3%	-17.3%	1.283	1.477	0.194
1h 2.15 w2.25/r2.75/lb35	163	4 679	1.279	58.3%	-15.8%	1.222	1.402	0.180
1h 2.15 w2.2/r2.75/lb35	163	4 679	1.279	58.3%	-15.8%	1.222	1.402	0.180
1h 2.15 w2.25/r2.75/lb35	163	4 679	1.279	58.3%	-15.8%	1.222	1.402	0.180
1h 2.15 w2.3/r2.75/lb35	163	4 679	1.279	58.3%	-15.8%	1.222	1.402	0.180

4. Selected roles


Role	Candidate	Trades	PnL	PF	WR	DD	Long PF	Short PF	Gap
base symmetric reference	base 2.15 w11/r12/lb10	197	4 088	1.218	57.9%	-20.3%	1.214	1.222	0.008
base stability reference	base 2.15 w11/r12/lb20	200	3 812	1.202	57.5%	-20.3%	1.184	1.224	0.040
phase2d 1h control	1h 2.15 w2.25/r2.75/lb35	163	4 679	1.279	58.3%	-15.8%	1.222	1.402	0.180
best 1h strict score	1h 2.15 w2.2/r2.75/lb35	163	4 679	1.279	58.3%	-15.8%	1.222	1.402	0.180
most symmetric 1h accepted	1h 2.15 w1.9/r2.75/lb35	167	3 853	1.222	57.5%	-17.7%	1.174	1.318	0.144
performance 1h not main	1h 2.15 w1.9/r2.75/lb20	150	5 452	1.382	59.3%	-17.1%	1.217	1.857	0.640
upper comparator not main	1h 2.35 w2.3/r2.65/lb20	170	6 550	1.364	60.0%	-19.0%	1.288	1.534	0.247

5. Key heatmaps - rail 2.15 lb35








Phase 2E rail 2.15 lb35: Short PF





Phase 2E rail 2.15 lb35: Trades




6. Overview heatmaps and charts





Phase 2E focused candidates: PF vs symmetry gap



7. Decision

Carry forward base 2.15 w11/r12 lb10/lb20, 1h 2.15 w2.25/r2.75/lb35, 1h 2.15 w1.9/r2.75/lb35, and 1h 2.15 w1.9/r2.75/lb20 as performance comparator. Next: RSI 1h diagnostic segmentation on this shortlist.