

1. Brand Identity

Name: AURA AI

Tagline: *Master AI. Level Up Your Career.*

Personality: Dark, futuristic, gamified — like a sci-fi command center meets a learning platform.

Aesthetic references: Cyberpunk HUD, neural network visualizations, constellation maps, energy fields.

2. Color System

All colors use HSL format. Copy these CSS custom properties into any `:root / .dark` block.

Light Mode (:root)

```
:root { /* Backgrounds */ --background:    0 0% 100%; --foreground:    200 25% 12%; --card:        200 10% 97%; --card-foreground:  200 25% 12%; --card-border:    200 15% 90%; --sidebar:        200 15% 96%; --sidebar-foreground: 200 20% 20%; --sidebar-border:  200 15% 88%; --popover:        0 0% 100%; --popover-foreground: 200 25% 12%; --popover-border:  200 15% 88%; /* Brand Colors */ --primary:        175 70% 38%; /* Teal — main brand color */ --primary-foreground: 0 0% 100%; --accent:          45 85% 50%; /* Gold — highlights & rewards */ --accent-foreground: 0 0% 100%; /* UI Colors */ --secondary:        200 12% 92%; --secondary-foreground: 200 20% 20%; --muted:           200 10% 94%; --muted-foreground:  200 10% 40%; --border:          200 15% 88%; --input:           200 15% 90%; --ring:            175 70% 40%; --destructive:     0 70% 50%; --destructive-foreground: 0 0% 100%; /* Sidebar Accent */ --sidebar-primary:    175 70% 40%; --sidebar-primary-foreground: 0 0% 100%; --sidebar-accent:      200 15% 93%; --sidebar-accent-foreground: 200 20% 15%; --sidebar-ring:        175 70% 40%; /* Data Visualization */ --chart-1: 175 70% 40%; /* Teal */ --chart-2: 45 85% 50%; /* Gold */ --chart-3: 140 60% 40%; /* Emerald */ --chart-4: 280 60% 50%; /* Violet */ --chart-5: 30 80% 50%; /* Orange */ }
```

Dark Mode (.dark)

```
.dark { --background:    200 25% 10%; --foreground:    180 20% 95%; --card:        200 22% 12%; --card-foreground:  180 20% 95%; --card-border:    200 20% 16%; --sidebar:        200 25% 8%; --sidebar-foreground: 180 20% 90%; --sidebar-border:  200 20% 15%; --popover:        200 22% 12%; --popover-foreground: 180 20% 95%; --popover-border:  200 20% 18%; --primary:        175 70% 45%; /* Lighter teal for dark bg */ --primary-foreground: 200 25% 8%; --accent:          45 85% 55%; /* Bright gold */ --accent-foreground: 200 25% 8%; --secondary:        200 18% 18%; --secondary-foreground: 180 20% 90%; --muted:          200 15% 15%; --muted-
```

```
foreground: 200 15% 55%; --border: 200 20% 18%; --input: 200 20% 20%; --ring: 175 70% 45%; --destructive: 0 70% 50%; --destructive-foreground: 0 0% 100%; --sidebar-primary: 175 70% 45%; --sidebar-primary-foreground: 200 25% 8%; --sidebar-accent: 200 20% 15%; --sidebar-accent-foreground: 180 20% 95%; --sidebar-ring: 175 70% 45%; --chart-1: 175 70% 45%; --chart-2: 45 85% 55%; --chart-3: 140 60% 45%; --chart-4: 280 60% 55%; --chart-5: 30 80% 55%;}
```

Color Palette Quick Reference

Token	Light	Dark	Usage
primary	Teal 175 70% 38%	Teal 175 70% 45%	CTAs, links, progress bars
accent	Gold 45 85% 50%	Gold 45 85% 55%	XP, rewards, achievements
chart-3	Emerald 140 60% 40%	Emerald 140 60% 45%	Streaks, success states
chart-4	Violet 280 60% 50%	Violet 280 60% 55%	Premium / Agentic tier
chart-5	Orange 30 80% 50%	Orange 30 80% 55%	Warnings, Boss Battles
background	White 0 0% 100%	Deep navy 200 25% 10%	Page background
card	Off-white 200 10% 97%	Dark card 200 22% 12%	Cards, panels

3. Typography

--font-sans: 'Inter', sans-serif; /* UI text, body copy */--font-serif: 'Playfair Display', Georgia, serif; /* Headings, hero text */--font-mono: 'JetBrains Mono', Menlo, monospace; /* Code, prompts, AI output */

Type Scale (Tailwind)

Class	Usage
text-4xl font-bold	Hero headings, tier names
text-2xl font-semibold	Section headings, card titles
text-lg font-medium	Lesson titles, feature names

Class	Usage
text-sm text-muted-foreground	Metadata, timestamps, labels
font-mono text-sm	Code blocks, AI prompts

4. Spacing & Radius

--radius: 0.5rem; /* Base border radius */--spacing: 0.25rem; /* Base spacing unit */
/** Tailwind border-radius overrides */border-radius-lg: 0.5625rem /* 9px */border-radius-md: 0.375rem /* 6px */border-radius-sm: 0.1875rem /* 3px */

Gutters: Use gap-4 (1rem) inside cards, gap-6 (1.5rem) between cards, gap-8 (2rem) between sections.

5. Shadows

/* Light mode — subtle */--shadow-2xs: 0 1px 2px 0 rgba(0,0,0,0.05);--shadow-xs: 0 1px 3px 0 rgba(0,0,0,0.08);--shadow-sm: 0 2px 4px 0 rgba(0,0,0,0.08);--shadow: 0 4px 6px -1px rgba(0,0,0,0.08);--shadow-md: 0 6px 10px -2px rgba(0,0,0,0.1);--shadow-lg: 0 10px 15px -3px rgba(0,0,0,0.1);--shadow-xl: 0 20px 25px -5px rgba(0,0,0,0.1);--shadow-2xl: 0 25px 50px -12px rgba(0,0,0,0.15);/* Dark mode — deeper */--shadow: 0 4px 6px -1px rgba(0,0,0,0.4);--shadow-lg: 0 10px 15px -3px rgba(0,0,0,0.5);--shadow-2xl: 0 25px 50px -12px rgba(0,0,0,0.6);

6. Gamification Tier Colors

Each of the 5 mastery tiers has its own color identity:

Tier	Level Range	Color	HEX	approx Glow CSS class
Knowledge Partner	1–20	Bronze/Orange	#d97706	tier-glow-bronze
Thinking Partner	21–40	Silver	#94a3b8	tier-glow-silver
Product Builder	41–60	Gold	#eab308	tier-glow-gold
Automations	61–80	Platinum	#bfdbfe	tier-glow-platinum
Agentic AI	81–100	Master/Violet	#a855f7	tier-glow-master

Tier Glow CSS

```
.tier-glow-bronze { box-shadow: 0 0 30px hsl(30 80% 50% / 0.3), inset 0 0 20px hsl(30 80% 50% / 0.1);}.tier-glow-silver { box-shadow: 0 0 30px hsl(220 20% 70% / 0.3), inset 0 0 20px hsl(220 20% 70% / 0.1);}.tier-glow-gold { box-shadow: 0 0 30px hsl(45 90% 55% / 0.3), inset 0 0 20px hsl(45 90% 55% / 0.1);}.tier-glow-platinum { box-shadow: 0 0 30px hsl(200 30% 75% / 0.3), inset 0 0 20px hsl(200 30% 75% / 0.1);}.tier-glow-master { box-shadow: 0 0 40px hsl(280 70% 60% / 0.4), 0 0 60px hsl(45 90% 55% / 0.2), inset 0 0 20px hsl(280 70% 60% / 0.15);}
```

7. Signature Visual Effects

These utility classes define the AURA brand's unique look. Copy them into your global CSS.

7.1 Animated Gradient Text

```
.aura-text-gradient { background: linear-gradient( 90deg, hsl(175 70% 50%), hsl(45 85% 55%), hsl(280 60% 55%), hsl(175 70% 50%) ); background-size: 300% 100%; -webkit-background-clip: text; background-clip: text; color: transparent; animation: gradient-shift 6s ease infinite;}@keyframes gradient-shift { 0%, 100% { background-position: 0% 50%; } 50% { background-position: 100% 50%; }}
```

7.2 Floating Orb Backgrounds

```
.aura-orb { position: absolute; border-radius: 50%; filter: blur(80px); animation: float-orb 20s ease-in-out infinite; pointer-events: none;}.aura-orb-primary { background: radial-gradient(circle, hsl(175 70% 45% / 0.4), transparent 70%);}.aura-orb-accent { background: radial-gradient(circle, hsl(45 85% 55% / 0.3), transparent 70%);}.aura-orb-violet { background: radial-gradient(circle, hsl(280 60% 55% / 0.3), transparent 70%);}.aura-orb-emerald { background: radial-gradient(circle, hsl(140 60% 45% / 0.35), transparent 70%);}@keyframes float-orb { 0%, 100% { transform: translate(0, 0) scale(1); } 25% { transform: translate(30px, -40px) scale(1.1); } 50% { transform: translate(-20px, 20px) scale(0.95); } 75% { transform: translate(40px, 30px) scale(1.05); }}
```

Usage example:

```
<div class="relative overflow-hidden"> <div class="aura-orb aura-orb-primary w-96 h-96 top-0 -left-20 opacity-60" /> <div class="aura-orb aura-orb-accent w-64 h-64 bottom-0 right-0 opacity-40" /> <!-- your content --></div>
```

7.3 Pulsing Glow

```
.aura-pulse { animation: aura-glow-pulse 3s ease-in-out infinite;}@keyframes aura-glow-pulse { 0%, 100% { box-shadow: 0 0 20px hsl(175 70% 45% / 0.3); } 50% { box-shadow: 0 0 40px hsl(175 70% 45% / 0.5), 0 0 60px hsl(175 70% 45% / 0.2); }}
```

7.4 Rotating Energy Ring

```
.aura-ring { position: relative; }.aura-ring::before { content: ""; position: absolute; inset: -4px; border-radius: inherit; background: conic-gradient( from 0deg, hsl(175 70% 45% / 0.6), hsl(45 85% 55% / 0.4), hsl(280 60% 55% / 0.5), hsl(175 70% 45% / 0.6) ); animation: ring-rotate 8s linear infinite; z-index: -1; filter: blur(3px); } @keyframes ring-rotate { 0% { transform: rotate(0deg); } 100% { transform: rotate(360deg); } }
```

7.5 Neural Network Grid Background

```
.neural-bg { background-image: linear-gradient(135deg, hsl(175 70% 45% / 0.05) 1px, transparent 1px), linear-gradient(225deg, hsl(175 70% 45% / 0.05) 1px, transparent 1px); background-size: 60px 60px; }
```

7.6 Shimmer Effect (for premium / special elements)

```
.aura-shimmer { position: relative; overflow: hidden; }.aura-shimmer::after { content: ""; position: absolute; inset: 0; background: linear-gradient( 110deg, transparent 20%, hsl(195 80% 70% / 0.15) 40%, hsl(195 80% 80% / 0.25) 50%, hsl(195 80% 70% / 0.15) 60%, transparent 80% ); animation: shimmer 3s ease-in-out infinite; } @keyframes shimmer { 0% { transform: translateX(-100%); } 100% { transform: translateX(100%); } }
```

8. Interaction / Elevation System

A layered hover/active system that works without changing color directly.

```
/* Light mode */ --elevate-1: rgba(0, 0, 0, .04); --elevate-2: rgba(0, 0, 0, .08); /* Dark mode */ --elevate-1: rgba(255, 255, 255, .04); --elevate-2: rgba(255, 255, 255, .09);
```

Apply via utility classes:

```
<!-- Hover effect --> <button class="hover-elevate">Hover me</button> <!-- Active / press effect --> <button class="active-elevate">Press me</button> <!-- Toggle state (e.g. selected item) --> <div class="toggle-elevate data-[state=on]:toggle-elevated">Item</div>
```

9. Focus & Accessibility

```
*:focus-visible { outline: 2px solid hsl(var(--primary)); outline-offset: 2px; }
```

Reduced motion support:

```
@media (prefers-reduced-motion: reduce) { *, *::before, *::after { animation-duration: 0.01ms !important; animation-iteration-count: 1 !important; transition-duration: 0.01ms !important; }}
```

High contrast support:

```
@media (prefers-contrast: more) { :root { --border: 200 20% 70%; --muted-foreground: 200 15% 30%; } .dark { --border: 200 20% 40%; --muted-foreground: 200 10% 70%; }}
```

10. Component Patterns

Card

```
<div class="bg-card border border-card-border rounded-lg p-6 shadow-sm"> ...</div>
```

Primary Button

```
<button class="bg-primary text-primary-foreground rounded-md px-4 py-2 font-medium hover-elevate active-elevate"> Get Started</button>
```

Badge / Status Chip

```
<span class="bg-accent/15 text-accent border border-accent/20 rounded-full px-2.5 py-0.5 text-xs font-medium"> +250 XP</span>
```

Progress Bar

```
<div class="w-full bg-muted rounded-full h-2"> <div class="bg-primary h-2 rounded-full transition-all" style="width: 65%" /></div>
```

Glowing Stat Card

```
<div class="bg-card border border-primary/20 rounded-lg p-4 aura-pulse"> <p class="text-muted-foreground text-sm">Total XP</p> <p class="text-3xl font-bold text-primary">12,450</p></div>
```

11. Icon Library

Icons come from **Lucide React** (lucide-react).

Company/brand logos from **React Icons SI** (react-icons/si).

Common icons used in AURA AI:

- Zap — XP, energy, speed
- Trophy — achievements, leaderboard
- Flame — streaks

- Brain — AI / learning
- Star — ratings, prestige
- Shield — boss battles, security
- ChevronRight — navigation, progression
- Clock — time estimates

12. Tailwind Config Snippet

```
// tailwind.config.ts export default { darkMode: ["class"], theme: { extend:
{ borderRadius: { lg: ".5625rem", md: ".375rem", sm:
".1875rem", }, colors: { background: "hsl(var(--background) / <alpha-
value>)", foreground: "hsl(var(--foreground) / <alpha-value>)", border: "hsl(var(--
border) / <alpha-value>)", input: "hsl(var(--input) / <alpha-value>)", card:
{ DEFAULT: "hsl(var(--card) / <alpha-value>)", foreground: "hsl(var(--card-
foreground) / <alpha-value>)", border: "hsl(var(--card-border) / <alpha-
value>)", }, primary: { DEFAULT: "hsl(var(--primary) / <alpha-
value>)", foreground: "hsl(var(--primary-foreground) / <alpha-
value>)", }, accent: { DEFAULT: "hsl(var(--accent) / <alpha-
value>)", foreground: "hsl(var(--accent-foreground) / <alpha-
value>)", }, muted: { DEFAULT: "hsl(var(--muted) / <alpha-
value>)", foreground: "hsl(var(--muted-foreground) / <alpha-
value>)", }, secondary: { DEFAULT: "hsl(var(--secondary) / <alpha-
value>)", foreground: "hsl(var(--secondary-foreground) / <alpha-
value>)", }, destructive: { DEFAULT: "hsl(var(--destructive) / <alpha-
value>)", foreground: "hsl(var(--destructive-foreground) / <alpha-
value>)", }, ring: "hsl(var(--ring) / <alpha-value>)", sidebar: { DEFAULT:
"hsl(var(--sidebar) / <alpha-value>)", foreground: "hsl(var(--sidebar-foreground) /
<alpha-value>)", border: "hsl(var(--sidebar-border) / <alpha-value>)", ring:
"hsl(var(--sidebar-ring) / <alpha-value>)", }, }, fontFamily: { sans: ["var(--font-
sans)"], serif: ["var(--font-serif)"], mono: ["var(--font-mono)"], }, }, }, plugins:
[require("tailwindcss-animate"), require("@tailwindcss/typography")],};
```

13. Stack Requirements

To use this design system in another app, install:

```
npm install tailwindcss tailwindcss-animate @tailwindcss/typography
npm install @radix-ui/react-* shadcn-ui
npm install lucide-react react-icons
npm install framer-motion # for page transitions & animated elements
```

Fonts (add to your <head> or CSS):

<link

href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700&family=Playfair+Display:wght@700&family=JetBrains+Mono&display=swap" rel="stylesheet">

Generated from AURA AI codebase — March 2026