Московский государственный технический университет им. Н.Э. Баумана

Факультет «Информатика и системы управления» Кафедра ИУ5 «Системы обработки информации и управления»

Курс «Технологии машинного обучения»

Отчет по лабораторной работе №2 «Обработка пропусков в данных, кодирование категориальных признаков, масштабирование данных.»

Выполнил:
студент группы ИУ5-64Б
Низовцев Р.А.

Проверил:
преподаватель каф. ИУ5
Гапанюк Ю.Е.

Москва, 2022 г.

Описание задания:

1. Выбрать набор данных (датасет), содержащий категориальные признаки и пропуски в данных. Для выполнения следующих пунктов можно использовать несколько различных наборов данных (один для обработки пропусков, другой для категориальных признаков и т.д.)
2. Для выбранного датасета (датасетов) на основе материалов лекции решить следующие задачи: ○ обработку пропусков в данных; ○ кодирование категориальных признаков; ○ масштабирование данных.

Лабораторая работа №2: Обработка пропусков в данных, кодирование категориальных признаков, масштабирование данных.

```
import pandas as pd
import numpy as np
from matplotlib import pyplot as
plt import seaborn as sns import
math
from sklearn.impute import SimpleImputer
from sklearn.preprocessing import MinMaxScaler, StandardScaler, Normalizer
```

1)Обработка пропусков в данных

In [1]:

In [2]:
```
data = pd.read_csv('crimes.csv')
```

In [3]:
```
data.head()
```

Out[3]:

	CrimeDate	CrimeTime	CrimeCode	Location	Description	Inside/Outside	Weapon	Post	District	Neighborhood	Location 1	Total Incidents
0	11/12/2016	02:35:00	3B	300 SAINT PAUL PL	ROBBERY - STREET	O	NaN	111.0	CENTRAL	Downtown	(39.2924100000, -76.6140800000)	1
1	11/12/2016	02:56:00	3CF	800 S BROADWAY	ROBBERY - COMMERCIAL	I	FIREARM	213.0	SOUTHEASTERN	Fells Point	(39.2824200000, -76.5928800000)	1
2	11/12/2016	03:00:00	6D	1500 PENTWOOD RD	LARCENY FROM AUTO	O	NaN	413.0	NORTHEASTERN	Stonewood-Pentwood-Winston	(39.3480500000, -76.5883400000)	1
3	11/12/2016	03:00:00	6D	6600 MILTON LN	LARCENY FROM AUTO	O	NaN	424.0	NORTHEASTERN	Westfield	(39.3626300000, -76.5516100000)	1
4	11/12/2016	03:00:00	6E	300 W BALTIMORE ST	LARCENY	O	NaN	111.0	CENTRAL	Downtown	(39.2893800000, -76.6197100000)	1

In [4]:
```
data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 285807 entries, 0 to 285806
Data columns (total 12 columns):
 #   Column           Non-Null Count   Dtype
---  ------           --------------   -----
0 CrimeDate        285807 non-null  object
1 CrimeTime        285807 non-null  object
2 CrimeCode        285807 non-null  object
3 Location         284184 non-null  object
4 Description      285807 non-null  object
5 Inside/Outside   281611 non-null  object
6 Weapon           97396 non-null   object
7 Post             285616 non-null  float64
8 District         285749 non-null  object
9 Neighborhood     284106 non-null  object
10          Location 1       284188 non-null  object   11  Total Incidents  285807 non-null  int64
dtypes: float64(1), int64(1), object(10) memory usage: 26.2+ MB
```

In [5]:
```
bad_cols = [] for col in
data.columns:     if
data[col].isnull().sum():
       bad_cols.append(col)     print(f'{col}: {data[col].isnull().sum()}
({round(data[col].isnull().sum() / data.shape[0] * 100, 3)}%)') print('\nbad columns:', bad_cols)
```

```
CrimeDate: 0 (0.0%)
CrimeTime: 0 (0.0%)
CrimeCode: 0 (0.0%)
Location: 1623 (0.568%)
Description: 0 (0.0%)
Inside/Outside: 4196 (1.468%)
Weapon: 188411 (65.922%)
Post: 191 (0.067%)
District: 58 (0.02%)
Neighborhood: 1701 (0.595%)
Location 1: 1619 (0.566%) Total Incidents: 0 (0.0%) bad columns: ['Location', 'Inside/Outside',
'Weapon', 'Post', 'District', 'Neighborhood', 'Location 1']
```

In [6]:
```
print("Количество уникальных значений\n") for
col in data.columns:     print(f'{col}:
{data[col].unique().size}')
```

```
Количество уникальных значений

CrimeDate: 2143
CrimeTime: 4236
CrimeCode: 81
Location: 25950
Description: 15
Inside/Outside: 5
Weapon: 5
Post: 190
District: 14
Neighborhood: 281
Location 1: 97952
Total Incidents: 1
```

In [7]:
```
data.drop(['Total Incidents', 'Weapon'], axis=1, inplace=True) # малоинформативные столбцы
data.head()
```

Out[7]:

	CrimeDate	CrimeTime	CrimeCode	Location	Description	Inside/Outside	Post	District	Neighborhood	Location 1
0	11/12/2016	02:35:00	3B	300 SAINT PAUL PL	ROBBERY - STREET	O	111.0	CENTRAL	Downtown	(39.2924100000, -76.6140800000)
1	11/12/2016	02:56:00	3CF	800 S BROADWAY	ROBBERY - COMMERCIAL	I	213.0	SOUTHEASTERN	Fells Point	(39.2824200000, -76.5928800000)
2	11/12/2016	03:00:00	6D	1500 PENTWOOD RD	LARCENY FROM AUTO	O	413.0	NORTHEASTERN	Stonewood-Pentwood-Winston	(39.3480500000, -76.5883400000)
3	11/12/2016	03:00:00	6D	6600 MILTON LN	LARCENY FROM AUTO	O	424.0	NORTHEASTERN	Westfield	(39.3626300000, -76.5516100000)
4	11/12/2016	03:00:00	6E	300 W BALTIMORE ST	LARCENY	O	111.0	CENTRAL	Downtown	(39.2893800000, -76.6197100000)

In [8]:

Out[8]:
```
data['Inside/Outside'].unique()
```

In [9]:

```
array(['O', 'I', 'Outside', 'Inside', nan], dtype=object)
```

Out[9]:
```
data['Inside/Outside'].replace('I','Inside', inplace=True)
data['Inside/Outside'].replace('O','Outside', inplace=True)
data['Inside/Outside'].unique()
```

In [10]:
```
array(['Outside', 'Inside', nan], dtype=object)
```

Out[10]:

In [11]:
```
data['Inside/Outside'].value_counts()
```

Out[11]:
```
Inside     142531
Outside    139080
Name: Inside/Outside, dtype: int64
```

```
data['Post'].value_counts()
```

```
111.0    9776
212.0    4982
922.0    4655
211.0    4513
913.0    4470
...
2.1         1 925.0
1
0.7          1
0.6          1
1.0          1
Name: Post, Length: 189, dtype: int64
```

In [12]:

Out[12]:
```
data['District'].value_counts()
```

In [13]:
```
NORTHEASTERN     44832
SOUTHEASTERN     39245
CENTRAL          33782
SOUTHERN         33031
NORTHERN         32005
NORTHWESTERN     28690
SOUTHWESTERN     26242
EASTERN          24168
WESTERN          23266
NORTHESTERN        280
SOUTHESTERN        205
Central              2
Gay Street           1
Name: District, dtype: int64
```

Out[13]:
```
data['Neighborhood'].value_counts()
```

```
Downtown                   9666
Frankford                  6791
Belair-Edison              6133
Brooklyn                   4528
Cherry Hill                4273
...
Mt Pleasant Park             12
Blythewood                    5
EASTERN                       1
Dundalk Marine Terminal       1
NORTHEASTERN                  1
Name: Neighborhood, Length: 280, dtype: int64
```

In [14]:
```
data = data.dropna(subset=['Location 1'], axis=0)
```

```
x = [float(elem[1:14]) for elem in data['Location 1']] y =
[float(elem[17:30]) for elem in data['Location 1']]
data['X'] = pd.Series(x).reindex(data.index,
```

```
method='ffill') data['Y'] =
pd.Series(y).reindex(data.index, method='ffill')
 data.drop(['Location 1'], axis=1, inplace=True)
```

In [15]:
```
def show_coords_dist():     fig, (ax1, ax2) =
 plt.subplots(1, 2, figsize=(12, 4))
 sns.boxplot(data=data['X'], ax=ax1);
 sns.boxplot(data=data['Y'], ax=ax2);
 ax1.set_title('X coord')     ax2.set_title('Y coord')
 plt.show()
```

In [16]:
```
show_coords_dist()
```



In [17]:
```
data.drop(data[data['X'] > 40].index, inplace=True)
```

In [18]:
```
show_coords_dist()
```



In [19]:
```
SimpleImputer(strategy='constant', fill_value='-', copy=False).fit_transform(data['Location'].values.reshape(-1, 1))
SimpleImputer(strategy='constant', fill_value='-', copy=False).fit_transform(data['Neighborhood'].values.reshape(-1, 1))
SimpleImputer(strategy='constant', fill_value='Inside', copy=False).fit_transform(data['Inside/Outside'].values.reshape(-1, 1))


data = data.dropna(subset=['Post'], axis=0)
data = data.dropna(subset=['District'],
axis=0) data = data.dropna(subset=['X'],
axis=0) data = data.dropna(subset=['Y'],
axis=0)
```

In [20]:
```
data.isnull().sum()
```

Out[20]:
```
CrimeDate         0
CrimeTime         0
CrimeCode         0
Location          0
Description       0
Inside/Outside    0
Post              0
District          0
Neighborhood      0
X                 0
Y                 0
dtype: int64
```

2) Кодирование категориальных признаков

In [21]:
```
data.head()
```

Out[21]:

	CrimeDate	CrimeTime	CrimeCode	Location	Description	Inside/Outside	Post	District	Neighborhood	X	Y
4	11/12/2016	03:00:00	6E	300 W BALTIMORE ST	LARCENY	Outside	111.0	CENTRAL	Downtown	39.28938	76.61971

```
data['Hours'] = [int(elem[:2]) for elem in data['CrimeTime']]


data['Minutes'] = [int(elem[3:5]) for elem in data['CrimeTime']]
data.head()
```

0	11/12/2016	02:35:00	3B	300 SAINT PAUL PL	ROBBERY - STREET	Outside	111.0	CENTRAL	Downtown	39.29241	76.61408
1	11/12/2016	02:56:00	3CF	800 S BROADWAY	ROBBERY - COMMERCIAL	Inside	213.0	SOUTHEASTERN	Fells Point	39.28242	76.59288
2	11/12/2016	03:00:00	6D	1500 PENTWOOD RD	LARCENY FROM AUTO	Outside	413.0	NORTHEASTERN	Stonewood-Pentwood-Winston	39.34805	76.58834
3	11/12/2016	03:00:00	6D	6600 MILTON LN	LARCENY FROM AUTO	Outside	424.0	NORTHEASTERN	Westfield	39.36263	76.55161

In [22]:

Out[22]:

	CrimeDate	CrimeTime	CrimeCode	Location	Description	Inside/Outside	Post	District	Neighborhood	X	Y	Hours	Minutes
3	11/12/2016	03:00:00	6D	6600 MILTON LN	LARCENY FROM AUTO	Outside	424.0	NORTHEASTERN	Westfield	39.36263	76.55161	3	0
4	11/12/2016	03:00:00	6E	300 W BALTIMORE ST	LARCENY	Outside	111.0	CENTRAL	Downtown	39.28938	76.61971	3	0

```
category_cols = ['CrimeCode', 'Location', 'Description', 'Inside/Outside', 'District', 'Neighborhood']
```

```
print("Количество уникальных значений\n")
for col in category_cols:
    print(f'{col}: {data[col].unique().size}')
```

```
Количество уникальных значений

CrimeCode: 81
Location: 25937
Description: 15
Inside/Outside: 2
District: 12
Neighborhood: 281
```

```
category_cols.remove('Location')
category_cols.remove('Neighborhood')
```

```
for col in category_cols:
    data = pd.concat([data, pd.get_dummies(data[col])], axis=1)
```

```
data.head()
```

	CrimeDate	CrimeTime	CrimeCode	Location	Description	Inside/Outside	Post	District	Neighborhood	X	...Gay Street	NORTHEASTERN	NORTHERN	NORT
0	11/12/2016	02:35:00	3B	300 SAINT PAUL PL	ROBBERY - STREET	Outside	111.0	CENTRAL	Downtown	39.29241	76.61408	2	35	
1	11/12/2016	02:56:00	3CF	800 S BROADWAY	ROBBERY - COMMERCIAL	Inside	213.0	SOUTHEASTERN	Fells Point	39.28242	76.59288	2	56	
2	11/12/2016	03:00:00	6D	1500 PENTWOOD RD	LARCENY FROM AUTO	Outside	413.0	NORTHEASTERN	Stonewood-Pentwood-Winston	39.34805	76.58834	3	0	

In [23]:

In [24]:

In [25]:

In [26]:

In [27]:

Out[27]:

	CrimeDate	CrimeTime	CrimeCode	Location	Description	Inside/Outside	Post	District	Neighborhood	X	...	Gay Street	NORTHEASTERN	NORTHERN	NORT
0	11/12/2016	02:35:00	3B	300 SAINT PAUL PL	ROBBERY - STREET	Outside	111.0	CENTRAL	Downtown	39.29241	...	0	0	0	
1	11/12/2016	02:56:00	3CF	800 S BROADWAY	ROBBERY - COMMERCIAL	Inside	213.0	SOUTHEASTERN	Fells Point	39.28242	...	0	0	0	
2	11/12/2016	03:00:00	6D	1500 PENTWOOD RD	LARCENY FROM AUTO	Outside	413.0	NORTHEASTERN	Stonewood-PentwoodWinston	39.34805	...	0	1	0	
3	11/12/2016	03:00:00	6D	6600 MILTON LN	LARCENY FROM AUTO	Outside	424.0	NORTHEASTERN	Westfield	39.36263	...	0	1	0	
4	11/12/2016	03:00:00	6E	300 W BALTIMORE ST	LARCENY	Outside	111.0	CENTRAL	Downtown	39.28938	...	0	0	0	

5 rows × 123 columns

Масштабирование данных

```
In [28]: sns.histplot(data['Post'])
```

```
Out[28]: <AxesSubplot:xlabel='Post', ylabel='Count'>
```




```
In [29]: data['Post'] = MinMaxScaler().fit_transform(data['Post'].values.reshape(-1, 1))
         sns.histplot(data['Post']);
```




```
In [30]: data['Hours'] = MinMaxScaler().fit_transform(data['Hours'].values.reshape(-1, 1))
         data['Minutes'] = MinMaxScaler().fit_transform(data['Minutes'].values.reshape(-1,
         1)) data['X'] = MinMaxScaler().fit_transform(data['X'].values.reshape(-1, 1))
         data['Y'] = MinMaxScaler().fit_transform(data['Y'].values.reshape(-1, 1))
```

```
In [31]: fig, (ax1, ax2) = plt.subplots(1, 2, figsize=(15, 4))
         sns.histplot(data['X'], ax=ax1, bins=30)
         sns.histplot(data['Y'], ax=ax2, bins=30)
         ax1.set_title('X disribution') ax2.set_title('Y
         distribution') plt.show()
```




```
In [32]: fig, (ax1, ax2) = plt.subplots(1, 2, figsize=(15, 4))
         sns.histplot(data['Hours'], ax=ax1)
         sns.histplot(data['Minutes'], ax=ax2)
         ax1.set_title('Hours disribution')
         ax2.set_title('Minutes distribution') plt.show()
```


Hours disribution
Count
Hours
0
2500
5000
7500
10000
12500
15000
17500
0.0
0.2
0.4
0.6
0.8
1.0


Minutes distribution
Count
Minutes
0
20000
40000
60000
80000
100000
0.0
0.2
0.4
0.6
0.8
1.0