ICA0002: IT Infrastructure Services

Web Servers

Roman Kuchin
Juri Hudolejev
2025

Basic terms

WWW: World Wide Web, the Web

URL: Uniform Resource Locator

Web server

Web client (web browser, user agent)

(very) Generic IT service examples



Service communication



Web client and web server



Web client and web server

Start line + optional headers (key-value) + optional body (HTML etc.)

https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/Messages

Demo time!

Web client and web server

FTP, Gopher, HTTP/0.9, HTTP/1.0, HTTP/1.1,

HTTP/2, HTTP/3, HTTPS, SPDY,



JSON, PDF, XML, Zip,

images, videos, …

https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/Evolution_of_HTTP

Web server market share



Apache HTTPd

The oldest of the existing mainstream web servers, and still widely used

Free and open-source, maintained by Apache Software Foundation

First release in 1995, current stable version: 2.4

Modules for TLS, server-side scripts, authentication, proxying, etc.

- List of modules: https://en.wikipedia.org/wiki/List_of_Apache_modules

Web site: https://httpd.apache.org

Nginx

Newer web server: first public release in 2004, current stable version: 1.29

- Nginx: free and open-source (BSD license)
- Nginx Plus: proprietary

The most widely used web server today

Web server, HTTP proxy, load balancer

- List of modules: https://nginx.org/en/docs

Web site: https://nginx.org

Questions?

Behind the web server

Previous lab



Web server operation modes

Static documents:

- web server returns a requested file directly from the local filesystem

Dynamic documents:

- web server delegates to another program that generates the resource on the fly (dynamically), and sends that generated resource to the client

Proxy mode:

- web server forwards request to other services

Web server operation modes

Static documents:

- web server returns a requested file directly from the local filesystem

Dynamic documents:

- web server delegates to another program that generates the resource on the fly (dynamically), and sends that generated resource to the client

Proxy mode:

- web server forwards request to other services

Web server script modules



Server runs the script inside the main process using the extension module

- Apache HTTPd: Perl module, PHP module etc.
- Nginx: Lua module, JavaScript module etc.

Dynamic resource example

```
<?php

echo '<h1>It works!</h1>';
```

It works!

```
<?php

phpinfo();
```

PHP Version 5.2.3-1ubuntu6.3

System	Linux grenadine 2.6.18-xenU #3 SMP Thu Jan 10 15:56:11 CET 2008 i686
Build Date	Jan 10 2008 09:24:13
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/apache2
Loaded Configuration File	/etc/php5/apache2/php.ini
Scan this dir for additional .ini files	/etc/php5/apache2/conf.d
additional .ini files parsed	/etc/php5/apache2/conf.d/curl.ini, /etc/php5/apache2/conf.d/gd.ini, /etc/php5/apache2/conf.d/mysql.ini, /etc/php5/apache2/conf.d/mysqli.ini, /etc/php5/apache2/conf.d/pdo.ini, /etc/php5/apache2/conf.d/pdo_mysql.ini, /etc/php5/apache2/conf.d/pspell.ini, /etc/php5/apache2/conf.d/tidy.ini

Web server script modules



Probably the fastest method for shorter scripts

Web server needs a custom module

Script runs inside web server -- security risks

Embedded web servers



Instead of web server running an app (script) -- app could run a web server!

Embedded web servers



Upgrades are pain

Lack of features as compared to standalone web servers

Reimplementing the web server on every programming language

Performance issues: works for Java, microservices but not for scripting languages

External scripts

Script is executed by web server as a separate process

The simplest and the earliest known method

External scripts

Process startup and teardown overhead

Script runs in the context of web server -- security risks

No standard interface for servers to communicate with scripts

Gateway interfaces

1993: Common Gateway Interface (CGI)

Gateway interfaces

1993: Common Gateway Interface (CGI)

1996: FastCGI (binary protocol) -- scripts are run by a separate process

Gateway interfaces

1993: Common Gateway Interface (CGI)

1996: FastCGI (binary protocol) -- scripts are run by a separate process

2001: Simple Common Gateway Interface (SCGI)

Gateway interfaces

1993: Common Gateway Interface (CGI)

1996: FastCGI (binary protocol) -- scripts are run by a separate process

2001: Simple Common Gateway Interface (SCGI)

Netscape, Microsoft, Apache etc. developed their own protocols

Web server modules to run scripts are still there



https://xkcd.com/927

Gateway interfaces

1993: Common Gateway Interface (CGI)

1996: FastCGI (binary protocol) -- scripts are run in a separate process

2001: Simple Common Gateway Interface (SCGI)

2003: Web Server Gateway Interface (WSGI) for Python

Followed by JSGI for JavaScript, PSGI for Perl, Rack for Ruby etc.

Good read: https://docs.python.org/3.4/howto/webservers.html

CGI SCGI FastCGI PSGI WSGI JSGI ...



uWSGI mission



uWSGI mission



FastCGI and uwsgi examples



Script is executed by **application server** (FPM, uWSGI, Unicorn etc.)

Nginx FastCGI configuration example

```
server {
    listen 80;

    location / {
        fastcgi_pass 127.0.0.1:9000;  # may be remote host as well
        include fastcgi_params;       # found in /etc/nginx/
    }
}
```

uWSGI example is almost identical (**fastcgi_pass** → **uwsgi_pass**)

Dynamic web resources

1. Web server runs the script (app) "inside" to generate the resource

   Easier to set up but not very resource efficient and has security risk

2. App generates the resource and runs the embedded web server to serve it

   Language-specific solution, lack of features

3. Web server communicates with app server that generates the resource

   More complex to set up but is usually preferred for larger deployments

Principle 1 of Unix philosophy:

Write programs that do **one** thing and do it well.

Principle 1 of Unix philosophy:

Write programs that do **one** thing and do it well.

Design good protocols and interfaces so that apps can communicate efficiently.

Other web server topics

Covered later in this course:

- Proxying
- High availability

Out of scope of this course:

- HTTPS, SSL/TLS
- WebSockets, HTTP/2, HTTP/3
- Caching

Questions?