# Продвинутое использование git

Ахмаров Роман Рафаильевич<sup>1</sup>

2 марта, 2024, Москва, Россия

<sup>&</sup>lt;sup>1</sup>Российский Университет Дружбы Народов

# Цели и задачи работы —

# Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

# Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

# Процесс выполнения лабораторной работы

# Node.js

**Рис. 1:** Node.js

#### commitizen

```
rahmarov@rrahmarov:~/git-extended$ pnpm add -g commitizen
                    Update available! 8.12.0 \rightarrow 8.15.4.
       Changelog: https://github.com/pnpm/pnpm/releases/tag/v8.15.4
                    Run "pnpm add -g pnpm" to update.
          Follow @pnpmjs for updates: https://twitter.com/pnpmjs
Packages: +152
Downloading registry.npmjs.org/typescript/5.3.3: 5,76 MB/5,76 MB, done
Progress: resolved 152, reused 0, downloaded 152, added 152, done
 commitizen 4.3.0
Done in 6.5s
 rrahmarov@rrahmarov:~/git-extended$
```

Рис. 2: установка commitizen

# standard-changelog

Рис. 3: установка standard-changelog

# package.json

```
Package.json

"git-extended",

"version": "10.0",

"description": "Git repo for educational Jurposes",

"main": "index.js",

"repository": "git@github.com:romashalun/git-extended.git",

"author": "romashalun",

"license": "CC-BY-4.0",

"config": {

"committeen": {

"path": "cz-conventional-changelog"

}

12 }
```

Рис. 4: package.json

#### Использование commitizen

```
rahmarov@rrahmarov:~/git-extended$ git add
cz-cli@4.3.0. cz-conventional-changelog@3.3.0
 Select the type of change that you're committing: chore: Other changes that don't modify src or test
  What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
 [master ae9169d] chore: v
 1 file changed, 14 insertions(+)
 create mode 100644 package.json
Перечисление объектов: 4. готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 476 байтов | 238.00 КиБ/с, готово.
Всего 3 (изменений ∅), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:romashalun/git-extended.git
   b145088..ae9169d master -> master
    marov@rrahmarov:-/git-extended$
```

Рис. 5: Отправка

```
ahmarov@rrahmarov:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/rrahmarov/git-extended/.git/hooks]
 rahmarov@rrahmarov:-/git-extended$ git branch
 master
rrahmarov@rrahmarov:~/git-extended$ git push --all
Всего 0 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:
            https://github.com/romashalun/git-extended/pull/new/develop
remote:
To github.com:romashalun/git-extended.git
* [new branch] develop -> develop
   hmarov@rrahmarov:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

# git-flow

```
ov@rrahmarov:-/git-extended$ git branch --set-upstream-to=origin/develop develop
branch 'develop' set up to track 'origin/develop'
rahmarov@rrahmarov:-/git-extendeds git flow release start 1.0.0
Переключились на новую ветку «release/1.0.0»
Summary of actions:

    A new branch 'release/1.0.0' was created, based on 'develop'

 You are now on branch 'release/1.0.0'
Follow-up actions:
 Bump the version number now!
 Start committing last-minute fixes in preparing your release
 When done, run:
    git flow release finish '1.0.0'
rahmarov@rrahmarov:~/git-extended$ standard-changelog --first-release
created CHANGELOG.md
✓ output changes to CHANGELOG.md
 rahmarov@rrahmarov:-/git-extended$ git add CHANGELOG.md
[release/1.0.0 6feeaf3] chore(site); add changelog
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
rrahmarov@rrahmarov:-/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG. md | 4 ++++
1 file changed, 4 insertions(+)
```

Рис. 7: Завершение релиза

# Отправим данные на github

```
Перечисление объектов: 6, готово.
Подсчет объектов: 180% (6/6), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 549 ∯айтов | 274.00 КиБ/с, готово.
Всего 5 (изменений 2), повторно истользовано 0 (изменений 0), повторно использовано пакетов 0
remote: Resolving deltas: 100% (2/2), done.
To github.com:romashalun/git-extended.git
   ae9169d..60109da develop -> develop
  ae9169d..9e5b05a master -> master
 rahmarov@rrahmarov:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 155 байтов | 155.00 КиБ/с, готово.
Всего 1 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:romashalun/git-extended.git
 * [new tag]
 rahmarov@rrahmarov:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/romashalun/git-extended/releases/tag/v1.0.0
   hmarov@rrahmarov:-/git-extendeds
```

Рис. 8: Отправка

#### Объединение веток

```
rahmarov@rrahmarov:~/git-extended$ git flow feature start feature branch
Переключились на новую ветку «feature/feature_branch»
Summary of actions:
 A new branch 'feature/feature branch' was created, based on 'develop'
 You are now on branch 'feature/feature_branch'
Now, start committing on your feature. When done, use:
     git flow feature finish feature_branch
rrahmarov@rrahmarov:~/git-extended$ touch test2
rrahmarov@rrahmarov:~/git-extended$ git flow feature finish feature branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature branch удалена (была 60109da).
Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature branch' has been locally deleted
- You are now on branch 'develop'
```

Рис. 9: Объединение веток

### git-flow

```
rrahmarov@rrahmarov:~/git-extended
Ваша ветка опережает «origin/master» на 3 коммита.
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ****
package.ison | 2 *
2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была 14f6795).
Summary of actions:
Release branch 'release/1.2.3' has been merged into 'master'
 The release was tagged '1.2.3'
 Release tag '1.2.3' has been back-merged into 'develop'
 Release branch 'release/1.2.3' has been locally deleted
 You are now on branch 'develop'
 rahmarov@rrahmarov:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется по 6 потоков
Сжатие объектов: 100% (6/6), готово.
Запись объектов: 100% (6/6), 754 байта | 377.00 КиБ/с, готово.
Всего 6 (изменений 2), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To github.com:romashalun/git-extended.git
  60109da.,c792bd2 develop -> develop
  9e5b05a..e047e38 master -> master
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 155 байтов | 155.00 КиБ/с, готово.
Всего 1 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:romashalun/git-extended.git
* [new tag]
         @rrahmarov:-/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/romashalun/git-extended/releases/tag/v1.2.3
```

Рис. 10: Завершение релиза

# Подготовка рабочего репозитория

```
ov@rrahmarov:~$ cd work/study/2023-2024/Операционные\ системы/os-intro/
Wrote to /home/rrahmarov/work/study/2023-2024/Операционные системы/os-intro/package.ison
 "main": "index.is".
   "test": "echo \"Error: no test specified\" && exit 1"
 "keywords": [].
 ahmarov@rrahmarov:~/work/study/2023-2024/Операционные системы/os-intro$ gedit package.json
cz-cli@4.3.0. cz-conventional-changelog@3.3.0
 Select the type of change that you're committing: chore: Other changes that don't modify src or test
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
[master la9f198] chore: t
1 file changed, 14 insertions(+)
create mode 100644 package.json
rahmarov@rrahmarov:-/work/study/2023-2024/Операционные системы/os-intro$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
```

**Рис. 11:** package.json и коммит

# Подготовка рабочего репозитория




Рис. 12: Завершение релиза

Выводы по проделанной работе

### Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.