Bot API changelog

Fonte: https://core.telegram.org/bots/api-changelog#november-9-2026 · Extraído em 10 de novembro de 2026

> The Bot API is an HTTP-based interface created for developers keen on building bots for Telegram.
> To learn how to create and set up a bot, please consult our **Introduction to Bots »**

You will find all changes to our **Bot API** on this page.

Recent changes

> Subscribe to @BotNews to be the first to know about the latest updates and join the discussion in @BotTalk

2026

November 9, 2026

Bot API 10.4

Widgets

- Added the class Widget and the field *widget* to the classes Message and ExternalReplyInfo for messages with HTML widgets.
- Added the method sendWidget, allowing bots to send messages with HTML widgets. Currently, in the production environment, widgets can be sent only to private chats, and sent widgets automatically have protected content and therefore can't be forwarded.
- Added the method sendSharedWidget, allowing bots to send again shared widgets created by the bot.
- Added the class WidgetQuery and the field *widget_query* to the class Update for queries sent to the bot by widgets in messages sent by the bot or via the bot.
- Added the class SharedWidgetQuery and the field *shared_widget_query* to the class Update for queries sent to the bot from forwarded messages with shared widgets.
- Added the classes WidgetQueryType, WidgetQueryTypeData, WidgetQueryTypeSignData, WidgetQueryTypeSentTransaction and WidgetQueryWallet, describing the type of a query from a widget. A query can contain data for the bot together with the TON wallet card of the user, data signed by a TON wallet of the user, or a notification about a transaction sent from a TON wallet of the user.
- Added the method answerWidgetQuery, allowing bots to answer queries from widgets.

- Added the method editMessageWidgetData, allowing bots to change data of a widget in a message.
- Added the method editSharedWidgetData, allowing bots to change public data of a shared widget.
- Added the classes InputWidgetMessageContent and InputSharedWidgetMessageContent, allowing bots to send widgets in response to inline queries. Currently, widgets can't be sent in response to inline queries in the production environment.
- Widget messages can't be copied using the methods copyMessage and copyMessages.
- The right *can_send_other_messages* in the classes ChatPermissions and ChatMemberRestricted now also allows sending widgets.

Ephemeral messages

- Allowed bots to send ephemeral replies to callback queries in any chat except channel direct messages chats by specifying *callback_query_id* without *receiver_user_id* in the parameter *ephemeral_message_parameters* of the methods sendMessage, sendRichMessage, sendAnimation, sendAudio, sendContact, sendDocument, sendLivePhoto, sendLocation, sendPhoto, sendSticker, sendVenue, sendVideo, sendVideoNote and sendVoice.
- The field *receiver_user_id* of the class EphemeralMessageParameters and the parameter *chat_id* of the mentioned methods are optional now.

Quotes from rich messages

- Added the field *rich_texts* to the class TextQuote for quotes chosen from a RichMessage.
- Added the field *quote_rich_texts* to the class ReplyParameters, allowing bots to quote rich messages.

TON wallet

- Added the classes TonWalletCard, TonWalletCardSticker, TonNft and TonNftAttribute, and the field *ton_wallet_card* to the class ChatFullInfo.
- Added the class TonWalletTransfer and the field *ton_wallet_transfer* to the class Message for service messages about transfers with a TON wallet.
- Renamed the class StoryAreaPosition to AreaPosition, because it is now also used to describe the position of stickers on TON wallet cards.

Chat share themes

- Added the classes ChatShareTheme, ChatShareThemeEmoji and ChatShareThemeUniqueGift, and the field *share_theme* to the class ChatFullInfo, describing the theme of the screen for sharing a link to a user or a chat.
- Added the classes EmojiType, EmojiTypeEmoji and EmojiTypeCustomEmoji.
- Added the classes ChatShareThemeBackdrop and ChatShareThemeBackdrops and the method getChatShareThemeBackdrops.

Gifts

- Added the method getUniqueGift, allowing bots to get information about a unique gift by its name.
- Added the method deleteBusinessAccountGift, allowing bots to delete regular gifts owned by a managed business account without receiving Telegram Stars for them.

General

- Allowed users with a Telegram Premium subscription to assign secondary usernames ending with “agent”, “ai”, “app”, “game”, or “gay” to up to 2 owned bots. Such usernames can be suggested in the field *suggested_username* of the class KeyboardButtonRequestManagedBot.
- Added the class RichTextTonAddress representing an address in the TON blockchain in a RichMessage.
- Added the type “ton_address” to the class MessageEntity for addresses in the TON blockchain.
- Added the type “bank_card_number” to the class MessageEntity for bank card numbers.
- Added the parameters *custom_description_parse_mode* and *custom_description_entities* to the methods verifyUser and verifyChat.
- Added the class PaidMessagesWaived and the field *paid_messages_waived* to the class Message for service messages about the sender using a link which allows sending messages without paying Telegram Stars.
- Added the ability to create links to topics in private chats with the bot in the format `https://t.me/<bot_username>/<message_thread_id>`. Such a link opens the topic only for the user in the private chat with whom the topic exists.

August 24, 2026

Bot API 10.3

Rich Messages

- Added the class RichMessageButton representing a button in a RichMessage.
- Added the class RichTextButton.
- Added the classes RichBlockButtons and InputRichBlockButtons.
- Added the field *is_compact* to the classes RichBlockTable and InputRichBlockTable.
- Added the classes RichBlockExpandableBlockQuotation and InputRichBlockExpandableBlockQuotation representing a block quotation, which can be expanded or collapsed back.
- Added the classes RichBlockDocument and InputRichBlockDocument, containing a file.
- Added support for links of the form `tg://document?id=` for general file uploads in rich messages.

Ephemeral messages

- Added the class EphemeralMessageParameters and replaced the parameters *receiver_user_id* and *callback_query_id* in the methods sendMessage, sendAnimation, sendAudio, sendDocument, sendLivePhoto, sendPhoto, sendSticker, sendVideo,

sendVideoNote, sendVoice, sendContact, sendLocation and sendVenue with the parameter *ephemeral_message_parameters*.
- Added the parameter *ephemeral_message_parameters* to the method sendRichMessage.
- Added the field *replace_callback_query_message* to the class EphemeralMessageParameters, which allows bots to show an ephemeral message in place of the original message.
- Supported upload of new files in editEphemeralMessageMedia.
- Added the parameter *show_caption_above_media* to the method editEphemeralMessageCaption.
- Added the parameter *rich_message* to the method editEphemeralMessageText.
- Added the field *can_send_welcome_messages* to the classes ChatAdministratorRights and ChatMemberAdministrator.
- Added the parameter *can_send_welcome_messages* to the method promoteChatMember.

Reply markup

- Added the class DisabledButton and the field *disabled* to the class InlineKeyboardButton.
- Added the field *force_reply* to the classes InlineKeyboardMarkup and ReplyKeyboardMarkup.

General

- Added the parameters *can_stop* and *keep_on_stop* to the methods sendMessageDraft and sendRichMessageDraft.
- Added updates about user stopping message generation, represented by the class MessageGenerationStopped and the field *stopped_message_generation* in the class Update.
- Added the class CommunityChatJoined and the field *community_chat_joined* to the class Message for service messages about join of a chat from a community.
- Added the fields *text*, *entities* and *is_private* to the class UniqueGiftInfo.

July 14, 2026

Bot API 10.2

Rich Messages

- Added the class InputRichMessageMedia and the field *media* to the class InputRichMessage, allowing bots to explicitly specify media used in *markdown* or *html* formatting when sending a rich message.
- Added the class InputMediaVoiceNote, representing a voice message to be sent.
- Added the class InputRichBlockListItem, which represents an item in a list to be sent.
- Added the classes InputRichBlockParagraph, InputRichBlockSectionHeading, InputRichBlockPreformatted, InputRichBlockFooter, InputRichBlockDivider, InputRichBlockMathematicalExpression, InputRichBlockAnchor, InputRichBlockList, InputRichBlockBlockQuotation, InputRichBlockPullQuotation, InputRichBlockCollage, InputRichBlockSlideshow, InputRichBlockTable, InputRichBlockDetails, InputRichBlockMap, InputRichBlockAnimation, InputRichBlockAudio, InputRichBlockPhoto, InputRichBlockVideo,

InputRichBlockVoiceNote and InputRichBlockThinking, which represent different types of blocks available to format an outgoing rich message.
- Added the field *blocks* to the class InputRichMessage, allowing bots to specify rich message formatting via block entities.

Ephemeral Messages

- Introduced support for Ephemeral Messages, allowing bots to send group messages and receive commands that are visible only to a specific user and the bot.
- Added the field *is_ephemeral* to the class BotCommand.
- Added the field *receiver_user* to the class Message.
- Added the field *ephemeral_message_id* to the class Message.
- Added the parameters *receiver_user_id* and *callback_query_id* to the methods sendMessage, sendAnimation, sendAudio, sendDocument, sendLivePhoto, sendPhoto, sendSticker, sendVideo, sendVideoNote, sendVoice, sendContact, sendLocation, sendVenue.
- Added the field *ephemeral_message_id* to the class ReplyParameters, allowing bots to reply to ephemeral messages.
- Marked the field *message_id* in the class ReplyParameters as optional if the field *ephemeral_message_id* is present.
- Added the methods editEphemeralMessageText, editEphemeralMessageMedia, editEphemeralMessageCaption, and editEphemeralMessageReplyMarkup allowing bots to edit ephemeral messages.
- Added the method deleteEphemeralMessage allowing bots to delete ephemeral messages.

Communities

- Introduced initial support for **Communities** - several supergroups, channels, and bots linked together around a shared topic or audience.
- Added the class Community which represents a community.
- Added the class CommunityChatAdded and the field *community_chat_added* to the class Message.
- Added the class CommunityChatRemoved and the field *community_chat_removed* to the class Message.
- Added the field *community* to the class ChatFullInfo.

General

- Added updates about changes to a user payment subscription, represented by the class BotSubscriptionUpdated and the field *subscription* in the class Update.
- Hardened the security of Mini Apps by disallowing the usage of Mini App methods from origins different from the original Mini App domain. The protection will be automatically enabled for all Mini Apps on July 20, 2026. You can opt-out from the protection through the @BotFather Mini App. If you do so, you acknowledge that it is the responsibility of the bot to ensure that the Mini App has no links to untrusted sites.

June 11, 2026

Bot API 10.1

Rich Messages

- Added support for Rich Messages, allowing bots to send highly structured text and stream AI-generated replies with seamless rich formatting.
- Added the classes RichTextBold, RichTextItalic, RichTextUnderline, RichTextStrikethrough, RichTextSpoiler, RichTextDateTime, RichTextTextMention, RichTextSubscript, RichTextSuperscript, RichTextMarked, RichTextCode, RichTextCustomEmoji, RichTextMathematicalExpression, RichTextUrl, RichTextEmailAddress, RichTextPhoneNumber, RichTextBankCardNumber, RichTextMention, RichTextHashtag, RichTextCashtag, RichTextBotCommand, RichTextAnchor, RichTextAnchorLink, RichTextReference and RichTextReferenceLink, which represent different types of rich formatted text.
- Added the class RichText, which represents rich formatted text.
- Added the class RichBlockCaption, which represents the caption of a rich formatted text.
- Added the class RichBlockTableCell, which represents a cell in a table.
- Added the class RichBlockListItem, which represents an item in a list.
- Added the classes RichBlockParagraph, RichBlockSectionHeading, RichBlockPreformatted, RichBlockFooter, RichBlockDivider, RichBlockMathematicalExpression, RichBlockAnchor, RichBlockList, RichBlockBlockQuotation, RichBlockPullQuotation, RichBlockCollage, RichBlockSlideshow, RichBlockTable, RichBlockDetails, RichBlockMap, RichBlockAnimation, RichBlockAudio, RichBlockPhoto, RichBlockVideo, RichBlockVoiceNote and RichBlockThinking, which represent different types of blocks in a rich formatted message.
- Added the class RichBlock, which represents a block in a rich formatted message.
- Added the class RichMessage, which represents a rich formatted message.
- Added the field *rich_message* to the class Message.
- Added the class InputRichMessage, describing a rich message to send.
- Added the class InputRichMessageContent and allowed it to be used as InputMessageContent in results of inline, guest, and Web App queries.
- Added the method sendRichMessage, allowing bots to send rich messages.
- Added the method sendRichMessageDraft, allowing bots to stream partial rich messages.
- Added the parameter *rich_message* to the method editMessageText, allowing bots to edit rich messages.

Join Request Queries

- Added the field *supports_join_request_queries* to the class User.
- Added the field *guard_bot* to the class ChatFullInfo.
- Added the field *query_id* to the class ChatJoinRequest.
- Added the method answerChatJoinRequestQuery.
- Added the method sendChatJoinRequestWebApp.

Polls

- Added the class Link and the field *link* to the class PollMedia.
- Added the class InputMediaLink and allowed it to be used as InputPollOptionMedia.

May 8, 2026

Bot API 10.0

Guest Mode

- Introduced support for guest mode, allowing bots to receive certain messages and issue replies within chats they are not a member of.
- Added the field *supports_guest_queries* to the class User.
- Added the fields *guest_bot_caller_user* and *guest_bot_caller_chat* to the class Message.
- Added the field *guest_query_id* to the class Message.
- Added the field *guest_message* to the class Update.
- Added the class SentGuestMessage and the method answerGuestQuery.

Chat Management

- Added the field *can_react_to_messages* to the classes ChatMemberRestricted and ChatPermissions.
- Added the parameter *return_bots* to the method getChatAdministrators.
- Added the method deleteAllMessageReactions.
- Added the method deleteMessageReaction.
- Added the ability to see certain messages sent by other bots in groups.

Polls

- Added the classes InputMediaSticker, InputMediaLocation, and InputMediaVenue.
- Added the class PollMedia, representing a media in a poll.
- Added the field *media* to the class Poll, allowing bots to see media in polls.
- Added the field *explanation_media* to the class Poll, allowing bots to see media in quiz explanations.
- Added the field *media* to the class PollOption, allowing bots to see media in poll options.
- Added the class InputPollMedia and the parameters *media* and *explanation_media* to the method sendPoll, allowing bots to add media to polls.
- Added the class InputPollOptionMedia and the field *media* to the class InputPollOption, allowing bots to add media to poll options.
- Added the field *members_only* to the class Poll.
- Added the parameter *members_only* to the method sendPoll.
- Added the field *country_codes* to the class Poll.
- Added the parameter *country_codes* to the method sendPoll.
- Decreased the minimum number of poll options from 2 to 1.

Live photos

- Added the class LivePhoto, which represents a photo with a short video.
- Added the class InputMediaLivePhoto.
- Added the field *live_photo* to the classes Message and ExternalReplyInfo.
- Added the method sendLivePhoto, allowing bots to send live photos.
- Added the class PaidMediaLivePhoto, which describes a paid media with a live photo.
- Added the class InputPaidMediaLivePhoto, allowing bots to send live photos as paid media.

- Allowed to use live photos in sendMediaGroup and editMessageMedia,

General

- Allowed Business Bots to manage user accounts without a Telegram Premium subscription.
- Added the ability to send messages to other bots via username if both bots enabled bot-to-bot communication.
- Added the ability to reply to other bots from a business bot if the business bot enabled bot-to-bot communication.
- Allowed bots to pass an empty text in the method sendMessageDraft.
- Added the class BotAccessSettings and the method getManagedBotAccessSettings.
- Added the method setManagedBotAccessSettings.
- Added the method getUserPersonalChatMessages.

April 3, 2026

Bot API 9.6

Managed Bots

- Added the field *can_manage_bots* to the class User.
- Added the class KeyboardButtonRequestManagedBot and the field *request_managed_bot* to the class KeyboardButton.
- Added the class ManagedBotCreated and the field *managed_bot_created* to the class Message.
- Added updates about the creation of managed bots and the change of their token, represented by the class ManagedBotUpdated and the field *managed_bot* in the class Update.
- Added the methods getManagedBotToken and replaceManagedBotToken.
- Added the class PreparedKeyboardButton and the method savePreparedKeyboardButton, allowing bots to request users, chats and managed bots from Mini Apps.
- Added the method *requestChat* to the class WebApp.
- Added support for `https://t.me/newbot/{manager_bot_username}/{suggested_bot_username}[?name={suggested_bot_name}]` links, allowing bots to request the creation of a managed bot via a link.

Polls

- Added support for quizzes with multiple correct answers.
- Replaced the field *correct_option_id* with the field *correct_option_ids* in the class Poll.
- Replaced the parameter *correct_option_id* with the parameter *correct_option_ids* in the method sendPoll.
- Allowed to pass *allows_multiple_answers* for quizzes in the method sendPoll.
- Increased the maximum time for automatic poll closure to 2628000 seconds.
- Added the field *allows_revoting* to the class Poll.
- Added the parameter *allows_revoting* to the method sendPoll.
- Added the parameter *shuffle_options* to the method sendPoll.
- Added the parameter *allow_adding_options* to the method sendPoll.

- Added the parameter *hide_results_until_closes* to the method sendPoll.
- Added the fields *description* and *description_entities* to the class Poll.
- Added the parameters *description*, *description_parse_mode*, and *description_entities* to the method sendPoll.
- Added the field *persistent_id* to the class PollOption, representing a persistent identifier for the option.
- Added the field *option_persistent_ids* to the class PollAnswer.
- Added the fields *added_by_user* and *added_by_chat* to the class PollOption, denoting the user and the chat which added the option.
- Added the field *addition_date* to the class PollOption, describing the date when the option was added.
- Added the class PollOptionAdded and the field *poll_option_added* to the class Message.
- Added the class PollOptionDeleted and the field *poll_option_deleted* to the class Message.
- Added the field *poll_option_id* to the class ReplyParameters, allowing bots to reply to a specific poll option.
- Added the field *reply_to_poll_option_id* to the class Message.
- Allowed “date_time” entities in checklist title, checklist task text, TextQuote, ReplyParameters quote, sendGift, and giftPremiumSubscription.

March 1, 2026

Bot API 9.5

- Added the MessageEntity type “date_time”, allowing bots to show a formatted date and time to the user.
- Allowed all bots to use the method sendMessageDraft.
- Added the field *tag* to the classes ChatMemberMember and ChatMemberRestricted.
- Added the method setChatMemberTag.
- Added the field *can_edit_tag* to the classes ChatMemberRestricted and ChatPermissions.
- Added the field *can_manage_tags* to the classes ChatMemberAdministrator and ChatAdministratorRights.
- Added the parameter *can_manage_tags* to the method promoteChatMember.
- Added the field *sender_tag* to the class Message.
- Added the field *iconCustomEmojiId* to the class BottomButton.

February 9, 2026

Bot API 9.4

- Allowed bots to use custom emoji in messages directly sent by the bot to private, group and supergroup chats if the owner of the bot has a Telegram Premium subscription.
- Allowed bots to create topics in private chats using the method createForumTopic.
- Allowed bots to prevent users from creating and deleting topics in private chats through a new setting in the @BotFather Mini App.
- Added the field *allows_users_to_create_topics* to the class User.
- Added the field *icon_custom_emoji_id* to the classes KeyboardButton and InlineKeyboardButton, allowing bots to show a custom emoji on buttons if they are able to

use custom emoji in the message.
- Added the field *style* to the classes KeyboardButton and InlineKeyboardButton, allowing bots to change the color of buttons.
- Added the class ChatOwnerLeft and the field *chat_owner_left* to the class Message.
- Added the class ChatOwnerChanged and the field *chat_owner_changed* to the class Message.
- Added the methods setMyProfilePhoto and removeMyProfilePhoto, allowing bots to manage their profile picture.
- Added the class VideoQuality and the field *qualities* to the class Video allowing bots to get information about other available qualities of a video.
- Added the field *first_profile_audio* to the class ChatFullInfo.
- Added the class UserProfileAudios and the method getUserProfileAudios, allowing bots to fetch a list of audios added to the profile of a user.
- Added the field *rarity* to the class UniqueGiftModel.
- Added the field *is_burned* to the class UniqueGift.

2025

December 31, 2025

Bot API 9.3

Topics in private chats

- Added the field *has_topics_enabled* to the class User, which can be used to determine whether forum topic mode is enabled for the bot in private chats.
- Added the method sendMessageDraft, allowing partial messages to be streamed to a user while being generated.
- Supported the fields *message_thread_id* and *is_topic_message* in the class Message for messages in private chats with forum topic mode enabled.
- Supported the parameter *message_thread_id* in private chats with topics in the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendPaidMedia, sendSticker, sendVideoNote, sendVoice, sendLocation, sendVenue, sendContact, sendPoll, sendDice, sendInvoice, sendGame, sendMediaGroup, copyMessage, copyMessages, forwardMessage, and forwardMessages, allowing bots to send a message to a specific topic.
- Supported the parameter *message_thread_id* in private chats in the method sendChatAction, allowing bots to send chat actions to a specific topic in private chats.
- Supported the parameter *message_thread_id* in private chats with topics in the method editForumTopic, deleteForumTopic, and unpinAllForumTopicMessages, allowing bots to manage topics in private chats.
- Added the field *is_name_implicit* to the classes ForumTopic and ForumTopicCreated.

Gifts

- Added the methods getUserGifts and getChatGifts.

- Replaced the field *last_resale_star_count* with the fields *last_resale_currency* and *last_resale_amount* in the class UniqueGiftInfo.
- Replaced the parameter *exclude_limited* with the parameters *exclude_limited_upgradable* and *exclude_limited_non_upgradable* in the method getBusinessAccountGifts.
- Added the value “gifted_upgrade” as a possible value of *UniqueGiftInfo.origin* for messages about the upgrade of a gift that was purchased after it was sent.
- Added the value “offer” as a possible value of *UniqueGiftInfo.origin* for messages about the purchase of a gift through a purchase offer.
- Added the field *gift_upgrade_sent* to the class Message.
- Added the field *gift_id* to the class UniqueGift.
- Added the field *is_from_blockchain* to the class UniqueGift.
- Added the parameter *exclude_from_blockchain* in the method getBusinessAccountGifts, to filter out gifts that were assigned from the TON blockchain.
- Added the fields *personal_total_count* and *personal_remaining_count* to the class Gift.
- Added the field *is_premium* to the classes Gift and UniqueGift.
- Added the field *is_upgrade_separate* to the classes GiftInfo and OwnedGiftRegular.
- Added the class UniqueGiftColors that describes the color scheme for a user's name, replies to messages and link previews based on a unique gift.
- Added the field *has_colors* to the class Gift.
- Added the field *colors* to the class UniqueGift.
- Added the class GiftBackground and the field *background* to the class Gift.
- Added the field *unique_gift_variant_count* to the class Gift.
- Added the field *unique_gift_number* to the classes GiftInfo and OwnedGiftRegular.
- Added the field *gifts_from_channels* to the class AcceptedGiftTypes.

Miscellaneous

- Allowed bots to disable their main username if they have additional active usernames purchased on Fragment.
- Allowed bots to disable the right *can_restrict_members* in channel chats.
- Added the method repostStory, allowing bots to repost stories across different business accounts they manage.
- Added the class UserRating and the field *rating* to the class ChatFullInfo.
- Increased the maximum price for paid media to 25000 Telegram Stars.
- Added the field *paid_message_star_count* to the class ChatFullInfo.
- Added the parameter *message_effect_id* to the methods forwardMessage and copyMessage.
- Added the field *unique_gift_colors* to the class ChatFullInfo.
- Added the field *completed_by_chat* to the class ChecklistTask.

August 15, 2025

Bot API 9.2

Checklists

- Added the field *checklist_task_id* to the class ReplyParameters, allowing bots to reply to a specific checklist task.

- Added the field *reply_to_checklist_task_id* to the class Message.

Gifts

- Added the field *publisher_chat* to the classes Gift and UniqueGift which can be used to get information about the chat that published a gift.

Direct Messages in Channels

- Added the field *is_direct_messages* to the classes Chat and ChatFullInfo which can be used to identify supergroups that are used as channel direct messages chats.
- Added the field *parent_chat* to the class ChatFullInfo which indicates the parent channel chat for a channel direct messages chat.
- Added the class DirectMessagesTopic and the field *direct_messages_topic* to the class Message, describing a topic of a direct messages chat.
- Added the parameter *direct_messages_topic_id* to the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendPaidMedia, sendSticker, sendVideoNote, sendVoice, sendLocation, sendVenue, sendContact, sendDice, sendInvoice, sendMediaGroup, copyMessage, copyMessages, forwardMessage and forwardMessages. This parameter can be used to send a message to a direct messages chat topic.

Suggested Posts

- Added the class SuggestedPostParameters and the parameter *suggested_post_parameters* to the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendPaidMedia, sendSticker, sendVideoNote, sendVoice, sendLocation, sendVenue, sendContact, sendDice, sendInvoice, copyMessage, forwardMessage. This parameter can be used to send a suggested post to a direct messages chat topic.
- Added the method approveSuggestedPost, allowing bots to approve incoming suggested posts.
- Added the method declineSuggestedPost, allowing bots to decline incoming suggested posts.
- Added the field *can_manage_direct_messages* to the classes ChatMemberAdministrator and ChatAdministratorRights.
- Added the parameter *can_manage_direct_messages* to the method promoteChatMember.
- Added the field *is_paid_post* to the class Message, which can be used to identify paid posts. Such posts must not be deleted for 24 hours to receive the payment.
- Added the class SuggestedPostPrice, describing the price of a suggested post.
- Added the class SuggestedPostInfo and the field *suggested_post_info* to the class Message, describing a suggested post.
- Added the class SuggestedPostApproved and the field *suggested_post_approved* to the class Message, describing a service message about the approval of a suggested post.
- Added the class SuggestedPostApprovalFailed and the field *suggested_post_approval_failed* to the class Message, describing a service message about the failed approval of a suggested post.
- Added the class SuggestedPostDeclined and the field *suggested_post_declined* to the class Message, describing a service message about the rejection of a suggested post.

- Added the class SuggestedPostPaid and the field *suggested_post_paid* to the class Message, describing a service message about a successful payment for a suggested post.
- Added the class SuggestedPostRefunded and the field *suggested_post_refunded* to the class Message, describing a service message about a payment refund for a suggested post.

July 3, 2025

Bot API 9.1

Checklists

- Added the class ChecklistTask representing a task in a checklist.
- Added the class Checklist representing a checklist.
- Added the class InputChecklistTask representing a task to add to a checklist.
- Added the class InputChecklist representing a checklist to create.
- Added the field *checklist* to the classes Message and ExternalReplyInfo, describing a checklist in a message.
- Added the class ChecklistTasksDone and the field *checklist_tasks_done* to the class Message, describing a service message about status changes for tasks in a checklist (i.e., marked as done/not done).
- Added the class ChecklistTasksAdded and the field *checklist_tasks_added* to the class Message, describing a service message about the addition of new tasks to a checklist.
- Added the method sendChecklist, allowing bots to send a checklist on behalf of a business account.
- Added the method editMessageChecklist, allowing bots to edit a checklist on behalf of a business account.

Gifts

- Added the field *next_transfer_date* to the classes OwnedGiftUnique and UniqueGiftInfo.
- Added the field *last_resale_star_count* to the class UniqueGiftInfo.
- Added “resale” as the possible value of the field *origin* in the class UniqueGiftInfo.

General

- Increased the maximum number of options in a poll to 12.
- Added the method getMyStarBalance, allowing bots to get their current balance of Telegram Stars.
- Added the class DirectMessagePriceChanged and the field *direct_message_price_changed* to the class Message, describing a service message about a price change for direct messages sent to the channel chat.
- Added the method *hideKeyboard* to the class WebApp.

April 11, 2025

Bot API 9.0

Business Accounts

- Added the class BusinessBotRights and replaced the field *can_reply* with the field *rights* of the type BusinessBotRights in the class BusinessConnection.
- Added the method readBusinessMessage, allowing bots to mark incoming messages as read on behalf of a business account.
- Added the method deleteBusinessMessages, allowing bots to delete messages on behalf of a business account.
- Added the method setBusinessAccountName, allowing bots to change the first and last name of a managed business account.
- Added the method setBusinessAccountUsername, allowing bots to change the username of a managed business account.
- Added the method setBusinessAccountBio, allowing bots to change the bio of a managed business account.
- Added the class InputProfilePhoto, describing a profile photo to be set.
- Added the methods setBusinessAccountProfilePhoto and removeBusinessAccountProfilePhoto, allowing bots to change the profile photo of a managed business account.
- Added the method setBusinessAccountGiftSettings, allowing bots to change the privacy settings pertaining to incoming gifts in a managed business account.
- Added the class StarAmount and the method getBusinessAccountStarBalance, allowing bots to check the current Telegram Star balance of a managed business account.
- Added the method transferBusinessAccountStars, allowing bots to transfer Telegram Stars from the balance of a managed business account to their own balance for withdrawal.
- Added the classes OwnedGiftRegular, OwnedGiftUnique, OwnedGifts and the method getBusinessAccountGifts, allowing bots to fetch the list of gifts owned by a managed business account.
- Added the method convertGiftToStars, allowing bots to convert gifts received by a managed business account to Telegram Stars.
- Added the method upgradeGift, allowing bots to upgrade regular gifts received by a managed business account to unique gifts.
- Added the method transferGift, allowing bots to transfer unique gifts owned by a managed business account.
- Added the classes InputStoryContentPhoto and InputStoryContentVideo representing the content of a story to post.
- Added the classes StoryArea, StoryAreaPosition, LocationAddress, StoryAreaTypeLocation, StoryAreaTypeSuggestedReaction, StoryAreaTypeLink, StoryAreaTypeWeather and StoryAreaTypeUniqueGift, describing clickable active areas on stories.
- Added the method postStory, allowing bots to post a story on behalf of a managed business account.
- Added the method editStory, allowing bots to edit stories they had previously posted on behalf of a managed business account.
- Added the method deleteStory, allowing bots to delete stories they had previously posted on behalf of a managed business account.

Mini Apps

- Added the field DeviceStorage, allowing Mini Apps to use persistent local storage on the user's device.
- Added the field SecureStorage, allowing Mini Apps to use a secure local storage on the user's device for sensitive data.

Gifts

- Added the classes UniqueGiftModel, UniqueGiftSymbol, UniqueGiftBackdropColors, and UniqueGiftBackdrop to describe the properties of a unique gift.
- Added the class UniqueGift describing a gift that was upgraded to a unique one.
- Added the class AcceptedGiftTypes describing the types of gifts that are accepted by a user or a chat.
- Replaced the field *can_send_gift* with the field *accepted_gift_types* of the type AcceptedGiftTypes in the class ChatFullInfo.
- Added the class GiftInfo and the field *gift* to the class Message, describing a service message about a regular gift that was sent or received.
- Added the class UniqueGiftInfo and the field *unique_gift* to the class Message, describing a service message about a unique gift that was sent or received.

Telegram Premium

- Added the method giftPremiumSubscription, allowing bots to gift a user a Telegram Premium subscription paid in Telegram Stars.
- Added the field *premium_subscription_duration* to the class TransactionPartnerUser for transactions involving a Telegram Premium subscription purchased by the bot.
- Added the field *transaction_type* to the class TransactionPartnerUser, simplifying the differentiation and processing of all transaction types.

General

- Increased the maximum price for paid media to 10000 Telegram Stars.
- Increased the maximum price for a subscription period to 10000 Telegram Stars.
- Added the class PaidMessagePriceChanged and the field *paid_message_price_changed* to the class Message, describing a service message about a price change for paid messages sent to the chat.
- Added the field *paid_star_count* to the class Message, containing the number of Telegram Stars that were paid to send the message.

February 12, 2025

Bot API 8.3

- Added the parameter *chat_id* to the method sendGift, allowing bots to send gifts to channel chats.
- Added the field *can_send_gift* to the class ChatFullInfo.
- Added the class TransactionPartnerChat describing transactions with chats.
- Added the fields *cover* and *start_timestamp* to the class Video, containing a message-specific cover and a start timestamp for the video.

- Added the parameters *cover* and *start_timestamp* to the method sendVideo, allowing bots to specify a cover and a start timestamp for the videos they send.
- Added the fields *cover* and *start_timestamp* to the classes InputMediaVideo and InputPaidMediaVideo, allowing bots to edit video cover and start timestamp and specify them for videos in albums and paid media.
- Added the parameter *video_start_timestamp* to the methods forwardMessage and copyMessage, allowing bots to change the start timestamp for forwarded and copied videos.
- Allowed to add reactions to most types of service messages.

January 1, 2025

Bot API 8.2

- Added the methods verifyUser, verifyChat, removeUserVerification and removeChatVerification, allowing bots to manage verifications on behalf of an organization.
- Added the field *upgrade_star_count* to the class Gift.
- Added the parameter *pay_for_upgrade* to the method sendGift.
- Removed the field *hide_url* from the class InlineQueryResultArticle. Pass an empty string as *url* instead.

2024

December 4, 2024

Bot API 8.1

- Added the field *nanostar_amount* to the class StarTransaction.
- Added the class TransactionPartnerAffiliateProgram for transactions pertaining to incoming affiliate commissions.
- Added the class AffiliateInfo and the field *affiliate* to the class TransactionPartnerUser, allowing bots to identify the relevant affiliate in transactions with an affiliate commission.

November 17, 2024

Bot API 8.0

> Bot API 8.0 introduces **10 powerful new features** for Mini Apps - including the ability to enter full-screen mode, launch from home screen shortcuts, offer subscription plans and more. Check out all the details in our dedicated blog and Mini App documentation.

Star Subscriptions

- Bots now support **paid subscriptions** powered by Telegram Stars - **monetizing their efforts** with multiple tiers of content and features.

- Added the parameter *subscription_period* to the method createInvoiceLink to support the creation of links that are billed periodically.
- Added the parameter *business_connection_id* to the method createInvoiceLink to support the creation of invoice links on behalf of business accounts.
- Added the fields *subscription_expiration_date*, *is_recurring* and *is_first_recurring* to the class SuccessfulPayment.
- Added the method editUserStarSubscription.
- Added the field *subscription_period* to the class TransactionPartnerUser.

Full-screen Mode

- Mini Apps are now able to become full-screen in both portrait and **landscape mode** - allowing them to host **more games**, play **widescreen media** and support **immersive** user experiences.
- Added the methods *requestFullscreen* and *exitFullscreen* to the class WebApp to toggle full-screen mode.
- Added the fields *safeAreaInset* and *contentSafeAreaInset* to the class WebApp, allowing Mini Apps to ensure that their content properly respects the device's safe area margins.
- Further added the fields *isActive* and *isFullscreen* to the class WebApp.
- Added the events *activated*, *deactivated*, *safeAreaChanged*, *contentSafeAreaChanged*, *fullscreenChanged* and *fullscreenFailed* for Mini Apps.

Homescreen Shortcuts

- Mini Apps can now be accessed via direct shortcuts added to the **home screen** of mobile devices.
- Added the method *addToHomeScreen* to the class WebApp to create a shortcut for users to add to their home screens.
- Added the method *checkHomeScreenStatus* to the class WebApp to determine the status and support of the home screen shortcut for the Mini App on the current device.
- Added the events *homeScreenAdded* and *homeScreenChecked* for Mini Apps.

Emoji Status

- Mini Apps can now prompt users to set their emoji status - or request access to later sync it automatically with in-game badges, third-party APIs and more.
- Added the method setUserEmojiStatus. The user must allow the bot to manage their emoji status.
- Added the method *setEmojiStatus* to the class WebApp to let users manually confirm a custom emoji as their new status via a native dialog.
- Added the method *requestEmojiStatusAccess* to the class WebApp for obtaining permission to later update a user's emoji status via the Bot API method setUserEmojiStatus.
- Added the events *emojiStatusSet*, *emojiStatusFailed* and *emojiStatusAccessRequested* for Mini Apps.

Media Sharing and File Downloads

- Users can now share media directly from Mini Apps - sending **referral codes**, custom memes, artwork and more to **any chat** or posting them as a story.

- Added the class PreparedInlineMessage and the method savePreparedInlineMessage, allowing bots to suggest users to send a specific message from a Mini App via the method shareMessage.
- Added the method *shareMessage* to the class WebApp to share media from Mini Apps to Telegram chats.
- Added the method *downloadFile* to the class WebApp, introducing support for a **native popup** that prompts users to download files from the Mini App.
- Added the events *shareMessageSent*, *shareMessageFailed* and *fileDownloadRequested* for Mini Apps.

Geolocation Access

- Mini Apps can now request geolocation access to users, allowing them to build virtually any location-based service, from **games** with dynamic points of interest to **interactive maps** for events.
- Added the field *LocationManager* to the class WebApp.
- Added the events *locationManagerUpdated* and *locationRequested* for Mini Apps.

Device Motion Tracking

- Mini Apps can now track detailed device motion data, allowing them to implement better productivity tools, immersive **VR experiences** and more.
- Added the fields *isOrientationLocked*, *Accelerometer*, *DeviceOrientation* and *Gyroscope* to the class WebApp.
- Added the methods *lockOrientation* and *unlockOrientation* to the class WebApp to control the screen orientation.
- Added the events *accelerometerStarted*, *accelerometerStopped*, *accelerometerChanged*, *accelerometerFailed*, *deviceOrientationStarted*, *deviceOrientationStopped*, *deviceOrientationChanged*, *deviceOrientationFailed*, *gyroscopeStarted*, *gyroscopeStopped*, *gyroscopeChanged*, *gyroscopeFailed* for Mini Apps.

Gifts

- Bots can now send Paid Gifts to users in exchange for Telegram Stars.
- Added the classes Gift and Gifts and the method getAvailableGifts, allowing bots to get all gifts available for sending.
- Added the method sendGift, allowing bots to send gifts to users.
- Added the field *gift* to the class TransactionPartnerUser.

Loading Screen Customization

- Mini Apps can customize their loading screen, adding **their own icon** and **specific colors** for light and dark themes.
- You can access these customization settings in @BotFather via */mybots > Select Bot > Bot Settings > Configure Mini App > Enable Mini App*

Hardware-specific Optimizations

- Mini Apps running on Android can now receive basic information about a device's processing hardware, allowing them to **optimize user experience** based on the device's capabilities.
- This information includes the OS, App and SDK's respective versions as well as the device's model and performance class.

General

- Added the field *photo_url* to the class WebAppUser for all bots, allowing Mini Apps to access a user's profile photo if their privacy settings allow for it.
- Third parties (e.g., Mini App builders) that receive or process data on behalf of Mini Apps are now able to validate it without knowing the App's bot token.
- Debugging options have been expanded to include full support for **iOS devices**. You can use these tools to find app-specific issues in your Mini App.

> ⚠️ **WARNING!** ⚠️
> Starting December 1, 2024 messages with video that are sent, copied or forwarded to groups and channels with a sufficiently large audience can be automatically scheduled by the server until the respective video is reencoded. Such messages will have 0 as their message identifier and can't be used before they are actually sent.

October 31, 2024

Bot API 7.11

- Added the class CopyTextButton and the field *copy_text* in the class InlineKeyboardButton allowing bots to send and receive inline buttons that copy arbitrary text.
- Added the parameter *allow_paid_broadcast* to the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendPaidMedia, sendSticker, sendVideoNote, sendVoice, sendLocation, sendVenue, sendContact, sendPoll, sendDice, sendInvoice, sendGame, sendMediaGroup and copyMessage.
- Added the class TransactionPartnerTelegramApi for transactions related to paid broadcasted messages.
- Introduced the ability to add media to existing text messages using the method editMessageMedia.
- Added support for hashtag and cashtag entities with a specified chat username that opens a search for the relevant tag within the specified chat.

> ⚠️ **WARNING!** ⚠️
> Starting December 1, 2024 messages with video that are sent, copied or forwarded to groups and channels with a sufficiently large audience can be automatically scheduled by

> the server until the respective video is reencoded. Such messages will have 0 as their message identifier and can't be used before they are actually sent.

September 6, 2024

Bot API 7.10

- Added updates about purchased paid media, represented by the class PaidMediaPurchased and the field *purchased_paid_media* in the class Update.
- Added the ability to specify a payload in sendPaidMedia that is received back by the bot in TransactionPartnerUser and *purchased_paid_media* updates.
- Added the field *prize_star_count* to the classes GiveawayCreated, Giveaway, GiveawayWinners and ChatBoostSourceGiveaway.
- Added the field *is_star_giveaway* to the class GiveawayCompleted.
- Added the field *SecondaryButton* to the class WebApp.
- Added the event *secondaryButtonClicked* for Mini Apps.
- Added the field *bottomBarColor* and the method *setBottomBarColor* to the class WebApp.
- Added the field *bottom_bar_bg_color* to the class ThemeParams.

August 14, 2024

Bot API 7.9

- Added support for Super Channels, allowing received channel messages to have users or other channels as their senders.
- Added the ability to send paid media to any chat.
- Added the parameter *business_connection_id* to the method sendPaidMedia, allowing bots to send paid media on behalf of a business account.
- Added the field *paid_media* to the class TransactionPartnerUser for transactions involving paid media.
- Added the fields *subscription_period* and *subscription_price* to the class ChatInviteLink.
- Added the method createChatSubscriptionInviteLink, allowing bots to create subscription invite links.
- Added the method editChatSubscriptionInviteLink, allowing bots to edit the *name* of subscription invite links.
- Added the field *until_date* to the class ChatMemberMember for members with an active subscription.
- Added support for paid reactions and the class ReactionTypePaid.

July 31, 2024

Bot API 7.8

- Added the option for bots to set a Main Mini App, which can be previewed and launched directly from a button in the bot's profile or a link.
- Added the method *shareToStory* to the class WebApp.

- Added the field *has_main_web_app* to the class User, which is returned in the response to getMe.
- Added the parameter *business_connection_id* to the methods pinChatMessage and unpinChatMessage, allowing bots to manage pinned messages on behalf of a business account.

July 7, 2024

Bot API 7.7

- Added the class RefundedPayment, containing information about a refunded payment.
- Added the field *refunded_payment* to the class Message, describing a service message about a refunded payment.
- Added the field *isVerticalSwipesEnabled* and the methods *enableVerticalSwipes*, *disableVerticalSwipes* to the class WebApp.
- Added the event *scanQrPopupClosed* for Mini Apps.

July 1, 2024

Bot API 7.6

- Added the classes PaidMedia, PaidMediaInfo, PaidMediaPreview, PaidMediaPhoto and PaidMediaVideo, containing information about paid media.
- Added the method sendPaidMedia and the classes InputPaidMedia, InputPaidMediaPhoto and InputPaidMediaVideo, to support sending paid media.
- Documented that the methods copyMessage and copyMessages cannot be used to copy paid media.
- Added the field *can_send_paid_media* to the class ChatFullInfo.
- Added the field *paid_media* to the classes Message and ExternalReplyInfo.
- Added the class TransactionPartnerTelegramAds, containing information about Telegram Star transactions involving the Telegram Ads Platform.
- Added the field *invoice_payload* to the class TransactionPartnerUser, containing the bot-specified invoice payload.
- Changed the default opening mode for Direct Link Mini Apps.
- Added support for launching Web Apps via `t.me` link in the class MenuButtonWebApp.
- Added the field *section_separator_color* to the class ThemeParams.

June 18, 2024

Bot API 7.5

- Added the classes StarTransactions, StarTransaction, TransactionPartner and RevenueWithdrawalState, containing information about Telegram Star transactions involving the bot.
- Added the method getStarTransactions that can be used to get the list of all Telegram Star transactions for the bot.
- Added support for *callback* buttons in InlineKeyboardMarkup for messages sent on behalf of a business account.

- Added support for callback queries originating from a message sent on behalf of a business account.
- Added the parameter *business_connection_id* to the methods editMessageText, editMessageMedia, editMessageCaption, editMessageLiveLocation, stopMessageLiveLocation and editMessageReplyMarkup, allowing the bot to edit business messages.
- Added the parameter *business_connection_id* to the method stopPoll, allowing the bot to stop polls it sent on behalf of a business account.

May 28, 2024

Bot API 7.4

- Added support for payments in Telegram Stars by introducing the new currency “XTR”.
- The parameter *provider_token* of the methods sendInvoice and createInvoiceLink must be omitted for payments in Telegram Stars.
- The field *provider_token* in the class InputInvoiceMessageContent must be omitted for payments in Telegram Stars.
- Added the method refundStarPayment.
- Added the field *effect_id* to the class Message.
- Added the parameter *message_effect_id* to the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendSticker, sendVideoNote, sendVoice, sendLocation, sendVenue, sendContact, sendPoll, sendDice, sendInvoice, sendGame, and sendMediaGroup.
- Added the field *show_caption_above_media* to the classes Message, InputMediaAnimation, InputMediaPhoto, InputMediaVideo, InlineQueryResultGif, InlineQueryResultMpeg4Gif, InlineQueryResultPhoto, InlineQueryResultVideo, InlineQueryResultCachedGif, InlineQueryResultCachedMpeg4Gif, InlineQueryResultCachedPhoto, and InlineQueryResultCachedVideo.
- Added the parameter *show_caption_above_media* to the methods sendAnimation, sendPhoto, sendVideo, copyMessage, and editMessageCaption.
- Added support for “expandable_blockquote” entities in received messages.
- Added support for “expandable_blockquote” entity parsing in “MarkdownV2” and “HTML” parse modes.
- Allowed to explicitly specify “expandable_blockquote” entities in formatted texts.

May 6, 2024

Bot API 7.3

- Added support for InlineKeyboardMarkup with *url*, *login_url*, and *callback_game* buttons for messages sent on behalf of a business account.
- Added the field *via_join_request* to the class ChatMemberUpdated.
- Added support for live locations that can be edited indefinitely, allowing 0x7FFFFFFF to be used as *live_period*.
- Added the parameter *live_period* to the method editMessageLiveLocation.
- Added the field *question_entities* to the class Poll.

- Added the field *text_entities* to the class PollOption.
- Added the parameters *question_parse_mode* and *question_entities* to the method sendPoll.
- Added the class InputPollOption and changed the type of the parameter *options* in the method sendPoll to Array of InputPollOption.
- Added the classes ChatBackground, BackgroundType, BackgroundFill and the field *chat_background_set* of type ChatBackground to the class Message, describing service messages about background changes.
- Split out the class ChatFullInfo from the class Chat and changed the return type of the method getChat to ChatFullInfo.
- Added the field *max_reaction_count* to the class ChatFullInfo.
- Documented that .MP3 and .M4A files can be used as voice messages.

March 31, 2024

Bot API 7.2

Integration with Business Accounts

- Added the class BusinessConnection and updates about the connection or disconnection of the bot to a business account, represented by the field *business_connection* in the class Update.
- Added updates about new messages in a business account connected to the bot, represented by the field *business_message* in the class Update.
- Added updates about message edits in a business account connected to the bot, represented by the field *edited_business_message* in the class Update.
- Added updates about message deletion in a business account connected to the bot, represented by the class BusinessMessagesDeleted and the field *deleted_business_messages* in the class Update.
- Added the method getBusinessConnection.

Working on Behalf of Business Accounts

- Added the parameter *business_connection_id* to the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendSticker, sendVideoNote, sendVoice, sendLocation, sendVenue, sendContact, sendPoll, sendDice, sendGame, and sendMediaGroup.
- Added the parameter *business_connection_id* to the method sendChatAction.
- Added the field *business_connection_id* to the class Message.
- Added the field *sender_business_bot* to the class Message.

Information about Business Accounts

- Added the class BusinessIntro and the field *business_intro* to the class Chat.
- Added the class BusinessLocation and the field *business_location* to the class Chat.
- Added the classes BusinessOpeningHours and BusinessOpeningHoursInterval and the field *business_opening_hours* to the class Chat.

Mixed-Format Sticker Packs

- Removed the fields *is_animated* and *is_video* from the class StickerSet.
- Added the field *format* to the class InputSticker.
- Removed the parameter *sticker_format* from the method createNewStickerSet.
- Added the parameter *format* to the method setStickerSetThumbnail.
- Increased the maximum number of stickers in any regular and mask sticker set to 120.
- Allowed to upload .WEBM stickers using SendSticker.

Request Chat Improvements

- Added the fields *request_name*, *request_username*, and *request_photo* to the class KeyboardButtonRequestUsers.
- Added the fields *request_title*, *request_username*, and *request_photo* to the class KeyboardButtonRequestChat.
- Added the class *SharedUser* and replaced the field *user_ids* in the class UsersShared with the field *users*.
- Added the fields *title*, *username*, and *photo* to the class ChatShared.

Other Changes

- Added the field *is_from_offline* to the class Message.
- Added the field *can_connect_to_business* to the class User.
- Added the field *personal_chat* to the class Chat.
- Added the method replaceStickerInSet,
- Added the class Birthdate and the field *birthdate* to the class Chat.
- Added the field *BiometricManager* to the class WebApp.

February 16, 2024

Bot API 7.1

- Added support for the administrator rights *can_post_stories*, *can_edit_stories*, *can_delete_stories* in supergroups.
- Added the class ChatBoostAdded and the field *boost_added* to the class Message for service messages about a user boosting a chat.
- Added the field *sender_boost_count* to the class Message.
- Added the field *reply_to_story* to the class Message.
- Added the fields *chat* and *id* to the class Story.
- Added the field *unrestrict_boost_count* to the class Chat.
- Added the field *custom_emoji_sticker_set_name* to the class Chat.

2023

December 29, 2023

Bot API 7.0

Reactions

- Added the classes ReactionTypeEmoji and ReactionTypeCustomEmoji representing different types of reaction.
- Added updates about a reaction change on a message with non-anonymous reactions, represented by the class MessageReactionUpdated and the field *message_reaction* in the class Update. The bot must explicitly allow the update to receive it.
- Added updates about reaction changes on a message with anonymous reactions, represented by the class MessageReactionCountUpdated and the field *message_reaction_count* in the class Update. The bot must explicitly allow the update to receive it.
- Added the method setMessageReaction that allows bots to react to messages.
- Added the field *available_reactions* to the class Chat.

Replies 2.0

- Added the ability to reply to messages in other chats or forum topics.
- Added the class ExternalReplyInfo and the field *external_reply* of type ExternalReplyInfo to the class Message, containing information about a message that is replied to by the current message, but can be from another chat or forum topic.
- Added the ability to quote a part of the replied message.
- Added the class TextQuote and the field *quote* of type TextQuote to the class *Message*, which contains the part of the replied message text or caption that is quoted in the current message.
- Added the class ReplyParameters and replaced parameters *reply_to_message_id* and *allow_sending_without_reply* in the methods copyMessage, sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendSticker, sendVideoNote, sendVoice, sendLocation, sendVenue, sendContact, sendPoll, sendDice, sendInvoice, sendGame, and sendMediaGroup with the field *reply_parameters* of type ReplyParameters.

Link Preview Customization

- Allowed to explicitly specify the URL that will be used for link preview generation in outgoing text messages.
- Allowed to position link previews above the message text.
- Allowed to choose media size in link previews.
- Added the class LinkPreviewOptions and replaced the parameter *disable_web_page_preview* with *link_preview_options* in the methods sendMessage and editMessageText.
- Replaced the field *disable_web_page_preview* with *link_preview_options* in the class InputTextMessageContent.
- Added the field *link_preview_options* to the class Message with information about the link preview options used to send the message.

Block Quotation

- Added support for “blockquote” entities in received messages.
- Added support for “blockquote” entity parsing in “MarkdownV2” and “HTML” parse modes.
- Allowed to explicitly specify “blockquote” entities in formatted texts.

Multiple Message Actions

- Added the method deleteMessages to allow the deletion of multiple messages in a single request.
- Added the method forwardMessages for forwarding of multiple messages in a single request.
- Added the method copyMessages for copying of multiple messages in a single request.

Request for multiple users

- Renamed the class *KeyboardButtonRequestUser* to KeyboardButtonRequestUsers and added the field *max_quantity* to it.
- Renamed the field *request_user* in the class KeyboardButton to *request_users*. The old name will still work for backward compatibility.
- Added the class UsersShared.
- Replaced the field *user_shared* in the class Message with the field *users_shared*.

Chat Boost

- Added updates about chat boost changes, represented by the classes ChatBoostUpdated and ChatBoostRemoved and the fields *chat_boost* and *removed_chat_boost* in the class Update. The bot must be an administrator in the chat to receive these updates.
- Added the classes ChatBoostSourcePremium, ChatBoostSourceGiftCode and ChatBoostSourceGiveaway, representing different sources of a chat boost.
- Added the method getUserChatBoosts for obtaining the list of all active boosts a user has contributed to a chat.

Giveaway

- Added the class Giveaway and the field *giveaway* to the class Message for messages about scheduled giveaways.
- Added the class GiveawayCreated and the field *giveaway_created* to the class Message for service messages about the creation of a scheduled giveaway.
- Added the class GiveawayWinners and the field *giveaway_winners* to the class Message for messages about the completion of a giveaway with public winners.
- Added the class GiveawayCompleted and the field *giveaway_completed* to the class Message for service messages about the completion of a giveaway without public winners.

Web App Changes

- Added the field *SettingsButton* to the class WebApp.
- Added the fields *header_bg_color*, *accent_text_color*, *section_bg_color*, *section_header_text_color*, *subtitle_text_color*, *destructive_text_color* to the class ThemeParams.
- Web Apps no longer close when the method *WebApp.openTelegramLink* is called.

Other Changes

- Added support for the fields *emoji_status_custom_emoji_id* and *emoji_status_expiration_date* in the class Chat for non-private chats.

- Added the fields *accent_color_id*, *background_custom_emoji_id*, *profile_accent_color_id*, and *profile_background_custom_emoji_id* to the class Chat.
- Added the field *has_visible_history* to the class Chat.
- Added the class MessageOrigin and replaced the fields *forward_from*, *forward_from_chat*, *forward_from_message_id*, *forward_signature*, *forward_sender_name*, and *forward_date* with the field *forward_origin* of type MessageOrigin in the class Message.
- Improved documentation for the field *message* of the class callbackQuery and the field *pinned_message* of the class Message by adding the classes MaybeInaccessibleMessage and InaccessibleMessage.

September 22, 2023

Bot API 6.9

- Added the new administrator privileges *can_post_stories*, *can_edit_stories* and *can_delete_stories* to the classes ChatMemberAdministrator and ChatAdministratorRights.
- Added the parameters *can_post_stories*, *can_edit_stories* and *can_delete_stories* to the method promoteChatMember. Currently, bots have no use for these privileges besides assigning them to other administrators.
- Added the ability to set any header color for Web App using the method *setHeaderColor*.
- Added the field *CloudStorage* to the class WebApp.
- Added the methods *requestWriteAccess* and *requestContact* to the class WebApp.
- Added Web App events *writeAccessRequested* and *contactRequested*.
- Added the fields *from_request* and *from_attachment_menu* to the class WriteAccessAllowed.
- Added the fields *added_to_attachment_menu* and *allows_write_to_pm* to the class WebAppUser.

August 18, 2023

Bot API 6.8

- Added the field *story* to the class Message for messages with forwarded stories. Currently, it holds no information.
- Added the field *voter_chat* to the class PollAnswer, to contain channel chat voters in Polls. For backward compatibility, the field *user* in such objects will contain the user 136817688 (@Channel_Bot).
- Added the field *emoji_status_expiration_date* to the class Chat.
- Added the method unpinAllGeneralForumTopicMessages.
- Increased to 512 characters the maximum length of the *startapp* parameter in direct Web App links.

April 21, 2023

Bot API 6.7

- Added support for launching Web Apps from inline query results by replacing the parameters *switch_pm_text* and *switch_pm_parameter* of the method answerInlineQuery

with the parameter *button* of type InlineQueryResultsButton.
- Added the field *web_app_name* to the class WriteAccessAllowed.
- Added the field *switch_inline_query_chosen_chat* of the type SwitchInlineQueryChosenChat to the class InlineKeyboardButton, which allows bots to switch to inline mode in a chosen chat of the given type.
- Added the field *via_chat_folder_invite_link* to the class ChatMemberUpdated.
- Added the ability to set different bot names for different user languages using the method setMyName.
- Added the ability to get the current bot name in the given language as the class BotName using the method getMyName.
- Added the ability to change bot settings from the bot's profile in official Telegram apps, including the ability to set animated profile photos.
- Added the ability to specify custom emoji entities using HTML and MarkdownV2 formatting options for bots that purchased additional usernames on Fragment.

March 9, 2023

Bot API 6.6

- Added the ability to set different bot descriptions for different user languages using the method setMyDescription.
- Added the ability to get the current bot description in the given language as the class BotDescription using the method getMyDescription.
- Added the ability to set different bot short descriptions for different user languages using the method setMyShortDescription.
- Added the ability to get the current bot short description in the given language as the class BotShortDescription using the method getMyShortDescription.
- Added the parameter *emoji* to the method sendSticker to specify an emoji for just uploaded stickers.
- Added support for the creation of custom emoji sticker sets in createNewStickerSet.
- Added the parameter *needs_repainting* to the method createNewStickerSet to automatically change the color of emoji based on context (e.g., use text color in messages, accent color in statuses, etc.).
- Added the field *needs_repainting* to the class Sticker.
- Replaced the parameters *png_sticker*, *tgs_sticker*, *webm_sticker*, *emojis* and *mask_position* in the method addStickerToSet with the parameter *sticker* of the type InputSticker.
- Added support for the creation of sticker sets with multiple initial stickers in createNewStickerSet by replacing the parameters *png_sticker*, *tgs_sticker*, *webm_sticker*, *emojis* and *mask_position* with the parameters *stickers* and *sticker_format*.
- Added support for .WEBP files in createNewStickerSet and addStickerToSet.
- Added support for .WEBP, .TGS, and .WEBM files in uploadStickerFile by replacing the parameter *png_sticker* in the method uploadStickerFile with the parameters *sticker* and *sticker_format*.
- Added the ability to specify search keywords for stickers added to sticker sets.
- Added the method setCustomEmojiStickerSetThumbnail for editing the thumbnail of custom emoji sticker sets created by the bot.

- Added the method setStickerSetTitle for editing the title of sticker sets created by the bot.
- Added the method deleteStickerSet for complete deletion of a given sticker set that was created by the bot.
- Added the method setStickerEmojiList for changing the list of emoji associated with a sticker.
- Added the method setStickerKeywords for changing the search keywords assigned to a sticker.
- Added the method setStickerMaskPosition for changing the mask position of a mask sticker.
- Renamed the field *thumb* in the classes Animation, Audio, Document, Sticker, Video, VideoNote, InputMediaAnimation, InputMediaAudio, InputMediaDocument, InputMediaVideo, StickerSet to *thumbnail*.
- Renamed the parameter *thumb* in the methods sendAnimation, sendAudio, sendDocument, sendVideo, sendVideoNote to *thumbnail*.
- Renamed the method *setStickerSetThumb* to setStickerSetThumbnail and its parameter *thumb* to *thumbnail*.
- Renamed the fields *thumb_url*, *thumb_width*, and *thumb_height* in the classes InlineQueryResultArticle, InlineQueryResultContact, InlineQueryResultDocument, InlineQueryResultLocation, and InlineQueryResultVenue to *thumbnail_url*, *thumbnail_width*, and *thumbnail_height* respectively.
- Renamed the field *thumb_url* in the classes InlineQueryResultPhoto and InlineQueryResultVideo to *thumbnail_url*.
- Renamed the fields *thumb_url* and *thumb_mime_type* in the classes InlineQueryResultGif, and InlineQueryResultMpeg4Gif to *thumbnail_url* and *thumbnail_mime_type* respectively.

February 3, 2023

Bot API 6.5

- Added requests for users and chats and support for granular media permissions.
- Added the class KeyboardButtonRequestUser and the field *request_user* to the class KeyboardButton.
- Added the class KeyboardButtonRequestChat and the field *request_chat* to the class KeyboardButton.
- Added the classes UserShared, ChatShared and the fields *user_shared*, and *chat_shared* to the class Message.
- Replaced the fields *can_send_media_messages* in the classes ChatMemberRestricted and ChatPermissions with separate fields *can_send_audios*, *can_send_documents*, *can_send_photos*, *can_send_videos*, *can_send_video_notes*, and *can_send_voice_notes* for different media types.
- Added the parameter *use_independent_chat_permissions* to the methods restrictChatMember and setChatPermissions.
- Added the field *user_chat_id* to the class ChatJoinRequest.

2022

December 30, 2022

Bot API 6.4

- Added the field *is_persistent* to the class ReplyKeyboardMarkup, allowing to control when the keyboard is shown.
- Added the parameter *has_spoiler* to the methods sendPhoto, sendVideo, and sendAnimation.
- Added the field *has_spoiler* to the classes InputMediaPhoto, InputMediaVideo, and InputMediaAnimation.
- Added the field *has_media_spoiler* to the class Message.
- The parameters *name* and *icon_custom_emoji_id* of the method editForumTopic are now optional. If they are omitted, the existing values are kept.
- Added the classes ForumTopicEdited, GeneralForumTopicHidden, GeneralForumTopicUnhidden, and WriteAccessAllowed and the fields *forum_topic_edited*, *general_forum_topic_hidden*, *general_forum_topic_unhidden*, and *write_access_allowed* to the class Message.
- Added the methods editGeneralForumTopic, closeGeneralForumTopic, reopenGeneralForumTopic, hideGeneralForumTopic, unhideGeneralForumTopic for managing the General topic in forums.
- Added the parameter *message_thread_id* to the method sendChatAction for sending chat actions to a specific message thread or a forum topic.
- Added the field *has_hidden_members* to the class Chat. Note that the method getChatMember is only guaranteed to work if the bot is an administrator in the chat.
- Added the field *has_aggressive_anti_spam_enabled* to the class Chat.
- Added Web App events *qrTextReceived* and *clipboardTextReceived*.
- Added the field *platform* to the class WebApp.
- Added the methods *showScanQrPopup*, *closeScanQrPopup*, and *readTextFromClipboard* to the class WebApp.
- Added the parameter *options* to the method *openLink* of the class WebApp.

November 5, 2022

Bot API 6.3

- Added support for Topics in Groups.
- Added the field *is_forum* to the class Chat.
- Added the fields *is_topic_message* and *message_thread_id* to the class Message to allow detection of messages belonging to a forum topic and their message thread identifier.
- Added the classes ForumTopicCreated, ForumTopicClosed, and ForumTopicReopened and the fields *forum_topic_created*, *forum_topic_closed*, and *forum_topic_reopened* to the class Message. Note that service messages about forum topic creation can't be deleted with the deleteMessage method.
- Added the field *can_manage_topics* to the classes ChatAdministratorRights, ChatPermissions, ChatMemberAdministrator, and ChatMemberRestricted.

- Added the parameter *can_manage_topics* to the method promoteChatMember.
- Added the methods createForumTopic, editForumTopic, closeForumTopic, reopenForumTopic, deleteForumTopic, unpinAllForumTopicMessages, and getForumTopicIconStickers for forum topic management.
- Added the parameter *message_thread_id* to the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendSticker, sendVideoNote, sendVoice, sendLocation, sendVenue, sendContact, sendPoll, sendDice, sendInvoice, sendGame, sendMediaGroup, copyMessage, forwardMessage to support sending of messages to a forum topic.
- Added support for Multiple Usernames via the field *active_usernames* in the class Chat.
- Added the field *emoji_status_custom_emoji_id* to the class Chat.

August 12, 2022

Bot API 6.2

Custom Emoji Support

- Added the MessageEntity type “custom_emoji”.
- Added the field *custom_emoji_id* to the class MessageEntity for “custom_emoji” entities.
- Added the method getCustomEmojiStickers.
- Added the fields *type* and *custom_emoji_id* to the class Sticker.
- Added the field *sticker_type* to the class StickerSet, describing the type of stickers in the set.
- The field *contains_masks* has been removed from the documentation of the class StickerSet. The field is still returned in the object for backward compatibility, but new bots should use the field *sticker_type* instead.
- Added the parameter *sticker_type* to the method createNewStickerSet.
- The parameter *contains_masks* has been removed from the documentation of the method createNewStickerSet. The parameter will still work for backward compatibility, but new bots should use the parameter *sticker_type* instead.

Web App Improvements

- Added the field *isClosingConfirmationEnabled* and the methods *enableClosingConfirmation*, *disableClosingConfirmation*, *showPopup*, *showAlert*, *showConfirm* to the class WebApp.
- Added the field *is_premium* to the class WebAppUser.
- Added the event *popupClosed*.

Other Changes

- Added the field *has_restricted_voice_and_video_messages* to the class Chat to support the new setting.

June 20, 2022

Bot API 6.1

Media in Descriptions

- Added support for photos and videos in the 'What can this bot do?' section (shown on the bot's start screen). Use BotFather to set up media.

Web App Improvements

- Added the fields *version*, *headerColor*, *backgroundColor*, *BackButton*, *HapticFeedback* and the methods *isVersionAtLeast*, *setHeaderColor*, *setBackgroundColor*, *openLink*, *openTelegramLink*, *openInvoice* to the class WebApp.
- Added the field *secondary_bg_color* to the class ThemeParams.
- Added the method *offClick* to the class MainButton.
- Added the fields *chat*, *can_send_after* to the class WebAppInitData.
- Added the events *backButtonClicked*, *settingsButtonClicked*, *invoiceClosed*.

Join Requests & Payments

- Added the fields *join_to_send_messages* and *join_by_request* to the class Chat.
- Added the ability to process join requests which were created without an invite link. Bots will receive a “chat_join_request” update as usual.
- Added the method createInvoiceLink to generate an HTTP link for an invoice.

Telegram Premium Support (more info)

- The maximum value of the field *file_size* in the classes Animation, Audio, Document, Video, Voice, and File can no longer be stored in a signed 32-bit integer type. This change is necessary to support 4GB files uploaded by premium accounts.
- Added the field *is_premium* to the class User.
- Added the field *premium_animation* to the class Sticker.

Attachment Menu Integration

- Added the field *added_to_attachment_menu* to the class User.
- Bots integrated in the attachment menu can now be used in groups, supergroups and channels.
- Added support for t.me links that can be used to select the chat in which the attachment menu with the bot will be opened.

Other Changes

- Added the parameter *secret_token* to the method setWebhook.
- As previously announced, only HTTPS links are now allowed in *login_url* inline keyboard buttons.

April 16, 2022

Bot API 6.0

- Added support for **Web Apps**, see the detailed manual here. (blog announcement)
- Added the class WebAppInfo and the fields *web_app* to the classes KeyboardButton and InlineKeyboardButton.

- Added the class SentWebAppMessage and the method answerWebAppQuery for sending an answer to a Web App query, which originated from an inline button of the 'web_app' type.
- Added the class WebAppData and the field *web_app_data* to the class Message.
- Added the class MenuButton and the methods setChatMenuButton and getChatMenuButton for managing the behavior of the bot's menu button in private chats.
- Added the class ChatAdministratorRights and the methods setMyDefaultAdministratorRights and getMyDefaultAdministratorRights for managing the bot's default administrator rights.
- Added support for t.me links that can be used to add the bot to groups and channels as an administrator.
- Added the field *last_synchronization_error_date* to the class WebhookInfo.
- Renamed the field *can_manage_voice_chats* to *can_manage_video_chats* in the class ChatMemberAdministrator. The old field will remain temporarily available.
- Renamed the parameter *can_manage_voice_chats* to *can_manage_video_chats* in the method promoteChatMember. The old parameter will remain temporarily available.
- Renamed the fields *voice_chat_scheduled*, *voice_chat_started*, *voice_chat_ended*, and *voice_chat_participants_invited* to *video_chat_scheduled*, *video_chat_started*, *video_chat_ended*, and *video_chat_participants_invited* in the class Message. The old fields will remain temporarily available.

> ⚠️ **WARNING!** ⚠️
> After the next update, only HTTPS links will be allowed in *login_url* inline keyboard buttons.

January 31, 2022

Bot API 5.7

- Added support for Video Stickers.
- Added the field *is_video* to the classes Sticker and StickerSet.
- Added the parameter *webm_sticker* to the methods createNewStickerSet and addStickerToSet.

2021

December 30, 2021

Bot API 5.6

- Improved support for Protected Content.
- Added the parameter *protect_content* to the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendSticker, sendVideoNote, sendVoice,

sendLocation, sendVenue, sendContact, sendPoll, sendDice, sendInvoice, sendGame, sendMediaGroup, copyMessage, forwardMessage to allow sending messages with protected content to any chat.
- Added support for spoiler entities, which will work in Telegram versions released after December 30, 2021. Older clients will display *unsupported message*.
- Added new MessageEntity type “spoiler”.
- Added the ability to specify spoiler entities using HTML and MarkdownV2 formatting options.

December 7, 2021

Bot API 5.5

- Bots are now allowed to contact users who sent a join request to a chat where the bot is an administrator with the *can_invite_users* administrator right - even if the user never interacted with the bot before.
- Added support for mentioning users by their ID in inline keyboards. This will only work in Telegram versions released after December 7, 2021. Older clients will display *unsupported message*.
- Added the methods banChatSenderChat and unbanChatSenderChat for banning and unbanning channel chats in supergroups and channels.
- Added the field *has_private_forwards* to the class Chat for private chats, which can be used to check the possibility of mentioning the user by their ID.
- Added the field *has_protected_content* to the classes Chat and Message.
- Added the field *is_automatic_forward* to the class Message.

Note: After this update it will become impossible to forward messages from some chats. Use the fields *has_protected_content* in the classes Message and Chat to check this.

Note: After this update users are able to send messages on behalf of channels they own. Bots are expected to use the field *sender_chat* in the class Message to correctly support such messages.

Note: As previously announced, user identifiers can now have up to 52 significant bits and require a 64-bit integer or double-precision float type to be stored safely.

November 5, 2021

Bot API 5.4

- Added the the parameter `creates_join_request` to the methods createChatInviteLink and editChatInviteLink for managing chat invite links that create join requests (read more about this on our blog).
- Added the fields `creates_join_request` and `pending_join_request_count` to the class ChatInviteLink.
- Added the field `name` to the class ChatInviteLink and the parameters `name` to the methods createChatInviteLink and editChatInviteLink for managing invite link names.

- Added updates about new requests to join the chat, represented by the class ChatJoinRequest and the field *chat_join_request* in the Update class. The bot must be an administrator in the chat with the *can_invite_users* administrator right to receive these updates.
- Added the methods approveChatJoinRequest and declineChatJoinRequest for managing requests to join the chat.
- Added support for the *choose_sticker* action in the method sendChatAction.

> ⚠️ **WARNING!** ⚠️
> User identifiers will become bigger than `2^31 - 1` before the end of this year and it will be no longer possible to store them in a signed 32-bit integer type. User identifiers will have up to 52 significant bits, so a 64-bit integer or double-precision float type would still be safe for storing them. Please make sure that your code can correctly handle such user identifiers.

June 25, 2021

Bot API 5.3

Personalized Commands

- Bots can now show lists of commands tailored to specific situations - including localized commands for users with different languages, as well as different commands based on chat type or for specific chats, and special lists of commands for chat admins.
- Added the class BotCommandScope, describing the scope to which bot commands apply.
- Added the parameters `scope` and `language_code` to the method setMyCommands to allow bots specify different commands for different chats and users.
- Added the parameters `scope` and `language_code` to the method getMyCommands.
- Added the method deleteMyCommands to allow deletion of the bot's commands for the given scope and user language.
- Improved visibility of bot commands in Telegram apps with the new 'Menu' button in chats with bots, read more on the blog.

Custom Placeholders

- Added the ability to specify a custom input field placeholder in the classes ReplyKeyboardMarkup and ForceReply.

And More

- Improved documentation of the class ChatMember by splitting it into 6 subclasses.
- Renamed the method `kickChatMember` to banChatMember. The old method name can still be used.

- Renamed the method `getChatMembersCount` to getChatMemberCount. The old method name can still be used.
- Values of the field `file_unique_id` in objects of the type PhotoSize and of the fields `small_file_unique_id` and `big_file_unique_id` in objects of the type ChatPhoto were changed.

> ⚠️ **WARNING!** ⚠️
> After one of the upcoming Bot API updates, user identifiers will become bigger than `2^31 - 1` and it will be no longer possible to store them in a signed 32-bit integer type. User identifiers will have up to 52 significant bits, so a 64-bit integer or double-precision float type would still be safe for storing them. Please make sure that your code can correctly handle such user identifiers.

April 26, 2021

Bot API 5.2

- Support for Payments 2.0, see this manual for more details about the **Bot Payments API**.
- Added the type InputInvoiceMessageContent to support sending invoices as inline query results.
- Allowed sending invoices to group, supergroup and channel chats.
- Added the fields *max_tip_amount* and *suggested_tip_amounts* to the method sendInvoice to allow adding optional tips to the payment.
- The parameter *start_parameter* of the method sendInvoice became optional. If the parameter isn't specified, the invoice can be paid directly from forwarded messages.
- Added the field *chat_type* to the class InlineQuery, containing the type of the chat, from which the inline request was sent.
- Added the type VoiceChatScheduled and the field *voice_chat_scheduled* to the class Message.
- Fixed an error in sendChatAction documentation to correctly mention “record_voice” and “upload_voice” instead of “record_audio” and “upload_audio” for related to voice note actions. Old action names will still work for backward compatibility.

> ⚠️ **WARNING!** ⚠️
> After the next Bot API update (Bot API 5.3) there will be a one-time change of the value of the field `file_unique_id` in objects of the type PhotoSize and of the fields `small_file_unique_id` and `big_file_unique_id` in objects of the type ChatPhoto.

> ⚠️ **WARNING!** ⚠️
> Service messages about non-bot users joining the chat will be soon removed from large groups. We recommend using the “chat_member” update as a replacement.

> ⚠️ **WARNING!** ⚠️
> After one of the upcoming Bot API updates, user identifiers will become bigger than `2^31 - 1` and it will be no longer possible to store them in a signed 32-bit integer type. User identifiers will have up to 52 significant bits, so a 64-bit integer or double-precision float type would still be safe for storing them. Please make sure that your code can correctly handle such user identifiers.

March 9, 2021

Bot API 5.1

Added two new update types

- Added updates about member status changes in chats, represented by the class ChatMemberUpdated and the fields *my_chat_member* and *chat_member* in the Update class. The bot must be an administrator in the chat to receive *chat_member* updates about other chat members. By default, only *my_chat_member* updates about the bot itself are received.

Improved Invite Links

- Added the class ChatInviteLink, representing an invite link to a chat.
- Added the method createChatInviteLink, which can be used to create new invite links in addition to the primary invite link.
- Added the method editChatInviteLink, which can be used to edit non-primary invite links created by the bot.
- Added the method revokeChatInviteLink, which can be used to revoke invite links created by the bot.

Voice Chat Info

- Added the type VoiceChatStarted and the field *voice_chat_started* to the class Message.
- Added the type VoiceChatEnded and the field *voice_chat_ended* to the class Message.
- Added the type VoiceChatParticipantsInvited and the field *voice_chat_participants_invited* to the class Message.

- Added the new administrator privilege *can_manage_voice_chats* to the class ChatMember and parameter *can_manage_voice_chats* to the method promoteChatMember. For now, bots can use this privilege only for passing to other administrators.

And More

- Added the type MessageAutoDeleteTimerChanged and the field *message_auto_delete_timer_changed* to the class Message.
- Added the parameter *revoke_messages* to the method kickChatMember, allowing to delete all messages from a group for the user who is being removed.
- Added the new administrator privilege *can_manage_chat* to the class ChatMember and parameter *can_manage_chat* to the method promoteChatMember. This administrator right is implied by any other administrator privilege.
- Supported the new *bowling* animation for the random dice. Choose between different animations (dice, darts, basketball, football, bowling, slot machine) by specifying the *emoji* parameter in the method sendDice.

> ⚠️ **WARNING!** ⚠️
> After one of the upcoming Bot API updates, some user identifiers will become bigger than `2^31 - 1` and it will be no longer possible to store them in a signed 32-bit integer type. User identifiers will have up to 52 significant bits, so a 64-bit integer or double-precision float type would still be safe for storing them. Please make sure that your code can correctly handle such user identifiers.

2020

November 4, 2020

Introducing **Bot API 5.0**

Run Your Own Bot API Server

- Bot API source code is now available at telegram-bot-api. You can now run your **own Bot API server** locally, boosting your bots' performance.
- Added the method logOut, which can be used to log out from the cloud Bot API server before launching your bot locally. You **must** log out the bot before running it locally, otherwise there is no guarantee that the bot will receive all updates.
- Added the method close, which can be used to close the bot instance before moving it from one local server to another.

Transfer Bot Ownership

- You can now use @BotFather to transfer your existing bots to another Telegram account.

Webhooks

- Added the parameter *ip_address* to the method setWebhook, allowing to bypass DNS resolving and use the specified fixed IP address to send webhook requests.
- Added the field *ip_address* to the class WebhookInfo, containing the current IP address used for webhook connections creation.
- Added the ability to drop all pending updates when changing webhook URL using the parameter *drop_pending_updates* in the methods setWebhook and deleteWebhook.

Working with Groups

- The getChat request now returns the user's bio for private chats if available.
- The getChat request now returns the identifier of the linked chat for supergroups and channels, i.e. the discussion group identifier for a channel and vice versa.
- The getChat request now returns the location to which the supergroup is connected (see Local Groups). Added the class ChatLocation to represent the location.
- Added the parameter *only_if_banned* to the method unbanChatMember to allow safe unban.

Working with Files

- Added the field *file_name* to the classes Audio and Video, containing the name of the original file.
- Added the ability to disable server-side file content type detection using the parameter *disable_content_type_detection* in the method sendDocument and the class inputMediaDocument.

Multiple Pinned Messages

- Added the ability to **pin messages in private chats**.
- Added the parameter *message_id* to the method unpinChatMessage to allow unpinning of the specific pinned message.
- Added the method unpinAllChatMessages, which can be used to unpin all pinned messages in a chat.

File Albums

- Added support for sending and receiving audio and document albums in the method sendMediaGroup.

Live Locations

- Added the field *live_period* to the class Location, representing a maximum period for which the live location can be updated.
- Added support for live location heading: added the field *heading* to the classes Location, InlineQueryResultLocation, InputLocationMessageContent and the parameter *heading* to the methods sendLocation and editMessageLiveLocation.
- Added support for proximity alerts in live locations: added the field *proximity_alert_radius* to the classes Location, InlineQueryResultLocation, InputLocationMessageContent and the

parameter *proximity_alert_radius* to the methods sendLocation and editMessageLiveLocation.
- Added the type ProximityAlertTriggered and the field *proximity_alert_triggered* to the class Message.
- Added possibility to specify the horizontal accuracy of a location. Added the field *horizontal_accuracy* to the classes Location, InlineQueryResultLocation, InputLocationMessageContent and the parameter *horizontal_accuracy* to the methods sendLocation and editMessageLiveLocation.

Anonymous Admins

- Added the field *sender_chat* to the class Message, containing the sender of a message which is a chat (group or channel). For backward compatibility in non-channel chats, the field *from* in such messages will contain the user 777000 for messages automatically forwarded to the discussion group and the user 1087968824 (@GroupAnonymousBot) for messages from anonymous group administrators.
- Added the field *is_anonymous* to the class chatMember, which can be used to distinguish anonymous chat administrators.
- Added the parameter *is_anonymous* to the method promoteChatMember, which allows to promote anonymous chat administrators. The bot itself should have the *is_anonymous* right to do this. Despite the fact that bots can have the *is_anonymous* right, they will never appear as anonymous in the chat. Bots can use the right only for passing to other administrators.
- Added the custom title of an anonymous message sender to the class Message as *author_signature*.

And More

- Added the method copyMessage, which sends a copy of any message.
- Maximum poll question length increased to 300.
- Added the ability to manually specify text entities instead of specifying the *parse_mode* in the classes InputMediaPhoto, InputMediaVideo, InputMediaAnimation, InputMediaAudio, InputMediaDocument, InlineQueryResultPhoto, InlineQueryResultGif, InlineQueryResultMpeg4Gif, InlineQueryResultVideo, InlineQueryResultAudio, InlineQueryResultVoice, InlineQueryResultDocument, InlineQueryResultCachedPhoto, InlineQueryResultCachedGif, InlineQueryResultCachedMpeg4Gif, InlineQueryResultCachedVideo, InlineQueryResultCachedAudio, InlineQueryResultCachedVoice, InlineQueryResultCachedDocument, InputTextMessageContent and the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendVoice, sendPoll, editMessageText, editMessageCaption.
- Added the fields *google_place_id* and *google_place_type* to the classes Venue, InlineQueryResultVenue, InputVenueMessageContent and the optional parameters *google_place_id* and *google_place_type* to the method sendVenue to support Google Places as a venue API provider.
- Added the field *allow_sending_without_reply* to the methods sendMessage, sendPhoto, sendVideo, sendAnimation, sendAudio, sendDocument, sendSticker, sendVideoNote,

sendVoice, sendLocation, sendVenue, sendContact, sendPoll, sendDice, sendInvoice, sendGame, sendMediaGroup to allow sending messages not a as reply if the replied-to message has already been deleted.

And Last but not Least

- Supported the new **football** and **slot machine** animations for the random dice. Choose between different animations (dice, darts, basketball, football, slot machine) by specifying the *emoji* parameter in the method sendDice.

June 4, 2020

Bot API 4.9

- Added the new field *via_bot* to the Message object. You can now know which bot was used to send a message.
- Supported video thumbnails for inline GIF and MPEG4 animations.
- Supported the new basketball animation for the random dice. Choose between different animations (dice, darts, basketball) by specifying the *emoji* parameter in the method sendDice.

April 24, 2020

Bot API 4.8

- Supported explanations for Quizzes 2.0. Add explanations by specifying the parameters *explanation* and *explanation_parse_mode* in the method sendPoll.
- Added the fields *explanation* and *explanation_entities* to the Poll object.
- Supported timed polls that automatically close at a certain date and time. Set up by specifying the parameter *open_period* or *close_date* in the method sendPoll.
- Added the fields *open_period* and *close_date* to the Poll object.
- Supported the new darts animation for the dice mini-game. Choose between the default dice animation and darts animation by specifying the parameter *emoji* in the method sendDice.
- Added the field *emoji* to the Dice object.

March 30, 2020

Bot API 4.7

- Added the method sendDice for sending a dice message, which will have a random value from 1 to 6. (Yes, we're aware of the *“proper”* singular of *die*. But it's awkward, and we decided to help it change. One dice at a time!)
- Added the field dice to the Message object.
- Added the method getMyCommands for getting the current list of the bot's commands.
- Added the method setMyCommands for changing the list of the bot's commands through the Bot API instead of @BotFather.
- Added the ability to create animated sticker sets by specifying the parameter *tgs_sticker* instead of *png_sticker* in the method createNewStickerSet.

- Added the ability to add animated stickers to sets created by the bot by specifying the parameter *tgs_sticker* instead of *png_sticker* in the method addStickerToSet.
- Added the field *thumb* to the StickerSet object.
- Added the ability to change thumbnails of sticker sets created by the bot using the method setStickerSetThumb.

January 23, 2020

Bot API 4.6

- Supported Polls 2.0.
- Added the ability to send non-anonymous, multiple answer, and quiz-style polls: added the parameters *is_anonymous*, *type*, *allows_multiple_answers*, *correct_option_id*, *is_closed* options to the method sendPoll.
- Added the object KeyboardButtonPollType and the field *request_poll* to the object KeyboardButton.
- Added updates about changes of user answers in non-anonymous polls, represented by the object PollAnswer and the field *poll_answer* in the Update object.
- Added the fields *total_voter_count*, *is_anonymous*, *type*, *allows_multiple_answers*, *correct_option_id* to the Poll object.
- Bots can now send polls to private chats.
- Added more information about the bot in response to the getMe request: added the fields *can_join_groups*, *can_read_all_group_messages* and *supports_inline_queries* to the User object.
- Added the optional field *language* to the MessageEntity object.

2019

December 31, 2019

Bot API 4.5

- Added support for two new MessageEntity types, *underline* and *strikethrough*.
- Added support for nested MessageEntity objects. Entities can now contain other entities. If two entities have common characters then one of them is fully contained inside the other.
- Added support for nested entities and the new tags `<u>/<ins>` (for underlined text) and `<s>/<strike>/<del>` (for strikethrough text) in parse mode HTML.
- Added a new parse mode, MarkdownV2, which supports nested entities and two new entities `__` (for underlined text) and `~` (for strikethrough text). Parse mode Markdown remains unchanged for backward compatibility.
- Added the field *file_unique_id* to the objects Animation, Audio, Document, PassportFile, PhotoSize, Sticker, Video, VideoNote, Voice, File and the fields *small_file_unique_id* and *big_file_unique_id* to the object ChatPhoto. The new fields contain a unique file identifier, which is supposed to be the same over time and for different bots, but can't be used to download or reuse the file.
- Added the field *custom_title* to the ChatMember object.

- Added the new method setChatAdministratorCustomTitle to manage the custom titles of administrators promoted by the bot.
- Added the field *slow_mode_delay* to the Chat object.

July 29, 2019

Bot API 4.4


- Added support for **animated stickers**. New field *is_animated* in Sticker and StickerSet objects, animated stickers can now be used in sendSticker and InlineQueryResultCachedSticker.
- Added support for **default permissions** in groups. New object ChatPermissions, containing actions which a member can take in a chat. New field *permissions* in the Chat object; new method setChatPermissions.
- The field *all_members_are_administrators* has been removed from the documentation for the Chat object. The field is still returned in the object for backward compatibility, but new bots should use the *permissions* field instead.
- Added support for more permissions for group and supergroup members: added the new field *can_send_polls* to ChatMember object, added *can_change_info*, *can_invite_users*, *can_pin_messages* in ChatMember object for restricted users (previously available only for administrators).
- The method restrictChatMember now takes the new user permissions in a single argument of the type ChatPermissions. The old way of passing parameters will keep working for a while for backward compatibility.
- Added *description* support for basic groups (previously available in supergroups and channel chats). You can pass a group's chat_id to setChatDescription and receive the group's description in the Chat object in the response to getChat method.
- Added *invite_link* support for basic groups (previously available in supergroups and channel chats). You can pass a group's chat_id to exportChatInviteLink and receive the group's invite link in the Chat object in the response to getChat method.
- File identifiers from the ChatPhoto object are now invalidated and can no longer be used whenever the photo is changed.
- All **webhook requests** from the Bot API are now coming from the subnets `149.154.160.0/20` and `91.108.4.0/22`. Most users won't need to do anything to continue receiving webhooks. If you control inbound access with a firewall, you may need to update your configuration. You can always find the list of actual IP addresses of servers used to send webhooks there: https://core.telegram.org/bots/webhooks.
- As of the **next Bot API** update (**version 4.5**), nested MessageEntity objects will be allowed in message texts and captions. Please make sure that your code can correctly handle such entities.

May 31, 2019

Bot API 4.3

- Added support for **Seamless Telegram Login** on external websites.

- Added the new object LoginUrl and the new field *login_url* to the InlineKeyboardButton object which allows to **automatically authorize** users before they go to a URL specified by the bot. Users will be asked to confirm authorization in their Telegram app (needs version 5.7 or higher) when they press the button:



Also in this update:

- Added the field `reply_markup` to the Message object, containing the inline keyboard attached to the message.
- If a message with an inline keyboard is forwarded, the forwarded message will now have an inline keyboard if the keyboard contained only *url* and *login_url* buttons or if the message was sent via a bot and the keyboard contained only *url*, *login_url*, *switch_inline_query* or *switch_inline_query_current_chat* buttons. In the latter case, *switch_inline_query_current_chat* buttons are replaced with *switch_inline_query* buttons.
- Bots now receive the *edited_message* Update even if only *Message.reply_markup* has changed.
- Bots that have the *can_edit_messages* right in a channel can now use the method editMessageReplyMarkup for messages written by other administrators forever without the 48 hours limit.
- Don't forget that starting in **July 2019**, **webhook requests** from Bot API will be coming from the subnets `149.154.160.0/20` and `91.108.4.0/22`. Most users won't need to do anything to continue receiving webhooks. If you control inbound access with a firewall, you

may need to update your configuration. You can always find the list of actual IP addresses of servers used to send webhooks there: https://core.telegram.org/bots/webhooks.

April 14, 2019

Bot API 4.2

- Added support for native polls: added the object Poll, the methods sendPoll and stopPoll and the field *poll* in the Message and Update objects.
- The method deleteMessage can now be used to delete messages sent by a user to the bot in private chats within 48 hours.
- Added support for pinned messages in basic groups in addition to supergroups and channel chats: you can pass group's chat_id to pinChatMessage and unpinChatMessage, and receive the pinned group message in Chat object.
- Added the field *is_member* to the ChatMember object, which can be used to find whether a restricted user is a member of the chat.
- Added the field *forward_sender_name* to the Message object, containing name of the sender who has opted to hide their account.
- Starting in July 2019, webhook requests from Bot API will be coming from the subnets `149.154.160.0/20` and `91.108.4.0/22`. Most users won't need to do anything to continue receiving webhooks. If you control inbound access with a firewall, you may need to update your configuration. You can always find the list of actual IP addresses of servers used to send webhooks there: https://core.telegram.org/bots/webhooks.
- Document thumbnails now should be inscribed in a 320x320 square instead of 90x90.

2018

August 27, 2018

Bot API 4.1

- Added support for translated versions of documents in Telegram Passport.
- New field *translation* in EncryptedPassportElement.
- New errors: PassportElementErrorTranslationFile and PassportElementErrorTranslationFiles and PassportElementErrorUnspecified.

July 26, 2018

Bot API 4.0.

- Added support for **Telegram Passport**. See the official announcement on the blog and the manual for details.
- Added support for **editing the media content of messages**: added the method editMessageMedia and new types InputMediaAnimation, InputMediaAudio, and InputMediaDocument.
- Added the field *thumb* to the Audio object to contain the thumbnail of the album cover to which the music file belongs.

- Added support for attaching custom thumbnails to uploaded files. For animations, audios, videos and video notes, which are less than 10 MB in size, thumbnails are generated automatically.
- `tg://` URLs now can be used in inline keyboard url buttons and `text_link` message entities.
- Added the method sendAnimation, which can be used instead of sendDocument to send animations, specifying their duration, width and height.
- Added the field animation to the Message object. For backward compatibility, when this field is set, the *document* field will be also set.
- Added two new MessageEntity types: *cashtag* and *phone_number*.
- Added support for Foursquare venues: added the new field *foursquare_type* to the objects Venue, InlineQueryResultVenue and InputVenueMessageContent, and the parameter *foursquare_type* to the sendVenue method.
- You can now create inline mentions of users, who have pressed your bot's callback buttons.
- You can now use the `Retry-After` response header to configure the delay after which the Bot API will retry the request after an unsuccessful response from a webhook.
- If a webhook returns the HTTP error `410 Gone` for all requests for more than 23 hours successively, it can be automatically removed.
- Added vCard support when sharing contacts: added the field *vcard* to the objects Contact, InlineQueryResultContact, InputContactMessageContent and the method sendContact.

February 13, 2018

Bot API 3.6.

- Supported text formatting in media captions. Specify the desired *parse_mode* (Markdown or HTML) when you provide a caption.
- In supergroups, if the bot receives a message that is a reply, it will also receive the message to which that message is replying - even if the original message is inaccessible due to the bot's privacy settings. (In other words, replying to any message in a supergroup with a message that mentions the bot or features a command for it acts as forwarding the original message to the bot).
- Added the new field *connected_website* to Message. The bot will receive a message with this field in a private chat when a user logs in on the bot's connected website using the Login Widget and allows sending messages from your bot.
- Added the new parameter *supports_streaming* to the sendVideo method and a field with the same name to the InputMediaVideo object.

2017

November 17, 2017

Bot API 3.5.

- Added the new method sendMediaGroup and two kinds of InputMedia objects to support the new albums feature.

- Added support for pinning messages in channels. pinChatMessage and unpinChatMessage accept channels.
- Added the new fields *provider_data*, *send_phone_number_to_provider*, *send_email_to_provider* to sendInvoice for sharing information about the invoice with the payment provider.

October 11, 2017

Bot API 3.4.

- Bots can now send and receive Live Locations. Added new field *live_period* to the sendLocation method and the editMessageLiveLocation and stopMessageLiveLocation methods as well as the necessary objects for inline bots.
- Bots can use the new setChatStickerSet and deleteChatStickerSet methods to manage group sticker sets.
- The getChat request now returns the group's sticker set for supergroups if available.
- Bots now receive entities from media captions in the new field *caption_entities* in Message.

August 23, 2017

Bot API 3.3.

- Bots can now mention users via inline mentions, without using usernames.
- getChat now also returns pinned messages in supergroups, if present. Added the new field *pinned_message* to the Chat object.
- Added the new fields *author_signature* and *forward_signature* to the Message object.
- Added the new field *is_bot* to the User object.

July 21, 2017

Bot API 3.2. Teach your bot to handle stickers and sticker sets.

- Added new methods for working with stickers: getStickerSet, uploadStickerFile, createNewStickerSet, addStickerToSet, setStickerPositionInSet, and deleteStickerFromSet.
- Added the fields *set_name* and *mask_position* to the Sticker object, plus two new objects, StickerSet, and MaskPosition.

June 30, 2017

Bot API 3.1. Build your own robotic police force for supergoups with these new methods for admin bots:

- Added new methods restrictChatMember and promoteChatMember to manage users and admins, added new parameter *until_date* to kickChatMember for temporary bans.
- Added new methods exportChatInviteLink, setChatPhoto, deleteChatPhoto, setChatTitle, setChatDescription, pinChatMessage and unpinChatMessage to manage groups and channels.
- Added the new fields *photo*, *description* and *invite_link* to the Chat object.

- Added the new fields *until_date*, *can_be_edited*, *can_change_info*, *can_post_messages*, *can_edit_messages*, *can_delete_messages*, *can_invite_users*, *can_restrict_members*, *can_pin_messages*, *can_promote_members*, *can_send_messages*, *can_send_media_messages*, *can_send_other_messages* and *can_add_web_page_previews* to the ChatMember object.

May 18, 2017

Introducing **Bot API 3.0**.

NEW Payment Platform

See Introduction to Bot Payments for a brief overview. If you're not a developer, you may like this user-friendly blog post better.

- Your bot can now accept payments for goods and services via Telegram.
- Added new kinds of updates, *shipping_query* and *pre_checkout_query*, and new types of message content, *invoice* and *successful_payment*.
- Added new methods for payments: sendInvoice, answerShippingQuery, and answerPreCheckoutQuery.
- Added a new type of button, the **pay** button to InlineKeyboardButton.

NEW Video Messages

- As of Telegram v.4.0, users can send short rounded video messages, using an interface similar to that of voice notes.
- Added the sendVideoNote method, the new field *video_note* to Message, the fields *record_video_note* or *upload_video_note* to sendChatAction.

NEW Multilingual Bots

- The User object now may have a *language_code* field that contains the IETF language tag of the user's language.
- Thanks to this, your bot can now offer localized responses to users that speak different languages.

More power to admin bots

- unbanChatMemeber now also works in channels!
- New method deleteMessage that allows the bot to delete its own messages, as well as messages posted by other in groups and channels where the bot is an administrator.

Minor Changes

- Replaced the field *new_chat_member* in Message with *new_chat_members* (the old field will still be available for a while for compatibility purposes).
- Inline keyboards with *switch_inline_query* and *switch_inline_query_current_chat* can no longer be sent to channels because they are useless there.
- New fields *gif_duration* in InlineQueryResultGif and *mpeg4_duration* in InlineQueryResultMpeg4Gif.

2016

December 4, 2016

Introducing **Bot API 2.3.1**, a nifty little update that will give you more control over how your bot gets its updates.

- Use the new field *max_connections* in setWebhook to optimize your bot's server load
- Use *allowed_updates* in setWebhook and getUpdates to selectively subscribe to updates of a certain type. Among other things, this allows you to stop getting updates about new posts in channels where your bot is an admin.
- deleteWebhook moved out of setWebhook to get a whole separate method for itself.

November 21, 2016

Bot API 2.3

- Modified **bot privacy mode** for the sake of consistency.
- Your bot can now get **updates about posts in channels**. Added new fields *channel_post* and *edited_channel_post* to Update.
- You can now update high scores to a lower value by using the new *force* parameter in setGameScore. Handy for punishing **cheaters** or fixing errors in your game's High Score table.
- Starting today, messages with high scores will be updated with new high scores by default. Use *disable_edit_message* in setGameScore if you don't want this.
- The *edit_message* parameter from setGameScore is no longer in use. For backward compatibility, it will be taken into account for a while, unless *disable_edit_message* is passed explicitly.
- Added the new field *forward_from_message_id* to Message.
- Added the new parameter *cache_time* to answerCallbackQuery. Will eventually work in Telegram apps - somewhere after version 3.14, maybe 3.15.
- Renamed *hide_keyboard* to *remove_keyboard* in ReplyKeyboardRemove for clarity. *hide_keyboard* will still work for a while for backward compatibility.

October 3, 2016

Bot API 2.2. Introducing a new Gaming Platform! See this introduction for a brief overview.
If you're not a developer, you may like **this user-friendly blog post** better.

- New tools for building **HTML5 games**.
- New method sendGame, new object InlineQueryResultGame, new field *game* in Message.
- New parameter *url* in answerCallbackQuery. Create a game and accept the conditions using Botfather to send custom urls that open your games for the user.
- New field *callback_game* in InlineKeyboardButton, new fields *game_short_name* and *chat_instance* in CallbackQuery, new object CallbackGame.
- New methods setGameScore and getGameHighScores.

Other changes

- Making life easier for webhook users. Added a detailed **Guide to All Things Webhook** that describes every pothole you can run into on the webhook road.
- New method getWebhookInfo to check current webhook status.
- Added the option to specify an **HTTP URL** for a file in all methods where InputFile or *file_id* can be used (except voice messages). Telegram will get the file from the specified URL and send it to the user. Files must be smaller than 5 MB for photos and smaller than 20 MB for all other types of content.
- Use the new *url* parameter in answerCallbackQuery to create buttons that open your bot with user-specific parameters.
- Added new field *switch_inline_query_current_chat* in InlineKeyboardButton.
- Added *caption* fields to sendAudio, sendVoice, InlineQueryResultAudio, InlineQueryResultVoice, InlineQueryResultCachedAudio, and InlineQueryResultCachedVoice.
- New field *all_members_are_administrators* in the Chat object.
- Certain server responses may now contain the new *parameters* field with expanded info on errors that occurred while processing your requests.

May 25, 2016

- Inline keyboards may now be used in group chats. Channels coming soon.
- Check out @vote and @like for examples.

May 22, 2016

- **Bot API 2.1.** Added more tools for group administrator bots. Your bot can now get a list of administrators and members count in a group, check a user's current status (administrator, creator, left the group, kicked from the group), and leave a group.
- Added new methods: getChat, leaveChat, getChatAdministrators, getChatMember, getChatMembersCount.
- Added support for edited messages and new mentions from Telegram v.3.9. New fields: *edited_message* in Update, *edit_date* in Message, *user* in MessageEntity. New value *text_mention* for the *type* field in MessageEntity.

May 12, 2016

- Added consistency to what messages bots get in groups and supergroups. See updated FAQ for details »

May 6, 2016

- Added the field *emoji* to the Sticker object. Your bot can now know the emoji a sticker corresponds to.
- Added the field *forward_from_chat* to the Message object for messages forwarded from channels.

April 9, 2016

Introducing **Bot API 2.0**. Check out this page for a review of this major update.

- New **inline keyboards** with **callback** and **URL buttons**. Added new objects InlineKeyboardMarkup, InlineKeyboardButton and CallbackQuery, added *reply_markup* fields to all InlineQueryResult objects. Added field *callback_query* to the Update object, new method answerCallbackQuery.
- Bots can now **edit** their messages. Added methods editMessageText, editMessageCaption, editMessageReplyMarkup.
- Bots can request **location** and **phone number** from the user. The *keyboard* field in the object ReplyKeyboardMarkup now supports KeyboardButton, a new object that can have the fields *request_location* and *request_contact*.

Inline bots

- Added support for all content types available on Telegram. **19 types** of InlineQueryResult objects are now supported.
- Inline bots can now **substitute** all kinds of content with text. Added 4 types of InputMessageContent objects.
- Your inline bot can also ask users for permission to use their location. Added the new Botfather command `/setinlinegeo`, added field *location* to the InlineQuery object, added fields *location* and *inline_message_id* to the ChosenInlineResult object.
- Added an easy way to **switch** between inline mode and a private chat with the bot - useful for settings, establishing external connections and teaching users how to use your bot in inline mode. Added parameters *switch_pm_text* and *switch_pm_parameter* to the method answerInlineQuery.

Miscellaneous

- Added group **administration** tools. New methods kickChatMember and unbanChatMember.
- Added fields *venue*, *pinned_message* and *entities* to the Message object. Added new objects MessageEntity and Venue, new methods sendVenue and sendContact.
- Renamed the fields *new_chat_participant* and *left_chat_participant* of the Message object to *new_chat_member* and *left_chat_member*.

February 20, 2016

- Added the *disable_notification* parameter to all methods that send messages or any kind.
- Removed backward compatibility from the method sendAudio. Voice messages now must be sent using the method sendVoice. There is no more need to specify a non-empty title or performer while sending the audio by *file_id*.

January 20, 2016

- By the way, you can use both HTML-style and markdown-style formatting in your bot's messages to send bold, italic or fixed-width text and inline links. All official Telegram clients support this. See Formatting options for details.

January 14, 2016

- You can now collect feedback on which results provided by your inline bot get chosen by the users. Added the `setinlinefeedback` command for Botfather, new type ChosenInlineResult, new field *chosen_inline_result* to the Update object.

January 4, 2016

- Added support for Inline Mode, a new way for people to contact your bot by typing its username and a query in the text input field in any chat. Enable by sending `/setinline` to @BotFather.
- New optional field *inline_query* added to the Update object.
- Added new method answerInlineQuery and new objects InlineQuery, InlineQueryResultArticle, InlineQueryResultPhoto, InlineQueryResultGif, InlineQueryResultMpeg4Gif and InlineQueryResultVideo.

2015

November, 2015

- Added support for supergroups. The *Type* field in the Chat object can now contain 'supergroup'.
- New optional fields added to the Message object: *supergroup_chat_created*, *migrate_to_chat_id*, *migrate_from_chat_id* and *channel_chat_created*.

October 8, 2015

- Added initial channel support for bots (no Telegram clients support this at the moment, please wait for updates):
- The *Chat* field in the Message is now of the new type Chat.
- You can now pass a channel username (in the format `@channelusername`) in the place of *chat_id* in all methods (and instead of *from_chat_id* in forwardMessage). For this to work, the bot must be an administrator in the channel (and that's exactly what Telegram clients don't support yet - adding bots as administrators coming soon).

September 18, 2015

- Bots can now download files and media sent by users.
- Added getFile and File.

September 7, 2015

- You can now pass parameters using *application/json* (please note that this doesn't work for file uploads: use *multipart/form-data* to upload files).
- Added very basic markdown support. New field *parse_mode* added to sendMessage. For the moment messages with markdown will be displayed correctly only in Telegram for **Android**. Other official apps will catch up soon.

August 29, 2015

- Added support for self-signed certificates: upload your certificate using the *certificate* parameter in the setWebhook method.
- You can now make new requests when responding to webhook updates.

August 15, 2015

- Added new type **Voice** and new method **sendVoice** for sending voice messages.
- Earlier **Audio** and **sendAudio** should now be used for sending music files. Telegram clients will show such files in the in-app music player. If you were using **sendAudio** for your bot to send voice messages, please use **sendVoice** instead.
- Added optional fields *performer*, *title* to the **Audio** object and **sendAudio** method.
- Added optional field *voice* to the **Message** object.

July 2015

- The **thumb** field is now optional for Video, Sticker and Document objects
- The API now supports both video and photo captions. The **caption** field has been removed from the Video object and added to the Message object instead.
- **caption** and **duration** optional fields have been added to the sendVideo method.
- Fixed typo: **user_id** in the Contact object is now correctly labeled as Integer, not String

June 24, 2015

The bot platform is officially launched.

> **Back to the Bot API Manual »**