Blockchain Technologies

@romeokienzler

IBM Disclaimer

- THE INFORMATION CONTAINED IN THIS PRESENTATION IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY.
- WHILE EFFORTS WERE MADE TO VERIFY THE COMPLETENESS AND ACCURACY OF THE INFORMATION CONTAINED IN

THIS PRESENTATION, IT IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED.

• IBM SHALL NOT BE RESPONSIBLE FOR ANY DAMAGES ARISING OUT OF THE USE OF, OR OTHERWISE RELATED TO,

THIS PRESENTATION OR ANY OTHER DOCUMENTATION.

- NOTHING CONTAINED IN THIS PRESENTATION IS INTENDED TO, OR SHALL HAVE THE EFFECT OF:
 - CREATING ANY WARRANTY OR REPRESENTATION FROM IBM (OR ITS AFFILIATES OR ITS OR THEIR SUPPLIERS AND/OR LICENSORS); OR
 - ALTERING THE TERMS AND CONDITIONS OF THE APPLICABLE LICENSE AGREEMENT GOVERNING THE USE OF IBM SOFTWARE.

IBM's statements regarding its plans, directions, and intent are subject to change or withdrawal without notice at IBM's sole discretion. Information regarding potential future products is intended to outline our general product direction and it should not be relied on in making a purchasing decision. The information mentioned regarding potential future products is not a commitment, promise, or legal obligation to deliver any material, code or functionality. Information about potential future products may not be incorporated into any contract. The development, release, and timing of any future features or functionality described for our products remains at our sole discretion.

We are looking forward to hearing your suggestions and feedback so that we can improve our solutions and products.

By joining this web conference, or clicking the "Join" link to join the ITM vNext Open Beta Community, you agree to the following terms, in addition to those set forth in the developerWorks terms of use:

IBM shall be free to use for any purpose and without restriction any oral or written suggestions or feedback that you provide to IBM. By providing IBM with any information or material, you grant IBM an unrestricted, irrevocable license to copy, reproduce, publish, upload, post, transmit, distribute, publicly display, perform, modify, create derivative works from, and otherwise freely use, those materials or information. You also agree that IBM is free to use any ideas, concepts, know-how, or techniques that you provide us for any purpose.

What is a Blockchain?

A distributed, peer-to-peer replicated, integrity protected linked-list of data blocks

Hyperledger

- · IBM Research prototype "OpenBlockchain"
- OpenSourced by IBM and donated to the Linux Foundation
- Any member can contribute and steer development
- •1st stable release "Hyerledger Fabric V1.0" was announced at IBM Interconnect 2017

What is a Hyperledger Fabric?

"Hyperledger Fabric is a enterprise grade, distributed based on blockchain technology that use smart contracts that enforce trust between entities" @gatakka Ivan Vankov

Misconceptions

- Hyperledger is a Blockchain
- Hyperledger is not a Cryptocurrency
- Hyperledger is not using Mining/PoW(Proof of Work)
- But preserves important properties of a crypto blockchain

Main benefit

- throughput of the system
- Ethereum 1000 transactions per minute
- Hyperledger 500 000 transactions per minute
- No loss of money through mining (electricity)

Architecture Intro

- distributed by design
- no single point of failure

Fabric-CA

- User management through X.509 certificates
- Attributes inside certificates are used to define roles and rights
- Can be attached to LDAP / Active Directory
- "only" a tool, can also use standalone
 OpenSSL

Peer

place where ledger is stored

Orderer

coordinator for transactions

Membership Service Provider

 Certificate Management for Hyperledger Fabric Components

Channel

- data isolation / multi-tenancy
- every party must accept an additional party to join
- peers take part in channel
- add / remove possible during runtime

Chaincode

- Smart-contract / Business-logic over data in the ledger
- Only way to interact with the ledger
- NodeJS, GoLang, Java
- no limit of what you can use, external libraries, external network calls
- Chaincode runs inside channel

Chaincode

 Needs to be installed and instantiated on every peer (can be automated)

Policies


- Define level of security
- No chaincode without policy file

RECAP

- Peer may be part of one or many channels
- Every single channel has a separate ledger
- Every channel has one or many chaincodes
- Every chain code has a different policy



2 ORGANISATION





De-intermediation with Smart Contracts

- trusted 3rd parties provide trust on an agreed business process
- Smart Contracts on top of Blockchains solve these problems

Confidentiality

 Hyperledger supports anonymous transactions



On the cloud

http://ibm.biz/joinIBMCloud

