

GOLD ASSAY CERTIFICATE

ABC Gold Assay Laboratory
ISO 17025 Accredited Laboratory
License No: LAB-2024-001

Certificate Number: AC-2024-11-001
Certificate Date: November 4, 2024
Sample ID: GN-2025-10-003

CLIENT INFORMATION

Client Name: Mansa Resources Ltd.
Batch Number: GN-2025-10-003
Sample Weight: 500.00 grams

ASSAY RESULTS

Element	Content (g/t)	Content (ppm)	Purity (%)
Gold (Au)	18.35	18,350	92.50
Silver (Ag)	2.45	2,450	88.20

ADDITIONAL ELEMENTS

Copper (Cu): 0.15%
Iron (Fe): 0.08%
Zinc (Zn): 0.03%

DELETERIOUS ELEMENTS

Arsenic (As): <0.001%
Mercury (Hg): <0.001%
Lead (Pb): <0.001%

FINENESS

Fineness (parts per thousand): 995.0
Equivalent Karat: 23.88K

ANALYTICAL METHOD

Method: Fire Assay with ICP-OES Finish

Standard: ASTM E1335-18

Laboratory Manager
Date: 04/11/2024

Quality Assurance Officer
Date: 04/11/2024

This certificate is issued in accordance with ISO/IEC 17025:2017
Results relate only to the sample(s) tested