

DEAKIN UNIVERSITY

FULL STACK DEVELOPMENT: SECURE FRONTEND APPLICATIONS

ONTRACK SUBMISSION

Personal Website

Submitted By:

Romil BIJARNIA

s222528574

2026/07/10 00:05

Tutor:

Nisha KUMARI

Task Outcomes		Supports
TLO1	Demonstrate engagement with the following unit learning outcomes (legacy)	ULO Unit Learning Outcome 1

July 9, 2026



SIT313 P1 Personal Website Short Report

Unit: SIT313 Secure Frontend Applications

Student: Romil Bijarnia

Task: P1 Personal Website

Platform: DEV@Deakin

Overview

I built the first version of the DEV@Deakin platform as a single static page using HTML, CSS, and a small amount of JavaScript. The page covers every element of the task's design criteria: a horizontal navigation menu with About, Work and Contact, a banner image that reveals a "Hey, I'm Romil" bar when hovered, an introduction section, a display of three previously completed projects, and an image gallery that automatically re-arranges itself as the screen size changes. I checked each criterion in Google Chrome, including the hover reveal, keyboard navigation, and how the layout re-flows while the window is resized. The screenshots below were captured at a 1440 px desktop viewport and a 390 px wide mobile viewport.

How the Design Criteria Are Met

Navigation menu

The header holds a `nav` element with an unordered list of three anchor links: About, Work and Contact. Flexbox lays the list out horizontally, keeping the DEV@Deakin brand on the left and the links on the right, and `position: sticky` keeps the menu available while scrolling. Each link jumps to the matching section of the page, and a short script sets `aria-current` on the link whose section is in the URL hash so assistive technology can tell which part of the page is active. On narrow screens a media query stacks the brand above the links and lets them wrap, so the menu never overflows.

Banner and hover message

The banner sits directly below the menu: a wide photograph inside a fixed-height container, cropped with `object-fit: cover` so it frames well at every width. The required message bar is a full-width strip positioned along the bottom edge of the banner. It is hidden by default with `opacity: 0` and `translateY(100%)`, and it slides into view when the mouse hovers anywhere over the banner, showing "Hey, I'm Romil" on a teal background. Because hover only exists for mouse users, the banner is also

focusable and the same reveal runs on `:focus-within` , so keyboard users can bring the message up by tabbing to the banner.

Introduction content

The body opens with the personal details shown in the brief's sample layout: a circular avatar with my initials, the line "I am a software engineering student based in Melbourne, Australia.", a short accent divider, and the heading "Here is what I have done so far", followed by a sentence about where the platform is heading during the unit.

Project display

The Work section presents three completed projects: a personal portfolio website, a task API service, and a newsletter signup concept. Each card contains a small photo, the project name as a subheading, and a short description of what the project does. A card is a two-column CSS Grid with the image beside the text; below 760 px it collapses to a single column so the cards stay readable on a phone. The cards live in a real unordered list, which means a screen reader announces them as a list of three projects.

Responsive image gallery

The "My Photos" gallery is a CSS Grid with `grid-template-columns: repeat(auto-fit, minmax(210px, 1fr))` . The browser fits as many columns of at least 210 px as the viewport allows, so the four photos re-arrange themselves automatically: four across on a desktop, two or three across at tablet widths, and a single column on a phone, all without extra breakpoints or JavaScript. Cropping each photo with `object-fit: cover` keeps the rows lined up at a consistent height. This is the behaviour the brief underlines: resizing the browser re-flows the images to fit.

Desktop Screenshot



Hey, I'm Romil

RB


I am a software engineering student based in Melbourne, Australia.

Here is what I have done so far

I am building DEV@Deakin as a growing portfolio for SIT313. This first version focuses on clean HTML, organised CSS, responsive layout, and clear presentation of my previous programming work.


SELECTED WORK

Projects I can build on during SIT313



Personal Portfolio Website

A responsive web page that presents personal details, project work, and a clean image gallery using HTML and CSS.



Task API Service


A small REST-style project that practises routes, request handling, and structured responses for frontend applications.



Newsletter Signup

A web form concept for collecting email addresses, preparing the platform for later backend and email integration tasks.

My Photos



Contact

This DEV@Deakin page will keep growing as the unit progresses. For now, it introduces who I am, the kind of projects I have worked on, and the visual style of the platform.

Created by Romil Bijarnia for SIT313 Secure Frontend Applications.

Desktop view at 1440 px showing the sticky navigation menu, the banner with the "Hey, I'm Romil" hover bar visible, the introduction section, the three project cards, and the gallery in a four-across row.

Mobile Screenshot

DEV@Deakin

[About](#)

[Work](#)

[Contact](#)





**I am a software engineering student
based in Melbourne, Australia.**

Here is what I have done so far

I am building DEV@Deakin as a growing portfolio for SIT313. This first version focuses on clean HTML, organised CSS, responsive layout, and clear presentation of my previous programming work.

SELECTED WORK


Projects I can build on during SIT313

```
32 self.fingerprints = set()
33 self.logdupes = True
34 self.debug = debug
35 self.logger = logging.getLogger(__name__)
36 if path:
37     self.file = open(os.path.join(path, 'requests.log'),
38                     'a')
39     self.file.seek(0)
40     self.fingerprints.update(e.request for e in self.requests)
41
42 @classmethod
43 def from_settings(cls, settings):
44     debug = settings.getbool('SUPERMAN_DEBUG')
45     return cls(job_dir(settings), debug)
46
47 def request_seen(self, request):
48     fp = self.request_fingerprint(request)
49     if fp in self.fingerprints:
50         return True
51     self.fingerprints.add(fp)
52     if self.file:
53         self.file.write(fp + os.linesep)
54
55 def request_fingerprint(self, request):
56     return request_fingerprint(request)
```

Personal Portfolio Website

A responsive web page that presents

A responsive web page that presents personal details, project work, and a clean image gallery using HTML and CSS.



Task API Service

A small REST-style project that practises routes, request handling, and structured responses for frontend applications.





Newsletter Signup

A web form concept for collecting email addresses, preparing the platform for later backend and email integration tasks.



My Photos





Contact

This DEV@Deakin page will keep growing as the unit progresses. For now, it introduces who I am, the kind of projects I have worked on, and the visual style of the platform.

Created by Romil Bijarnia for SIT313 Secure Frontend Applications.

Mobile view at 390 px showing the menu stacking above the links, the project cards collapsing to a single column, and the gallery re-arranging into one column to fit the narrow screen.

Accessibility and Secure Coding Practices

Since SIT313 is about secure frontend development, I treated this page as a foundation for good habits. The markup uses semantic landmarks (`header` , `nav` , `main` and `footer`) with a single clear heading

hierarchy, every image has descriptive alt text, a skip link lets keyboard users jump straight past the menu, focus states are visible, and a `prefers-reduced-motion` media query turns the transitions off for users who opt out of animation. Width and height attributes on the images stop the layout shifting while photos load.

The page collects no user input and runs no third-party scripts. The only JavaScript is a small progressive enhancement that toggles an `aria-current` attribute; it never builds HTML from strings or writes to `innerHTML`, so it introduces no injection sinks, and the whole page still works with JavaScript turned off. The single external request is the Inter font stylesheet, loaded from Google Fonts over HTTPS.

Conclusion

The finished page matches the design criteria and gave me a practical feel for when to reach for each layout tool: Flexbox for the one-dimensional navigation row, and CSS Grid for the two-dimensional project cards and gallery. The structure is deliberately plain and semantic so the coming DEV@Deakin tasks can grow out of it; the Contact section, for example, is ready to take a real form once we move into handling user input safely.

This file has additional line breaks applied by OnTrack because they contain lines longer than the configured limit. Lines over 1000 characters long have been truncated to limit PDF page count. The original submission can be retrieved via the "Download Uploaded Files" function.

```

1  <!doctype html>
2  <html lang="en">
3    <head>
4      <meta charset="utf-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1">
6      <title>Romil Bijarnia | DEV@Deakin</title>
7      <meta
8        name="description"
9        content="DEV@Deakin personal website for SIT313 P1, created with HTML and
10         ↪ CSS."
11      >
12      <meta name="author" content="Romil Bijarnia">
13      <meta name="theme-color" content="#076556">
14      <link
15        rel="icon"
16        href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0
17         ↪ 0 64 64'%3E%3Crect width='64' height='64' rx='14'
18         ↪ fill='%23076556'/%3E%3Ctext
19         ↪ t x='32' y='43' font-family='Arial, sans-serif' font-size='30' font-weight='800'
20         ↪ fill='%23ffffff' text-anchor='middle'%3ERB%3C/text%3E%3C/svg%3E"
21      >
22      <link rel="preconnect" href="https://fonts.googleapis.com">
23      <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
24      <link
25        href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700;800
26         ↪ &display=swap"
27        rel="stylesheet"
28      >
29      <link rel="stylesheet" href="styles.css">
30    </head>
31    <body>
32      <a class="skip-link" href="#home">Skip to main content</a>
33
34      <header class="site-header">
35        <nav class="nav-bar" aria-label="Primary">
36          <a class="brand" href="#home">DEV@Deakin</a>
37          <ul class="nav-links">
38            <li><a href="#about">About</a></li>
39            <li><a href="#work">Work</a></li>
40            <li><a href="#contact">Contact</a></li>
41          </ul>
42        </nav>
43      </header>
44
45      <main id="home" tabindex="-1">
46        <!-- tabindex="0" lets keyboard users reveal the banner message via
47         ↪ :focus-within -->
48        <section class="hero" tabindex="0" aria-label="DEV@Deakin introduction">
49          
50 <p class="hero-hover">Hey, I'm Romil</p>
51 </section>
52
53 <section id="about" class="section about-section">
54     <div class="avatar" role="img" aria-label="Romil Bijarnia initials">RB</div>
55     <p class="intro">I am a software engineering student based in Melbourne,
    ↪ Australia.</p>
56     <div class="section-line"></div>
57     <h1>Here is what I have done so far</h1>
58     <p class="about-copy">
59         I am building DEV@Deakin as a growing portfolio for SIT313. This first
    ↪ version focuses
60         on clean HTML, organised CSS, responsive layout, and clear presentation of
    ↪ my previous
61         programming work.
62     </p>
63 </section>
64
65 <section id="work" class="section work-section">
66     <div class="section-heading">
67         <p class="section-label">Selected Work</p>
68         <h2>Projects I can build on during SIT313</h2>
69     </div>
70
71     <ul class="project-list">
72         <li>
73             <article class="project-card">
74                 
80                 <div>
81                     <h3>Personal Portfolio Website</h3>
82                     <p>
83                         A responsive web page that presents personal details, project
    ↪ work, and a clean
84                         image gallery using HTML and CSS.
85                     </p>
86                 </div>
87             </article>
88         </li>
89
90         <li>
91             <article class="project-card">
92                 
98     <div>
99         <h3>Task API Service</h3>
100         <p>
101             A small REST-style project that practises routes, request
102             ↪ handling, and structured
103             responses for frontend applications.
104         </p>
105     </div>
106 </article>
107 </li>
108 <li>
109     <article class="project-card">
110         
116         <div>
117             <h3>Newsletter Signup</h3>
118             <p>
119                 A web form concept for collecting email addresses, preparing the
120                 ↪ platform for later
121                 backend and email integration tasks.
122             </p>
123         </div>
124     </article>
125 </li>
126 </ul>
127 </section>
128 <section class="section gallery-section" aria-labelledby="gallery-title">
129     <div class="section-line"></div>
130     <h2 id="gallery-title">My Photos</h2>
131     <div class="gallery-grid">
132         
138         
144         
150     
156 </div>
157 </section>
158
159 <section id="contact" class="section contact-section">
160     <h2>Contact</h2>
161     <p>
162         This DEV@Deakin page will keep growing as the unit progresses. For now, it
163         ↪ introduces
164         who I am, the kind of projects I have worked on, and the visual style of
165         ↪ the platform.
166     </p>
167 </section>
168 </main>
169
170 <footer class="site-footer">
171     <p>Created by Romil Bijarnia for SIT313 Secure Frontend Applications.</p>
172 </footer>
173
174 <script src="script.js"></script>
175 </body>
176 </html>
```