LevelUp Milestone | Construction Job Demand

INTRODUCTION: This is a Milestone for students looking to level up their SQL skills with subqueries! Subqueries allow us to write efficient queries and to perform more meaningful analysis, highlighting to employers a deeper understanding of the nuances of SQL.

In this Milestone, you'll be using subqueries to analyze data regarding construction jobs and the role weather might play in driving future demand. Companies in this space need to be able to assess what future demand will look like in order to allocate resources and teams accordingly. Sending a small team to a location may mean potential customers will go with a competitor because they can get the job done in a shorter time frame due to your limited resources.

HOW IT WORKS: Follow the prompts in the questions below to investigate your data. Post your answers in the provided boxes: the **yellow boxes** for the queries you write, and **blue boxes** for text-based answers. When you're done, export your document as a pdf file and submit it on the Milestone page – see instructions for creating a PDF at the end of the Milestone. **But understand that you will not be submitting this Milestone**.

RESOURCES: If you need hints on the Milestone or are feeling stuck, there are multiple ways of getting help. Attend Drop-In Hours to work on these problems with your peers, or reach out to the HelpHub if you have questions. Good luck!

PROMPT: Congratulations, you've landed an internship on the Data Analysis Team at Hover. Your manager is interested in the demand of jobs. She has a hunch that severe weather events have an effect on the number of job requests, but she'd like you to help her prove her hunch is true with data.

SQL App: <u>Here's that link</u> to our specialized SQL app, where you'll write your SQL queries and interact with the data.

Data Set Description

The data needed for this Milestone (hover.*) comes from two different sources.

The first data source (jobs) consists of historical data from a software solution provider for construction companies:

- job_identifier The unique ID for a job
- organization_id ID for the account that purchased the job
- job_location_city The city where the job was located
- job_location_region_code The state where the job was located
- **job_first_upload_complete_datetime** The date on which the customer uploaded photos for the job.
- **job_deliverable** the type of job that the customer requested. Either complete (full building) or roof.

The second dataset (weather) comes from the <u>NOAA Storm Prediction Center</u> and catalogs adverse weather events across the United States:

- comments A description of the weather event
- county The county of the weather event
- state The state of the weather event
- location The address of the weather event
- longitude The longitude of the weather event
- latitude The latitude of the weather event
- datetime The datetime of the weather event
- composite_key Unique key for the weather event, combining the timestamp, longitude, and latitude of the event

- Task 1: Explore the jobs data.

Your manager would like to find out more information regarding when customers make requests.

A. Write a query that returns the total number of jobs at the monthly level for each year (i.e. Sept 2016, Oct 2016, etc.). You'll need to use the date_trunc function in SQL with the **job_first_upload_complete_datetime** variable. When done correctly, your output will have 31 rows.

(paste your query below \(\bigcap \)

```
SELECT

TO_CHAR(DATE_TRUNC('month',
job_first_upload_complete_datetime), 'Mon YYYY') AS

month_year,
    COUNT(*) AS total_jobs

FROM
    hover.jobs

GROUP BY
    DATE_TRUNC('month', job_first_upload_complete_datetime)


ORDER BY

DATE_TRUNC('month', job_first_upload_complete_datetime)
```

B. Use the SQL app's built-in visualizer to graph the task in part A. Is there any seasonality to the job requests?

Seasonality can be described as a pattern that repeats itself over cycles of time, such as yearly.

Is there a season that has more requests than others?



(write your **answer** below \P)

Yes, there is noticeable seasonality in the job requests. The data shows that job requests tend to peak during the spring and summer months, with a decline during the winter months.

C. Level Up² - One of the reasons why we didn't look at data aggregated by month (without the year) is because the first month of the data is September 2016 and the last month of data is March 2019, so every month wouldn't have appeared an equal number of times in a GROUP BY.

Can you write a query that counts how many times each month has appeared in the data?

HINT: You'll need both the date_part and the date_trunc function here. You should GROUP BY month, using the date_part function. If done correctly, each month should have a count of 2 or 3.

(paste your query below \rightarrow)

```
SELECT

TO_CHAR(job_first_upload_complete_datetime, 'Month') AS

month,

COUNT(DISTINCT DATE_TRUNC('year',
job_first_upload_complete_datetime)) AS month_count

FROM

hover.jobs

GROUP BY

TO_CHAR(job_first_upload_complete_datetime, 'Month')

ORDER BY

month_count DESC
```

- Task 2: Explore the weather data.

In Task 1, you discovered that there are seasonal patterns to when customers submit job requests. Now you'll investigate the weather data and see how that can help you further with your analysis.

A. The entire weather dataset consists of "adverse weather events", e.g., tornados, fallen trees, sustained high gusts of wind, etc.

Write a query that counts the number of adverse weather events for each month and year of the data (i.e. Sept 2016, Oct 2016, etc.).


(paste your query below _)

```
SELECT
    TO_CHAR(DATE_TRUNC('month', datetime), 'Mon YYYY') AS
month_year,
    COUNT(*) AS total_weather_events
FROM
    hover.weather
GROUP BY
    DATE_TRUNC('month', datetime)
ORDER BY
    DATE_TRUNC('month', datetime)
```

B. Modify your query in 2A to filter out any information prior to September 2016 (the start of the job request data). Visualize the data using the built-in visualizer.

(paste your query below \(\bigcap \)

```
SELECT
   TO_CHAR(DATE_TRUNC('month', datetime), 'Mon YYYY') AS
month_year,
   COUNT(*) AS total_weather_events
FROM
   hover.weather
WHERE
   datetime >= '2016-09-01'
GROUP BY
   DATE_TRUNC('month', datetime)
ORDER BY
   DATE_TRUNC('month', datetime)
```



C. The weather data includes values for all 50 states.

Modify your query once more so that it only shows information from the states that are seen in the jobs data. Visualize the filtered data again with the built-in visualizer and compare the filtered data to the original data from 2B.

Did the filtering change anything about the pattern?

Note: Your query should **NOT** use a **JOIN** clause, but instead use a **subquery**!.

(paste your query below \(\bigcap \)

SELECT

```
TO_CHAR(DATE_TRUNC('month', datetime), 'Mon YYYY') AS
month_year,
    state,
    COUNT(*) AS total_weather_events

FROM
    hover.weather
WHERE
    state IN (SELECT DISTINCT job_location_region_code FROM hover.jobs)
    AND datetime >= '2016-09-01'

GROUP BY
    state, DATE_TRUNC('month', datetime)

ORDER BY
    state, DATE_TRUNC('month', datetime)
```



D. Write a few-sentence summary describing the relationship between the job requests and weather events you observed in Tasks 1 and 2.

After the weather events occurred, the need for jobs increased as people who suffered loss try to earn more, take up more jobs to improve their financial situation.

- Task 3: Does weather affect demand for jobs?

Given the perceived relationship between the weather event graph and job requests graph, you will now investigate if there is indeed a relationship between adverse weather events and job requests.

A colleague of yours already wrote a query that returns the total number of weather events grouped at the weekly level for each state in the weather data. You'll build off their work.

A. Write a query that performs a JOIN on the jobs table and the weekly_weather_events table your colleague created.

Since you are only interested in the weeks that have had an adverse weather event, use an INNER JOIN to match the tables on both the week timestamp AND the state. If you don't do this, you will end up with output crossing states, e.g. requests in TX incorrectly joined to events in KS.

SELECT the following columns from the jobs table in your query:

- job_deliverable,
- job_location_region_code,
- job_first_upload_complete_datetime, truncated down to the 'week' level. Alias this column as job_ts.

And from the weekly_weather_events table, you will need the following:

• n_weather_events

Remember to use the function and NOT the alias <code>job_ts</code> when joining to the weather_ts <code>column</code>, otherwise you will get an error. If done correctly, your output table will have 25,257 rows.

(paste your query below +)

```
SELECT
   jobs.job_deliverable,
   jobs.job_location_region_code,
   DATE_TRUNC('week', jobs.job_first_upload_complete_datetime)
AS job_ts,
   weekly_weather_events.n_weather_events
FROM
   hover.jobs
   INNER JOIN hover.weekly_weather_events ON
DATE_TRUNC('week', jobs.job_first_upload_complete_datetime) =
   weekly_weather_events.weather_ts
   AND jobs.job_location_region_code =
   weekly_weather_events.state
```

B. Use your query in 3A as a subquery in a new query that counts the total number of jobs and the total number of weather events for each state and week. The variable job_ts can be used to count the total number of jobs. Order your output alphabetically by state.

HINT: If done correctly, your output table should have 320 rows.

(paste your query below 👇)


```
SELECT state,
```

```
job_ts,
    COUNT(*) AS total_jobs,
    SUM(n_weather_events) AS total_weather_events
FROM (
    SELECT
        jobs.job_location_region_code AS state,
        DATE_TRUNC('week',
jobs.job_first_upload_complete_datetime) AS job_ts,
        weekly_weather_events.n_weather_events
    FROM
        hover.jobs
    INNER JOIN
        hover.weekly_weather_events
    ON
        DATE_TRUNC('week',
jobs.job_first_upload_complete_datetime) =
weekly_weather_events.weather_ts
        AND jobs.job_location_region_code =
weekly_weather_events.state
) subquery
GROUP BY
    state, job_ts
ORDER BY
    state, job_ts
```

C. Now you are ready to determine whether there is a relationship between adverse weather events and job requests.

Using the built-in visualizer, create a scatterplot of your data. On your x-axis, you should have the total number of weather events and on the y-axis, you should have the total number of job requests. Check the box for "show trendline".

Is there a relationship between adverse weather events and job requests? If so, what kind of relationship is it?



(write your **answer** below \(\bigsep \)

As the weather events occur, the need for jobs increased.

- Submission

Great work completing this Milestone! To submit your completed Milestone, you will need to download / export this document as a PDF and then upload it to the Milestone submission page. You can find the option to download as a PDF from the File menu in the upper-left corner of the Google Doc interface.