### HWTestSuite1

#### **Execution Environment**

Host name romi.weiss - VAN-BT-L021.1800GOTJUNK.com

OS Windows 10 64bit

Katalon version 6.3.2.4

Browser

Summary

ID Test Suites/Day1\_Homework/HWTestSuite1

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2019-08-26 18:02:33 End 2019-08-26 18:02:37

Elapsed 4.224s

#	ID	Description	Status
1	Test Cases/Day1_Homework/HWTestCase1_record		FAILED

## HWTestCase1\_record

#### Information

ID Test Cases/Day1\_Homework/HWTestCase1\_record

Description

Tag

Start 2019-08-26 18:02:33 End 2019-08-26 18:02:37

Elapsed 3.363s
Status FAILED

#### **Details**

# Description Elapsed Status

# HWTestCase1\_record

[	Description	Elapsed	Status
	ppenBrowser("")	1.911s	FAILED
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to open browser with url: "  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
(	ppenBrowser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
	OpenBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
	WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
	at com.kms.кataion.core.webui.кеуword.weboi.buiitinkeywordsфopenbrowser.caii Unknown Source)		
	at HWTestCase1_record.run(HWTestCase1_record:17)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
j	ava:119)		
	$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$		
	ava:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
j	ava:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	ava:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	TestSuiteExecutor.java:169)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	01)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1566867746942.run(TempTestSuite1566867746942.groovy:35)		
	Caused by: org.openga.selenium.WebDriverException: Cannot find firefox binary in PATH.		
	Make sure firefox is installed. OS appears to be: WIN10		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'VAN-BT-L021', ip: '10.101.2.14', os.name: 'Windows 10', os.arch:		
	amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: CGeckoDriver		
	at org.openqa.selenium.firefox.FirefoxBinary. <init>(FirefoxBinary.java:100)</init>		
	at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216)		
	at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187) at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:147)</init>		
	at org.openqa.selenium.inerox.FirefoxDriver. <irint>(FirefoxDriver.java.147) at com.kms.katalon.selenium.driver.CFirefoxDriver.<irint>(CFirefoxDriver.java.21)</irint></irint>		
	at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver. <init>(CGeckoDriver.</init>		
i	ava:12)		
	at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.from(CGeckoDriver.		
	ava:17)		

java:17)

### HWTestCase1\_record

```
Description
                                                                                          Elapsed
                                                                                                           Status
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewFirefoxDriver
(DriverFactory.java:515)
          at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:276)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:199)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1566865625307.run(Script1566865625307.groovy:17)
         ... 13 more
```