HWTestSuite1

Execution Environment

Host name romi.weiss - VAN-BT-L021.1800GOTJUNK.com

os Windows 10 64bit

Katalon version 6.3.2.4

Browser

Summary

ID Test Suites/Day1_Homework/HWTestSuite1

Description

Total 1

Passed 0 Failed 1 Error 0 Incomplete 0

Start 2019-08-26 18:06:15 End 2019-08-26 18:06:19

Elapsed 4.141s

#	# ID	Description	Status
-	1 Test Cases/Day1 Homework/HWTestCase1 record		FAILED

FAILED

HWTestCase1_record

Information

ID Test Cases/Day1_Homework/HWTestCase1_record

Description

Tag

Start 2019-08-26 18:06:16 End 2019-08-26 18:06:19

Elapsed 3.335s Status FAILED

Details

Description Elapsed Status

HWTestCase1_record

ŧ	Description	Elapsed	Status
	openBrowser("")	2.048s	FAILED
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
	(OpenBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
	(WebUiBuiltInKeywords.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
	(Unknown Source)		
	at HWTestCase1_record.run(HWTestCase1_record:17)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1566867969807.run(TempTestSuite1566867969807.groovy:35)		
	Caused by: org.openqa.selenium.WebDriverException: Cannot find firefox binary in PATH.		
	Make sure firefox is installed. OS appears to be: WIN10		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'VAN-BT-L021', ip: '10.101.2.14', os.name: 'Windows 10', os.arch:		
	'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CGeckoDriver		
	at org.openqa.selenium.firefox.FirefoxBinary. <init>(FirefoxBinary.java:100)</init>		
	at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216)		
	at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187)		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:147)</init>		
	at com.kms.katalon.selenium.driver.CFirefoxDriver. <init>(CFirefoxDriver.java:21) at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.<init>(CGeckoDriver.</init></init>		
	java:12)		
	at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.from(CGeckoDriver.		
	iava:17\		

java:17)

HWTestCase1_record

```
Description
                                                                                          Elapsed
                                                                                                           Status
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewFirefoxDriver
(DriverFactory.java:515)
          at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:276)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:199)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1566865625307.run(Script1566865625307.groovy:17)
         ... 13 more
```