

PC-07 · ACTIVES & VITAMINS · PERSONAL CARE

HS Mandelic Acid

Mandelic Acid

INCI	CAS	EC	FAMILY	SUPPLIED AS
Mandelic Acid	90-64-2	202-007-6	PC-07	Crystalline powder, ≥99%

01 POSITIONING

The acids the actives aisle is built on — pharmacopoeia-grade purity, cosmetic-grade paperwork.

02 HOW IT WORKS

- 01

Keratolytic action

Acids loosen corneocyte cohesion, accelerating desquamation and smoothing texture.
- 02

Lipophilic pore access (BHA)

Salicylic acid penetrates sebum-filled pores, targeting blemish formation at the source.
- 03

Tyrosinase interference

Kojic and mandelic acids dampen melanin synthesis for measurable tone evening.

03 APPLICATIONS

- Exfoliating toners and serums
- Blemish and oily-skin lines
- Brightening and anti-spot treatments
- Peels (professional grades)
- Scalp exfoliation

04 FORMULATION GUIDE

USE LEVEL	0.5–2%
-----------	--------

PH & CONDITIONS	Efficacy depends on free-acid pH; formulate 3–4 within regional limits
-----------------	--

- Pre-dissolve salicylic acid in glycol or ethanol; buffer to target pH for the free-acid ratio.
- Add a soothing agent (panthenol, allantoin) to manage the exfoliation trade-off.

05 TYPICAL SPECIFICATION

Appearance	White crystalline powder
------------	--------------------------

Assay	≥ 99%
-------	-------

Melting point	per molecule, per TDS
---------------	-----------------------


Heavy metals	≤ 10 ppm
--------------	----------

Typical parameters. The specification on the current TDS and the per-lot Certificate of Analysis govern.

06 PERFORMANCE — DIRECTIONAL


Exfoliation efficacy (class data)

Functional-acid systems



Tone-evening over 8 weeks (class data)

Kojic/mandelic systems



Values are representative of the ingredient class, based on published technical literature, and shown directionally for comparison. Final performance must be validated in the customer's formulation.