

Dairy Management Portal

Smart Management for a Stronger Dairy Ecosystem



Monitor Today



Manage Better



Grow Together



A Healthier Tomorrow



From Collection to Growth
Everything in One Platform



Better Quality



Happier Farmers



Efficient Operations



Sustainable Growth

Key Features

Comprehensive. Integrated. Future-Ready.
A Complete Solution for Modern Dairy Operations.



Centralized Dairy Operations Dashboard

A unified platform to monitor, manage, and streamline end-to-end dairy operations from a single dashboard.



Automatic & Manual Entry Management

Flexible support for automated device-based entries as well as secure manual data entry and verification.



Inventory Management

Centralized tracking of inventory, stock levels, consumption, and material movements across dairy operations.



Farmer, MPP/VLCC & BMC Management

Efficient management of farmers, Milk Collection Points (MPP/VLCC), Bulk Milk Coolers (BMC), and their operational activities.



Dynamic Milk Rate Management

Configurable and flexible milk pricing based on quality parameters, collection criteria, and business rules.



User, Role & Permission Management

Granular control over users, roles, responsibilities, and system permissions to ensure secure operations.



Morning & Evening Milk Collection

Seamless recording and management of milk collection across morning and evening shifts.



DPU Device & Data Synchronization

Reliable synchronization between DPU devices and the centralized system for accurate and timely data transfer.



Configurable System Settings

Flexible configuration of business rules, operational parameters, rates, workflows, and system preferences.



Real-Time Collection Monitoring

Live visibility into milk collection volumes, transactions, and operational performance.



Milk Transport & Dispatch Management

End-to-end tracking of milk movement, transportation, dispatch schedules, and delivery operations.



Operational Notes & Notifications

Centralized communication through operational notes, alerts, reminders, and important notifications.



Advanced Milk Quality Tracking

Comprehensive quality monitoring with Fat, SNF, CLR, and Water parameters to ensure quality compliance.



Comprehensive Reports & Analytics

Powerful dashboards, reports, KPIs, and analytics for data-driven operational and management decisions.



Secure Role-Based Access

Enterprise-grade role-based access control to protect sensitive information and ensure authorized system usage.



Improve Efficiency



Ensure Quality



Empower Farmers



Build a Stronger Dairy Future

Technology
for a Healthier World

DATA PROCESSING UNIT (DPU)

Accurate | Reliable | Efficient

**Empowering
Dairy Operations
with Technology**



Features



Micro-Controller based embedded design.



RFID for customers identification (Optional).



Direct interface.



Milk Analyzer to get Date, Weight (Kg/Ltr), FAT%, SNF%, Added water%.



DPU With In-built Keyboard.



In-built Thermal printer.



Data transfer through USB Flash drive/GSM/GPRS.



2 Rate chart storage facility.



Print/view shift report with weighted average.



Store date up-to 12 months.



Available in different models and as per customers requirements.



*From
Data to
Development*



Technical Specifications

Display	: 95mm x 55mm Jumbo LCD Display
Printer	: Thermal Printed – 2.0" Panel Mounted
Keyboard	: In-built Keypad
Data Storage	: Up to 12 Months
Communication	: USB Flash Drive / GSM / GPRS
Milk Parameters	: Weight (Kg/Ltr), FAT%, SNF%, Added Water%
Model	: Available in different models as per customers requirements

**Also Available
Android Based**



Access Your Dairy Data
On The Go



**Accurate
Measurement**



**Faster
Processing**



**Reliable
Performance**



**Better
Management**



**Supports
Dairy Growth**

*Let's Build a
Smarter Dairy Ecosystem Together*

Digital Ultrasonic Stirrer

Efficient Mixing | Uniform Results | Advanced Technology

The Digital Ultrasonic Stirrer is a compact, high-performance machine designed to provide consistent and uniform mixing of liquids using ultrasonic technology. It is ideal for laboratories, research institutions, and industrial applications where precision and reliability are essential.



Ultrasonic
Mixing



Digital
Control



Reliable &
Durable



Easy
Operation



Key Features

- ✓ **Digital Display**
Clear and accurate digital readout for precise control and easy operation.
- ✓ **Ultrasonic Stirring Technology**
Provides fine and uniform mixing, eliminates clumping and ensures better sample homogenization.
- ✓ **Adjustable Speed / Power**
Up / Down buttons for convenient control of stirring intensity.
- ✓ **Safe Operation**
Equipped with safety warning label to prevent operation without sample.
- ✓ **Sturdy Build**
Made with high-quality, durable materials for long-lasting performance.
- ✓ **Compact Design**
Space-saving design suitable for any laboratory or industrial setup.

Mixing Made Smarter

Technical Specifications

Display	Digital (7 Segment)
Control Buttons	Start/Stop, Up/Down
Stirring Technology	Ultrasonic
Power Supply	220 V AC, 50 Hz (or as per requirement)
Body Material	Mild Steel / Powder Coated Finish
Stirrer Material	Stainless Steel
Machine Dimensions (Approx.)	As per model (Customizable)
Weight (Approx.)	As per model (Customizable)

Applications

-  Laboratories & Research Institutes
 -  Food & Beverage Industry
 -  Pharmaceutical Industry
 -  Paints & Coatings Industry
 -  Chemical Industries
 -  Industrial Processing
-  Ideal for mixing, dispersing and homogenizing a wide range of liquids with superior efficiency.



HIGH PERFORMANCE
Consistent & Uniform Mixing



USER FRIENDLY
Simple Operation



SAFE & RELIABLE
Built for Long Life



MAKE A DIFFERENCE
Better Mixing, Better Results

EKO BOND COMBO

Milk Analyzer with Digital Stirrer, Data Processing Unit (DPU), Weighing Scale & Thermal Printer

ALL IN ONE SOLUTION FOR ACCURATE MILK TESTING



ULTRA FAST

Get accurate results in just 27 seconds



SMART & CONNECTED

Cloud connectivity for real-time monitoring & remote access



MULTIPLE REPORTS

Collection, Customer, Shift Summary & Bonus Reports



LOW POWER CONSUMPTION

Low voltage battery cut off for extended battery life



ACCURATE
FAST
RELIABLE

NOW WITH SIM & WIFI CONNECTIVITY



SIM BASED

Work seamlessly with SIM for data transfer anywhere.



WIFI BASED

Connect via WiFi for faster data sync and remote access.

PRODUCT FEATURES

- Fully indigenous and fastest Milk Analyzer with 27 sec. measurement time
- In-built Ultrasonic Stirrer and Data Processing System (DPS)
- Cloud connectivity for centralized monitoring
- Multiple weighing scale selection & manual entry option
- Various reports: Collection, Customer, Summary & Bonus
- SMS Alerts – Collection & Shift Summary
- RS232/USB port for computer interfacing
- Facility to create rate chart
- Manual cleaning option by using Plunger
- Now with SIM & WiFi based Working for seamless connectivity

FUNCTIONAL SPECIFICATION

Data Storage	1000 Customers per shift
Weighing Scale	Auto Tare, Ltr. conversion and Adjustable Decimal Point, Auto configurable Baud Rate
Milk Collection Type	Code base OR Fat limit base
Cumulative Total	Cumulative Total in slip, 10 Days / 15 Days / Monthly
Protection	Password Protection at various stages
Rate Chart	Auto generation, Based on FAT, FAT-SNF & FAT-CLR Import and Export through Pen Drive – CSV format
Data & Reports	CSV format Export to Pen drive
Data Transfer	Pen drive via USB port, Transfer to Remote server through Mobile / SIM / WiFi



27 SEC
MEASUREMENT
TIME



BUILT-IN
STIRRER



DATA
PROCESSING
UNIT (DPU)



WEIGHING
SCALE



THERMAL
PRINTER

MILK ANALYSER

Parameters	Range	Resolution	Accuracy*
FAT	0-15%	0.01%	±0.10%
SNF	0-15%	0.01%	±0.20%
CLR	0-40	0.1	±0.50
ADDED WATER	0-100%	0.1%	±0.30%
Repeatability	: ±0.05%		
Measurement Cycle	: 27 sec		
Sample Volume	: 20 ml		

*When compared with Reference Methods under Standard Test Conditions

ULTRASONIC PROCESSOR

Timer	: 10-20 sec (adjustable)
Frequency	: 25 – 30 KHz. (adjustable)

DATA PROCESSOR

Processor	: 32bit Stellaris Micro Controller
Speed	: 80Mhz
RAM	: 96KB
Memory	: 2GB

PRINTER (Optional)

Thermal, 2 inch width, 42 characters



CONNECTIVITY

SIM Based – Data transfer through SIM for remote access



WiFi Based – Connect via WiFi for faster data sync

Fast. Accurate. Reliable.
Everything you need
for Milk Testing.

Ekomilk Bond – Ultra Pro is a fast and efficient milk analyzer designed for accurate milk quality testing with advanced technology and user friendly operation.



KIT CONTENTS

1. Housing with aperture for thermal micro printer with accessories (motor pump, LCD, keyboard, 230V/100W transformer, connectors, switches, etc.);
IEC C14 socket only, without power supply cable
2. Measuring system – DPS-PRO – 30 seconds;
3. DP System:
 - 3.1. Ekomilk Bond HOST PCB;
 - 3.2. Ekomilk Bond HUB PCB;
 - 3.3. DP Firmware – basic configuration

KEY FEATURES

- Fast Analysis – allows a large number of measurements to be done;
- Simple and lightweight design;
- +12V DC and 220V AC Power supply;
- Cost effective;
 - Low power consumption;
 - Very small quantity of milk required;
 - No acid or other chemicals are used;
- Measuring accuracy adjustment can be done by the user;
- Two independent RS 232 COM ports;
- Four USB Host ports with Mass Storage, and Numeric keyboard support;
- ESC Printer Support on both RS232 and USB interfaces.
- Data Collection System with vast (practically unlimited) memory space.

ENVIRONMENTAL CONDITIONS

Ambient air temperature	15°C – 35°C
Milk temperature	5°C – 35°C
Relative humidity	30% – 80%

POWER SUPPLY

AC Power Supply voltage	220V +10/-15%
Power Consumption	100W max

MECHANICAL PARAMETERS

Dimensions (WxDxH)	380 x 310 x 285 mm
Weight	< 4.5 kg

MEASURING PARAMETERS

Fat	0.5% to 12% with accuracy $\pm 0.1\%$
Solids non fat (SNF)	6% – 12% with accuracy $\pm 0.2\%$
Added water to milk	0% – 60% with accuracy $\pm 5\%$
Milk density*	1.0200 g/cm ³ – 1.0400 g/cm ³ ± 0.0005 g/cm ³
Protein*	2% – 6% with accuracy $\pm 0.2\%$
Freezing Point*	from 0 to -1.00°C with accuracy $\pm 0.015^\circ\text{C}$

TECHNICAL FEATURES

Ultrasonic Processor (deairator)	NOT INCLUDED IN THE KIT
Integrated Thermal Printer	NOT INCLUDED IN THE KIT
Data Collection System	–
Measuring time	30 sec.



FAST ANALYSIS
30 sec.



HIGH ACCURACY
Results



LOW POWER
CONSUMPTION



MULTIPLE
CONNECTIVITY
RS232, USB



PRINTER SUPPORT
RS232 & USB



DATA COLLECTION
Unlimited Memory



ACCURATE
FAST
RELIABLE

Trusted technology for accurate milk quality analysis.

Ekomilk Bond – Ultra Pro

The smart choice for dairy professionals.



EKOMILK ULTRA PRO

— MILK ANALYZER —

Metal Body

Advanced Technology
for Professional Results

-  **Fast Results**
< 30 Seconds
-  **Accurate & Reliable**
-  **Easy Operation**
-  **Low Maintenance**



ROBUST • DURABLE • PROFESSIONAL

BUILT FOR HIGHER STANDARDS

EKOMILK Ultra PRO (Metal Body) is a high-precision milk analyzer designed for dairies, collection centers and cooperatives. With advanced sensor technology, it delivers accurate and reliable results in seconds, helping you ensure milk quality with confidence.



Strong & Durable Metal Body

Designed for long life and heavy usage.



Reliable Performance

Consistent and accurate results every time.



Quick Analysis

Results in less than 30 seconds.



Ideal for Dairy, Collection Centers & Cooperatives

Supports better milk quality and fair pricing.

*Purity
Quality
Progress*



MEASURING PARAMETERS

Parameter	Range	Accuracy
Fat	0.00% – 12%	± 0.10%
Solid not fat (SNF)	0% – 12%	± 0.15%
Protein	2% – 15%	± 0.15%
Lactose	0.0% – 6%	± 0.2%
Added water by H ₂ O	0% – 70%	± 3.0%
Average speed	180 samples / hour	—
Repeatability	± 0.03% for Fat ± 0.15% for SNF ± 0.15% for Lactose / water	—



ACCESSORIES (STANDARD)

Item	Quantity
RS 232 Cable	01 Nos.
AC Power Cable with Plug Top	01 Nos.
Cleaning Solution	01 Ltr.
Plunger	01 Nos.
Measuring Mug	02 Nos.
Operating Manual	01 Nos.



HIGH
ACCURACY



RELIABLE
RESULTS



ENERGY
EFFICIENT



EASY
MAINTENANCE

*Better Dairy
Brighter Tomorrow*

DOUBLE SENSOR TECHNOLOGY



EKOMILK ULTRA PRO

MILK ANALYZER

Compact, intelligent & reliable system for real-time milk analysis with accurate results in less than **30 seconds**.



RESULTS IN
LESS THAN
30
SECONDS

MEASUREMENT CYCLE



FEATURES



Double Sensor Technology



Accurate & Reliable Results



Color LCD Display



Compact & Portable Design



Low Power Consumption



Easy to Operate



Low Maintenance



MEASURING PARAMETERS

Fat	From 0.00% to 12% with accuracy $\pm 0.10\%$
Solid not fat (SNF)	From 0% to 12% with accuracy $\pm 0.15\%$
Protein	From 2% to 15% with accuracy $\pm 0.15\%$
Lactose	From 0.0% to 6% with accuracy $\pm 0.2\%$
Added water by H ₂ O	From 0% to 70% with accuracy $\pm 3.0\%$
Average speed	180 samples/ hour
Repeatability	$\pm 0.03\%$ for Fat & $\pm 0.15\%$ for SNF, $\pm 0.15\%$ for Lactose /water



ACCESSORIES

• RS 232 Cable	- 01 Nos.
• AC Power Cable with Plug Top	- 01 Nos.
• Bottom Overflow Outlet	- 01 Nos.
• 2.0mm ID Milk Sampling Tube 1m.	- 01 Nos.
• 2.0mm ID Waste Clearing Tube 5m.	- 01 Nos.
• 2.0mm ID Pencil Cleaning Solution	- 01 Ltr.
• Measuring Mug	- 02 Nos.
• Operating Manual	- 01 Nos.



HIGH
ACCURACY



RELIABLE
RESULTS



ENERGY
EFFICIENT



EASY
MAINTENANCE

Digitalizing Dairy Operations. Empowering Farmers.



POWERFUL FEATURES



Quick registration for Farmers, VLC, BMC & Chilling Centers.



Unified management for Collection Centers & Chilling Units.



Real-time testing for Milk Volume, FAT, SNF, CLR & Protein.



Wireless Bluetooth integration with weighing scales & milk analyzers.



Instant cloud synchronization of rate charts.



Secure cloud backup & fast data synchronization.



Automated rate calculation immediately after milk collection.



Instant SMS alerts & slip printing for farmers.




Effortless milk dispatch tracking & digital acknowledgements.



Smart notifications for Farmers, Procurement Officers & Milk Unions.



Flexible multi-rate chart configuration.



BUILT FOR EVERY STAKEHOLDER



For Farmers

Easy & Quick
Milk Management



For Collection Centers

Streamlined Operations
& Transparency



For Milk Unions

Real-time Insights &
Better Decision Making



For BMC & VLC

Secure, Reliable &
Data-Driven Control

TECHNOLOGY THAT **CONNECTS**. SOLUTIONS THAT **GROW**.



CLOUD
SYNCHRONIZED



SECURE &
RELIABLE



WIRELESS
INTEGRATION



FAST &
ACCURATE



REAL-TIME
INSIGHTS

INDUSTRIAL | COMMERCIAL | HEAVY DUTY

PLATFORM WEIGHING SCALE

ROBUST | ACCURATE | RELIABLE

Built for industrial and commercial use, our platform weighing scale combines durability with precision to deliver accurate weight measurements every time.

HEAVY DUTY
&
LONG LASTING

★ ★ ★



IDEAL FOR



Manufacturing



Warehousing



Logistics



Agriculture



Retail

KEY FEATURES



High Accuracy

Reliable and consistent weighing results.



Sturdy Construction

Durable platform with strong MS frame and stainless steel top.



High Load Capacity

Suitable for a wide range of industrial applications.



Digital Indicator

Clear LED display for easy reading and operation.



Adjustable Feet

Ensures stability on uneven surfaces.



Low Power Consumption

Energy efficient and long working hours.

TECHNICAL SPECIFICATIONS

Platform Size (L x W)	Customizable (As per requirement)
Capacity	50 kg – 500 kg (Available in multiple ranges)
Accuracy	± 0.05% – 0.1% FS
Display	LED / LCD (Red / White)
Power Supply	AC 220V ±10%, 50Hz (or Rechargeable Battery)
Material	MS Frame + SS Platform
Load Cell	High Precision Load Cell
Operating Temperature	-10°C to 45°C



Quality
Assurance



After Sales
Support



Customer
Satisfaction



Trusted
Partner

*Precision
in Every
Weighing*

From Every Drop to a Brighter Tomorrow

SMART DPU

Intelligent Milk Collection & Data Processing Unit



SMART
Smarter
Milk Collection



CONNECTED
Seamless
Data Transfer



RELIABLE
Built for
Rural India

Advanced Milk Collection, Data Processing & Communication Solution



FEATURES



Milk Collection Management



Exchange Data via USB / Server



View Reports



Dispatch Note Generation



Payment Cycle Management



Manage Milk Collection Records



32-bit High-Performance
Microcontroller (480 MHz)



Wi-Fi Connectivity



GSM Communication
with External Antenna



AC/DC Power Supply



5-inch Intelligent Touch Display Interface
Micro SD Card Storage Support



WHY CHOOSE OUR SMART DPU?



Real-Time Data Monitoring



Robust Industrial Design



Multiple Connectivity Options



Easy Integration with Existing Systems



Secure Data Storage & Printing



Reliable Performance in Field Conditions



Built-in Thermal Printer
Instant receipt and
report printing.



Stay Connected Anytime,
Anywhere with
Wi-Fi & GSM Communication.



STREAMLINE
COLLECTIONS



IMPROVE
EFFICIENCY



ENSURE
TRANSPARENCY



SUPPORT
DAIRY GROWTH

Smart Solutions
FOR A STRONGER DAIRY TOMORROW