

Key Metrics Defined

HRR (Household Response Rate): Target: $\geq 92\%$

PRR (Person/Individual Response Rate): Target: $\geq 98\%$

TRR (Total Response Rate): Target: $> 92\%$

Himachal Stats: HRR avg 92.57%

PRR avg 90.95% (below Target)

TRR 84.26% (far below target). No FIID meets all targets.

FIIDs Monitor Closely

FIID	HRR	PRR	TRR	Key Issue
120103	94.59%	74.29%	70.27%	High pending
120201	88.46%	97.83%	86.54%	Low HRR/TRR
120202	90.00%	94.44%	85.00%	Low HRR/TRR
120203	80.43%	100.00%	80.43%	Low HRR/TRR, high pending
120301	100.00%	89.74%	89.74%	Low PRR/TRR
120303	94.29%	93.94%	88.58%	Low TRR, high pending
120401	92.00%	69.57%	64.00%	Lowest PRR/TRR
120402	92.00%	95.65%	88.00%	Low TRR
120403	81.63%	73.17%	59.73%	Worst: Reconsider briefing
120404	95.65%	77.27%	73.91%	Low PRR/TRR, high pending

Immediate Actions

1. **Top Priority:** 120103, 120401, 120403, 120203
2. **Monitor:** target PRR laggards (120401, 120403, 120404).

Goal: TRR $> 92\%$ via pending conversions.

Out of 518 HHs covered till today, the team have converted 420 Individual Interviews, which should have been above 500.

PSU competition Status

33 Households (HHs) target per PSU (Please avoid the on-going PSUs)

PSU Code	HHs Attempted	Shortfall	Status
HP-R011	20	-13	Critical
HP-R020	26	-7	High
HP-R028	27	-6	High
HP-R016	29	-4	Medium
HP-R017	29	-4	Medium
HP-R025	29	-4	Medium
HP-R029	29	-4	Medium
HP-R013	30	-3	Low
HP-R010	31	-2	Low
HP-R018	31	-2	Low
HP-R021	31	-2	Low
HP-R022	31	-2	Low
HP-R023	31	-2	Low
HP-R024	31	-2	Low
HP-R026	31	-2	Low
HP-R030	17	-16	Critical
HP-R019	32	-1	Complete
HP-R014	33	0	 Complete

Instruct the team to visit all 33 HHs to ensure that, even if three HHs are unavailable, the Response Rate meets the targets.

It was also noted that question C01 is skipped by all the FIIDs, failing to capture smokeless tobacco users, raising questions about field monitoring and back checks.

