Commits Analisis de regresion

Ronald Bailey

2023-05-28

Configuracion de Git para que los comandos magicos funcionen

```
system("git config --global user.email \"ronald.bailey@galileo.edu\"")
## [1] 0
system("git config --global user.name \"ronaldbailey\"")
## [1] 0
Commit 1
system("git add .")
## [1] 0
system("git commit -m \"Primer commit\"")
## [1] 0
system("git push")
## [1] 0
Commit 2
system("git add .")
## [1] 0
```

```
system("git commit -m \"Leer datos\"")
## [1] 1
system("git push")
## [1] 0
Commit 3
system("git add .")
## [1] 0
system("git commit -m \"Texto del ejercicio 1\"")
## [1] 1
system("git push")
## [1] 0
system("git add .")
## [1] 0
system("git commit -m \"Ejercicio 1 completo nombres\"")
## [1] 1
system("git push")
## [1] 0
system("git add .")
## [1] 0
system("git commit -m \"Ejercicio 1 Readme\"")
## [1] 1
```

```
system("git push")
## [1] 0
system("git add .")
## [1] 0
system("git commit -m \"Ejercicio 2\"")
## [1] 1
system("git push")
## [1] 0
system("git add .")
## [1] 0
system("git commit -m \"Ejercicio 2 tema 4\"")
## [1] 1
system("git push")
## [1] 0
system("git add .")
## [1] 0
system("git commit -m \"Ejercicio 2 tema 4 \"")
## [1] 1
system("git push")
## [1] 0
```