

NGAME Training Matrix — Option D Replay Checklist (Days 1–12 stitch)

Purpose: Correct Days 1–12 (count-based CPI + dollar-weighted wCPI) in the completed 30-day matrix using a **fresh replay sandbox**, then merge into the original matrix. Days 13–30 stay from the original build.

Scope: Internal testing only. Published papers will use a full clean 30-day training run.

Honesty note: Days 1–12 come from the replay timeline; Days 13–30 from the original timeline. Document as a hybrid matrix for internal use.

Before you start

- ☐ Fixed alias code is in place (`ngame_transaction_types.py` — already merged).
- ☐ Original matrix complete: **30 / 30** days.
- ☐ Session log for original build (optional, for matching session types).
- ☐ **Empty replay sandbox** (new QBO sandbox company, or wiped test company) — **not** the full Safe Landing with 30 days already posted.
- ☐ OAuth / `quickbooks_config.json` can point at replay company for Phase 1–3, then back to Safe Landing after.

Phase 0 — Backup (repo root)

```
cd /Users/ronturner/Developer/Projects/NGAME-POC
```

```
cp NGAME_Training_Matrix.xlsx NGAME_Training_Matrix_30day_ORIGINAL.xlsx  
cp quickbooks_ontology_Today.ttl quickbooks_ontology_Today_AFTER_D30.ttl  
cp quickbooks_ontology_Yesterday.ttl quickbooks_ontology_Yesterday_AFTER_D30.ttl
```

- ☐ Backups created; `NGAME_Training_Matrix_30day_ORIGINAL.xlsx` untouched until merge succeeds.

Phase 1 — Clear replay workspace

```
# Hide 30-day matrix; start fresh file on first training run
mv NGAME_Training_Matrix.xlsx NGAME_Training_Matrix_HOLD_30day.xlsx
```

```
# Clear TTL chain for replay
rm -f quickbooks_ontology_Today.ttl quickbooks_ontology_Yesterday.ttl
```

- ☐ Point NGAME QuickBooks OAuth at **replay sandbox** (empty company).
- ☐ Start dashboard: `python3 ngame_ui/app-simple.py`
- ☐ Dashboard shows **0 of 30** / "No training days recorded yet..."

Phase 2 — Replay sessions 1–12 (12 times)

Rotation (session type):

Session	Type	Post in QBO (Build Guide Part 3)
1	A	Sales Day
2	B	Vendor Day
3	C	Payroll / Contractor Day
4	D	Collections Day
5	E	Mixed / Light Day
6	F	Admin Day
7	A	Sales Day
8	B	Vendor Day
9	C	Payroll / Contractor Day
10	D	Collections Day
11	E	Mixed / Light Day
12	F	Admin Day

Each session (repeat 12 times):

1. ☐ Post that session's transaction batch in QBO (**All apps** → correct form per type).
2. ☐ Save each transaction; minimal entity + amount is OK.
3. ☐ Dashboard → **Run Today's Training Day** — wait for **exit 0**.
4. ☐ Training progress shows **N of 30** (N = 1 ... 12).
5. ☐ Do **not** stop dashboard mid-run.

Expect after replay:

Item	Expected
Day 1 column	Often blank (no Yesterday yet) — normal
Days 2–12	Real decimals on fixed rows (Payments , Bill_Payments , Bank_Transactions , ...)
wCPI_Baseline sheet	wDay 2 ... wDay 12 populated (no wDay 1)
Red ✗ quickbooks.objects.vehicle etc.	Harmless — ignore if run completes

Terminal alternative (instead of dashboard button):

```
python3 run_training_flow.py
# Answer y for each day; n to pause after Day 12
```

Phase 3 — Save replay + restore production files

```
cp NGAME_Training_Matrix.xlsx NGAME_Training_Matrix_REPLAY_D12.xlsx

cp NGAME_Training_Matrix_30day_ORIGINAL.xlsx NGAME_Training_Matrix.xlsx

cp quickbooks_ontology_Today_AFTER_D30.ttl quickbooks_ontology_Today.ttl
cp quickbooks_ontology_Yesterday_AFTER_D30.ttl quickbooks_ontology_Yesterday.ttl
```

- ☐ Replay matrix saved as NGAME_Training_Matrix_REPLAY_D12.xlsx
- ☐ Active matrix is again the **30-day original**
- ☐ TTL files restored for **Phase II on Safe Landing**
- ☐ OAuth pointed back to **original Safe Landing** company

Phase 4 — Merge Days 1–12 + recalculate baselines

```
python3 merge_training_matrix_days.py \
  --target NGAME_Training_Matrix.xlsx \
  --source NGAME_Training_Matrix_REPLAY_D12.xlsx \
  --days 1-12
```

Script actions:

1. Auto-backup → NGAME_Training_Matrix_pre_merge_<timestamp>.xlsx
2. Copy **Day 1–12** on **Training Matrix** sheet
3. Copy **wDay 2–12** on **wCPI_Baseline** sheet (dollar-weighted)
4. Recalculate μ , σ and μ_w , σ_w

- ☐ Merge completed without error

Phase 5 — Verify

Open NGAME_Training_Matrix.xlsx :

Training Matrix sheet

- ☐ Columns **Day 1 ... Day 12** updated on aliased rows (not all 1.0 except Day 1 blank / stable types)
- ☐ Columns **Day 13 ... Day 30** unchanged from original
- ☐ μ (col B) and σ (col C) refreshed

wCPI_Baseline sheet

- ☐ **wDay 2 ... wDay 12** updated where replay differed
- ☐ **wDay 13 ... wDay 30** unchanged
- ☐ μ_w and σ_w refreshed

Dashboard

- ☐ Restart `app-simple.py` if needed
- ☐ Still **30 of 30**, Phase II ready

Phase 6 — First Phase II smoke test (optional)

- ☐ Run one **daily fraud / churn check** on Safe Landing
- ☐ Confirm no extraction errors for types you use
- ☐ **Last Updated** reflects recent run

Quick reference — file roles

File	Role
NGAME_Training_Matrix_30day_ORIGINAL.xlsx	Untouched archive of first 30-day build
NGAME_Training_Matrix_REPLAY_D12.xlsx	Replay output (Days 1–12 only)
NGAME_Training_Matrix.xlsx	Active stitched matrix after merge
quickbooks_ontology_*_AFTER_D30.ttl	Phase II snapshots from end of original build

[QLMarkdown](#), version 1.0.24 (50).
Developed by SBAREX 2020 - 2025 with ❤️ .
If you like this app, [buy me a coffee!](#)