




ABAP CDS TABLE FUNCTION IMPLEMENTED BY AMDP

THE TRAINING PROJECT PERFORMED BY TUTORIAL FROM SAPCODES.COM



[S8H] ZST29...
[S8H] ZST29...
[S8H] ZST29...
[S8H]
New
Select a wizard
Create a data definition
Wizards:
type filter text
Change Document Management
Cloud Communication Management
Cloud Identity and Access Management
Code Composer
Connectivity
Core Data Services
Access Control
Annotation Definition
Aspect
Behavior Definition
Data Definition
Dynamic Cache
< Back
Next >
Finish
Cancel


New Data Definition
Data Definition
Create a data definition
Project: *
S8H_100_student029_en
Browse...
Package: *
ZST29_TR
Browse...
Add to favorite packages
Name: *
zst29_demo_flight_cds_tf
Description: *
CDS Table Function Implemented by AMDP
Original Language:
EN
Referenced Object:
Browse...
< Back
Next >
Finish
Cancel
Message


SELECT TEMPLATE " DEFINE TABLE FUNCTION WITH PARAMETERS"




> PROVIDE THE INPUT PARAMETER LIST
-> PROVIDE THE RETURN FIELD LIST
->PROVIDE THE [AMDP] CLASS=>METHOD THAT IMPLEMENTS IT.
->ACTIVATE IT.



CREATE ABAP CLASS:





>THE METHOD MUST SPECIFY FOR WHICH TABLE FUNCTION IT IS USED.
->IMPLEMENT THE AMDP METHOD WITH RETURN.


[S8H] ZST29...
[S8H] ZST29...
[S8H] ZST29...
[S8H] ZST29...
[S8H] ZCL_DE...
ZCL_DEMO_FLIGHT_CALCULATION
GET_DETAILS
CLASS zcl_demo_flight_calculation DEFINITION
PUBLIC
FINAL
CREATE PUBLIC .
PUBLIC SECTION.
INTERFACES: if_amdp_marker_hdb.
CLASS-METHODS: get_details FOR TABLE FUNCTION zst29_demo_Flight_cds_tf.
PROTECTED SECTION.
PRIVATE SECTION.
ENDCLASS.
CLASS zcl_demo_flight_calculation IMPLEMENTATION.
METHOD get_details BY DATABASE FUNCTION FOR HDB
LANGUAGE SQLSCRIPT OPTIONS READ-ONLY
USING spfli.
return select mandt,carrid,connid,countryfr,
cityfrom,airpfrom,countryto,cityto,airpto
from spfli where carrid = iv_carrid;
endmethod.
ENDCLASS.

CALLING THE CDS TABLE FUNCTION FROM PROGRAM/METHOD WITH ADDITION : ##DB_FEATURE_MODE[AMDP_TABLE_FUNCTION

CREATE ABAP PROGRAM





New ABAP Program
ABAP Program
Create an ABAP program
Project: *
S8H_100_student029_en
Browse...
Package: *
ZST29_TR
Browse...
Add to favorite packages
Name: *
ZST29CDS_WITH_TF_AMDP
Description: *
Calling the CDS Table Function from PROGRAM
Original Language:
EN
System Program
< Back
Next >
Finish
Cancel

[S8H] ZST29... [S8H] ZST29... [S8H] ZST29... [S8H] ZCL_DE...

ZST29CDS_WITH_TF_AMDP

```
1  *&---------------------------------------------------------------------*
2  *& Report zst29cds_with_tf_amdp
3  *&---------------------------------------------------------------------*
4  *&
5  *&---------------------------------------------------------------------*
6  REPORT zst29cds_with_tf_amdp.
7
8  SELECT * FROM zst29_demo_flight_cds_tf(  iv_carrid = 'LH' )
9  INTO TABLE @DATA(lt_flight)
10  ##db_feature_mode[amdp_table_function].
11 cl_demo_output=>display_data(
12 EXPORTING
13 value = lt_flight ).
```

Output:



CARRID	CONNID	COUNTRYFR	CITYFROM	AIRPFROM	COUNTRYTO	CITYTO	AIRPTO
LH	0400	DE	FRANKFURT	FRA	US	NEW YORK	JFK
LH	2402	DE	FRANKFURT	FRA	DE	BERLIN	SXF
LH	0402	DE	FRANKFURT	FRA	US	NEW YORK	JFK
LH	0401	US	NEW YORK	JFK	DE	FRANKFURT	FRA
LH	2407	DE	BERLIN	TXL	DE	FRANKFURT	FRA