Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.

2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.

3. Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, in connection with my/our/existing/proposed/altered/ additional manufacturing/processing activity from the premises as per the details given below.

Consent Information

UAN No:
MPCB-CONSENT-0000082521

Application Date:
Nov 9, 2019

Industry Name:
SPACK AUTOMOTIVES PRIVATE LIMITED

Industry Information

Consent To:
Renewal (Normal)

IIN No.:

Submit to:
SRO - Nashik

Gross Capital in lakhs
360.00

Type of institution:
Industry

Industry Type:
O80 Foam manufacturing

Category:
Orange

Scale:
M.S.I

EC Reqd.
No

EC Obtained
No

EC Ref. No.
IEM/2722/SIA/IMO/2004

Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit)
No

General Information

1. Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

Name
NARENDER KUMAR

Address
RISHABH WARE HOUSE,VILLAGE GONDE DUMALA,Gondedumala,Nashik

Designation
A G M OPERATIONS

Taluka
Igatpuri

Area
GONDE DUMALA

District
Nashik

Telephone
9860079177

Fax

Email
narender.kumar@powerspack.com

Pan Number
AOUPK4873R

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

Industry name

SPACK AUTOMOTIVES PRIVATE LIMITED

Location of Unit
RISHABH WARE HOUSE , VILLAGE GONDE DUMALA

Survey number/Plot Number
GAT NO 437 -439

Taluka
IGATPURI

District
Nashik

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

Planning permission
NO OBJECTION CERTIFICATE

Planning Authority
GRAMPANCHAYAT GONDE DUMALA

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

Name of Local Body
GRAMPANCHAYAT

Name of the licence issuing authority
GRAMPANCHAYAT VILLAGE GONDE DUMALA

---

3. Names,addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

Name of Managing Director
MR. SARVJIT SINGH GREWAL

Telephone number
01141058131

Fax number
01141058130

Officer responsible for day to day business
Mr. NARENDER KUMAR

4. (a.) Are you registered Industrial unit ?

No

Registration number
U34101DL1991PTC043570

Date of registration
Jan 1, 1970

---

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

Gross capital (in Lakh)	**** Verified***	**** Terms***	**** Consent Fee***
360.00	CA Certificate	1	15000.00

---

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

Distance From	***Distance(Km)***	**** Name***
SH/NH	1.00	National Highway 3
River	4.00	--NA--
Human Habitation	4.00	--NA--
Religious Place	0.00	--NA--
Historical Place	0.00	--NA--
Creek/Sea	0.00	--NA--

---

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

Location	***Approved Industry Area***	***Sensitive Area***	***If Yes, Name Of Area***	***Industry Location with Reference to CRZ***
	No	No		

---

8. If the site is situated in notified industrial estate,

Details

(a) Whether effluent collection, treatment and disposal system has been provided by the authority.	No	N.A.
(b) Will the applicant utilize the system, if provided.	No	
(c) If not provided, details of proposed arrangement.		

9.

(a) Total plot area (in squear meter)	***(b) Built up area and (in squear meter)***	***(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in squear meter)***
2322.57	777.041	

10. Month and year of commissioning of the Unit.

01-Feb-2005

11. Number of workers and office staff

Workers	***staff***	***Hrs. of shift***	***Weekly off***
20	5	08	SATURDAY

12.

(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ?	No	N.A.

(b) If yes, please state population staying

Number of person staying	***Water consumption***	***Sewage generation***	***Whether is STP provided?***
	0	0	No

(c) Indicate its location and distance with reference to plant site.

Number of person staying	***Water consumption***
N.A.	

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity

Products Name and Quantity

Product Name	***UOM***	***Product Name***	***Existing***	***Consented***	***Proposed Revision***	***Total***	***Remarks***
OTHERS	No/M	Automotive Seat Cushion Pads	400000	800000	0	800000	

Products Name and Quantity

Product Name	***UOM***	***Quantity***	***Remarks***
N.A.	--NA--	0	N.A.

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	***UOM***	***Quantity***	***Hazardous Waste***	***Hazardous Chemicals***	***Remarks***
NON WOVEN CLOTH	Kg/M	35	No	No	N.A.
RELEASE AGENT	Ltr/M	200	No	No	N.A.

POLYOL	MT/M	15	No	No	N.A
ISO	MT/M	07	No	No	N.A.
INSERT WIRES	No/M	26000	No	No	N.A.

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

Purpose	***Consumption***	***Effluent Generation***	***Treatment***	***Remarks***	***Disposal***	***Remarks***
Domestic Pourpose	1	0.5	Septic Tank & Soak Pit	N.A.	On Land for Gardening	N.A.
Water gets Polluted & Pollutants are Biodegradable	0	0	--NA--		--NA--	N.A.
Water gets Polluted,Pollutants are not Biodegradable & Toxic	0	0	--NA--		--NA--	
Industrial Cooling,spraying in mine pits or boiler feed	0	0	--NA--		--NA--	
Others	0					

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	***Name of authority granting permission***	***Qauntity permitted***
BOAR WELL	N.A.	02

18. Quantity of waste water (effluent) generated (m3/day)

Domastic	***Boiler Blowdown***	***Industrial***	***Cooling water blowdown***
1.5	0	0	0
Process	***DM Plants/Softening***	***Washing***	***Tail race discharge from***
0	0	0	0

* 19. Water budget calculations accounting for difference between water consumption and effluent generated.

N.A.

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

Capacity of STP (m3/day)

0

Treatment unit	***Size (mxm)***	***Retention time (hr)***
N.A.	0	0

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

Capacity of ETP (m3/day)

0

Treatment unit	***Size (mxm)***	***Retention time (hr)***
N.A.	0	0

22.

(i) Are sewage and trade effluents mixed together? No

If yes, state at which stage-Whether before, intermittently or after treatment.

---

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3)	NA	
If yes, state at which stage-Whether before, intermittently or after treatment.	No	NA
If yes, state at which stage-Whether before, intermittently or after treatment.	No	NA

---

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of river)	NA	***(ii) into creek/estuary (name of Creek/estuary)***	NA
(iii) into sea	NA	***(iv) into drain/sewer (owner of sewer)***	NA
(v) On land for irrigation on owned land/ase land. Specify cropped area.	NA	***(vi) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day)***	0

---

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

Untreated Effluent

pH	NA
SS (mg/l)	NA
BOD (mg/l)	NA
COD (mg/l)	NA
TDS (mg/l)	NA

Specific pollutant if any	***Name***	***Value***
1	NA	0

Treated Effluent

pH	NA
SS (mg/l)	NA
BOD (mg/l)	NA
COD (mg/l)	NA
TDS (mg/l)	NA

Specific pollutant if any	***Name***	***Value***

1	NA	0

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

---

26. Fuel consumption

Fuel Type	***UOM***	***Fuel Consumption TPD/LKD***	***Calorific value***
HSD	Ltr/Hr	16	0
Ash content	***Sulphur content***	***Quantity***	***Other (specify)***
0	0	1	NA

---

27. (a) Details of stack (process & fuel stacks: D. G.)

(a) Stack number(s)	***(b) Stack attached to***	***(c) Capacity***	***(d) Fuel Type***
1	DG SET	0	HSD
(e) Fuel quantiy (Kg/hr.)	***(f) Material of construction***	***(g) Shape (round/rectangular)***	***(h) Height, m (above ground level)***
16	MS	ROUND	08
(i) Diameter/Size, in meters	***(j) Gas quantity, Nm3/hr.***	***(k) Gas temperature °C***	***(l) Exit gas velocity, m/sec.***
0.101	16.15	120	0
(m) Control equipment preceding the stack	***(n) Nature of pollutants likely to present in stack gases such as Cl2, Nox, Sox TPM etc.***	***(o) Emissions control system provided***	***(p) In case of D.G. Set power generation capacity in KVA***
N.A.	SPM ,SO2	N.A.	125

---

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

N.A.

---

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication “Emission regulations Part-III” (December, 1985)

Poart hole	No	***Details***	
Platform	No	***Details***	
Ladder	Yes	***Details***	MS FRAME WORK CONSTRUCTION

---

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

Sr. No.	***Stack attached to***	***Parameter***	***Concentration mg/Nm3***	***flow (Nm3/hr)***
1	DG SET	SPM SO2	150	120

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/ Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

Waste (Annually) Schedule I

Cat No	***Type***	***Qty***	***Min***
NA		0	
Max	***Method of collection***	***Method of reception***	***Method of storage***
	NA	NA	NA
Method of transport	***Method of treatment***	***Method of disposal***	***UOM***
NA	NA	NA	

Waste (Annually) Schedule II

31. Details about use of hazardous waste

Name of hazardous waste/Spent chemical	***Quantity used/month***	***Party from whom purchased***	***Party to whom sold***
NA	00	NA	NA

32.

a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste

NA

b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics

NA

33.

Copy of format of manifest/record Keeping practiced by the applicant.

NA

34.

Details of self-monitoring (source and environment system)

NA

35.

Are you using any imported hazardous waste. If yes, give details.

NA

36.

Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.

NA

37.

Present treatment of hazardous waste, if any (give type and capacity of treatment units)

NA

---

38. Quantity of hazardous waste disposal

(i) Within factory

00

(ii) Outside the factory (specify location and enclose copies of agreement.)

00

(iii) Through sale (enclosed documentary proof and copies of agreement.)

00

(iv) Outside state/Union Territory, if yes particulars of (1 & 3) above.

00

(v) Other (Specify)

00

Part - E: Additional information

39.

a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.

NA

b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.

NA

40.

Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).

Rs. 15000

41.

To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?

NA

42.

Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure

N.A.

---

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	*Quantity*	*UOM*	*Treatment*	*Disposal*	*Other Details*
PU FOAM CUTTING	100	Kg/M	NA	REUSE	NA

---

44. Hazardous Chemicals – Give details of Chemicals and quantities handled and Stored.

(i) Is the unit a Majot Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?

NA

(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?

NA

(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.

NA

(iv) Has approval of site been obtained from the concerned authority?

NA

(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?

NA

(vi) Has information on imports of Chemicals been provided to the concerned authority?

NA

(vii) Does the unit possess a policy under the PLI Act?

NA

45. Brief details of tree plantation/green belt development within applicant’s premises (in hectors)

Open Space Availability	***Plantation Done On***	***Number of Trees Planted***
500 Square meter	200 Square meter(40 %)	50

46.

Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.

NA

47.

(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.

(b) Any other additional information that the applicants desires to give

NO

(c) Whether Environmental Statement submitted ? If submitted, give date of submission.

NA

48.

I/We further declare that the information furnished above is correct to the best of my/our knowledge.

49.

I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and
treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and
until the grant of fresh Consent/Authorization no change shall be made.

50.

I/We undertake to furnish any other information within one month of its being called by the Board

51.

I/We enclosed here with a demand draft for Rs
Drawn in favour of Maharashtra Pollution Control Board as the fee for Consent/authorisation for a period upto

Yours faithfully

Signature :
Name : MR. NARENDER KUMAR
Designation : A.G.M. PLANT HEAD

Additional Information

Air Pollution

Sr No.	***Air Pollution Source***	***Pollutants***	***APCS Provided***	***Remark***
1	N.A.	NA	NA	NA

Separate EM Provided	No	***Other Emission Sources***	NA
Measures Proposed	NA	***Foul Smell Coming Out***	No
Air Sampling Facility Details	NA		

D.G. Set Details

Description	Capacity(KVA)	Remarks
DG SET	125	NA

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details

CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks

Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
No	No	Jan 1 1900 12:00:00:000AM

Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks
No			

Bank Details

Bank Name	DD No.	DD Date	DD Amount	Remarks
	RSBI8217390963	2019-11-19	15000.00	

Task Flow Recommendations

MPCB-Officers	Recommendations
Shri.Amar Durgule (SRO-Nashik) on 13-12-2019 10:44:14	process & put up
(FO-Nashik) on 01-01-2020 16:01:10	1. Applied for grant of consent to renewal with capital investment of Rs. 3.59 Cr. 2. As per process submitted by industry industrial effluent generation is nil. 3. Industry has submitted query letter issued by this office. 4. In view of above consent to renewal may be consider if approved.
Shri.Amar Durgule (SRO-Nashik) on 12-03-2020 13:49:53	1. Applied for grant of consent to renewal with capital investment of Rs. 3.59 Cr. 2. As per process submitted by industry industrial effluent generation is nil. 3. Industry has submitted query letter issued by this office. 4. In view of above consent to renewal may be consider if approved.
P.M Joshi (RO-Nashik) on 12-03-2020 19:12:12	process and putup
Shri. Kushal N. Aucharmal (FO-Nashik) on 18-03-2020 11:04:31	Unit is PU Foam Pads for automobiles and has applied for renewal of consent, previous consent was valid up to 31.05.2019, They have submitted clarification about decrease in capital investment from 3.62 Cr. to 3.59 Cr. They have also submitted clarification about not using Hydrochlroflurocarbon (HCFC). They have paid fees of Rs. 15000/- SRO has recommended for grant of consent. As per SRO's recommendation renewal of consent may be granted for the period up to 31.05.2021. By imposing BG. Submitted for approval please.
P.M Joshi (RO-Nashik) on 18-03-2020 13:17:11	approved