



Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, in connection with my/our/existing/proposed/alterd/ additional manufacturing/processing activity from the premises as per the details given below.

Consent Information

UAN No:	Application Date:	Industry Name:
MPCB-CONSENT-0000080172	Sep 18, 2019	The Supreme Industries Ltd.

Industry Information

Consent To:	IIN No.:	Submit to:	Gross Capital in lakhs
Establish (Expansion)		SRO - Jalgaon	161.33
Type of institution:	Industry Type:	Category:	Scale:
Industry		Red	S.S.I
EC Reqd.	EC Obtained	EC Ref. No.	
No	No	-	
Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit)		No	

General Information

1. Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.	
Name	Address
Sanjay Y. Prabhudesai	Gat No. 50, Gadegaon, Tal. Jamner, Dist. Jalgaon
Designation	Taluka
Sr. G. M.	jamner
Area	District
Gadegaon	jalgaon
Telephone	Fax
8806662172	0257-3050631
Email	Pan Number
sy_prabhudesai@supreme.co.in	AAACT1344F

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)	
Industry name	
The Supreme Industries Ltd.	
Location of Unit	Survey number/Plot Number
Gut No. 50, Gadegaon, Tal. Jamner	Gut No. 50
Taluka	District
Jamner	jalgaon

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

Planning permission

Grampanchayat Gadegaon

Planning Authority

Grampanchayat, Gadegaon

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

Name of Local Body

Grampanchayat, Gadegaon

Name of the licence issuing authority

Registrar of Companies

3. Names,addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

Name of Managing Director

Sanjay Y. Prabhudesai

Telephone number

8806662172

Fax number

Officer responsible for day to day business

Shyam Patil

4. (a.) Are you registered Industrial unit ?

No

Registration number

090310

Date of registration

May 3, 2008

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

Gross capital (in Lakh)

161.33

*** Verified**

CA Certificate

*** Terms**

1

*** Consent Fee**

15000.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

Distance From

SH/NH

Distance(Km)

0.00

*** Name**

Aurangabad-Jalgaon Highway

River

1.00

Human Habitation

1.00

Religious Place

0.00

--NA--

Historical Place

0.00

--NA--

Creek/Sea

0.00

--NA--

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

Location	Approved Industry Area	Sensitive Area	If Yes, Name Of Area	Industry Location with Reference to CRZ
	No	No	NA	

8. If the site is situated in notified industrial estate,

(a) Whether effluent collection, treatment and disposal system has been provided by the authority. Yes

(b) Will the applicant utilize the system, if provided. No

(c) If not provided, details of proposed arrangement.

Details

Combine ETP of main plant utilized.

9.

(a) Total plot area (in square meter)

(b) Built up area and (in square meter)

(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in square meter)

2290

727

10. Month and year of commissioning of the Unit.

25-Sep-2013

11. Number of workers and office staff

Workers**staff****Hrs. of shift****Weekly off**

10

1

8

Sunday

12.

(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ?

No

(b) If yes, please state population staying

Number of person staying

Water consumption

Sewage generation

Whether is STP provided?

00

00

No

(c) Indicate its location and distance with reference to plant site.

Number of person staying

Water consumption

NA

00

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity)

Products Name and Quantity

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
OTHERS	KL/M	UPVC & CPVC Solvent Cement	25	25	75	100	

Products Name and Quantity

Product Name	UOM	Quantity	Remarks
NA	--NA--	00	NA

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	UOM	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
PVC / CPVC Resin	Kg/Day	2000	No	No	NA

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

Purpose	Consumption	Effluent Generation	Treatment	Remarks	Disposal	Remarks
Domestic Pourpose	1.0	0.8	Septic Tank	NA	On Land for Gardening	NA
Water gets Polluted & Pollutants are Biodegradable	0	0	--NA--		--NA--	
Water gets Polluted,Pollutants are not Biodegradable & Toxic	0	0	--NA--		--NA--	
Industrial Cooling,spraying in mine pits or boiler feed	0	0	--NA--		--NA--	
Others						

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	Name of authority granting permission	Qauntity permitted
Waghur Dam	Irrigation Department	1.5

18. Quantity of waste water (effluent) generated (m3/day)

Domastic	Boiler Blowdown	Industrial	Cooling water blowdown
0.8	0	0	0
Process	DM Plants/Softening	Washing	Tail race discharge from
0	0	0	0

* 19. Water budget calculations accounting for difference between water consumption and effluent generated.

Enclosed

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

Capacity of STP (m3/day)

0

Treatment unit	Size (mxm)	Retention time (hr)
NA	0	0

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

Capacity of ETP (m3/day)

0

Treatment unit	Size (mxm)	Retention time (hr)
NA	0	0

22.

(i) Are sewage and trade effluents mixed together?

No

If yes, state at which stage-Whether before, intermittently or after treatment.

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3) 0

If yes, state at which stage-Whether before, intermittently or after treatment.	No	NA
If yes, state at which stage-Whether before, intermittently or after treatment.	No	NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of river)	No	(ii) into creek/estuary (name of Creek/estuary)	No
(iii) into sea	No	(iv) into drain/sewer (owner of sewer)	No
(v) On land for irrigation on owned land/ase land. Specify cropped area.	0.8	(vi) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day)	0

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

Untreated Effluent

pH	0
SS (mg/l)	0
BOD (mg/l)	0
COD (mg/l)	0
TDS (mg/l)	0
Specific pollutant if any	<div> <div>Name</div> <div>Value</div> </div> <div> <div>1</div> <div>NA</div> <div>0</div> </div>

Treated Effluent

pH	0
SS (mg/l)	0
BOD (mg/l)	0
COD (mg/l)	0
TDS (mg/l)	0
Specific pollutant if any	<div> <div>Name</div> <div>Value</div> </div> <div> <div>1</div> <div>NA</div> <div>0</div> </div>

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

26. Fuel consumption

Fuel Type	UOM	Fuel Consumption TPD/LKD	Calorific value
--NA--	--NA--	00	00
Ash content	Sulphur content	Quantity	Other (specify)
00	00	1	NA

27. (a) Details of stack (process & fuel stacks: D. G.)

(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
0	NA	0	NA
(e) Fuel quanti y (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
0	NA	NA	0
(i) Diameter/Size, in meters	(j) Gas quantity, Nm3/hr.	(k) Gas temperature °C	(l) Exit gas velocity, m/sec.
0	0	0	0
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as Cl2, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
NA	NA	NA	0

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NA

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication “Emission regulations Part-III” (December, 1985)

Poart hole	No	Details	NA
Platform	No	Details	NA
Ladder	No	Details	NA

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

Sr. No	Stack attached to	Parameter	Concentration mg/Nm3	flow (Nm3/hr)
1	NA	NA	0	0

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/ Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

Waste (Annually) Schedule I			
Cat No	Type	Qty	Min
23.1	23.1 Wastes or residues (not made with vegetable or animal materials)	750	
Max	Method of collection	Method of reception	Method of storage
	Collected in Bags	NA	Stored at close shed designated for the purpose
Method of transport	Method of treatment	Method of disposal	UOM
MPCB authorized transporter	CHWTSDF	CHWTSDF	

Waste (Annually) Schedule II

31. Details about use of hazardous waste

Name of hazardous waste/Spent chemical	Quantity used/month	Party from whom purchased	Party to whom sold
NA	0	NA	NA

32.

a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste

NA

b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics

NA

33.

Copy of format of manifest/record Keeping practiced by the applicant.

NA

34.

Details of self-monitoring (source and environment system)

NA

35.

Are you using any imported hazardous waste. If yes, give details.

NA

36.

Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.

NA

37.

Present treatment of hazardous waste, if any (give type and capacity of treatment units)

NA

38. Quantity of hazardous waste disposal

(i) Within factory

0

(ii) Outside the factory (specify location and enclose copies of agreement.)

0

(iii) Through sale (enclosed documentary proof and copies of agreement.)

0

(iv) Outside state/Union Territory, if yes particulars of (1 & 3) above.

0

(v) Other (Specify)

0

Part - E: Additional information

39.

a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.

NA

b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.

NA

40.

Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).

25000.00

41.

To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?

NA

42.

Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure

NA

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
Packing Boxes	100	Kg/M	No	Sale to authorized re-processor	NA

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.

(i) Is the unit a Major Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?

No

(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?

No

(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.

NA

(iv) Has approval of site been obtained from the concerned authority?

NA

(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?

Yes

(vi) Has information on imports of Chemicals been provided to the concerned authority?

NA

(vii) Does the unit possess a policy under the PLI Act?

Yes

45. Brief details of tree plantation/green belt development within applicant's premises (in hectares)

Open Space Availability	Plantation Done On	Number of Trees Planted
700 Square meter	250 Square meter(36 %)	80

46.

Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.

47.

(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.

(b) Any other additional information that the applicants desires to give

No

(c) Whether Environmental Statement submitted ? If submitted, give date of submission.

Yes

48.

I/We further declare that the information furnished above is correct to the best of my/our knowledge.

49.

I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.

50.

I/We undertake to furnish any other information within one month of its being called by the Board

51.

I/We enclosed here with a demand draft for Rs 15000.00
Drawn in favour of Maharashtra Pollution Control Board as the fee for Consent/authorisation for a period upto Commissioning of unit

Yours faithfully

Signature :
Name : Sanjay Y. Prabhudesai
Designation : Sr. General Manager

Additional Information

Air Pollution

Sr No.	Air Pollution Source	Pollutants	APCS Provided	Remark
1	NA	NA	NA	NA
Separate EM Provided		No	Other Emission Sources	NA
Measures Proposed		NA	Foul Smell Coming Out	No
Air Sampling Facility Details		NA		

D.G. Set Details

Description	Capacity(KVA)	Remarks
NA	0	NA

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details
-----------------	----------	-----	-----------	----------	---------------

23.1 Wastes/residues
(not made with vegetable
or animal mate

750

Kg/M

NA

CHWTSDF

NA

CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks
Yes	Mah Enviro Power Ltd,Pune	NA

Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
No	No	Jan 1 1900 12:00:00:000AM

Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks
No			

Bank Details

Bank Name	DD No.	DD Date	DD Amount	Remarks
Axis Bank	341868	2018-09-11	15000.00	
Axis Bank	307417	2019-09-04	15000.00	CONSENT PAYMENT
State Bank Of India	307417	2019-09-04	15000.00	PAYMENT

Task Flow Recommendations

MPCB-Officers

**Shri S. M. Kurmude. (SRO-Jalgaon) on
14-11-2019 13:05:20**

**Dr. Prabhakar N. Wavde (FO-Jalgaon) on
19-12-2019 19:00:40**

**Shri S. M. Kurmude. (SRO-Jalgaon) on
31-01-2020 15:48:53**

P.M Joshi (RO-Nashik) on 10-02-2020 16:59:39

**Shri.Vinod Ramkishan Pawale (FO-Nashik) on
18-03-2020 11:53:33**

P.M Joshi (RO-Nashik) on 20-03-2020 11:28:25

Recommendations

Plz. Visit, Process & p/u. If scrutiny letter is issued, application shall be submitted after the reply of the same.

(1) Industry has applied for consent to establish (expansion) with requisite fee for the manufacturing of UPVC & CPVC solvent cement. This activity is covered under red category. Existing consent is valid up to 30-11-2020 for UPVC & CPVC solvent cement – 25 KL.M, now applied for additional 75 KL/M quantity. Industry is visited on 13-12-2019, visit report enclosed. (2) Industrial effluent generation is nil. Domestic effluent generation is 0.8 CMD. Domestic effluent generation is 0.8 CMD. Domestic effluent is treated in STP of main plant. Treated effluent is utilized for gardening purpose within the premises. (3) Process waste / residue is sent to MEPL, Pune for treatment and disposal. Last disposal date is 1-11-2019 and quantity is 110 Kg. (4) No boiler / furnace involved in the process. Mixer and other machines are power operated. In view of this, consent to establish (expansion) may be granted.

FO Remarks may please be seen. Red / SSI, UPVC & CPVC solvent cement mfg. unit, applied for C to E (Expansion). No ind. eff. generation, no boiler / furnace involved. HW i.e. process waste / residue is sent to MEPL. In view of above, C to E may be granted for expansion.

process

Case may be consider as per SRO's Remarks, submitted for further order,please

APPROVED
