



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, in connection with my/our/existing/proposed/alterd/ additional manufacturing/processing activity from the premises as per the details given below.

Consent Information

UAN No:

MPCB-CONSENT-0000044212

Application Date:

Mar 7, 2018

Industry Name:

Vishal Stone Crusher

Industry Information

Consent To:

Renewal (Normal)

IIN No.:**Submit to:**

SRO - Ahmednagar

Gross Capital in lakhs

9.50

Type of institution:

Industry

Industry Type:

O64 Stone crushers

Category:

Orange

Scale:

S.S.I

EC Reqd.

No

EC Obtained

No

EC Ref. No.

-

Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit)

No

General Information

1. Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

Name

SUNDARDAS GAJANAN NAGAWADE

Address

GUT No.344/1/2/A/1B A/p.KHANDALA TAL.AHMEDNAGAR
DIST.AHMEDNAGAR

Designation

OWNER

Taluka

AHMEDNAGAR

Area

GUT No.344/1/2/A/1B A/p.KHANDALA TAL.AHMEDNAGAR
DIST.AHMEDNAGAR

District

Ahmednagar

Telephone

9260706070

Fax

NA

Email

snagwade@gmail.com

Pan Number

ACVPN8218J

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

Industry name

Vishal Stone Crusher

Location of Unit

Ap. Khandala

Taluka

Nagar

Survey number/Plot Number

G.No. 343/1/2/A/1B,

District

Ahmednagar

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

Planning permission

Grampanchayat Khandala

Planning Authority

Grampanchayat Khandala

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

Name of Local Body

Grampanchayat Khandala

Name of the licence issuing authority

Grampanchayat Khandala

3. Names,addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

Name of Managing Director

Sundardas Gajanan Nagawade

Telephone number

9260706070

Fax number**Officer responsible for day to day business**

Sundardas Gajanan Nagawade

4. (a.) Are you registered Industrial unit ?

No

Registration number

27026110758

Date of registration

Feb 2, 2010

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

Gross capital (in Lakh)

9.50

*** Verified**

CA Certificate

*** Terms**

5

*** Consent Fee**

2500.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

Distance From

SH/NH

Distance(Km)

0.50

*** Name**

River

0.00

--NA--

Human Habitation

2.00

Religious Place

2.00

Historical Place

0.00

--NA--

Creek/Sea

0.00

--NA--

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

Location**Approved Industry Area**

No

Sensitive Area

No

If Yes, Name Of Area

NA

Industry Location with Reference to CRZ

8. If the site is situated in notified industrial estate,

Details

(a) Whether effluent collection, treatment and disposal system has been provided by the authority.

(b) Will the applicant utilize the system, if provided.

(c) If not provided, details of proposed arrangement.

No

NA

9.

(a) Total plot area (in square meter)

(b) Built up area and (in square meter)

(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in square meter)

2000

1500

10. Month and year of commissioning of the Unit.

02-Feb-2010

11. Number of workers and office staff

Workers

staff

Hrs. of shift

Weekly off

5

3

8

Sunday

12.

(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ?

No

(b) If yes, please state population staying

Number of person staying

Water consumption

Sewage generation

Whether is STP provided?

No

(c) Indicate its location and distance with reference to plant site.

Number of person staying

Water consumption

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity)

Products Name and Quantity

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
Stone Crushers	Brass/D	Crushed Metal	0	10	0	10	NA
Stone Crushers	Brass/D	Stone Dust	0	3	0	3	NA

Products Name and Quantity

Product Name	UOM	Quantity	Remarks
NA	--NA--	0	NA

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	UOM	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
Stone	Brass/D	13	No	No	NA

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

Purpose	Consumption	Effluent Generation	Treatment	Remarks	Disposal	Remarks
Domestic Pourpose	1	0.5	--NA--	NA	--NA--	NA
Water gets Polluted & Pollutants are Biodegradable	0	0	--NA--		--NA--	NA
Water gets Polluted,Pollutants are not Biodegradable & Toxic	0	0	--NA--		--NA--	
Industrial Cooling,spraying in mine pits or boiler feed	0	0	--NA--		--NA--	
Others	2					

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	Name of authority granting permission	Qauntity permitted
Grampanchayat & Water Tanker	Grampanchayat & Water Tanker	3

18. Quantity of waste water (effluent) generated (m3/day)

Domastic	Boiler Blowdown	Industrial	Cooling water blowdown
0.5	0	0	0
Process	DM Plants/Softening	Washing	Tail race discharge from
0	0	0	0

* 19. Water budget calculations accounting for difference between water consumption and effluent generated.

NA

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

Capacity of STP (m3/day)

0

Treatment unit	Size (mxm)	Retention time (hr)
0	0	0

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

Capacity of ETP (m3/day)

0

Treatment unit	Size (mxm)	Retention time (hr)
0	0	0

22.

(i) Are sewage and trade effluents mixed together?

No

If yes, state at which stage-Whether before, intermittently or after treatment.

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3) NA

If yes, state at which stage-Whether before, intermittently or after treatment. No

NA

If yes, state at which stage-Whether before, intermittently or after treatment. No

NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of river) NA

(iii) into sea NA

(v) On land for irrigation on owned land/ase land. Specify cropped area. NA

(ii) into creek/estuary (name of Creek/estuary) NA

(iv) into drain/sewer (owner of sewer) NA

(vi) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day) 0

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

Untreated Effluent

pH 0

SS (mg/l) 0

BOD (mg/l) 0

COD (mg/l) 0

TDS (mg/l) 0

Specific pollutant if any

1 NA

Value

0

Treated Effluent

pH 0

SS (mg/l) 0

BOD (mg/l) 0

COD (mg/l) 0

TDS (mg/l) 0

Specific pollutant if any

1 NA

Value

0

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

26. Fuel consumption

Fuel Type

UOM

Fuel Consumption TPD/LKD

Calorific value

Electricity	--NA--	0	0
Ash content	Sulphur content	Quantity	Other (specify)
0	0	1	NA

27. (a) Details of stack (process & fuel stacks: D. G.)

(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
NA	0	0	NA
(e) Fuel quanti y (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
0	NA	NA	NA
(i) Diameter/Size, in meters	(j) Gas quantity, Nm3/hr.	(k) Gas temperature °C	(l) Exit gas velocity, m/sec.
NA	0	NA	NA
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as Cl2, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
NA	NA	NA	NA

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NA

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication “Emission regulations Part-III” (December, 1985)

Poart hole	No	Details	NA
Platform	No	Details	NA
Ladder	No	Details	NA

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

Sr. No	Stack attached to	Parameter	Concentration mg/Nm3	flow (Nm3/hr)
1	NA	NA	0	0

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/ Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

Waste (Annually) Schedule I			
Cat No	Type	Qty	Min
NA		0	
Max	Method of collection	Method of reception	Method of storage
	NA	NA	NA
Method of transport	Method of treatment	Method of disposal	UOM
NA	NA	NA	

Waste (Annually) Schedule II**31. Details about use of hazardous waste**

Name of hazardous waste/Spent chemical	Quantity used/month	Party from whom purchased	Party to whom sold
NA	0	NA	NA

32.**a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste**

NA

b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics

NA

33.**Copy of format of manifest/record Keeping practiced by the applicant.**

NA

34.**Details of self-monitoring (source and environment system)**

NA

35.**Are you using any imported hazardous waste. If yes, give details.**

NA

36.**Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.**

NA

37.**Present treatment of hazardous waste, if any (give type and capacity of treatment units)**

NA

38. Quantity of hazardous waste disposal**(i) Within factory**

0

(ii) Outside the factory (specify location and enclose copies of agreement.)

0

(iii) Through sale (enclosed documentary proof and copies of agreement.)

0

(iv) Outside state/Union Territory, if yes particulars of (1 & 3) above.

0

(v) Other (Specify)

0

Part - E: Additional information

39.

a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.

NA

b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.

NA

40.

Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).

NA

41.

To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?

NA

42.

Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure

NA

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
NA	0	--NA--	NA	NA	NA

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.

(i) Is the unit a Major Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?

NA

(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?

NA

(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.

NA

(iv) Has approval of site been obtained from the concerned authority?

NA

(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?

NA

(vi) Has information on imports of Chemicals been provided to the concerned authority?

NA

(vii) Does the unit possess a policy under the PLI Act?

NA

45. Brief details of tree plantation/green belt development within applicant's premises (in hectares)

Open Space Availability	Plantation Done On	Number of Trees Planted
1500 Square meter	500 Square meter(33 %)	200

46.

Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.

NA

47.

(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.

(b) Any other additional information that the applicants desires to give

NA

(c) Whether Environmental Statement submitted ? If submitted, give date of submission.

NA

48.

I/We further declare that the information furnished above is correct to the best of my/our knowledge.

49.

I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.

50.

I/We undertake to furnish any other information within one month of its being called by the Board

51.

**I/We enclosed here with a demand draft for Rs NA
Drawn in favour of Maharashtra Pollution Control Board as the fee for Consent/authorisation for a period upto
NA**

Yours faithfully

Signature : Sundardas Gajanan Nagawade

Name : Sundardas Gajanan Nagawade

Designation : Proprietor

Additional Information

Air Pollution

Sr No.	Air Pollution Source	Pollutants	APCS Provided	Remark
1	NA	NA	NA	NA
Separate EM Provided		Yes	Other Emission Sources	NA
Measures Proposed		NA	Foul Smell Coming Out	No
Air Sampling Facility Details		NA		

D.G. Set Details

Description	Capacity(KVA)	Remarks
NA	0	NA

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details
-----------------	----------	-----	-----------	----------	---------------

CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks
-------------------	--------------	---------

Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
No	No	Jan 1 1900 12:00:00:000AM

Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks
No			

Bank Details

Bank Name	DD No.	DD Date	DD Amount	Remarks
	LAXG6117031454	2018-03-08	2500.00	

Task Flow Recommendations

MPCB-Officers

Recommendations

Sanjeev A. Redasni (SRO-Ahmednagar) on 09-03-2018 09:45:43

Process and put up

Shri Pramod Doke (FO-Ahmednagar) on 24-04-2018 12:38:38

Orange / SSI (O – 64 Or O – 37). This is an application for Renewal of consent. The unit has obtained consent to operate which is valid upto 31.07.2014 with condition of industry shall shift crusher to fulfill distance criteria. Crusher is located adjacent to Nagar-Daund State Highway. However they have obtain distance certificate (@500 mtr from Nagar-Daund SH). CI is Rs.9.5 lac & paid total consent fee of Rs.2500/-. Stone crusher visited on 27.03.2018 (Copy uploaded) During the visit it is noticed that Screening section cover with metal sheet. Water sprinkler provided to raw stone unloading & Jaw crusher. Wind breaking wall not provided around the premises. Katcha metal road provided. Conveyor belts are not covered. Stone crusher has obtain permission from District Collector (Mining) for stone quarry which is valid upto 31.05.2021, They have uploaded documets (Distance certificate, Health certificate, NOC from local body), Also industry has uploaded letter on 26.03.18 regarding correction in G.NO., Submitted for further decision.

Sanjeev A. Redasni (SRO-Ahmednagar) on 24-04-2018 14:24:12

This is an application for grant of plain renewal of consent, However it is located adjacent to Ahmednagar -Dond State Highway which does not satisfy the distance criteria, Hence the stone crusher needs to be shifted to fulfill the distance criteria of the Board, In view of this consent may be renewed by stipulating condition for shifting to fulfill the distance criteria within suitable time period.

P.M Joshi (RO-Nashik) on 24-04-2018 14:52:00
(FO-Nashik) on 07-05-2018 13:28:51

Please scrutinized the application and put up draft within stipulated time period.

SCN for refusal may be issued for non compliances reported by FO of SRO,Ahmednagar .The details of previous action taken on Stone Crushers of Khandala area are not given. Submitted for further decision.

P.M Joshi (RO-Nashik) on 19-05-2018 14:50:13
(FO-Nashik) on 06-06-2018 18:28:48

Put up draft for SCN for refusal accordingly.

SCN draft submitted for approval please.

P.M Joshi (RO-Nashik) on 08-06-2018 19:51:50
(FO-Nashik) on 21-06-2018 12:42:06

Obtain reply of SCN for refusal and then put up.

The industry has not replied SCN for refusal till date .Submitted for further order please

P.M Joshi (RO-Nashik) on 29-06-2018 16:23:13
(FO-Nashik) on 07-07-2018 16:35:15

obtain report from SRO n then put up

Draft letter submitted for approval please.

P.M Joshi (RO-Nashik) on 30-07-2018 14:15:49

furnish verification report n put up

Sanjeev A. Redasni (SRO-Ahmednagar) on 26-08-2018 23:54:10

Shri Pramod Doke, FO, put up as per RO Saheb remarks.

Shri Pramod Doke (FO-Ahmednagar) on 27-08-2018 12:45:30

Restart proposal along with compliance made by industry is prepared by Shr. R.P. Suryawanshi, FO. Visit report Dtd-08.08.18 is uploaded. The restart proposal is on SRO desk on 21.08.2018 with photograph & compliance. Hence renewal of consent may be granted after restart order by the Board.

Sanjeev A. Redasni (SRO-Ahmednagar) on 01-09-2018 09:39:48

Restart Proposal is Submitted to RO Nashik on 01/09/2018. Decision about grant of consent may be taken suitability, after receipt of Restart Order. (FO. Visit report Dtd-08.08.18 is uploaded, photograph & compliance uploaded).

P.M Joshi (RO-Nashik) on 05-09-2018 13:04:04
(FO-Nashik) on 05-09-2018 19:50:20

process n put up

The case may be decided after restart directions to the industry. Submitted for further order please.

P.M Joshi (RO-Nashik) on 05-09-2018 20:30:19

Application returned to industry with following remarks:
restart directions

P.M Joshi (RO-Nashik) on 27-02-2020 18:16:07

Industry has submitted the compliance with following remarks:

P.M Joshi (RO-Nashik) on 27-02-2020 18:17:23

Process n put up

**Shri. Kushal N. Aucharmal (FO-Nashik) on
03-03-2020 12:46:16**

Unit is a Stone Crusher and has applied for renewal of consent, Closure direction was issued to the unit 10.10.2016, And Conditional Restart direction was issued on 06.11.2018, They have uploaded Photograph of closed shed, Water sprinkling arrangement, And submitted BG of Rs. 50,000/- as per Conditional Restart. They have paid fees of Rs. 2500/-. As per Restart order renewal of consent may be granted for the period up to 31.07.2024.

P.M Joshi (RO-Nashik) on 04-03-2020 16:38:24

Approved
