



Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, in connection with my/our/existing/proposed/altered/ additional manufacturing/processing activity from the premises as per the details given below.

Consent Information

UAN No:	Application Date:	Industry Name:
MPCB-CONSENT-0000089384	Feb 20, 2020	M/s Nobel Hygiene Pvt. Ltd.

Industry Information

Consent To:	IIN No.:	Submit to:	Gross Capital in lakhs
Establish (Expansion)		SRO - Nashik	6622.49
Type of institution:	Industry Type:	Category:	Scale:
Industry		Green	L.S.I
EC Reqd.	EC Obtained	EC Ref. No.	
No	No	-	
Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit)		No	

General Information

1. Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.	
Name	Address
Mr.Tejas Atole	Plot No-A-70 MIDC Area Malegaon ,Sinnar
Designation	Taluka
Quality Control Manager	Sinnar
Area	District
MIDC Area Malegaon ,Sinnar	Nashik
Telephone	Fax
9673324393	2551230135
Email	Pan Number
tejesh.atole@nobelhygiene.com	AABCN5081A

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)	
Industry name	Survey number/Plot Number
M/s Nobel Hygiene Pvt. Ltd.	Plot No. A-70 & 72/3
Location of Unit	District
MIDC Malegaon, Sinnar	Nashik
Taluka	
Sinnar	

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

Planning permission

Executive Engineer

Planning Authority

MIDC

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

Name of Local Body

MIDC

Name of the licence issuing authority

Directorate of Industrial Health & Safety

3. Names, addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

Name of Managing Director

Mr.Joy Devassy

Telephone number

9673324393

Fax number

02551230135

Officer responsible for day to day business

Mr.Joy Devassy

4. (a.) Are you registered Industrial unit ?

Yes

Registration number

U24239GA2001PTC003048

Date of registration

Dec 23, 2013

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

Gross capital (in Lakh)

6622.49

*** Verified**

Undertaking

*** Terms**

1

*** Consent Fee**

100000.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

Distance From

SH/NH

Distance(Km)

1.00

*** Name**

Nashik Pune Highway

River

30.00

Godavri

Human Habitation

2.00

Religious Place

6.00

Historical Place

6.00

Creek/Sea

0.00

--NA--

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

Location	Approved Industry Area	Sensitive Area	If Yes, Name Of Area	Industry Location with Reference to CRZ
	Yes	No	NA	

8. If the site is situated in notified industrial estate,

		Details
(a) Whether effluent collection, treatment and disposal system has been provided by the authority.	No	NA
(b) Will the applicant utilize the system, if provided.	Yes	
(c) If not provided, details of proposed arrangement.		

9.

(a) Total plot area (in square meter)Existing 19955 + Proposed 2552 = Total
Plot Area 22507**(b) Built up area and (in square meter)**Existing 15230.43 + Proposed. 617.97 =
Total Built Up Area 15848.4**(c) Area available for the use of
treated sewage/ trade effluent for
gardening/irrigation. (in square meter)**

10. Month and year of commissioning of the Unit.

31-Mar-2020

11. Number of workers and office staff

Workers

102

staff

42

Hrs. of shift

8

Weekly off

Saturday

12.

**(a) Do you have a residential
colony Within the premises
in respect of Which the
present application is Made
?**

No

0

(b) If yes, please state population staying**Number of person staying****Water consumption**

0

Sewage generation

0

Whether is STP provided?

No

(c) Indicate its location and distance with reference to plant site.**Number of person staying**

0

Water consumption

0

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc.
(Give figures corresponding to maximum installed production capacity)**Products Name and Quantity**

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
OTHERS	No/M	Baby Diapers	0	63300000	0	63300000	0
OTHERS	No/M	Adult Diapers	0	32634000	0	32634000	0
OTHERS	No/M	Underpad	0	12800000	0	12800000	0
OTHERS	No/M	Baby Pull-ups Diaper	0	99360000	0	99360000	0
OTHERS	No/M	Adult Diaper Pant Diapers	0	13140000	0	13140000	0

Products Name and Quantity

Product Name	UOM	Quantity	Remarks
NA	--NA--	0	NA

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	UOM	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
Raw Material Sheet uploaded	--NA--	0	No	No	Raw Material Sheet uploaded

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

Purpose	Consumption	Effluent Generation	Treatment	Remarks	Disposal	Remarks
Domestic Pourpose	5.0	3.0	STP	Treat in Existing STP	On Land for Gardening	On Land for Gardening
Water gets Polluted & Pollutants are Biodegradable	0	0	--NA--		--NA--	NA
Water gets Polluted,Pollutants are not Biodegradable & Toxic	0	0	--NA--		--NA--	
Industrial Cooling,spraying in mine pits or boiler feed	0	0	--NA--		--NA--	
Others	0					

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	Name of authority granting permission	Qauntity permitted
MIDC	MIDC	30

18. Quantity of waste water (effluent) generated (m3/day)

Domastic	Boiler Blowdown	Industrial	Cooling water blowdown
3.0	0	0	0
Process	DM Plants/Softening	Washing	Tail race discharge from
0	0	0	0

* 19. Water budget calculations accounting for difference between water consumption and effluent generated.

Water Budgeting Details
Uploaded

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

Capacity of STP (m3/day)

25

Treatment unit	Size (mxm)	Retention time (hr)
Collection Tank (KL)	20	12.810
Aeration Tank (KL)	14	9
Settling Tank (KL)	6	4
Filter Feed Tank (KL)	7	4.5
Treated Water Tank (KL)	7	4.5
Sludge Drying Bed (KL)	2	8

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

Capacity of ETP (m3/day)

0

Treatment unit	Size (mxm)	Retention time (hr)
0	0	0

22.

(i) Are sewage and trade effluents mixed together? No

If yes, state at which stage-Whether before, intermittently or after treatment.

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3) 0

If yes, state at which stage-Whether before, intermittently or after treatment. Yes Existing STP Details Uploaded

If yes, state at which stage-Whether before, intermittently or after treatment. No NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of river)	0	(ii) into creek/estuary (name of Creek/estuary)	0
(iii) into sea	0	(iv) into drain/sewer (owner of sewer)	0
(v) On land for irrigation on owned land/ase land. Specify cropped area.	0	(vi) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day)	0

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

Untreated Effluent

pH	0
SS (mg/l)	0
BOD (mg/l)	0
COD (mg/l)	0
TDS (mg/l)	0
Specific pollutant if any	Name Value
1	0 0

Treated Effluent

pH	0
SS (mg/l)	0
BOD (mg/l)	0
COD (mg/l)	0

TDS (mg/l)	0
Specific pollutant if any	Name
1	0
	Value
	0

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

26. Fuel consumption

Fuel Type	UOM	Fuel Consumption TPD/LKD	Calorific value
--NA--	--NA--	0	0
Ash content	Sulphur content	Quantity	Other (specify)
0	0	1	0

27. (a) Details of stack (process & fuel stacks: D. G.)

(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
NA	NA	NA	NA
(e) Fuel quantiy (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
0	NA	NA	NA
(i) Diameter/Size, in meters	(j) Gas quantity, Nm3/hr.	(k) Gas temperature °C	(l) Exit gas velocity, m/sec.
NA	0	NA	NA
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as Cl2, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
NA	NA	NA	NA

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NA

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Poart hole	No	Details	NA
Platform	No	Details	NA
Ladder	No	Details	NA

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

Sr. No	Stack attached to	Parameter	Concentration mg/Nm3	flow (Nm3/hr)
1	NA	NA	0	0

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/ Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

Waste (Annually) Schedule I

Cat No	Type	Qty	Min
NA		0	
Max	Method of collection	Method of reception	Method of storage
	NA	NA	NA
Method of transport	Method of treatment	Method of disposal	UOM
NA	NA	NA	

Waste (Annually) Schedule II

31. Details about use of hazardous waste

Name of hazardous waste/Spent chemical	Quantity used/month	Party from whom purchased	Party to whom sold
NA	0	NA	NA

32.

a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste

NA

b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics

NA

33.

Copy of format of manifest/record Keeping practiced by the applicant.

NA

34.

Details of self-monitoring (source and environment system)

NA

35.

Are you using any imported hazardous waste. If yes, give details.

NA

36.

Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.

NA

37.

Present treatment of hazardous waste, if any (give type and capacity of treatment units)

NA

38. Quantity of hazardous waste disposal

(i) Within factory

0

(ii) Outside the factory (specify location and enclose copies of agreement.)

0

(iii) Through sale (enclosed documentary proof and copies of agreement.)

0

(iv) Outside state/Union Territory, if yes particulars of (1 & 3) above.

0

(v) Other (Specify)

0

Part - E: Additional information

39.

a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.

NA

b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.

NA

40.

Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).

NA

41.

To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?

NA

42.

Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure

NA

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
Waste Diaper	0	MT/M	NA	NA	NA

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.

(i) Is the unit a Major Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?

NA

(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?

NA

(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.

NA

(iv) Has approval of site been obtained from the concerned authority?

NA

(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?

NA

(vi) Has information on imports of Chemicals been provided to the concerned authority?

NA

(vii) Does the unit possess a policy under the PLI Act?

NA

45. Brief details of tree plantation/green belt development within applicant's premises (in hectors)

Open Space Availability

5000 Square meter

Plantation Done On

4500 Square meter(90 %)

Number of Trees Planted

1000

46.

Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.

NA

47.

(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.

(b) Any other additional information that the applicants desires to give

NA

(c) Whether Environmental Statement submitted ? If submitted, give date of submission.

NA

48.

I/We further declare that the information furnished above is correct to the best of my/our knowledge.

49.

I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.

50.

I/We undertake to furnish any other information within one month of its being called by the Board

51.

I/We enclosed here with a demand draft for Rs Consent fee for Consent establish expansion Rs. 100000/- Drawn in favour of Maharashtra Pollution Control Board as the fee for Consent/authorisation for a period upto Valid up to Commissioning of the unit

Yours faithfully

Signature : Mr.Joy Devassy

Name : Mr.Joy Devassy

Designation : General Manager-Operations

Additional Information

Air Pollution

Sr No.	Air Pollution Source	Pollutants	APCS Provided	Remark
1	NA	NA	NA	NA

Separate EM Provided

No

Other Emission Sources

NA

Measures Proposed	NA	Foul Smell Coming Out	No
Air Sampling Facility Details	NA		

D.G. Set Details

Description	Capacity(KVA)	Remarks
NA	0	NA

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details
-----------------	----------	-----	-----------	----------	---------------

CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks
-------------------	--------------	---------

Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
No	No	Jan 1 1900 12:00:00:000AM

Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks
No			

Bank Details

Bank Name	DD No.	DD Date	DD Amount	Remarks
Axis Bank	AXISP00109045314/503202007	2020-03-05	100000.00	Consent fee for Consent to Establish Expansion Rs.100000/- Valid up to Commissioning of the Unit

Task Flow Recommendations

MPCB-Officers

Recommendations

Shri.Amar Durgule (SRO-Nashik) on 09-03-2020 16:48:31	process & put up
Mr.Manish Mahajan (FO-Nashik) on 24-03-2020 16:08:58	Applied for Establish to Operate for expansion activity. The existing consent to operate is valid upto 3 0.04.2023.As per the manufacturing process there is no generation of industrial effluent.Industry has provided STP for the treatment of domestic effluent.Industry has submitted the undertaking showing the CI of the unit as 66.22 Crs. Industry has proposed to treat the domestic effluent generated from the expansion activity to existing STP. Hence submitted for necessary documentation and further orders please.
Shri.Amar Durgule (SRO-Nashik) on 03-04-2020 11:40:57	Applied for Establish to Operate for expansion activity. The existing consent to operate is valid upto 3 0.04.2023.As per the manufacturing process there is no generation of industrial effluent.Industry has provided STP for the treatment of domestic effluent.Industry has submitted the undertaking showing the CI of the unit as 66.22 Crs. Industry has proposed to treat the domestic effluent generated from the expansion activity to existing STP. Hence submitted for necessary documentation and further orders please.This is submitted as per the direction of RO,nashik.
P.M Joshi (RO-Nashik) on 04-04-2020 13:35:04	Putup C to E consent and after expansion of STP and verification C to O will be granted.
Shri.Vinod Ramkishan Pawale (FO-Nashik) on 15-04-2020 12:38:49	Draft submitted for approval
P.M Joshi (RO-Nashik) on 27-04-2020 10:26:08	Approved
