



# Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

## Application for Consent/ Authorisation

Sir,  
I/We hereby apply for\*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, in connection with my/our/existing/proposed/alterd/ additional manufacturing/processing activity from the premises as per the details given below.

### Consent Information

**UAN No:**

MPCB-CONSENT-0000048751

**Application Date:**

May 14, 2018

**Industry Name:**

M/s Praniti Stone Metal

### Industry Information

**Consent To:**

Renewal (Normal)

**IIN No.:****Submit to:**

SRO - Ahmednagar

**Gross Capital in lakhs**

16.00

**Type of institution:**

Other Planning Authority

**Industry Type:**

O64 Stone crushers

**Category:**

Orange

**Scale:**

S.S.I

**EC Reqd.**

No

**EC Obtained**

No

**EC Ref. No.**

-

**Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit)**

No

### General Information

1. Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

**Name**

sharad hanumant lotake

**Address**

Khandala, Tal. Nagar, Dist. Ahmednagar.

**Designation**

Proprieter

**Taluka**

Tal. Nagar,

**Area**

Khandala

**District**

Ahmednagar

**Telephone**

9822216695

**Fax**

9822216695

**Email**

praniti.crushmetal83@gmail.com

**Pan Number**

ACUPL4928L

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

**Industry name**

M/s Praniti Stone Metal

**Location of Unit**

At. Post. Khandala,

**Taluka**

Nagar,

**Survey number/Plot Number**

Gat. No. 337

**District**

Ahmednagar

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

**Planning permission**

Grampanchyat Khandala

**Planning Authority**

Grampanchyat Khandala

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

**Name of Local Body**

Grampanchyat Khandala

**Name of the licence issuing authority**

Grampanchyat Khandala

3. Names,addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

**Name of Managing Director**

sharad hanumant lotake

**Telephone number**

9822216695

**Fax number**

-

**Officer responsible for day to day business**

sharad hanumant lotake

4. (a.) Are you registered Industrial unit ?

No

**Registration number**

270261101620

**Date of registration**

Sep 1, 2013

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

**Gross capital (in Lakh)**

16.00

**\* Verified**

CA Certificate

**\* Terms**

1

**\* Consent Fee**

7500.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

**Distance From**

SH/NH

**Distance(Km)**

1.20

**\* Name**

Ahmednagar - Daund Highway

River

10.00

Sina

Human Habitation

0.00

--NA--

Religious Place

0.00

--NA--

Historical Place

0.00

--NA--

Creek/Sea

0.00

--NA--

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

**Location****Approved Industry Area**

No

**Sensitive Area**

No

**If Yes, Name Of Area****Industry Location with Reference to CRZ**

8. If the site is situated in notified industrial estate,

**Details**

(a) Whether effluent collection, treatment and disposal system has been provided by the authority.

No

(b) Will the applicant utilize the system, if provided. No  
(c) If not provided, details of proposed arrangement.

9.

(a) Total plot area (in square meter)	(b) Built up area and (in square meter)	(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in square meter)
4047.18	1200	

10. Month and year of commissioning of the Unit.

01-Sep-2013

11. Number of workers and office staff

<b>Workers</b>	<b>staff</b>	<b>Hrs. of shift</b>	<b>Weekly off</b>
4	1	8	Tuesday

12.

(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ? No na

(b) If yes, please state population staying

Number of person staying	Water consumption	Sewage generation	Whether is STP provided?
	0	0	No

(c) Indicate its location and distance with reference to plant site.

Number of person staying	Water consumption
0	0

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity)

#### Products Name and Quantity

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
Stone Crushers	Brass/M	Crushed Stone	225	0	225	225	na
Stone Crushers	Brass/M	Dust	30	0	30	30	na

#### Products Name and Quantity

Product Name	UOM	Quantity	Remarks
na	--NA--	0	0

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	UOM	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
Stone	Brass/M	300	No	No	NA

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

## Part B : Waste Water aspects

### 16. Water consumption for different uses (m3/day)

<b>Purpose</b>	<b>Consumption</b>	<b>Effluent Generation</b>	<b>Treatment</b>	<b>Remarks</b>	<b>Disposal</b>	<b>Remarks</b>
Domestic Pourpose	1.0	0.8	Septic Tank & Soak Pit	NA	On Land for Gardening	0
Water gets Polluted & Pollutants are Biodegradable	0	0	--NA--		--NA--	0
Water gets Polluted,Pollutants are not Biodegradable & Toxic	0	0	--NA--		--NA--	
Industrial Cooling,spraying in mine pits or boiler feed	0	0	--NA--		--NA--	
Others	NA					

### 17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

<b>Source of water supply</b>	<b>Name of authority granting permission</b>	<b>Qauntity permitted</b>
Tanker	Private	1.0

### 18. Quantity of waste water (effluent) generated (m3/day)

<b>Domastic</b>	<b>Boiler Blowdown</b>	<b>Industrial</b>	<b>Cooling water blowdown</b>
0.8	0	0	0
<b>Process</b>	<b>DM Plants/Softening</b>	<b>Washing</b>	<b>Tail race discharge from</b>
0	0	0	0

### \* 19. Water budget calculations accounting for difference between water consumption and effluent generated.

0

### 20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

#### Capacity of STP (m3/day)

0

<b>Treatment unit</b>	<b>Size (mxm)</b>	<b>Retention time (hr)</b>
0	0	0

### 21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

#### Capacity of ETP (m3/day)

0

<b>Treatment unit</b>	<b>Size (mxm)</b>	<b>Retention time (hr)</b>
0	0	0

### 22.

(i) Are sewage and trade effluents mixed together?

No

If yes, state at which stage-Whether before, intermittently or after treatment.

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3) NA

If yes, state at which stage-Whether before, intermittently or after treatment. No NA

If yes, state at which stage-Whether before, intermittently or after treatment. No NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of river)	NA	(ii) into creek/estuary (name of Creek/estuary)	NA
(iii) into sea	NA	(iv) into drain/sewer (owner of sewer)	NA
(v) On land for irrigation on owned land/ase land. Specify cropped area.	NA	(vi) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day)	0

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

Untreated Effluent

pH	0
SS (mg/l)	0
BOD (mg/l)	0
COD (mg/l)	0
TDS (mg/l)	0
Specific pollutant if any	Name Value
1	0 0

Treated Effluent

pH	0
SS (mg/l)	0
BOD (mg/l)	0
COD (mg/l)	0
TDS (mg/l)	0
Specific pollutant if any	Name Value
1	0 0

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

26. Fuel consumption

Fuel Type	UOM	Fuel Consumption TPD/LKD	Calorific value
Electricity	--NA--	100	0

<b>Ash content</b>	<b>Sulphur content</b>	<b>Quantity</b>	<b>Other (specify)</b>
0	0	1	0

27. (a) Details of stack (process & fuel stacks: D. G. )

<b>(a) Stack number(s)</b>	<b>(b) Stack attached to</b>	<b>(c) Capacity</b>	<b>(d) Fuel Type</b>
1	Earth	0	Electricity
<b>(e) Fuel quanti y (Kg/hr.)</b>	<b>(f) Material of construction</b>	<b>(g) Shape (round/rectangular)</b>	<b>(h) Height, m (above ground level)</b>
0	0	Rectangular	3
<b>(i) Diameter/Size, in meters</b>	<b>(j) Gas quantity, Nm3/hr.</b>	<b>(k) Gas temperature °C</b>	<b>(l) Exit gas velocity, m/sec.</b>
0	0	0	0
<b>(m) Control equipment preceding the stack</b>	<b>(n) Nature of pollutants likely to present in stack gases such as Cl2, Nox, Sox TPM etc.</b>	<b>(o) Emissions control system provided</b>	<b>(p) In case of D.G. Set power generation capacity in KVA</b>
0	0	0	0

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

na

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication “Emission regulations Part-III” ( December, 1985 )

<b>Poart hole</b>	No	<b>Details</b>	NA
<b>Platform</b>	No	<b>Details</b>	NA
<b>Ladder</b>	No	<b>Details</b>	NA

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

<b>Sr. No</b>	<b>Stack attached to</b>	<b>Parameter</b>	<b>Concentration mg/Nm3</b>	<b>flow (Nm3/hr)</b>
1	NA	NA	0	0

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/ Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling ) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

<b>Waste (Annually) Schedule I</b>			
<b>Cat No</b>	<b>Type</b>	<b>Qty</b>	<b>Min</b>
NA		0	
<b>Max</b>	<b>Method of collection</b>	<b>Method of reception</b>	<b>Method of storage</b>
	NA	NA	NA
<b>Method of transport</b>	<b>Method of treatment</b>	<b>Method of disposal</b>	<b>UOM</b>
NA	NA	NA	

**Waste (Annually) Schedule II****31. Details about use of hazardous waste**

<b>Name of hazardous waste/Spent chemical</b>	<b>Quantity used/month</b>	<b>Party from whom purchased</b>	<b>Party to whom sold</b>
NA	0	0	0

**32.****a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste**

0

**b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics**

0

**33.****Copy of format of manifest/record Keeping practiced by the applicant.**

0

**34.****Details of self-monitoring (source and environment system)**

0

**35.****Are you using any imported hazardous waste. If yes, give details.**

0

**36.****Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.**

0

**37.****Present treatment of hazardous waste, if any (give type and capacity of treatment units)**

0

**38. Quantity of hazardous waste disposal****(i) Within factory**

0

**(ii) Outside the factory (specify location and enclose copies of agreement.)**

0

**(iii) Through sale (enclosed documentary proof and copies of agreement.)**

0

**(iv) Outside state/Union Territory, if yes particulars of (1 & 3 ) above.**

0

**(v) Other (Specify)**

0

**Part - E: Additional information**

39.

**a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.**

0

**b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.**

0

40.

**Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).**

0

41.

**To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?**

0

42.

**Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure**

0

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
NA	0	--NA--	0	0	0

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.

**(i) Is the unit a Major Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?**

0

**(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?**

0

**(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.**

0

**(iv) Has approval of site been obtained from the concerned authority?**

0

**(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?**

0

**(vi) Has information on imports of Chemicals been provided to the concerned authority?**

0

**(vii) Does the unit possess a policy under the PLI Act?**

0

45. Brief details of tree plantation/green belt development within applicant's premises ( in hectares )

Open Space Availability	Plantation Done On	Number of Trees Planted
3847.18 Square meter	1000 Square meter(26 %)	200

46.



Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.

0

47.

(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.

(b) Any other additional information that the applicants desires to give

0

(c) Whether Environmental Statement submitted ? If submitted, give date of submission.

0

48.

I/We further declare that the information furnished above is correct to the best of my/our knowledge.

49.

I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.

50.

I/We undertake to furnish any other information within one month of its being called by the Board

51.

I/We enclosed here with a demand draft for Rs  
Drawn in favour of Maharashtra Pollution Control Board as the fee for Consent/authorisation for a period upto  
Yours faithfully  
Signature : 0  
Name : sharad hanumant lotake  
Designation : Proprietor

Additional Information

Air Pollution

Sr No.	Air Pollution Source	Pollutants	APCS Provided	Remark
1	na	na	na	na
Separate EM Provided		No	Other Emission Sources	na
Measures Proposed		nan	Foul Smell Coming Out	No
Air Sampling Facility Details		nan		

D.G. Set Details

Description	Capacity(KVA)	Remarks
D. G. SET	40	na

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details
CHWTSDF Details					
Member of CHWTSDF		CHWTSDF Name		Remarks	
Cess Details					
Cess Applicable		Cess Paid		If Yes, UpTo	
No		No		Jan 1 1900 12:00:00:000AM	
Legal Actions					
Legal Action Taken	Legal Record Of Company		Legal Action Details		Remarks
No					
Bank Details					
Bank Name		DD No.	DD Date	DD Amount	Remarks
		NUR26391571576	2018-06-14	7500.00	

## Task Flow Recommendations

### MPCB-Officers

**Sanjeev A. Redasni (SRO-Ahmednagar) on 17-08-2018 23:58:14**

**(FO-Ahmednagar) on 21-08-2018 17:49:20**

**Sanjeev A. Redasni (SRO-Ahmednagar) on 24-08-2018 23:03:59**

**P.M Joshi (RO-Nashik) on 27-08-2018 14:20:06**

**(FO-Nashik) on 06-09-2018 21:11:09**

**P.M Joshi (RO-Nashik) on 11-09-2018 20:56:18**

**P.M Joshi (RO-Nashik) on 27-02-2020 18:08:01**

**P.M Joshi (RO-Nashik) on 27-02-2020 18:12:01**

**Shri. Kushal N. Aucharmal (FO-Nashik) on 03-03-2020 12:48:33**

**P.M Joshi (RO-Nashik) on 04-03-2020 16:40:14**

### Recommendations

Shri R.P. Suryawanshi, FO, put up.

Orange/SSI Existing unit, This consent application was pending from last 64 days at SRO desk. Applicant has applied for renewal of consent & restart of stone crusher, Previously Board was granted the consent to operate vide no - MPCB/RONK/ANR-435/46/2013, dtd - 07/01/2013, Validity - 31/10/2015 & Change in Name amendment vide letter No - MPCB/RONK/Amendment - 2003, dtd - 30/07/2017. Thereafter industry has applied for renewal of consent to Board vide UAN No - 48751. MPC Board was issued the closure direction on 10.10.2016, thereafter applied for restart order to Board. The CI of unit is Rs. 16 Lakhs. Industry submitted the photographs. The Unit is 1.2 km away from A'Nagar - Shrigonda - Daund Road. Provided the necessary Air pollution control system & water sprinkler arrangement. Industry was visited on 08.08.2018 (detail visit report is enclosed). Presently MSEB has disconnected electricity. Industry has paid the consent fee of Rs. 7,500/- vide online transaction no - TXN1806001279, on 14/06/2018. The restart proposal of said unit is prepared separately & sent through the proper channel. The Case is under the purview of RO Nashik. As per the revised industry categorization by CPCB dtd.- 07/03/2016 industry may be falls under the O - 64 OR O - 37 category. In view of the above & power of delegation in the consent management by the Board, & as per the compliance made by industry the application with restart proposal is submitted for Approval please.

In view of above, grant of consent can be considered. The restart proposal of said unit is prepared separately & will be submitted very soon.

Please process and put up.

The case may be considered after restart directions .

**Application returned to industry with following remarks:**  
Awaited for restart directions.

**Industry has submitted the compliance with following remarks:**

Process n put up

Unit is a Stone Crusher and has applied for renewal of consent, Previous consent was valid up to 31.10.2015, Closure direction was issued to the unit 10.10.2016, And Conditional Restart direction was issued on 06.11.2018, They have uploaded Photograph of closed shed, Water sprinkling arrangement, And submitted BG of Rs. 50,000/- as per Conditional Restart. They have paid fees of Rs. 7500/-. As per Restart order renewal of consent may be granted for the period up to 31.10.2025. Submitted for approval please.

Approved