

SECTION 1 - FILESYSTEM & MOUNTS

-- Full mount table (/proc/mounts)

DEVICE	MOUNTPPOINT	FSTYPE	OPTIONS
tmpfs	/dev/shm	tmpfs	rw,relatime
tmpfs	/sys/fs/cgroup	tmpfs	rw,relatime
/dev/vda	/	ext4	
rw,relatime,resuid=65534,resgid=65534			
/dev/vdb	/opt/rclone	squashfs	ro,relatime,errors=continue
/dev/vdc	/mnt/skills/public	squashfs	ro,relatime,errors=continue
/dev/vdd	/mnt/skills/examples	squashfs	ro,relatime,errors=continue
tmpfs	/dev/shm	tmpfs	rw,relatime
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/user-data/tool_results /mnt/user-data/tool_results			
fuse.rclone ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576			
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/user-data/outputs			fuse.rclone
rw,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576			
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/user-data/uploads			fuse.rclone
ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576			
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/transcripts			fuse.rclone
ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576			

-- Non-trivial mounts (rclone, squashfs, overlay, nfs, cifs, btrfs, zfs)

```
/dev/vdb /opt/rclone squashfs ro,relatime,errors=continue 0 0
/dev/vdc /mnt/skills/public squashfs ro,relatime,errors=continue 0 0
/dev/vdd /mnt/skills/examples squashfs ro,relatime,errors=continue 0 0
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/user-data/tool_results /mnt/user-data/tool_results
fuse.rclone ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576 0 0
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/user-data/outputs /mnt/user-data/outputs fuse.rclone
```

```

rw,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576 0 0
    rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgsDMa:/mnt/user-data/uploads /mnt/user-data/uploads fuse.rclone
ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576 0 0
    rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgsDMa:/mnt/transcripts /mnt/transcripts fuse.rclone
ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576 0 0

-- Mount tree (findmnt --real)
    TARGET                                SOURCE                                FSTYPE
OPTIONS
    /                                      /dev/vda                                ext4
rw,relatime,resuid=65534,resgid=65534
    |-/opt/rclone                        /dev/vdb
squashfs    ro,relatime,errors=continue
    |-/mnt/skills/public                /dev/vdc
squashfs    ro,relatime,errors=continue
    |-/mnt/skills/examples              /dev/vdd
squashfs    ro,relatime,errors=continue
    |-/mnt/user-data/tool_results rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgsDMa:/mnt/user-data/tool_results
fuse.rclone ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576
    |-/mnt/user-data/outputs            rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgsDMa:/mnt/user-data/outputs
fuse.rclone rw,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576
    |-/mnt/user-data/uploads            rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgsDMa:/mnt/user-data/uploads
fuse.rclone ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576
    `-/mnt/transcripts                  rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgsDMa:/mnt/transcripts
fuse.rclone ro,nosuid,nodev,relatime,user_id=0,group_id=0,allow_other,max_read=1048576

-- Block devices (lsblk)
    NAME  SIZE TYPE FSTYPE MOUNTPOINT      RO
    vda   256G disk      /              0
    vdb   9.7M disk      /opt/rclone    1
    vdc   664K disk      /mnt/skills/public 1
    vdd   5.4M disk      /mnt/skills/examples 1

-- Block device UUIDs (blkid)

```

```
/dev/vdd: BLOCK_SIZE="131072" TYPE="squashfs"
/dev/vdb: BLOCK_SIZE="131072" TYPE="squashfs"
/dev/vdc: BLOCK_SIZE="131072" TYPE="squashfs"
/dev/vda: BLOCK_SIZE="4096" TYPE="ext4"
```

-- Disk usage (df -h, real filesystems only)

Filesystem	Size	Used	Avail	Use%	Mounted on
/dev/vda	252G	8.6G	10G	47%	/
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/user-data/tool_results	1.0P	0	1.0P	0%	/mnt/user-data/tool_results
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/user-data/outputs	1.0P	0	1.0P	0%	/mnt/user-data/outputs
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/user-data/uploads	1.0P	0	1.0P	0%	/mnt/user-data/uploads
rclone-filestore:claude_chat_01NRoWxfL9nNewL7JrBgSDMa:/mnt/transcripts	1.0P	0	1.0P	0%	/mnt/transcripts

-- Write-access test on key paths

✓ /home/claude	WRITABLE
✓ /mnt/user-data/outputs	WRITABLE
✗ /mnt/user-data/uploads	READ-ONLY
✗ /mnt/user-data/tool_results	READ-ONLY
✗ /mnt/transcripts	READ-ONLY
✓ /mnt/skills	WRITABLE
✓ /mnt/skills/user	WRITABLE
✗ /mnt/skills/public	READ-ONLY
✗ /mnt/skills/examples	READ-ONLY
✓ /tmp	WRITABLE
✓ /var/tmp	WRITABLE
✓ /root	WRITABLE

SECTION 2 - PROCESS & SECURITY CONTEXT

```
-----

-- Identity (id, whoami)
id output:          uid=0(root) gid=0(root) groups=0(root)
whoami:             root
HOME:               /root
IS_SANDBOX:         yes

-- Linux capabilities (/proc/self/status)
CapInh:             0000000000000000
CapPrm:             000001ffffffffff
CapEff:             000001ffffffffff
CapBnd:             000001ffffffffff
CapAmb:             0000000000000000

-- Decoded effective capabilities (capsh --decode)
0x000001ffffffffff=cap_chown,cap_dac_override,cap_dac_read_search,cap_fowner,cap_
_fsetid,cap_kill,cap_setgid,cap_setuid,cap_setpcap,cap_linux_immutable,cap_net_b
ind_service,cap_net_broadcast,cap_net_admin,cap_net_raw,cap_ipc_lock,cap_ipc_ow
ner,cap_sys_module,cap_sys_rawio,cap_sys_chroot,cap_sys_ptrace,cap_sys_pacct,cap_
sys_admin,cap_sys_boot,cap_sys_nice,cap_sys_time,cap_sys_tty_config,cap_mknod,c
ap_leas,cap_audit_write,cap_audit_control,cap_setfcap,cap_mac_override,cap_mac_
admin,cap_syslog,cap_wake_alarm,cap_block_suspend,cap_audit_read,cap_perfmon,cap_
bpf,cap_checkpoint_restore

-- Seccomp status
Seccomp mode:       0
0
Active filters:      0
```

```
-- Namespace inodes (/proc/self/ns/)
dr-x--x--x 2 root root 0 Jun 29 17:03 .
dr-xr-xr-x 9 root root 0 Jun 29 17:03 ..
lrwxrwxrwx 1 root root 0 Jun 29 17:03 cgroup -> cgroup:[4026531835]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 ipc -> ipc:[4026531839]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 mnt -> mnt:[4026531832]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 net -> net:[4026531833]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 pid -> pid:[4026531836]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 pid_for_children -> pid:[4026531836]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 time -> time:[4026531834]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 time_for_children -> time:[4026531834]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 user -> user:[4026531837]
lrwxrwxrwx 1 root root 0 Jun 29 17:03 uts -> uts:[4026531838]

-- cgroup membership (/proc/self/cgroup)
7:pids:/
6:blkio:/
5:freezer:/
4:devices:/
3:memory:/process_api/b0dfb300dd4319da6a62a7306ac24f4f
2:cpuacct:/
1:cpu:/
0::/

-- Environment variables (sorted, sensitive values redacted)
DEBIAN_FRONTEND=noninteractive
HOME=/root
IS_SANDBOX=yes
JAVA_HOME=/usr/lib/jvm/java-21-openjdk-amd64
MAKEFLAGS= --no-print-directory -- IS_SANDBOX=yes
MAKELEVEL=1
MAKEOVERRIDES=${*-command-variables-*}
MFLAGS=--no-print-directory
NODE_EXTRA_CA_CERTS=/etc/ssl/certs/ca-certificates.crt
```

```
NODE_PATH=/usr/local/lib/node_modules_global
NPM_CONFIG_USERCONFIG=/root/.npmrc
OLDPWD=/
PATH=/home/claude/.npm-
global/bin:/home/claude/.local/bin:/root/.local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
PIP_CACHE_DIR=/home/claude/.cache/pip
PIP_CONFIG_FILE=/root/.config/pip/pip.conf
PIP_ROOT_USER_ACTION=ignore
PLAYWRIGHT_BROWSERS_PATH=/opt/pw-browsers
PWD=/home/claude/inspect-sandbox
PYTHONUNBUFFERED=1
REQUESTS_CA_BUNDLE=/etc/ssl/certs/ca-certificates.crt
RUST_BACKTRACE=1
SHLVL=2
SSL_CERT_FILE=/etc/ssl/certs/ca-certificates.crt
TERM=linux
_=/usr/bin/env
```

-- Resource limits (ulimit -a)

```
real-time non-blocking time (microseconds, -R) unlimited
core file size              (blocks, -c) 0
data seg size               (kbytes, -d) unlimited
scheduling priority         (-e) 0
file size                   (blocks, -f) unlimited
pending signals             (-i) 15955
max locked memory           (kbytes, -l) 8192
max memory size             (kbytes, -m) unlimited
open files                  (-n) 1024
pipe size                   (512 bytes, -p) 8
POSIX message queues        (bytes, -q) 819200
real-time priority          (-r) 0
stack size                  (kbytes, -s) 8192
cpu time                    (seconds, -t) unlimited
max user processes          (-u) 15955
```

virtual memory (kbytes, -v) unlimited
file locks (-x) unlimited

-- Per-process resource limits (prlimit)

RESOURCE	DESCRIPTION	SOFT	HARD	UNITS
AS	address space limit	unlimited	unlimited	bytes
CORE	max core file size	0	unlimited	bytes
CPU	CPU time	unlimited	unlimited	seconds
DATA	max data size	unlimited	unlimited	bytes
FSIZE	max file size	unlimited	unlimited	bytes
LOCKS	max number of file locks held	unlimited	unlimited	locks
MEMLOCK	max locked-in-memory address space	8388608	8388608	bytes
MSGQUEUE	max bytes in POSIX mqueues	819200	819200	bytes
NICE	max nice prio allowed to raise	0	0	
NOFILE	max number of open files	1024	4096	files
NPROC	max number of processes	15955	15955	processes
RSS	max resident set size	unlimited	unlimited	bytes
RTPRIO	max real-time priority	0	0	
RTTIME	timeout for real-time tasks	unlimited	unlimited	microsecs
SIGPENDING	max number of pending signals	15955	15955	signals
STACK	max stack size	8388608	unlimited	bytes

-- Virtualisation / container detection

systemd-detect-virt: docker

- Hypervisor hint found in /proc/cpuinfo

flags : fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pat pse36 clflush mmx fxsr sse sse2
ss syscall nx pdpe1gb rdtscp lm constant_tsc rep_good nopl xtopology nonstop_tsc cpuid tsc_known_freq pni pclmulqdq ssse3
fma cx16 pcid sse4_1 sse4_2 x2apic movbe popcnt tsc_deadline_timer aes xsave avx f16c rdrand hypervisor lahf_lm abm
3dnowprefetch cpuid_fault ssbd ibrs ibpb stibp ibrs_enhanced fsgsbase tsc_adjust bmi1 hle avx2 smep bmi2 erms invpcid rtm
avx512f avx512dq rdseed adx smap avx512ifma clflushopt clwb avx512cd sha_ni avx512bw avx512vl xsaveopt xsavec xgetbv1
xsaves avx_vnni avx512_bf16 wbnoinvd arat avx512vbmi umip avx512_vbmi2 gfni vaes vpclmulqdq avx512_vnni avx512_bitalg
avx512_vpopcntdq rdpid cldemote movdiri movdir64b fsrm md_clear serialize tsxldtrk amx_bf16 avx512_fp16 amx_tile amx_int8
arch_capabilities

```
-- AppArmor / SELinux status
- (AppArmor not active or aa-status not available)
- (SELinux not detected)
```

```
-- Kernel security tunables (sysctl)
kernel.dmesg_restrict:    0
kernel.perf_event_paranoid: 2
kernel.kptr_restrict:    0
kernel.randomize_va_space: 2
kernel.unprivileged_usersns_clone: (unavailable)
kernel.ngroups_max:      65536
fs.suid_dumpable:        0
net.ipv4.ip_unprivileged_port_start: 1024
```

```
-- Tracing / debug tools (privilege signal)
x strace                (not found)
x ltrace                (not found)
x gdb                   (not found)
x lldb                  (not found)
x valgrind              (not found)
x perf                  (not found)
x bpftrace              (not found)
x bpftool               (not found)
```

SECTION 3 - NETWORK CONFIGURATION

```
-----

-- Network interfaces (ip addr show)
  △ iproute2 (ip) not found - trying ifconfig
  △ ifconfig also unavailable

-- Routing table (ip route show)
  △ ip route failed

-- DNS configuration (/etc/resolv.conf)
  nameserver 8.8.8.8

-- Hosts file (/etc/hosts, non-comment non-blank lines)
  127.0.0.1 localhost
  160.79.104.10 api.anthropic.com
  127.0.0.1 vm

-- iptables rules (filter table)
  △ iptables not found

-- nftables ruleset
  △ nft not found

-- Proxy environment variables
  NODE_EXTRA_CA_CERTS:      /etc/ssl/certs/ca-certificates.crt
  REQUESTS_CA_BUNDLE:       /etc/ssl/certs/ca-certificates.crt
  SSL_CERT_FILE:            /etc/ssl/certs/ca-certificates.crt

-- Custom CA certificates in trust store
  △ Possible egress proxy CA certificates found:
```

```
/etc/ssl/certs/egress-gateway-ca-production.pem
```

```
/etc/ssl/certs/egress-gateway-ca-staging.pem
```

```
/etc/ssl/certs/swp-ca-production.pem
```

```
/etc/ssl/certs/swp-ca-staging.pem
```

- TLS traffic is likely being intercepted and inspected by a proxy.
- The proxy presents its own cert (signed by the above CA) for upstream connections.

```
-- All non-symlink PEM files in /etc/ssl/certs (first 30)
```

```
-- Active sockets (ss -tunap)
```

```
△ Neither ss nor netstat found
```

```
-- Connection tracking table (conntrack -L)
```

```
△ conntrack not found (conntrack-tools package)
```

```
-- ip6tables rules (filter table)
```

```
△ ip6tables not found
```

```
-- DNS resolver detail (resolvectl)
```

```
△ resolvectl not found (not using systemd-resolved, or not in PATH)
```

```
-- Network utility presence (capability signal)
```

```
✓ nc /usr/bin/nc
```

```
✗ ncat (not found)
```

```
✗ socat (not found)
```

```
✗ nmap (not found)
```

```
✗ tcpdump (not found)
```

```
✗ traceroute (not found)
```

```
✗ tracepath (not found)
```

```
✗ mtr (not found)
```

```
✗ dig (not found)
```

```
✗ nslookup (not found)
```

```
✗ host (not found)
```

```
✗ ethtool (not found)
```

```
-- Outbound connectivity smoke test
HTTP 200 from https://httpbin.org/status/200
- Outbound HTTPS: OK
```

SECTION 4 - RUNNING PROCESSES

-- Process tree (ps auxf or pstree)

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	2	0.0	0.0	0	0	?	S	17:03	0:00	[kthreadd]
root	3	0.0	0.0	0	0	?	S	17:03	0:00	_ [pool_workqueue_release]
root	4	0.0	0.0	0	0	?	I<	17:03	0:00	_ [kworker/R-rcu_gp]
root	5	0.0	0.0	0	0	?	I<	17:03	0:00	_ [kworker/R-sync_wq]
root	6	0.0	0.0	0	0	?	I<	17:03	0:00	_ [kworker/R-kvfree_rcu_reclaim]
root	7	0.0	0.0	0	0	?	I<	17:03	0:00	_ [kworker/R-slub_flushwq]
root	8	0.0	0.0	0	0	?	I<	17:03	0:00	_ [kworker/R-netns]
root	9	0.0	0.0	0	0	?	I	17:03	0:00	_ [kworker/0:0-events]
root	10	0.0	0.0	0	0	?	I<	17:03	0:00	_ [kworker/0:0H-events_highpri]
root	11	0.1	0.0	0	0	?	I	17:03	0:00	_ [kworker/0:1-events_power_efficient]
root	12	0.2	0.0	0	0	?	I	17:03	0:00	_ [kworker/u4:0-events_unbound]
root	13	0.0	0.0	0	0	?	I<	17:03	0:00	_ [kworker/R-mm_percpu_wq]
root	14	0.0	0.0	0	0	?	S	17:03	0:00	_ [ksoftirqd/0]
root	15	0.1	0.0	0	0	?	I	17:03	0:00	_ [rcu_preempt]
root	16	0.0	0.0	0	0	?	S	17:03	0:00	_ [rcu_exp_par_gp_kthread_worker/0]
root	17	0.0	0.0	0	0	?	S	17:03	0:00	_ [rcu_exp_gp_kthread_worker]
root	18	0.0	0.0	0	0	?	S	17:03	0:00	_ [migration/0]
root	19	0.0	0.0	0	0	?	S	17:03	0:00	_ [cpuhp/0]
root	21	1.0	0.0	0	0	?	I	17:03	0:00	_ [kworker/u4:1-flush-254:0]
root	22	0.0	0.0	0	0	?	S	17:03	0:00	_ [kdevtmpfs]
root	23	0.0	0.0	0	0	?	I<	17:03	0:00	_ [kworker/R-inet_frag_wq]
root	24	0.0	0.0	0	0	?	I	17:03	0:00	_ [rcu_tasks_kthread]
root	25	0.0	0.0	0	0	?	I	17:03	0:00	_ [rcu_tasks_trace_kthread]
root	26	0.0	0.0	0	0	?	S	17:03	0:00	_ [kauditd]
root	27	0.0	0.0	0	0	?	S	17:03	0:00	_ [khungtaskd]
root	28	0.0	0.0	0	0	?	S	17:03	0:00	_ [oom_reaper]

```

root      29  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-writeback]
root      30  0.0  0.0      0      0 ?      S   17:03  0:00  \_ [kcompactd0]
root      31  0.0  0.0      0      0 ?      SN  17:03  0:00  \_ [ksmd]
root      32  0.0  0.0      0      0 ?      SN  17:03  0:00  \_ [khugepaged]
root      33  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-kblockd]
root      34  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-kintegrityd]
root      35  0.0  0.0      0      0 ?      S   17:03  0:00  \_ [watchdogd]
root      36  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-quota_events_unbound]
root      37  0.0  0.0      0      0 ?      I   17:03  0:00  \_ [kworker/u4:2-events_unbound]
root      38  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-rpciod]
root      39  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/0:1H-kblockd]
root      40  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-xprtiod]
root      47  0.0  0.0      0      0 ?      S   17:03  0:00  \_ [kswapd0]
root      62  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-nfsiod]
root      66  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-xfsalloc]
root      68  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-xfs_mru_cache]
root      69  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-kthrotld]
root      71  0.0  0.0      0      0 ?      S   17:03  0:00  \_ [irq/24-ACPI:Ged]
root      73  0.0  0.0      0      0 ?      S   17:03  0:00  \_ [irq/25-ACPI:Ged]
root     117  0.0  0.0      0      0 ?      S   17:03  0:00  \_ [hwrng]
root     147  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-iscsi_conn_cleanup]
root     177  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-kstrp]
root     479  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/u5:0]
root     487  0.0  0.0      0      0 ?      I<  17:03  0:00  \_ [kworker/R-ext4-rsv-conversion]
root         1  5.9  0.1  17240  5636 ?      SL  17:03  0:00  /process_api --firecracker-init --addr 0.0.0.0:2024 --
max-ws-buffer-size 32768 --block-local-connections
root     489  4.9  0.8  1955932  34928 ?      SL  17:03  0:00  /opt/rclone/rclone-filestore multimount --config
/tmp/rclone-mount-config.json
root     582  0.0  0.0     2808  1912 ?      S   17:03  0:00  /bin/sh -c cp -r /mnt/skills/user/inspect-sandbox
/home/claude/inspect-sandbox cd /home/claude/inspect-sandbox make inspect IS_SANDBOX=yes 2>&1
root     584  0.0  0.0     3100  2384 ?      S   17:03  0:00  \_ make inspect IS_SANDBOX=yes
root     590  0.0  0.0     4332  3516 ?      S   17:03  0:00  \_ /bin/bash -c TS=$(date -u '+%Y%m%d_%H%M%S'); \
REPORT="output/sandbox/report_${TS}.txt"; \ bash ./scripts/sandbox_inspect.sh --out "$REPORT" || \ (ec=$?; [ $ec -eq 141
] || exit $ec); \ ln -sf "report_${TS}.txt" "output/sandbox/latest"; \ printf "\033[32m[report]\033[0m \033[1m+\033[0m

```

```
$REPORT\n"; \ printf "\033[32m[report]\033[0m \033[1m+\033[0m output/sandbox/latest -> report_$TS.txt\n"; \ COUNT=$(ls -l
output/sandbox/report_*.txt 2>/dev/null | wc -l | tr -d ' '); \ if [ "$COUNT" -gt "10" ]; then \ EXCESS=$((COUNT -
10)); \ ls -l output/sandbox/report_*.txt | head -n "$EXCESS" | while read f; do \ rm -f "$f"; \ printf
"\033[33m[report]\033[0m pruned $f\n"; \ done; \ fi
```

```
root      592  2.8  0.0  4724  4008 ?        S    17:03   0:00      \_ bash ./scripts/sandbox_inspect.sh --out
output/sandbox/report_20260629_170337.txt
root      861  100  0.1  7900  4216 ?        R    17:03   0:00      \_ ps auxf
root      862   0.0  0.0   2716  1696 ?        S    17:03   0:00      \_ head -60
root      863   0.0  0.0   3612  2088 ?        S    17:03   0:00      \_ sed s/^/ /
```

-- Top 15 processes by CPU (ps aux --sort=-%cpu)

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	1	5.9	0.1	17240	5636	?	Sl	17:03	0:00	/process_api --firecracker-init --addr 0.0.0.0:2024 --max-ws-buffer-size 32768 --block-local-connections
root	489	4.8	0.8	1955932	34928	?	Sl	17:03	0:00	/opt/rclone/rclone-filestore multimount --config /tmp/rclone-mount-config.json
root	592	2.8	0.0	4724	4008	?	S	17:03	0:00	bash ./scripts/sandbox_inspect.sh --out output/sandbox/report_20260629_170337.txt
root	21	1.0	0.0	0	0	?	I	17:03	0:00	[kworker/u4:1-flush-254:0]
root	12	0.2	0.0	0	0	?	I	17:03	0:00	[kworker/u4:0-events_unbound]
root	15	0.1	0.0	0	0	?	I	17:03	0:00	[rcu_preempt]
root	11	0.1	0.0	0	0	?	I	17:03	0:00	[kworker/0:1-events_power_efficient]
root	14	0.0	0.0	0	0	?	S	17:03	0:00	[ksoftirqd/0]
root	2	0.0	0.0	0	0	?	S	17:03	0:00	[kthreadd]
root	3	0.0	0.0	0	0	?	S	17:03	0:00	[pool_workqueue_release]
root	4	0.0	0.0	0	0	?	I<	17:03	0:00	[kworker/R-rcu_gp]
root	5	0.0	0.0	0	0	?	I<	17:03	0:00	[kworker/R-sync_wq]
root	6	0.0	0.0	0	0	?	I<	17:03	0:00	[kworker/R-kvfree_rcu_reclaim]
root	7	0.0	0.0	0	0	?	I<	17:03	0:00	[kworker/R-slub_flushwq]
root	8	0.0	0.0	0	0	?	I<	17:03	0:00	[kworker/R-netns]

-- Top 15 processes by memory (ps aux --sort=-%mem)

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	489	4.8	0.8	1955932	34928	?	Sl	17:03	0:00	/opt/rclone/rclone-filestore multimount --config

/tmp/rcclone-mount-config.json

```
root      1  5.9  0.1 17240 5636 ?      Sl  17:03   0:00 /process_api --firecracker-init --addr 0.0.0.0:2024 --
max-ws-buffer-size 32768 --block-local-connections
root      867  0.0  0.1  7900 4220 ?      R   17:03   0:00 ps aux --sort=-%mem
root      592  2.8  0.0  4724 4008 ?      S   17:03   0:00 bash ./scripts/sandbox_inspect.sh --out
output/sandbox/report_20260629_170337.txt
root      590  0.0  0.0  4332 3516 ?      S   17:03   0:00 /bin/bash -c TS=$(date -u '+%Y%m%d_%H%M%S'); \
REPORT="output/sandbox/report_${TS}.txt"; \ bash ./scripts/sandbox_inspect.sh --out "$REPORT" || \    (ec=$?; [ $ec -eq 141
] || exit $ec); \ ln -sf "report_${TS}.txt" "output/sandbox/latest"; \ printf "\033[32m[report]\033[0m \033[1m+\033[0m
$REPORT\n"; \ printf "\033[32m[report]\033[0m \033[1m+\033[0m output/sandbox/latest -> report_${TS}.txt\n"; \ COUNT=$(ls -l
output/sandbox/report_*.txt 2>/dev/null | wc -l | tr -d ' '); \ if [ "$COUNT" -gt "10" ]; then \    EXCESS=$((COUNT -
10)); \    ls -l output/sandbox/report_*.txt | head -n "$EXCESS" | while read f; do \        rm -f "$f"; \        printf
"\033[33m[report]\033[0m pruned $f\n"; \    done; \ fi
root      584  0.0  0.0  3100 2384 ?      S   17:03   0:00 make inspect IS_SANDBOX=yes
root      869  0.0  0.0  3612 2088 ?      S   17:03   0:00 sed s/^/ /
root      582  0.0  0.0  2808 1912 ?      S   17:03   0:00 /bin/sh -c cp -r /mnt/skills/user/inspect-sandbox
/home/claude/inspect-sandbox cd /home/claude/inspect-sandbox make inspect IS_SANDBOX=yes 2>&l
root      868  0.0  0.0  2716 1704 ?      S   17:03   0:00 head -16
root       2  0.0  0.0     0  0 ?      S   17:03   0:00 [kthreadd]
root       3  0.0  0.0     0  0 ?      S   17:03   0:00 [pool_workqueue_release]
root       4  0.0  0.0     0  0 ?      I<  17:03   0:00 [kworker/R-rcu_gp]
root       5  0.0  0.0     0  0 ?      I<  17:03   0:00 [kworker/R-sync_wq]
root       6  0.0  0.0     0  0 ?      I<  17:03   0:00 [kworker/R-kvfree_rcu_reclaim]
root       7  0.0  0.0     0  0 ?      I<  17:03   0:00 [kworker/R-slub_flushwq]
```

-- Memory summary (free -h)

	total	used	free	shared	buff/cache	available
Mem:	3.9Gi	226Mi	3.7Gi	4.2Mi	110Mi	3.7Gi
Swap:	0B	0B	0B			

-- Virtual memory & IO stats (vmstat -s)

4093928 K total memory

231984 K used memory

22260 K active memory

```
99604 K inactive memory
3927444 K free memory
13080 K buffer memory
100544 K swap cache
0 K total swap
0 K used swap
0 K free swap
49 non-nice user cpu ticks
0 nice user cpu ticks
565 system cpu ticks
813 idle cpu ticks
17 IO-wait cpu ticks
0 IRQ cpu ticks
2 softirq cpu ticks
0 stolen cpu ticks
0 non-nice guest cpu ticks
0 nice guest cpu ticks
```

-- Per-device IO stats (iostat -x)

△ iostat not found (sysstat package)

-- Per-CPU utilisation snapshot (mpstat)

△ mpstat not found (sysstat package)

-- Kernel slab allocator top (slabtop --once)

```
Active / Total Objects (% used)   : 62699 / 64281 (97.5%)
Active / Total Slabs (% used)     : 2238 / 2238 (100.0%)
Active / Total Caches (% used)    : 114 / 219 (52.1%)
Active / Total Size (% used)      : 14869.97K / 15301.26K (97.2%)
Minimum / Average / Maximum Object : 0.01K / 0.24K / 8.00K
```

	OBJS	ACTIVE	USE	OBJ	SIZE	SLABS	OBJ/SLAB	CACHE	SIZE	NAME
	14220	13857	97%	0.13K	474	30		1896K	kernfs_node_cache	
	6935	6935	100%	0.05K	95	73		380K	ftrace_event_field	

5320	5320	100%	0.57K	380	14	3040K	radix_tree_node
5109	5109	100%	0.10K	131	39	524K	buffer_head
3045	2973	97%	0.19K	145	21	580K	dentry
3024	2890	95%	0.09K	72	42	288K	kmalloc-96
2142	2142	100%	0.04K	21	102	84K	avtab_extended_perms
2054	2054	100%	0.15K	79	26	316K	ext4_groupinfo_4k
1806	1806	100%	0.09K	43	42	172K	trace_event_file
1216	1216	100%	0.06K	19	64	76K	kmalloc-64
1024	1022	99%	0.02K	4	256	16K	kmalloc-16
1024	1024	100%	0.01K	2	512	8K	kmalloc-8
918	918	100%	0.04K	9	102	36K	extent_status
910	910	100%	1.09K	65	14	1040K	ext4_inode_cache
896	795	88%	0.03K	7	128	28K	kmalloc-32
848	848	100%	0.25K	53	16	212K	maple_node
784	714	91%	0.07K	14	56	56K	vmap_area
768	307	39%	0.03K	6	128	24K	kmalloc-cg-32

△ slabtop failed (may need root)

-- Open file descriptor count (per process, top 10)

△ lsof not found

- Approximate total open FDs across all processes: 45

-- Active systemd units (if systemd is PID 1)

- (systemd is not PID 1; skipping)

-- Listening TCP/UDP ports

SECTION 5 - RUNTIME ENVIRONMENT

----- -- Language runtime versions

python3:	Python 3.12.3
python:	Python 3.12.3
python2:	(not found)
node:	v22.22.2
nodejs:	v22.22.2
deno:	(not found)
ruby:	(not found)
perl:	
php:	(not found)
go:	(not found)
rustc:	(not found)
java:	openjdk 21.0.10 2026-01-20
javac:	(not found)

-- System package managers

apt:	apt 2.8.3 (amd64)
apt-get:	apt 2.8.3 (amd64)

(found)

dpkg:	Debian 'dpkg' package management program version 1.22.6 (amd64).
-------	--

-- Language package managers

pip:	pip 24.0 from /usr/lib/python3/dist-packages/pip (python 3.12)
pip3:	pip 24.0 from /usr/lib/python3/dist-packages/pip (python 3.12)
npm:	10.9.7
uv:	uv 0.11.7 (x86_64-unknown-linux-gnu)

-- Build & container tools

```
make:                GNU Make 4.3
cmake:                (not found)
gcc:                  gcc (Ubuntu 13.3.0-6ubuntu2~24.04.1) 13.3.0
g++:                  g++ (Ubuntu 13.3.0-6ubuntu2~24.04.1) 13.3.0
clang:                (not found)
docker:              (not found)
podman:              (not found)
kubectrl:             (not found)
helm:                 (not found)
terraform:           (not found)
ansible:              (not found)

-- Shell & core utilities
Login shell:          /bin/bash
bash version:         GNU bash, version 5.2.21(1)-release (x86_64-pc-linux-gnu)
curl:                  curl 8.5.0 (x86_64-pc-linux-gnu) libcurl/8.5.0 OpenSSL/3.0.13 zlib/1.3 brotli/1.1.0 zstd/1.5.5
libidn2/2.3.7 libpsl/0.21.2 (+libidn2/2.3.7) libssh/0.10.6/openssl/zlib nghttp2/1.59.0 librtmp/2.3 OpenLDAP/2.6.10
wget:                  GNU Wget 1.21.4 built on linux-gnu.
git:                   git version 2.43.0
jq:                    (not found)
yq:                    (not found)
vim:                   (not found)
tmux:                  (not found)
screen:                (not found)
rsync:                 (not found)
rclone:                (not found)

-- OS release
PRETTY_NAME="Ubuntu 24.04.4 LTS"
NAME="Ubuntu"
VERSION_ID="24.04"
VERSION="24.04.4 LTS (Noble Numbat)"
VERSION_CODENAME=noble
ID=ubuntu
```

```
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=noble
LOGO=ubuntu-logo
```

```
uname -a: Linux vm 6.18.5 #1 SMP PREEMPT_DYNAMIC @0 x86_64 x86_64 x86_64 GNU/Linux
```

-- CPU info (lscpu)

```
Architecture: x86_64
CPU op-mode(s): 32-bit, 64-bit
Address sizes: 52 bits physical, 57 bits virtual
Byte Order: Little Endian
CPU(s): 1
On-line CPU(s) list: 0
Vendor ID: GenuineIntel
Model name: Intel(R) Xeon(R) Processor @ 2.10GHz
CPU family: 6
Model: 207
Thread(s) per core: 1
Core(s) per socket: 1
Socket(s): 1
Stepping: 2
BogoMIPS: 4200.00
Flags: fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pat pse36
```

```
clflush mmx fxsr sse sse2 ss syscall nx pdpe1gb rdtscp lm constant_tsc rep_good nopl xtopology nonstop_tsc cpuid
tsc_known_freq pni pclmulqdq ssse3 fma cx16 pcid sse4_1 sse4_2 x2apic movbe popcnt tsc_deadline_timer aes xsave avx f16c
rdrand hypervisor lahf_lm abm 3dnowprefetch cpuid_fault ssbd ibrs ibpb stibp ibrs_enhanced fsgsbase tsc_adjust bmi1 hle
avx2 smep bmi2 erms invpcid rtm avx512f avx512dq rdseed adx smap avx512ifma clflushopt clwb avx512cd sha_ni avx512bw
avx512vl xsaveopt xsavec xgetbv1 xsaves avx_vnni avx512_bf16 wbnoinvd arat avx512vbmi umip avx512_vbmi2 gfni vaes
vpclmulqdq avx512_vnni avx512_bitalg avx512_vpopcntdq rdpid cldemote movdiri movdir64b fsrm md_clear serialize tsxldtrk
amx_bf16 avx512_fp16 amx_tile amx_int8 arch_capabilities
```

```
Hypervisor vendor: KVM
```

```
Virtualization type:          full
L1d cache:                   48 KiB (1 instance)
L1i cache:                   32 KiB (1 instance)
L2 cache:                    2 MiB (1 instance)
L3 cache:                   260 MiB (1 instance)
NUMA node(s):                1
NUMA node0 CPU(s):          0
Vulnerability Gather data sampling: Not affected
Vulnerability Ghostwrite:    Not affected
Vulnerability Indirect target selection: Not affected
Vulnerability Itlb multihit:  Not affected
Vulnerability L1tf:          Not affected
Vulnerability Mds:           Not affected
Vulnerability Meltdown:      Not affected
Vulnerability Mmio stale data: Not affected
Vulnerability Old microcode:  Not affected
Vulnerability Reg file data sampling: Not affected
Vulnerability Retbleed:      Not affected
Vulnerability Spec rstack overflow: Not affected
Vulnerability Spec store bypass: Mitigation; Speculative Store Bypass disabled via prctl
Vulnerability Spectre v1:     Mitigation; usercopy/swapgs barriers and __user pointer sanitization
Vulnerability Spectre v2:     Mitigation; Enhanced / Automatic IBRS; IBPB conditional; PBR SB-eIBRS SW
sequence; BHI Vulnerable
Vulnerability Srbds:          Not affected
Vulnerability Tsa:            Not affected
Vulnerability Tsx async abort: Not affected
Vulnerability Vmscape:        Not affected

-- Memory info (/proc/meminfo)
MemTotal:      4093928 kB
MemFree:       3688884 kB
MemAvailable:  3828180 kB
SwapTotal:      0 kB
SwapFree:       0 kB
```

Hugepagesize: 2048 kB

-- Kernel ring buffer tail (dmesg, last 20 lines)

```
[ 18.827619] /process_api
[ 18.827620] --firecracker-init
[ 18.827620] --addr
[ 18.827621] 0.0.0.0:2024
[ 18.827621] --max-ws-buffer-size
[ 18.827622] 32768
[ 18.827622] --block-local-connections
[ 18.827623] with environment:
[ 18.827623] HOME=/
[ 18.827624] TERM=linux
[ 20.096092] virtio_blk virtio3: [vdd] new size: 11016 512-byte logical blocks (5.64 MB/5.38 MiB)
[ 20.103546] vdd: detected capacity change from 536870912 to 11016
[ 20.122052] virtio_blk virtio2: [vdc] new size: 1328 512-byte logical blocks (680 kB/664 KiB)
[ 20.123921] vdc: detected capacity change from 536870912 to 1328
[ 20.134486] virtio_blk virtio1: [vdb] new size: 19896 512-byte logical blocks (10.2 MB/9.71 MiB)
[ 20.136322] vdb: detected capacity change from 536870912 to 19896
[ 20.138050] virtio_blk virtio0: [vda] new size: 536870912 512-byte logical blocks (275 GB/256 GiB)
[ 20.140116] random: crng reseeded due to virtual machine fork
[ 20.151045] tokio-rt-worker (483): drop_caches: 3
[ 20.190699] EXT4-fs (vda): mounted filesystem 00000000-0000-0000-0000-000000000000 r/w without journal. Quota mode:
none.
```

-- Loaded kernel modules (lsmod)

△ lsmod not found and /proc/modules not readable

-- Selected sysctl tunables

```
vm.swappiness: 60
vm.dirty_ratio: 20
vm.dirty_background_ratio: 10
vm.overcommit_memory: 0
vm.overcommit_ratio: 50
```

```
vm.oom_kill_allocating_task: 0
kernel.pid_max: 32768
kernel.threads-max: 31911
kernel.core_pattern: core
kernel.hostname: vm
kernel.osrelease: 6.18.5
kernel.version: #1 SMP PREEMPT_DYNAMIC @0
net.ipv4.ip_forward: 0
net.ipv4.conf.all.forwarding: 0
net.ipv4.tcp_syncookies: 1
net.ipv4.tcp_max_syn_backlog: 256
net.core.somaxconn: 4096
net.core.rmem_max: 4194304
net.core.wmem_max: 4194304
fs.file-max: 408008
fs.inotify.max_user_watches: 32268
fs.inotify.max_user_instances: 128
```

-- Storage & IO tools

```
✓ dd dd (coreutils) 9.4
✗ fio (not found)
✗ hdparm (not found)
✗ nvme (not found)
✗ smartctl (not found)
✓ e2fsck e2fsck: invalid option -- '-'
```

(found)

```
✓ fsck fsck from util-linux 2.39.3
✗ parted (not found)
✗ fdisk (not found)
```

-- Hardware inventory (lshw/lspci/lscpu)

```
⚠ lshw and lspci not found (pciutils package)
```


SECTION 6 - TOOL AVAILABILITY

```
-----

-- Runtimes
✓ python3          Python 3.12.3
✓ node             v22.22.2
✗ docker           (not found)

-- Document & PDF
✓ wkhtmltopdf      wkhtmltopdf 0.12.6
✓ pandoc           pandoc 3.1.3
✓ qpdf             qpdf version 11.9.0
(found, no --version)
✗ ghostscript      (not found)
✓ pdftotext        I/O Error: Couldn't open file '--version': No such file or directory.
(found, no --version)
✓ pdftoppm         I/O Error: Couldn't open file '--version': No such file or directory.
(found, no --version)
✓ pdfimages        pdfimages version 24.02.0
(found, no --version)

-- PDF Parsing
✗ camelot-py       (not found)
✗ tabula-py        (not found)
✓ markitdown       0.1.5
✓ reportlab        4.4.10

-- OCR & Vision
✓ tesseract        tesseract 5.3.4
✓ convert          Version: ImageMagick 6.9.12-98 Q16 x86_64 18038 https://legacy.imagemagick.org
✓ pytesseract      0.3.13
```

```

✓ cv2                4.13.0
✓ skimage             0.26.0
✓ mediapipe           0.10.33
✓ wand                0.7.0

-- Media
✓ ffmpeg              ffmpeg version 6.1.1-3ubuntu5 Copyright (c) 2000-2023 the FFmpeg developers
(found, no --version)
✗ inkscape            (not found)
✓ dot                 Error: dot: option -- unrecognized
(found, no --version)

-- Browser / Scraping
✗ chromium            (not found)
✗ chromium-browser    (not found)
✗ google-chrome       (not found)
✓ playwright          Version 1.56.0
✓ playwright          (no __version__)

-- Diagramming
✓ mmdc                11.12.0

-- Utilities
✗ jq                  (not found)
✗ yq                  (not found)
✓ curl                curl 8.5.0 (x86_64-pc-linux-gnu) libcurl/8.5.0 OpenSSL/3.0.13 zlib/1.3 brotli/1.1.0 zstd/1.5.5
libidn2/2.3.7 libpsl/0.21.2 (+libidn2/2.3.7) libssh/0.10.6/openssl/zlib nghttp2/1.59.0 librtmp/2.3 OpenLDAP/2.6.10
✓ wget                GNU Wget 1.21.4 built on linux-gnu.
✓ git                 git version 2.43.0
✓ unzip               caution: both -n and -o specified; ignoring -o
(found, no --version)
✓ zip                 Copyright (c) 1990-2008 Info-ZIP - Type 'zip -L' for software license.
✓ tar                 tar (GNU tar) 1.35

```

INSPECTION COMPLETE

Completed at: 2026-06-29T17:03:50Z