## **Emacs Shortcuts**

#### **Ronert Obst**

March 20, 2013

#### **Contents**

1	Help
2	Buffers, Windows, Frames and Files
3	Navigation
4	Text Manipulation
5	Projectile and Search
6	Macros
7	Org
8	ESS
9	et <sub>E</sub> X
10	RefT <sub>E</sub> X
11	Python
12	Haskell
13	Version Control
14	Eshell
15	Writing

Action	Shortcut
find-name-dired	C-c s
dired-jump	C-x C-j
find recent file	C-x f
rename-current-buffer-file	C-x w
delete-current-buffer-file	C-x C-k
In ido-find-file go to home	C-c h
ibuffer	C-x C-b
rotate-windows	C-x -
find-file-other-window	C-x M-f
create new frame	C-x C-n

## 3 Navigation

1

1

1

2

2

2

2

2

2

2

2

3

3

3

#### Action Shortcut ace-jump-line-mode jj ace-jump-word-mode hh jump-char-forward kk jump-char-backward aa iy-go-to-char ÖÖ beginning-of-defun C-M-a end-of-defun C-M-e ergoemacs-forward-block S-<down> ergoemacs-backward-block S-<up>

ergoemacs-backward-open-bracket

ergoemacs-forward-close-bracket

S-<left>

S-<right>

## 1 Help

Action	Shortcut
help-command	<f1></f1>
apropos	<f1>-a</f1>

## 4 Text Manipulation

Action	Shortcut
hippie-expand	C or
auto-complete	C-, or "
yas-expand	C- <tab></tab>
browse-kill-ring	С-х у
undo-tree-visualize	C-c v
query-replace-regexp	M-&

browse-kill-ring	C-x y
undo-tree-visualize	C-c v
query-replace-regexp	M-&
cleanup-buffer	C-c ß
prelude-cleanup-buffer	M-ß
align-regexp	C-x //
linum-mode	C- <f6></f6>
open-line-below	ii

0 0 1	
linum-mode	C- <f6></f6>
open-line-below	ii
open-line-above	uu
duplicate-line	C-c n
join-line	C-x a
move-line-up	M-S-up
move-line-down	M-S-down
kill-lines	C-c C- <backspace></backspace>
zap-to-char	üü

ää С-с с C-c u C-c m

s-<arrow>

zap to chai
zap-up-to-char
comment-or-uncomment-region
uncomment-region
mark-whole-buffer

mark-defun	C-M-h
mc/mark-all-like-this	C-ä
mc/mark-previous-like-this	C-ü
mc/mark-next-like-this	C-ö
expand-region	C or

		Action	Short
		org-cdlatex-mode	C-c ö
		org-edit-src-code	C-c ü
		org-edit-src-exit	C-c ä
		org-mac-link-grabl	per C-c g
8	ESS	Action S	hortcut
9	₽TEX		

## 9 LATEX

7 Org

Action	Shortcut
চাEX-math-abbrev-prefix	C-c m
T <sub>E</sub> X-texify	C-c C-a

Shortcut

## 10 RefT<sub>E</sub>X

## 5 Projectile and Search

move with expand region

Action	Shortcut
multi-occur-in-this-mode	C-c r
rgrep	C-x C-r
prelude-ido-goto-symbol	C-c i
ack-and-a-half	C-c 1
ack-and-a-half-same	C-c 2
ack-and-a-half-find-file	C-c 3
ack-and-a-half-find-file-same	C-c 4
ag-regexp	C-c 5
ag-project	C-c 6
ag-project-at-point	C-c 7
ag-regexp-project-at-point	C-c 8

ACCION	Shortcut
citation	C-c (
reference	C-c )
label	C-c l

## 11 Python

Action	Shortcut
--------	----------

### 12 Haskell

#### 6 Macros

Action	Shortcut
defining-kbd-macro	<f3></f3>
kmacro-end-or-call-macro	<f4></f4>

Action	Shortcut
load file in ghci	C-c C-l

#### 13 Version Control

Action	Shortcut
magit-status	C-x g or F16
magit-init	F19
magit-add-remote	F18
magit toggle whitespace	W
toggle git-gutter	F13
popup-diff git-gutter	F14
vc-annotate	C-x v g

## 14 Eshell

Action	Shortcut
eshell	C-x m
new eshell	C-x M

# 15 Writing

Action	Shortcut
writegood-mode	C-c w