

Emacs Shortcuts

Ronert Obst

April 5, 2013

Contents

1	Help	2
2	Buffers, Windows, Frames and Files	3
3	Navigation	4
4	Bookmarks	4
5	Search	5
6	Projectile	6
7	Helm	6
8	Dired	7
9	Version Control	7
10	Text Manipulation	9
11	Macros	10

12 Terminal	10
13 Org	10
14 \LaTeX	13
15 Ref\TeX	13
16 Writing	13
17 ESS	13
18 Python	14
19 Haskell	14

1 Help

Action	Shortcut
help-command	<f1>
apropos	<f1>-a
describe-mode	<f1>-m

2 Buffers, Windows, Frames and Files

Action	Shortcut
find-name-dired	C-c s
dired-jump	C-x C-j
find recent file	C-x f
rename-current-buffer-file	C-x w
delete-current-buffer-file	C-x C-k
In ido-find-file go to home	C-c h
ibuffer	C-x C-b
rotate-windows	C-x -
find-file-other-window	C-x M-f
create new frame	C-x C-n
winner-undo	C-c <up>
winner-redo	C-c <down>
split-window-horizontally-instead	C-x vertical line
split-window-vertically-instead	C-x underscore
window-jump-down	C-2
window-jump-up	C-8
window-jump-left	C-4
window-jump-right	C-6
switch-space	C-5
new-space	C-7
save-space	C-9
kill-space	C-1

3 Navigation

Action	Shortcut
ace-jump-line-mode	jj
ace-jump-word-mode	hh
jump-char-forward	kk
jump-char-backward	aa
iy-go-to-char	öö
beginning-of-defun	C-M-a
end-of-defun	C-M-e
ergoemacs-forward-block	S-<down>
ergoemacs-backward-block	S-<up>
ergoemacs-backward-open-bracket	S-<left>
ergoemacs-forward-close-bracket	S-<right>
es-move-text-right	C-S-<right>
es-move-text-left	C-S-<left>
es-move-text-up	C-S-<up>
es-move-text-down	C-S-<down>
move up 5 lines	C-S-p
move down 5 lines	C-S-n
move right 5 characters	C-S-f
move left 5 characters	C-S-b

4 Bookmarks

Action	Shortcut
bookmark-set	F13
bookmark-list	F14
bookmark-jump	F15

5 Search

Action	Shortcut
multi-occur-in-this-mode	C-c r
rgrep	C-x C-r
prelude-ido-goto-symbol	C-c i
ack-and-a-half	C-c 1
ack-and-a-half-same	C-c 2
ack-and-a-half-find-file	C-c 3
ack-and-a-half-find-file-same	C-c 4
ag-regexp	C-c 5
ag-project	C-c 6
ag-project-at-point	C-c 7
ag-regexp-project-at-point	C-c 8

6 Projectile

Actions	Shortcut
Display a list of all files in the project	C-c p f
Display a list of all test files	C-c p T
Run grep on the files in the project	C-c p g
Display a list of all open project buffers	C-c p b
Runs 'multi-occur' on all open project buffers	C-c p o
Runs interactive query-replace files in projects	C-c p r
Invalidates the project cache (if existing)	C-c p i
Regenerates the projects 'TAGS' file	C-c p R
Kills all project buffers	C-c p k
Opens the root of the project in 'dired'	C-c p d
Shows a list of recently visited project files	C-c p e
Runs 'ack' on the project	C-c p a
Runs a standard compilation command	C-c p l
Runs a standard test command	C-c p p
Adds the currently visited to the cache	C-c p z
Display a list of known projects you can switch to	C-c p s

7 Helm

Action	Shortcut
helm-mini	C-c h
helm-descbinds	C-c C-h
helm-projectile	C-c p h

8 Dired

Action	Shortcut
wdired	F12

9 Version Control

Action	Shortcut
magit-init	F17
magit-status	C-x g or F16
refresh status	g
Sections	
toggle visibility of current section	TAB
toggle visib. of selec. and children	S-TAB
expand current sec. to detail level	1, 2, 3 and 4
expand all sec. to detail level	M-1, 2, 3, 4
Untracked Files	
stage	s
ignore file	i
prompt for file to ignore	C-u i
Staging and Committing	
stage current hunk	s
unstage current hunk	u
stage all hunks	S
unstage all hunks	U
discard uncommitted changes	k
prepare for commit	c
execute commit	C-c C-c
History	
history	l
verbose history	L
inspect commit	RET

Continued on next page

Action	Shortcut
copy sha1 of current commit to kill ring	C-w
show diff between current and marked com.	
mark current commit	..
unmark current commit if marked	.
magit toggle whitespace	W
grep history	s
Diff	
shwo changes working tree and head	d
show changes two arbitrary revisions	D
apply current changes to working tree	a
Resetting	
reset current head to chosen revision	x
reset working tree and staging area	X
Branching	
switch to different branch	b
create and switch to new branch	B
Pushing and Pulling	
git push	P
git push to specified remote repository	C-u P
git remote update	f
git pull	F
toggle git-gutter	F18
popup-diff git-gutter	F19
vc-annotate	C-x v g

10 Text Manipulation

Action	Shortcut
hippie-expand	C-. or ..
auto-complete	C-, or „
yas-expand	C- -
browse-kill-ring	C-x y
undo-tree-visualize	C-c v
query-replace-regexp	M-&
cleanup-buffer	C-c ß
prelude-cleanup-buffer	M-ß
align-regexp	C-x //
linum-mode	C-<f6>
open-line-below	ii
open-line-above	uu
duplicate-line	C-c n
join-line	C-x a
move-line-up	M-S-up
move-line-down	M-S-down
kill-lines	C-c C-<backspace>
zap-to-char	üü
zap-up-to-char	ää
kill-back-to-indentation	C-M-<backspace>
comment-or-uncomment-region	C-c c
uncomment-region	C-c u
mark-whole-buffer	C-c m
mark-defun	C-M-h
mc/mark-all-like-this	C-ä
mc/mark-previous-like-this	C-ü
mc/mark-next-like-this	C-ö
expand-region	- -
move with expand region	s-<arrow>

11 Macros

Action	Shortcut
defining-kbd-macro	<f3>
kmacro-end-or-call-macro	<f4>

12 Terminal

Action	Shortcut
eshell	C-t
new eshell	C-x M

13 Org

Action	Shortcut
Headings	
rotate entire buffer visbily	S-TAB
next/previous heading	C-c C-n/p
next/previous heading, same level	C-c C-f/b
backward to higher level heading	C-c C-u
jump to another place in document	C-c C-j
previous/next plain list item	S-up/down
insert new heading/item at current level	M-RET
insert new heading after subtree	C-RET
insert new TODO entry/checkbox item	M-S-RET
insert TODO entry/ckbx after subtree	C-S-RET
turn (head)line into item, cycle item type	C-c -
turn item/line into headline	C-c *
promote/demote heading	M-left/right

Continued on next page

Action	Shortcut
promote/demote current subtree	M-s-left/right
move subtree/list item up/down	M-s-up/down
clone a subtree	C-c C-x c
copy visible text	C-c C-x v
kill/copy subtree	C-c C-x C-w/M-w
yank subtree	C-c C-x C-y or C-y
narrow buffer to subtree / widen	C-x n s/w
Tables	
convert region to table	C-c vertical line
org-table-insert-line	C-c -
re-align the table without moving the cursor	C-c C-c
re-align the table, move to next field	TAB
move to previous field	S-TAB
re-align the table, move to next row	RET
move to beginning/end of field	M-a/e
move the current column left	M-left/right
kill the current column	M-S-left
insert new column to left of cursor position	M-S-right
move the current row up/down	M-up/down
kill the current row or horizontal line	M-S-up
insert new row above the current row	M-S-down
insert hline below (C-u : above) current row	C-c -
insert hline and move to line below it	C-c RET
export as tab-separated file	M-x org-table-export
import tab-separated file	M-x org-table-import
sum numbers in current column/rectangle	C-c +
Links, Footnotes and Images	
org-mac-link-grabber	C-c g
org-insert-link	C-c C-l
insert a link (TAB completes stored links)	C-c C-l
insert file link with file name completion	C-u C-c C-l
edit (also hidden part of) link at point	C-c C-l
open file links in emacs	C-c C-o
...force open in emacs/other window	C-u C-c C-o

Continued on next page

Action	Shortcut
find next link	C-c C-x C-n
find previous link	C-c C-x C-p
toggle inline display of linked images	C-c C-x C-v
org-footnote-action	C-c C-x f
Code and \LaTeX	
org-edit-src-code	C-c ü
org-edit-src-exit	C-c ä
org-pretty-entities	C-c C-x
insert template of export options	C-c C-e t
org-cdlatex-mode	C-c ö
preview \LaTeX fragment	C-c C-x C-l
expand abbreviation (cdlatex-mode)	TAB
insert/modify math symbol (cdlatex-mode)	' / '
execute code block at point	C-c C-c
open results of code block at point	C-c C-o
check code block at point for errors	C-c C-v c
insert a header argument with completion	C-c C-v j
view expanded body of code block at point	C-c C-v v
view information about code block at point	C-c C-v l
go to named code block	C-c C-v g
go to named result	C-c C-v r
go to the head of the current code block	C-c C-v u
go to the next code block	C-c C-v n
go to the previous code block	C-c C-v p
execute all code blocks in current buffer	C-c C-v b
execute all code blocks in current subtree	C-c C-v s
tangle code blocks in current file	C-c C-v t
Items and Checkboxes	
rotate the state of the current item	C-c C-t
select next/previous state	S-left/right
select next/previous set	C-S-left/right
toggle ORDERED property	C-c C-x o
insert new checkbox item in plain list	M-S-RET

Continued on next page

Action	Shortcut
toggle checkbox at point	C-c C-c

14 \LaTeX

Action	Shortcut
\LaTeX -math-abbrev-prefix	C-c m
\TeX -texify	C-c C-a

15 Ref \TeX

Action	Shortcut
citation	C-c (
reference	C-c)
label	C-c l

16 Writing

Action	Shortcut
writgood-mode	C-c w

17 ESS

Action	Shortcut
ess-tracebug-prefix	M-p
ess-bp-set	F5
ess-bp-kill	F6

18 Python

Action	Shortcut
--------	----------

19 Haskell

Action	Shortcut
load file in ghci	C-c C-l
Action	Shortcut
inferior sbt session	C-c C-v s