Progress in PHOTOVOLTAICS

PROGRESS IN PHOTOVOLTAICS: RESEARCH AND APPLICATIONS
Prog. Photovolt: Res. Appl. 2014; **22**:697–700
Published online in Wiley Online Library (wileyonlinelibrary.com). DOI: 10.1002/pip.2519

LITERATURE SURVEY

Photovoltaics literature survey (no. 111)

Compiled by Santosh Shrestha

School of Photovoltaic and Renewable Energy Engineering, UNSW Australia, Sydney, NSW 2052, Australia

In order to help keep readers up-to-date in the field each issue of *Progress in Photovoltaics* will contain a list of recently published journal articles most relevant to its aims and scope. This list is drawn from an extremely wide range of journals, including *IEEE Transactions on Electron Devices*, *Journal of Applied Physics*, *Applied Physics Letters, Progress in Photovoltaics* and *Solar Energy Materials and Solar Cells*. To assist the reader, the list is separated into broad categories, but please note that these classifications are by no means strict. Also note that inclusion in the list is not an endorsement of a paper's quality. If you have any suggestions please email Santosh Shrestha at s.shrestha@unsw.edu.au.

1. FUNDAMENTALS, NEW APPROACHES, AND REVIEWS

Mathew S, Yella A, Gao P, *et al*. **Dye-sensitized solar cells with 13% efficiency achieved through the molecular engineering of porphyrin sensitizers.** *Nature Chemistry* 2014; **6**(3): 242–247.

Lan XZ, Masala S, Sargent EH. **Charge-extraction strategies for colloidal quantum dot photovoltaics.** *Nature Materials* 2014; **13**(3): 233–240.

Wang J, Deng RR, MacDonald MA, *et al*. **Enhancing multiphoton upconversion through energy clustering at sublattice level.** *Nature Materials* 2014; **13**(2): 157–162.

Lenert A, Bierman DM, Nam Y, *et al*. **A nanophotonic solar thermophotovoltaic device.** *Nature Nanotechnology* 2014; **9**(2): 126–130.

Liu DY, Kelly TL. **Perovskite solar cells with a planar heterojunction structure prepared using room-temperature solution processing techniques.** *Nature Photonics* 2014; **8**(2): 133–138.

Malinkiewicz O, Yella A, Lee YH, *et al*. **Perovskite solar cells employing organic charge-transport layers.** *Nature Photonics* 2014; **8**(2): 128–132.

Marchioro A, Teuscher J, Friedrich D, *et al*. **Unravelling the mechanism of photoinduced charge transfer processes in lead iodide perovskite solar cells.** *Nature Photonics* 2014; **8**(3): 250–255.

Filippetti A, Mattoni A. **Hybrid perovskites for photovoltaics: insights from first principles.** *Physical Review B* 2014; **89**(12): 125203.

2. GENERAL CHARACTERISATION TECHNIQUES AND MODELLING

Christ N, Kettlitz SW, Mescher J, *et al*. **Extracting the charge carrier mobility from the nanosecond photocurrent response of organic solar cells and photodiodes.** *Applied Physics Letters* 2014; **104**(5): 053302.

Hameiri Z, Rougieux F, Sinton R, *et al*. **Contactless determination of the carrier mobility sum in silicon wafers using combined photoluminescence and photoconductance measurements.** *Applied Physics Letters* 2014; **104**(7): 10.1063/1.4865804.

Rath AK, Lasanta T, Bernechea M, *et al*. **Determination of carrier lifetime and mobility in colloidal quantum dot films via impedance spectroscopy.** *Applied Physics Letters* 2014; **104**(6): 063504.

Hirai Y, Kurokawa Y, Yamada A. **Numerical study of $Cu(In,Ga)Se_2$ solar cell performance toward 23% conversion efficiency.** *Japanese Journal of Applied Physics* 2014; **53**(1): 012301.

Aly AEMM, Nasr A. **Theoretical performance of solar cell based on mini-bands quantum dots.** *Journal of Applied Physics* 2014; **115**(11): 114311.

McCarthy RF, Hillhouse HW. **A simple model for voltage-dependent carrier collection efficiency in solar cells.** *Journal of Applied Physics* 2014; **115**(14): 143703.

Turek M. **Current and illumination dependent series resistance of solar cells.** *Journal of Applied Physics* 2014; **115**(14): 144503.

Berbezier A, Michelini F. **Quantum photovoltaics in wire-dot-wire junctions.** *Journal of Renewable and Sustainable Energy* 2014; **6(1): 10.1063/1.4828363.**

Cavassilas N, Michelini F, Bescond M. **Modeling of nanoscale solar cells: The Green's function formalism.** *Journal of Renewable and Sustainable Energy* 2014; **6**(1): 10.1063/1.4828366.

Sandhu S, Yu ZF, Fan SH. **Detailed Balance Analysis and Enhancement of Open-Circuit Voltage in Single-Nanowire Solar Cells.** *Nano Letters* 2014; **14**(2): 1011–1015.

Riedel I, Keller J, Parisi J, *et al*. **One-dimensional simulation of sequentially processed Cu(In-1 Ga--(x)x)(Se-1 S--(y)y)(2) heterojunction solar cells with vertically graded absorber composition.** *Physica B* 2014; **439**: 9–13.

3. CRYSTALLINE SILICON - BULK CELLS AND TECHNOLOGY

Shen L, Liang ZC, Liu CF, *et al*. **Optimization of oxidation processes to improve crystalline silicon solar cell emitters.** *AIP Advances* 2014; **4**(2): 027127.

Battaglia C, de Nicolas SM, De Wolf S, *et al*. **Silicon heterojunction solar cell with passivated hole selective MoO_x contact.** *Applied Physics Letters* 2014; **104**(11): 11390.

Fidaner O, Suarez FA, Wiemer M, *et al*. **High efficiency micro solar cells integrated with lens array.** *Applied Physics Letters* 2014; **104** (10): 103902.

Kegel J, Angermann H, Sturzebecher U, *et al*. **Over 20% conversion efficiency on silicon heterojunction solar cells by IPA-free substrate texturization.** *Applied Surface Science* 2014; **301**:56–62.

Liang L, Li ZG, Cheng LK, *et al*. **Current Conduction Mechanism of Front-Side Contact of N-Type Crystalline Si Solar Cells With Ag/Al Pastes.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 549–553.

Lujia X, Weber K, Fell A, *et al*. **The Impact of SiO_2/SiN_x Stack Thickness on Laser Doping of Silicon Solar Cell.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 594–600.

Rudiger M, Steinkemper H, Hermle M, *et al*. **Numerical Current Density Loss Analysis of Industrially Relevant Crystalline Silicon Solar Cell Concepts.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 533–539.

Werner F, Larionova Y, Zielke D, *et al*. **Aluminum-oxide-based inversion layer solar cells on n-type crystalline silicon: Fundamental properties and efficiency potential.** *Journal of Applied Physics* 2014; **115**(7): 073702.

Liu Y, Das A, Lin ZY, *et al*. **Hierarchical robust textured structures for large scale self-cleaning black silicon solar cells.** *Nano Energy* 2014; **3**: 127–133.

Zhou S, Zhou C, Wang W, *et al*. **Comprehensive study of light induced plating of nickel and its effect on large area laser doped crystalline solar cells.** *Solar Energy Materials and Solar Cells* 2014; **125**(0): 33–38.

4. THIN FILM, AMORPHOUS AND MICRO/NANO-CRYSTALLINE SILICON, HETEROJUNCTION CELLS

De Jong MM, Sonneveld PJ, Baggerman J, *et al*. **Utilization of Geometric Light Trapping in Thin Film Silicon Solar Cells: Simulations and Experiments**, *Progress in Photovoltaics: Research and Applications* 2013; **22**(5): 525–539.

Jing L, Xinshuai Z, Gangqiang D, *et al*. **The performances of silicon solar cell with core-shell p-n junctions of micro-nano pillars fabricated by cesium chloride self-assembly and dry etching.** *Applied Physics A* 2014; **114**(4): 1175–117.

Hong L, Wang XC, Zheng HY, *et al*. **High efficiency silicon nanohole/organic heterojunction hybrid solar cell.** *Applied Physics Letters* 2014; **104**(5): 10.1063/1.4863965.

Paetzold UW, Smeets M, Meier M, *et al*. **Disorder improves nanophotonic light trapping in thin-film solar cells.** *Applied Physics Letters* 2014; **104**(13): 131102.

Baral JK, Sharma A, Wang D, *et al*. **Enhanced photovoltaic conversion efficiency in bulk heterojunction solar cells upon incorporating nanohybridized PbS quantum dots/multiwall carbon nanotubes.** *European Physical Journal - Applied Physics* 2014; **65**(1): 10201.

Bivour M, Reusch M, Schroer S, *et al*. **Doped Layer Optimization for Silicon Heterojunctions by Injection-Level-Dependent Open-Circuit Voltage Measurements.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 566–574.

Kayes BM, Ling Z, Twist R, *et al*. **Flexible thin-film tandem solar cells with 30% efficiency.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 729–733.

Spinelli P, Polman A. **Light trapping in thin crystalline si solar cells using surface Mie scatterers.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 554–559.

Bozzola A, Kowalczewski P, Andreani LC. **Towards high efficiency thin-film crystalline silicon solar cells: the roles of light trapping and non-radiative recombinations.** *Journal of Applied Physics* 2014; **115**(9): 094501.

Thiyagu S, Hsueh CC, Liu CT, *et al*. **Hybrid organic-inorganic heterojunction solar cells with 12% efficiency by utilizing flexible film-silicon with a hierarchical surface.** *Nanoscale* 2014; **6**(6): 3361–3366

Yang Z, Hong L, Ye Q, *et al*. **Enhanced carrier extraction of a-Si/c-Si solar cells by nanopillar-induced optical modulation.** *Nanotechnology* 2014; **25**(13): 135202.

Abdul Hadi S, Hashemi P, DiLello N, *et al*. **Thin-film Si1 − xGex HIT solar cells.** *Solar Energy* 2014; **103**(0): 154–159.

5. ORGANIC AND HYBRID CELLS

Aiyuan L, Riming N, Xianyu D, *et al*. **Highly efficient inverted organic solar cells using amino acid modified indium tin oxide as cathode.** *Applied Physics Letters* 2014; **104**(12): 123303.

Lei H, Xincai W, Hongyu Z, *et al*. **High efficiency silicon nanohole/organic heterojunction hybrid solar cell.** *Applied Physics Letters* 2014; **104**(5): 053104.

Ting S, Xiaoguang Z, Guoli T. **Efficient inverted polymer solar cells based on ultrathin aluminum interlayer modified aluminum-doped zinc oxide electrode.** *Applied Physics Letters* 2014; **104**(10): 103901.

Fernando K, Pandit B, Liu JJ, *et al*. **Charge transfer in rare earth oxide hybrid solar cells.** *Chemical Physics Letters* 2014; **592**: 155–159.

Dimitrov SD, Durrant JR. **Materials Design Considerations for Charge Generation in Organic Solar Cells.** *Chemistry of Materials* 2014; **26**(1): 616–630.

Yang SP, Zhang Y, Jiang T, *et al*. **Enhancing the power conversion efficiency of PCDTBT:PC71BM polymer solar cells using a mixture of solvents.** *Chinese Science Bulletin* 2014; **59**(3): 297–300.

Wang CL, Hu JY, Wu CH, *et al*. **Highly efficient porphyrin-sensitized solar cells with enhanced light harvesting ability beyond 800 nm and efficiency exceeding 10%.** *Energy & Environmental Science* 2014; **7**(4): 1392–1396.

Miyadera T, Zhiping W, Yamanari T, *et al*. **Efficiency limit analysis of organic solar cells: model simulation based on vanadyl phthalocyanine/C60 planar junction cell.** *Japanese Journal of Applied Physics* 2014; **53**(1S): 01AB12.

Raba A, Leroy Y, Cordan AS. **Organic solar cells: a rigorous model of the donor-acceptor interface for various bulk heterojunction morphologies.** *Journal of Applied Physics* 2014; **115**(5): 054508.

Chao YC, Lin YH, Lin CY, *et al*. **Improved light trapping in polymer solar cells by light diffusion ink.** *Journal of Physics D* 2014; **47**(10): 10.1088/0022-3727/47/10/105102.

Huang ZY, Chiu SW, Chen CW, *et al*. **Spontaneous formation of light-trapping nano-structures for top-illumination organic solar cells.** *Nanoscale* 2014; **6**(4): 2316–2320

Yusoff ARB, Kim HP, Jang J. **High performance organic photovoltaics with zinc oxide and graphene oxide buffer layers.** *Nanoscale* 2014; **6**(3): 1537–1544.

6. PHOTOELECTROCHEMICAL CELLS

Maggio E, Solomon GC, Troisi A. **Exploiting Quantum Interference in Dye Sensitized Solar Cells.** *Acs Nano* 2014; **8**(1): 409–418

Fakharuddin A, Ahmed I, Khalidin Z, *et al*. **Channeling of electron transport to improve collection efficiency in mesoporous titanium dioxide dye sensitized solar cell stacks.** *Applied Physics Letters* 2014; **104**(5): 053905.

Yun-San C, Po-Yu Y, Lee IC, *et al*. **Enhanced efficiency of the dye-sensitized solar cells by excimer laser irradiated carbon nanotube network counter electrode.** *Applied Physics Letters* 2014; **104**(5): 051114.

Patil SA, Kalode PY, Mane RS, *et al*. **Highly efficient and stable DSSCs of wet-chemically synthesized MoS2 counter electrode.** *Dalton Transactions* 2014; **43**(14): 5256–5259.

Guo KM, Li MY, Fang XL, *et al*. **Performance enhancement in dye-sensitized solar cells by utilization of a bifunctional layer consisting of core shell beta-NaYF4:Er3+/Yb3 + @SiO_2 submicron hexagonal prisms.** *Journal of Power Sources* 2014; **249**: 72–78.

Ribeiro F, Macaira J, Mesquita I, *et al*. **Laser assisted dye-sensitized solar cell sealing: from small to large cells areas.** *Journal of Renewable and Sustainable Energy* 2014; **6**(1): 011208.

Agresti A, Pescetelli S, Quatela A, *et al*. **Micro-Raman analysis of reverse bias stressed dye-sensitized solar cells.** *Rsc Advances* 2014; **4**(24): 12366–12375.

Ghanbari Niaki AH, Bakhshayesh AM, Mohammadi MR. **Double-layer dye-sensitized solar cells based on Zn-doped TiO2 transparent and light scattering layers: Improving electron injection and light scattering effect.** *Solar Energy* 2014; **103**(0): 210–222.

7. CIS, CIGS, CDTE AND II-VI CELLS.

Cui HT, Liu XL, Liu FY, *et al*. **Boosting Cu_2ZnSnS_4 solar cells efficiency by a thin Ag intermediate layer between absorber and back contact.** *Applied Physics Letters* 2014; 104(4): 10.1063/1.4863951.

Fangyang L, Kaiwen S, Wei L, *et al*. **Enhancing the Cu2ZnSnS4 solar cell efficiency by back contact modification: Inserting a thin TiB2 intermediate layer at Cu_2ZnSnS_4/Mo interface.** *Applied Physics Letters* 2014; **104**(5): 051105.

Kun Z, Zhenghua S, Lianbo Z, *et al*. **Improving the conversion efficiency of Cu_2ZnSnS_4 solar cell by low pressure sulfurization.** *Applied Physics Letters* 2014; **104**(14): 141101.

Probst V, Koetschau I, Novak E, *et al*. **A New Mass Production Technology for High-Efficiency Thin-Film CIS-Absorber Formation.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 687–692.

Jun HK, Careem MA, Arof AK. **Efficiency improvement of CdS and CdSe quantum dot-sensitized solar cells by TiO_2 surface treatment.** *Journal of Renewable and Sustainable Energy* 2014; **6**(2): 023107.

DOI: 10.1002/pip

Wan F, Tang F, Xue H, *et al*. **Effects of defect states on the performance of $CuInGaSe_2$ solar cells.** *Journal of Semiconductors* 2014; **35**(2): 024011.
Matsumura K, Fujita T, Itoh H, *et al*. **Characterization of carrier concentration in CIGS solar cells by scanning capacitance microscopy.** *Measurement Science and Technology* 2014; **25**(4): 044020.
Panthani MG, Kurley JM, Crisp RW, *et al*. **High Efficiency Solution Processed Sintered CdTe Nanocrystal Solar Cells: The Role of Interfaces.** *Nano Letters* 2014; **14**(2): 670-675.
Consonni V, Baier N, Robach O, *et al*. **Local band bending and grain-to-grain interaction induced strain nonuniformity in polycrystalline CdTe films.** *Physical Review B* 2014; 89(3): 10.1103/PhysRevB.89.035310.
Kim H, Cha K, Fthenakis VM, *et al*. **Life cycle assessment of cadmium telluride photovoltaic (CdTe PV) systems.** *Solar Energy* 2014; **103**(0): 78-88.

8. III-V, QUANTUM WELL, QUANTUM DOT, SPACE, CONCENTRATOR AND THERMOPHOTOVOLTAIC CELLS

Bai J, Yang CC, Athanasiou M, *et al*. **Efficiency enhancement of InGaN/GaN solar cells with nanostructures.** *Applied Physics Letters* 2014; **104**(5): 051129.
Noda T, Otto LM, Elborg M, *et al*. **GaAs/AlGaAs quantum wells with indirect-gap AlGaAs barriers for solar cell applications.** *Applied Physics Letters* 2014; **104**(12): 122102.
Arase H, Matsushita A, Itou A, *et al*. **A Novel Thin Concentrator Photovoltaic With Microsolar Cells Directly Attached to a Lens Array.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 709–712.
Bradshaw GK, Samberg JP, Carlin CZ, *et al*. **GaInP/GaAs Tandem Solar Cells With InGaAs/GaAsP Multiple Quantum Wells.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 614–619.
Toprasertpong K, Fujii H, Wang YP, *et al*. **Carrier Escape Time and Temperature-Dependent Carrier Collection Efficiency of Tunneling-Enhanced Multiple Quantum Well Solar Cells.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 607–613.
Liu JJ, Ho WJ, Syu JK, *et al*. **Performance improvement of a triple-junction GaAs-based solar cell using a SiO_2-nanopillar/SiO_2/TiO_2 graded-index antireflection coating.** *International Journal of Nanotechnology* 2014; **11**(1-4): 311–321.
Moore DT, Gaskey B, Robbins A, *et al*. **A detailed balance analysis of conversion efficiencies limits for nanocrystal solar cells-Relating the shape of the excitonic peak to conversion efficiencies.** *Journal of Applied Physics* 2014; **115**(5): 054313.
Aho A, Tukiainen A, Polojarvi V, *et al*. **Performance assessment of multijunction solar cells incorporating GaInNAsSb.** *Nanoscale Research Letters* 2014; **9**:1–7.
Tayebi L, Zamanipour Z, Vashaee D. **Design optimization of micro-fabricated thermoelectric devices for solar power generation.** *Renewable Energy* 2014; **69**(0): 166–173.
Calabrese G, Gualdi F, Baricordi S, *et al*. **Numerical simulation of the temperature distortions in InGaP/GaAs/Ge solar cells working under high concentrating conditions due to voids presence in the solder joint.** *Solar Energy* 2014; **103**(0): 1–11.
Kotulak NA, Diaz M, Barnett A, *et al*. **Toward a tandem gallium phosphide on silicon solar cell through liquid phase epitaxy growth.** *Thin Solid Films* 2014; **556**(0): 236–240.

9. INTERMEDIATE BAND, UP-CONVERSION, DOWN-CONVERSION, HOT CARRIER SOLAR CELLS

Navruz TS, Saritas M. **Determination of The Optimum Material Parameters for Intermediate Band Solar Cells Using Diffusion Model**, *Progress in Photovoltaics: Research and Applications* 2013; **22**(5): 593.
Sang LW, Liao MY, Liang QF, *et al*. **A Multilevel Intermediate-Band Solar Cell by InGaN/GaN Quantum Dots with a Strain-Modulated Structure.** *Advanced Materials* 2014; **26**(9): 1414–1420.
Ramiro I, Marti A, Antolin E, *et al*. **Review of Experimental Results Related to the Operation of Intermediate Band Solar Cells.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 736–748.
Yoshida M, Amrania H, Farrell DJ, *et al*. **Progress Toward Realizing an Intermediate Band Solar Cell - Sequential Absorption of Photons in a Quantum Well Solar Cell.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 634–638.
Sogabe T, Kaizu T, Okada Y, *et al*. **Theoretical analysis of GaAs/AlGaAs quantum dots in quantum wire array for intermediate band solar cell.** *Journal of Renewable and Sustainable Energy* 2014; 6(1): 10.1063/1.4828359.
Shao W, Chen GY, Damasco J, *et al*. **Enhanced upconversion emission in colloidal (NaYF4:Er3+)/NaYF4 core/shell nanoparticles excited at 1523 nm.** *Optics Letters* 2014; **39**(6): 1386–1389.
Liao JS, Zhou D, Liu SH, *et al*. **Efficient near-infrared emission in Eu3+-Yb3+-Y3+ tri-doped cubic ZrO2 via down-conversion for silicon solar cells.** *Physica B* 2014; **436**:59–63.
Tex DM, Ihara T, Kamiya I, *et al*. **Microscopic photoluminescence and photocurrent imaging spectroscopy of InAs nanostructures: Identification of photocarrier generation sites for intermediate-band solar cells.** *Physical Review B* 2014; **89**(12): 10.1103/PhysRevB.89.125301.
Heshmati S, Golmohammadi S, Abedi K, *et al*. **Analysis of the efficiency of intermediate band solar cells based on quantum dot supercrystals.** *Quantum Electronics* 2014; **44**(3): 279–282.
Tex DM, Kamiya I, Kanemitsu Y. **Control of hot-carrier relaxation for realizing ideal quantum-dot intermediate-band solar cells.** *Scientific Reports* 2014; **4** (10.1038/srep04125.

10. TERRESTRIAL MODULES, BOS COMPONENTS, BUILDING INTEGRATED, SYSTEMS AND APPLICATIONS

Steiner M, Siefer G, Bett AW. **An Investigation of Solar Cell Interconnection Schemes Within CPV Modules Using a Validated Temperature-dependent SPICE Network Model**, *Progress in Photovoltaics: Research and Applications* 2013; **22**(5):505–514.
Akwa JV, Konrad O, Kaufmann GV, *et al*. **Evaluation of the photovoltaic generation potential and real-time analysis of the photovoltaic panel operation on a building facade in southern Brazil.** *Energy and Buildings* 2014; **69**:426–433.
Ziar H, Nouri M, Asaei B, *et al*. **Analysis of Overcurrent Occurrence in Photovoltaic Modules With Overlapped By-Pass Diodes at Partial Shading.** *IEEE Journal of Photovoltaics* 2014; **4**(2): 713–721.
Thang TV, Thao NM, Jang JH, *et al*. **Analysis and Design of Grid-Connected Photovoltaic Systems With Multiple-Integrated Converters and a Pseudo-DC-Link Inverter.** *IEEE Transactions on Industrial Electronics* 2014; **61**(7): 3377–3386.
Konstantopoulos C, Koutroulis E. **Global maximum power point tracking of flexible photovoltaic modules.** *IEEE Transactions on Power Electronics* 2014; **29**(6): 2817–2828.
Li Z, Kai S, Haibing H, *et al*. **A system-level control strategy of photovoltaic grid-tied generation systems for european efficiency enhancement.** *IEEE Transactions on Power Electronics* 2014; **29**(7): 3445–3453.
Marra F, Guangya Y, Traeholt C, *et al*. **A Decentralized Storage Strategy for Residential Feeders With Photovoltaics.** *IEEE Transactions on Smart Grid* 2014; **5**(2): 974–981.
Balasubramanian IR, Ganesan SI, Chilakapati N. **Impact of partial shading on the output power of PV systems under partial shading conditions.** *IET Power Electronics* 2014; **7**(3): 657–666.
Charles JP, Hannane F, El-Mossaoui H, *et al*. **Faulty PV panel identification using the Design of Experiments (DoE) method.** *International Journal of Electrical Power & Energy Systems* 2014; **57**:31–38.
Albert Alexander S, Manigandan T. **Digital control strategy for solar photovoltaic fed inverter to improve power quality.** *Journal of Renewable and Sustainable Energy* 2014; **6**(1): 013128.
Fernandez EF, Rodrigo P, Fernandez JI, *et al*. **Analysis of high concentrator photovoltaic modules in outdoor conditions: Influence of direct normal irradiance, air temperature, and air mass.** *Journal of Renewable and Sustainable Energy* 2014; **6**(1): 10.1063/1.4861065.

Guiqiang L, Gang P, Yuehong S, *et al*. **Improving angular acceptance of stationary low-concentration photovoltaic compound parabolic concentrators using acrylic lens-walled structure.** *Journal of Renewable and Sustainable Energy* 2014; **6**(1): 013122.
Seyedmahmoudian M, Mekhilef S, Rahmani R, *et al*. **Maximum power point tracking of partial shaded photovoltaic array using an evolutionary algorithm: A particle swarm optimization technique.** *Journal of Renewable and Sustainable Energy* 2014; **6**(2): 023102.
La Manna D, Li Vigni V, Riva Sanseverino E, *et al*. **Reconfigurable electrical interconnection strategies for photovoltaic arrays: A review.** *Renewable and Sustainable Energy Reviews* 2014; **33**(0): 412–426.
Moeed Amjad A, Salam Z. **A review of soft computing methods for harmonics elimination PWM for inverters in renewable energy conversion systems.** *Renewable and Sustainable Energy Reviews* 2014; **33**(0): 141–153.
Bauwens P, Doutreloigne J. **Reducing partial shading power loss with an integrated Smart Bypass.** *Solar Energy* 2014; **103**(0): 134–142.
Christy Mano Raj JS, **Ebenezer Jeyakumar A. A two stage successive estimation based maximum power point tracking technique for photovoltaic modules.** *Solar Energy* 2014; **103**(0): 43–61.
Díaz-Dorado E, Cidrás J, Carrillo C. **Discrete I–V model for partially shaded PV-arrays.** *Solar Energy* 2014; **103**(0): 96–107.
Ndiaye A, Kébé CMF, Charki A, *et al*. **Degradation evaluation of crystalline-silicon photovoltaic modules after a few operation years in a tropical environment.** *Solar Energy* 2014; **103**(0): 70–77.

11. POLICY, ECONOMICS, EDUCATION, HEALTH, ENVIRONMENT AND THE SOLAR RESOURCE

Van Haaren R, Morjaria M, Fthenakis V. **Empirical Assessment of Short-Term Variability from Utility-Scale Solar PV Plants**, *Progress in Photovoltaics: Research and Applications* 2013; **22**(5):548–559.
Osterwald CR, Emery KA, Muller M. **Photovoltaic Module Calibration Value Versus Optical Air Mass: The Air Mass Function**, *Progress in Photovoltaics: Research and Applications* 2013; **22**(5):560–573.
Hachem C, Athienitis A, Fazio P. **Energy performance enhancement in multistory residential buildings.** *Applied Energy* 2014; **116**:9–19.
Sun HH, Zhi Q, Wang YB, *et al*. **China's solar photovoltaic industry development: The status quo, problems and approaches.** *Applied Energy* 2014; **118**:221–230.
Becker S, Rodriguez RA, Andresen GB, *et al*. **Transmission grid extensions during the build-up of a fully renewable pan-European electricity supply.** *Energy* 2014; **64**:404–418.
Canete C, Carretero J, Sidrach-de-Cardona M. **Energy performance of different photovoltaic module technologies under outdoor conditions.** *Energy* 2014; **65**:295–302.
Zhang LF, Gari N, Hmurcik LV. **Energy management in a microgrid with distributed energy resources.** *Energy Conversion and Management* 2014; **78**: 297–305.
Alafita T, Pearce JM. **Securitization of residential solar photovoltaic assets: Costs, risks and uncertainty.** *Energy Policy* 2014; **67**: 488–498.
Maxim A. **Sustainability assessment of electricity generation technologies using weighted multi-criteria decision analysis.** *Energy Policy* 2014; **65**:284–297.
Nugent D, Sovacool BK. **Assessing the lifecycle greenhouse gas emissions from solar PV and wind energy: A critical meta-survey.** *Energy Policy* 2014; **65**:229–244.
Alam MJE, Muttaqi KM, Sutanto D. **An Approach for Online Assessment of Rooftop Solar PV Impacts on Low-Voltage Distribution Networks.** *IEEE Transactions on Sustainable Energy* 2014; **5**(2): 663–672.
Meshram S, Agnihotri G, Gupta S. **Advanced photovoltaic/hydro hybrid renewable energy system for remote areas.** *Journal of Renewable and Sustainable Energy* 2014; **6**(1): 013140.
Yung-ho C, Tsz Yi K, Zhong-Sheng Z, *et al*. **A performance evaluation of the cross-strait solar photovoltaic industry.** *Journal of Renewable and Sustainable Energy* 2014; **6**(1): 013133.
Brouwer AS, van den Broek M, Seebregts A, *et al*. **Impacts of large-scale Intermittent Renewable Energy Sources on electricity systems, and how these can be modeled.** *Renewable and Sustainable Energy Reviews* 2014; **33**(0): 443–466.
Narbel PA, Hansen JP. **Estimating the cost of future global energy supply.** *Renewable and Sustainable Energy Reviews* 2014; **34**(0): 91–97.
Pfenninger S, Hawkes A, Keirstead J. **Energy systems modeling for twenty-first century energy challenges.** *Renewable and Sustainable Energy Reviews* 2014; **33**(0): 74–86.
Romero JC, Linares P. **Exergy as a global energy sustainability indicator.** *A review of the state of the art. Renewable and Sustainable Energy Reviews* 2014; **33**(0): 427–442.
Veena P, Indragandhi V, Jeyabharath R, *et al*. **Review of grid integration schemes for renewable power generation system.** *Renewable and Sustainable Energy Reviews* 2014; **34**(0): 628–641.
Lee M, Soto D, Modi V. **Cost versus reliability sizing strategy for isolated photovoltaic micro-grids in the developing world.** *Renewable Energy* 2014; **69**(0): 16–24.
Zyadin A, Halder P, Kähkönen T, *et al*. **Challenges to renewable energy: A bulletin of perceptions from international academic arena.** *Renewable Energy* 2014; **69**(0): 82–88.
Kaabeche A, Ibtiouen R. **Techno-economic optimization of hybrid photovoltaic/wind/diesel/battery generation in a stand-alone power system.** *Solar Energy* 2014; **103**(0): 171–182.
Makrides G, Zinsser B, Schubert M, *et al*. **Performance loss rate of twelve photovoltaic technologies under field conditions using statistical techniques.** *Solar Energy* 2014; **103**(0): 28–42.

Prog. Photovolt: Res. Appl. 2014; **22**:697–700 © 2014 John Wiley & Sons, Ltd.
DOI: 10.1002/pip