Basic Elements of Programming Languages

Ronghui Gu

Spring 2019

Columbia University

What is a Programming Language?

A programming language is a notation that a person and a computer can both understand.

- It allows you to express what is the **task** to compute
- It allows a computer to **execute** the computation task

Language Specifications

When designing a language, it's a good idea to start by
sketching forms that you want to appear in your language as
well as forms you do not want to appear.

```
int avg(int a, int b)
{
    return (a + b) / 2;
}
```

Examples

```
a int vg(int a,
{
    return (a; + b)
{ {
```

Non-Examples

How to Define a Language

- An official documents, with **informal** descriptions.
- An official documents, with **formal** descriptions.
- A reference implementation, e.g., a compiler.

Some language definitions are sanctioned by an official standards organization, e.g., C11 (ISO/IEC 9899:2011).

```c
int compare()
{
  int a[10], b[10];
  if (a > b)
    return true;
  return false;
}
```

Aspects of Language Specifications

Syntax | Semantics | Pragmatics

- **Syntax**: how characters combine to form a program.
- **Semantics**: what the program *means*.
- **Pragmatics**: common programming idioms; programming environments; the standard library; ecosystems.

Syntax is divided into:

- **Microsyntax**: specifies how the characters in the source code stream are grouped into tokens.
- **Abstract syntax**: specifies how the tokens are grouped into phrases, e.g., expressions, statements, etc.

Source program is just a sequence of characters.

```
int avg(int a, int b)
{
   return (a + b) / 2;
}
```

i n t SP a v g (i n t SP a , SP i n t SP b) NL
{ NL
SP SP r e t u r n SP (a SP + SP b) SP / SP 2 ; NL
} NL

```
int avg(int a, int b)
{
    return (a + b) / 2;
}
```

Token	Lexemes	Pattern (as regular expressions)
ID	avg, a, b	letter followed by letters or digits
KEYWORD	int, return	letters
NUMBER	2	digits
OPERATOR	+, /	+, /
PUNCTUATION	;,(),{,},	;,(),{,},

int avg (int a , int b) { return (a + b

) / 2 ; }

```
int avg(int a, int b)
{
    return (a + b) / 2;
}
```

| int | avg | (| int | a | , | int | b |) | { | return | (| a | + | b |

|) | / | 2 | ; | } |

- Throw errors when failing to create tokens: malformed numbers (e.g., 23f465#g) or invalid characters (such as non-ASCII characters in C).

Abstract Syntax

Abstract Syntax can be defined using Context Free Grammar.

```
expr :
    expr OPERATOR expr
  | ( expr )
  | NUMBER
```

Expression $(a + b)/2$ can be parsed into an AST:

Abstract Syntax can be defined using Context Free Grammar.

```
expr :
    expr OPERATOR expr
  | ( expr )
  | NUMBER
```

Ambiguous! What about $a + b/2$?

Syntax Analysis Gives an Abstract Syntax Tree


```
int avg(int a, int b)
{
   return (a + b) / 2;
}
```

- Syntax analysis will throw errors if "}" is missing. Lexical analysis will not.

Semantics

- **Static Semantics**: deals with legality rules—things you can check before running the code (compile time), e.g., type, scope, for some languages.
- **Dynamic Semantics**: deals with the execution behavior; things that can only be known at runtime, e.g., value.

Static Semantics

We can use inference rules to define semantics, e.g., type:

$$\frac{}{\text{NUMBER} \; : \; \mathbf{int}} \qquad \frac{\text{expr} \; : \; \mathbf{int}}{\text{(expr)} \; : \; \mathbf{int}}$$

$$\frac{\text{expr}_1 \; : \; \mathbf{int} \quad \text{expr}_2 \; : \; \mathbf{int}}{\text{expr}_1 \; \text{OPERATOR} \; \text{expr}_2 \; : \; \mathbf{int}}$$

Dynamic Semantics

We can use inference rules to define semantics, e.g., value:

$$\frac{}{\textbf{eval}(\text{NUMBER}) = \text{NUMBER}} \qquad \frac{\textbf{eval}(\text{expr}) = n}{\textbf{eval}((\text{expr})) = n}$$

$$\frac{\textbf{eval}(\text{expr}_1) = n_1 \quad \textbf{eval}(\text{expr}_2) = n_2 \quad (n_1 + n_2) = n}{\textbf{eval}(\text{expr}_1 + \text{expr}_2) = n}$$

Consider the integer range:

$$\frac{\text{wrap}(\text{NUMBER}) = n}{\textbf{eval}(\text{NUMBER}) = n} \qquad \frac{\textbf{eval}(\text{expr}) = n}{\textbf{eval}((\text{expr})) = n}$$

$$\frac{\textbf{eval}(\text{expr}_1) = n_1 \quad \textbf{eval}(\text{expr}_2) = n_2 \quad \text{wrap}(n_1 + n_2) = n}{\textbf{eval}(\text{expr}_1 \; + \; \text{expr}_2) = n}$$

Programming Paradigms

A programming paradigm is a style, or "way," of programming. Some languages make it easy to write in some paradigms but not others.

Imperative Programming

An imperative program specifies how a computation is to be done: a sequence of statements that update state.

```
    result = []
    i = 0
    numStu = len(students)
start:
    if i >= numStu goto finished
    name = students[i]
    nameLength = len(name)
    if nameLength <= 5 goto nextOne
    addToList(result, name)
nextOne:
    i = i + 1
    goto start
finished:
    return result
```

A kind of imperative programming with clean, goto-free, nested control structures. Go To Statement Considered Harmful by Dijkstra.

```
result = []
for i in range(len(students)):
    name = students[i]
    if len(name) > 5:
        addToList(result, name)
print(result)
```

Imperative programming with procedure calls.

```
def filterList (students):
    result = []
    for name in students:
        if len(name) > 5:
            addToList(result, name)
    return result

print(filterList(students))
```

Object-Oriented Programming

An object-oriented program does its computation with
interacting objects.

```
class Student:
  def __init__(self, name):
    self.name = name
    self.department = "CS"

def filterList(students):
    result = []
    for student in students:
        if student.name.__len__() > 5:
            result.append(student.name)
    return result

print(filterList(students))
```

Declarative Programming

A declarative program specifies what computation is to be done. It expresses the logic of a computation without describing its control flow.

```
select name
from students
where length(name) > 5
```

A functional program treats computation as the evaluation of mathematical functions and avoids side effects.

```
def isNameLong (name):
    return len (name) > 5

print (
  list (
    filter (isNameLong, students)))
```

Using lambda calculus:

```
print (
 list (
  filter (lambda  name:  len (name),  students )))
```

Using function composition:

```
compose(print, list, filter*(lambda name: len(name) > 5))
        (students)
```

*A variant of the built-in filter.