

Elementen

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Leverancier</i>	<i>Telefoon</i>
D00118	Triplex 4 mm	4	4	11,7	IL-HR-13-01aai en woningen '84	0,0	3,0	9,0	12,0	18,0	26,0		
D00119	Multiplex 18 mm [1]	18	15	22,3	TPD iov VROM 1984 rapp.218.229	15,0	18,0	21,0	23,0	23,0	24,0		
D00120	Meubelplaat 15 mm [1]	15	12	22,1	IL-HR-13-01	10,0	15,0	20,0	24,0	27,0	25,0		
D00121	Massief spaanplaat 40 mm [1]	40	32	27,3	IL-HR-13-01	16,0	21,0	26,0	29,0	29,0	32,0		
D00122	Aluminium 4 mm [1]	4	11	20,0	TPD iov VROM 1984 rapp.218.229	6,5	12,0	17,0	23,0	28,0	29,0		
D00123	Staalplaat 1 mm [1]	1	8	18,7	TPD iov VROM 1984 rapp.218.229	5,0	11,0	17,0	22,0	27,0	23,0		
D00124	Staalplaat 3 mm [1]	3	24	27,1	TPD iov VROM 1984 rapp.218.229	13,5	19,0	24,0	30,0	36,0	40,0		
D00125	Staalplaat 0.7 mm geprofileerd [1]	1	7	17,1	TPD iov VROM 1984 rapp.218.229	4,0	10,0	16,0	19,0	21,0	24,0		
D00126	Staalplaat 1 mm geprofileerd [1]	1	11	20,5	TPD iov VROM 1984 rapp.218.229	11,0	14,0	16,0	20,0	25,0	29,0		
D00127	Aluminium 1.5 mm geprofileerd	2	4	7,6	TPD iov VROM 1984 rapp.218.229	0,0	0,0	5,0	8,0	10,0	12,0		
D00128	ME 1: Enkelvoudige steenachtige muur...	0	100	37,6	Verkeerslawaaï en woningen '84	29,0	32,0	35,0	36,0	40,0	46,0		
D00129	ME 2: Enkelvoudige steenachtige muur...	0	200	40,4	Verkeerslawaaï en woningen '84	25,0	35,0	40,0	43,0	48,0	53,0		
D00130	ME 3: Enkelvoudige steenachtige muur...	0	400	46,2	Verkeerslawaaï en woningen '84	31,0	41,0	44,0	49,0	54,0	58,0		
D00131	ME 4: Enkelvoudige steenachtige muur...	0	600	48,7	Verkeerslawaaï en woningen '84	33,0	43,0	48,0	53,0	57,0	60,0		
D00132	ME 5: Enkelvoudige steenachtige muur...	0	115	41,1	Verkeerslawaaï en woningen '84	26,0	33,0	40,0	46,0	51,0	57,0		
D00133	MS 1: Steenachtige spouwmuur 100 kg...	0	100	40,6	Verkeerslawaaï en woningen '84	29,0	33,0	37,0	41,0	46,0	52,0		
D00134	MS 2: Steenachtige spouwmuur 200 kg...	0	200	42,6	Verkeerslawaaï en woningen '84	27,0	37,0	41,0	46,0	52,0	59,0		
D00135	MS 3: Steenachtige spouwmuur 400 kg...	0	400	47,0	Verkeerslawaaï en woningen '84	31,0	41,0	46,0	52,0	59,0	64,0		
D00136	MS 4: Steenachtige spouwmuur 600 kg...	0	600	49,3	Verkeerslawaaï en woningen '84	33,0	43,0	50,0	57,0	62,0	66,0		
D00137	MS 5: Metselwerk - isolatie - houten wa...	0	200	42,1	Verkeerslawaaï en woningen '84	26,0	36,0	42,0	47,0	53,0	60,0		
D00138	Grindbeton 80 mm [2]	80	180	39,6	Meetrapporten	24,0	34,0	39,0	43,0	48,0	52,0		
D00139	Grindbeton 100 mm [2]	100	230	41,3	Meetrapporten	26,0	36,0	40,0	44,0	49,0	54,0		
D00140	Grindbeton 150 mm [2]	150	350	44,3	Meetrapporten	29,0	39,0	43,0	47,0	52,0	57,0		
D00141	Grindbeton 200 mm [2]	200	460	45,5	Meetrapporten	30,0	40,0	44,0	49,0	54,0	58,0		
D00142	Gasbeton. massief 90 mm [1]	90	75	30,5	Meetrapporten	20,0	25,0	30,0	30,0	32,0	37,0		
D00143	Gasbeton. massief 150 mm [1]	150	120	34,3	Meetrapporten	29,0	30,0	30,0	32,0	37,0	45,0		
D00158	3 resoplan/60 steenwol/3 resoplan [1]	66	18	20,8	TPD iov VROM 1984 rapp.218.229	20,8	20,9	21,0	14,8	30,3	40,9		
D00159	4 multiplex/15 PVC schuim/ 4 multipl [1]	23	5	19,6	TPD iov VROM 1984 rapp.218.229	14,4	16,1	16,1	19,5	22,5	20,0		
D00160	4 multipl./30 pvc-schuim/4 multipl. [1]	38	7	19,9	TPD iov VROM 1984 rapp.218.229	11,3	14,6	16,9	21,3	20,9	24,0		
D00161	3 resopl./50 steenw./3 resopl. [1]	56	17	21,5	TPD iov VROM 1984 rapp.218.229	21,5	21,1	20,7	15,6	30,5	40,2		
D00162	3 trespa/50 ps-schuim/3 trespa [1]	56	10	20,6	TPD iov VROM 1984 rapp.218.229	17,6	19,1	20,2	22,2	18,5	31,2		
D00163	4 montapl./40 ps-schuim/4 montapl. [1]	48	7	21,1	TPD iov VROM 1984 rapp.218.229	13,9	16,8	17,5	22,6	26,4	20,0		
D00164	3 resop./60 stw. houten k./3 resop. [1]	66	21	22,7	TPD iov VROM 1984 rapp.218.229	20,5	21,7	22,9	16,9	30,1	40,5		
D00165	4 eflex/45 steenw./4 mm glasal [1]	53	21	23,1	TPD iov VROM 1984 rapp.218.229	22,9	22,6	22,3	17,1	37,0	44,1		
D00166	4 montapl./50 pur-schuim/4 montapl. [1]	58	8	22,2	TPD iov VROM 1984 rapp.218.229	13,8	17,0	18,6	23,4	28,4	21,7		
D00167	4 eflex/60 steenw./4 glasal [1]	68	23	23,5	TPD iov VROM 1984 rapp.218.229	26,5	23,7	19,8	18,1	35,5	46,7		
D00168	3 trespa/80 steenw./3 trespa [1]	86	18	22,7	TPD iov VROM 1984 rapp.218.229	14,9	18,7	14,2	26,4	40,8	55,3		
D00169	3 trespa/40 steenw./3 trespa [1]	46	13	22,4	TPD iov VROM 1984 rapp.218.229	12,4	17,7	14,2	28,3	41,6	53,8		
D00170	3 trespa/ 40 ps-schuim/3 trespa [1]	46	9	22,3	TPD iov VROM 1984 rapp.218.229	14,5	17,8	19,8	24,5	28,7	20,3		
D00171	4 eflex/80 steenw./4 glasal [1]	88	27	24,0	TPD iov VROM 1984 rapp.218.229	24,2	24,5	24,8	17,9	32,4	43,8		
D00172	4 montapl./40 pur-schuim/4 montapl. [1]	48	8	22,6	TPD iov VROM 1984 rapp.218.229	14,4	17,5	18,5	23,7	28,9	22,6		
D00173	4 eflex/40 ps-schuim/4 glasal [1]	48	14	22,6	TPD iov VROM 1984 rapp.218.229	17,2	20,4	23,1	26,8	20,1	43,0		
D00174	3 trespa/60 steenw./3 trespa [1]	66	16	22,5	TPD iov VROM 1984 rapp.218.229	10,0	16,3	15,4	29,0	41,2	56,0		
D00175	3 resopl./80 steenw./3 resopl. [1]	86	20	24,4	TPD iov VROM 1984 rapp.218.229	24,6	25,1	25,6	18,7	29,2	39,2		
D00176	6 trespa/40 steenw./6 trespa [1]	52	22	23,5	TPD iov VROM 1984 rapp.218.229	15,4	21,8	14,4	34,7	42,3	53,6		
D00177	4 eflex/50 ps-schuim/4 glasal [1]	58	15	23,4	TPD iov VROM 1984 rapp.218.229	18,6	21,7	23,9	27,9	20,8	37,5		
D00178	8 montapl./40 ps-schuim/8 montapl. [1]	56	12	23,5	TPD iov VROM 1984 rapp.218.229	17,1	20,1	21,5	26,1	25,8	22,2		
D00179	6 trespa/40 ps-schuim/6 trespa [1]	52	18	23,9	TPD iov VROM 1984 rapp.218.229	19,6	23,0	25,5	29,8	21,1	35,3		
D00180	6 trespa/50 ps-schuim/6 trespa [1]	62	19	24,1	TPD iov VROM 1984 rapp.218.229	20,2	23,1	25,1	29,0	21,3	38,7		
D00181	3 trespa/30 pur-schuim/3 trespa [1]	36	10	24,3	TPD iov VROM 1984 rapp.218.229	15,8	19,1	20,6	25,7	30,9	23,6		
D00182	6 trespa/60 steenw./6 trespa [1]	72	24	24,5	TPD iov VROM 1984 rapp.218.229	13,6	20,4	16,2	34,0	44,4	54,7		
D00183	3 trespa/50 pur-schuim/3 trespa [1]	56	11	24,8	TPD iov VROM 1984 rapp.218.229	16,9	20,1	21,0	26,6	30,9	23,7		
D00184	8 montapl./40 pur-schuim/8 montapl. [1]	56	12	24,8	TPD iov VROM 1984 rapp.218.229	16,6	20,1	22,0	27,1	31,6	22,9		
D00185	3 trespa/40 pur-schuim/3 trespa [1]	46	10	24,9	TPD iov VROM 1984 rapp.218.229	15,9	19,4	22,2	26,4	31,2	24,0		
D00186	2 aluminium/40 steenw./2 aluminium [1]	44	18	26,4	TPD iov VROM 1984 rapp.218.229	30,8	27,5	23,1	20,9	35,8	47,7		
D00187	8 montapl./50 pur-schuim/8 montapl. [1]	66	13	25,3	TPD iov VROM 1984 rapp.218.229	17,4	20,8	22,5	27,6	31,8	23,3		
D00188	2*4 monta.(#)/50 pur-schuim/8 monta. [1]	67	14	25,7	TPD iov VROM 1984 rapp.218.229	18,1	21,4	23,0	28,0	31,9	23,7		
D00189	3.2 eflex/40 foamglas/3.2 eflex [1]	46	19	26,1	TPD iov VROM 1984 rapp.218.229	18,6	20,8	22,0	25,3	28,3	35,3		
D00190	4 eflex/50 pur-schuim/4 glasal [1]	58	16	25,8	TPD iov VROM 1984 rapp.218.229	17,8	21,5	24,6	29,0	25,5	28,6		
D00191	3.2 glasal/30 pur-schuim/3.2 glasal [1]	36	14	25,9	TPD iov VROM 1984 rapp.218.229	16,8	20,8	24,0	28,9	33,4	23,7		
D00192	3 trespa/50 kurk/3 trespa [1]	56	15	26,2	TPD iov VROM 1984 rapp.218.229	18,6	21,7	23,7	27,9	25,6	35,5		
D00193	4 montapl./45 kurk/4 montapl. [1]	53	13	26,1	TPD iov VROM 1984 rapp.218.229	16,4	20,2	22,7	27,8	30,6	27,0		
D00194	4 eflex/30 pur-schuim/4 glasal [1]	38	14	25,9	TPD iov VROM 1984 rapp.218.229	15,5	20,1	24,4	29,4	33,4	24,1		
D00195	2 staal/50 steenw./2 staal [1]	54	39	26,9	TPD iov VROM 1984 rapp.218.229	20,0	26,4	17,6	39,3	46,7	57,1		
D00196	4 eflex/40 pur-schuim/4 glasal [1]	48	15	26,4	TPD iov VROM 1984 rapp.218.229	16,8	20,7	23,9	28,6	32,9	25,2		
D00197	2 staal(#)/50 steenw./2 staal(#) [1]	54	39	26,8	TPD iov VROM 1984 rapp.218.229	18,1	25,7	17,7	40,9	48,7	58,2		
D00198	8 morgomat/40 steenwol/8 morgomat [1]	56	32	27,5	TPD iov VROM 1984 rapp.218.229	24,1	25,3	19,1	27,8	42,2	51,0		
D00199	6 trespa/40 pur-schuim/6 trespa [1]	52	18	26,7	TPD iov VROM 1984 rapp.218.229	19,4	23,1	26,0	30,5	25,7	30,1		
D00200	4 montapl./40 ps-schuim/18 montapl. [1]	62	16	26,9	TPD iov VROM 1984 rapp.218.229	18,9	22,2	24,5	28,8	29,3	26,8		
D00201	16 etersp./50 steenwol/16 etersp. [1]	82	38	27,4	TPD iov VROM 1984 rapp.218.229	20,3	26,2	18,2	38,1	44,9	41,1		
D00202	3.2 eflex/80 foamglas/3.2 eflex [1]	86	23	26,7	TPD iov VROM 1984 rapp.218.229	14,7	19,0	23,3	26,9	33,5	40,5		
D00203	3.2 glasal/65 kurk/3.2 glasal [1]	71	21	26,7	TPD iov VROM 1984 rapp.218.229	18,6	22,5	26,2	30,3	25,1	37,1		
D00204	3 trespa/60 geexp.kurk/3 trespa [1]	66	17	27,3	TPD iov VROM 1984 rapp.218.229	18,9	22,2	24,9	28,8	27,7	31,6		
D00205	4 eflex/60 kurk/4 eflex [1]	68	22	27,4	TPD iov VROM 1984 rapp.218.229	20,9	23,5	25,6	28,7	26,6	35,1		
D00206	.75 staal #/40 foamglas/.75 staal # [1]	42	17	27,6	TPD iov VROM 1984 rapp.218.229	18,2	21,5	23,3	28,2	31,3	32,7		
D00207	4 montapl./40 pur-schuim/18 montapl. [1]	62	17	27,7	TPD iov VROM 1984 rapp.218.229	19,4	22,8	24,5	29,6	31,4	27,5		
D00208	2 alu. #/65 kurk/2 alu. # [1]	69	20	27,6	TPD iov VROM 1984 rapp.218.229	19,6	23,1	25,7	30,2	27,2	32,2		
D00209	6 trespa/80 steenwol/6 trespa [1]	92	26	25,0	TPD iov VROM 1984 rapp.218.229	9,5	17,4	22,6	33,2	48,1	58,9		
D00210	2 alu. nat./80 foamglas/2 alu. nat. [1]	84	22	28,1	TPD iov VROM 1984 rapp.218.229	19,3	21,9	24,4	27,1	31,1	36,2		
D00211	8 montapl./50 steenwol#/8 montapl. [1]	66	15	21,9	TPD iov VROM 1984 rapp.218.229	5,0	15,8	26,2	37,4	43,3	36,8		
D00212	4 eflex/50 kurk/4 glasal [1]	58	21	27,7	TPD iov VROM 1984 rapp.218.229	20,1	23,5	26,5	30,3	26,4	38,7		
D00213	3 trespa/40 geexp.kurk/3 trespa [1]	46	15	28,0	TPD iov VROM 1984 rapp.218.229	19,8	22,8	24,1	28,8	32,4	28,6		
D00214	6 trespa/30 pur-schuim/6 trespa [1]	42	18	27,7	TPD iov VROM 1984 rapp.218.229	19,0	23,0	26,5	31,0	35,0	25,1		
D00215	9.5 gi.ka.p./40 foamgl./9.5 gi.ka.p. [1]	59	20	28,1	TPD iov VROM 1984 rapp.218.229	20,7	23,4	24,9	28,9	28,5	35,4		
D00216	2 alu. nat./40 foamglas/2 alu. nat. [1]	42	17	28,2	TPD iov VROM 1984 rapp.218.229	19,4	22,5	23,9	28,7	31,5	32,4		
D00217	2*4 montapl.#/50 steenw./8 montapl. [1]	66	15	20,8	TPD iov VROM 1984 rapp.218.229	3,6	15,6	27,2	39,6	46,3	44,8		
D00218	4 eflex/40 kurk/4 glasal [1]</												

Elementen

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Leverancier</i>	<i>Telefoon</i>
D00232	1 sendz.v.st./80 f.g./1 sendz.v.st. [1]	82	27	30,2	TPD iov VROM 1984 rapp.218.229	20,5	23,9	26,4	30,7	32,6	38,3		
D00233	1 sendz.v.st./40 f.g./1 sendz.v.st. [1]	42	23	30,9	TPD iov VROM 1984 rapp.218.229	21,5	24,7	26,2	31,1	35,0	36,8		
D00234	2 staalpl.#/65 kurk/2 staalpl.# [1]	69	39	31,1	TPD iov VROM 1984 rapp.218.229	25,3	28,6	31,9	33,6	28,8	53,6		
D00235	6 efflex/40 foamglas/6 efflex [1]	52	30	31,3	TPD iov VROM 1984 rapp.218.229	21,6	25,1	27,3	32,2	34,5	36,3		
D00236	8 morgomat/40 pur-schuim/8 morgomat...	56	25	31,6	TPD iov VROM 1984 rapp.218.229	29,3	30,9	31,4	34,1	29,1	46,7		
D00237	6 efflex/80 foamglas/6 efflex [1]	92	35	32,2	TPD iov VROM 1984 rapp.218.229	26,9	27,9	28,8	29,9	34,2	40,0		
D00238	10 monta.#/50 pur-schuim/10 monta.# [1]	70	32	31,2	TPD iov VROM 1984 rapp.218.229	21,2	26,3	31,4	36,1	31,1	33,1		
D00239	2 staalp.#/30 pur-schuim/2 staalp.# [1]	34	33	32,3	TPD iov VROM 1984 rapp.218.229	23,9	27,3	30,4	34,2	31,6	49,3		
D00240	3 eternit#/12 lucht/5 eternit [1]	29	27	31,1	TPD iov VROM 1984 rapp.218.229	16,9	23,3	29,7	32,7	41,1	43,0		
D00241	10 monta.#/50 pur-schuim*/10 monta.#...	70	34	32,5	TPD iov VROM 1984 rapp.218.229	22,6	27,0	31,4	34,4	32,5	40,1		
D00242	10 montapl.#/45 kurk/10 montapl.# [1]	65	37	32,8	TPD iov VROM 1984 rapp.218.229	24,4	28,2	32,0	34,8	31,6	46,3		
D00243	10 montapl.#/45 kurk*/10 montapl.# [1]	65	37	33,1	TPD iov VROM 1984 rapp.218.229	25,0	28,5	32,0	35,1	31,9	46,5		
D00244	8 morgomat/30 pur-schuim/8 morgomat...	46	23	33,8	TPD iov VROM 1984 rapp.218.229	27,9	30,4	31,5	35,4	37,9	32,0		
D00245	8 morgomat/40 kurk/8 morgomat [1]	56	26	34,1	TPD iov VROM 1984 rapp.218.229	31,0	32,0	31,9	34,1	32,9	47,4		
D00246	10 monta.#/50 steenw.*/10 monta.# [1]	70	33	20,0	TPD iov VROM 1984 rapp.218.229	2,2	21,0	39,8	44,8	51,1	42,2		
D00247	2 sendz.v.st.#/40 f.g./2 sendz.v.st# [1]	44	38	34,2	TPD iov VROM 1984 rapp.218.229	24,5	27,8	29,2	34,5	39,1	41,7		
D00248	3 eternit#/12 lucht/5 eternit* [1]	69	28	32,0	TPD iov VROM 1984 rapp.218.229	17,0	23,9	30,8	37,1	44,3	44,5		
D00249	2 sendz.v.st./40 f.g./2 sendz.v.st. [1]	44	37	34,9	TPD iov VROM 1984 rapp.218.229	25,5	28,8	30,2	35,5	38,4	40,9		
D00250	2 sendz.v.st##/80 f.g./2 sendz.v.st# [1]	84	42	35,3	TPD iov VROM 1984 rapp.218.229	26,3	29,0	30,6	34,5	40,0	45,3		
D00251	10 montap.#/50 steenwol*/10 montap.#...	70	33	25,7	TPD iov VROM 1984 rapp.218.229	8,2	23,5	38,8	42,8	47,5	35,9		
D00252	2 sendz.v.st./80 f.g./2 sendz.v.st. [1]	84	42	35,4	TPD iov VROM 1984 rapp.218.229	25,3	28,8	31,7	35,9	38,2	43,1		
D00253	5 eternit#/12 lucht/5 eternit# [1]	22	22	32,9	TPD iov VROM 1984 rapp.218.229	16,5	25,8	35,1	44,5	48,4	47,7		
D00254	5 eternit #/12 lucht/9 gipsvezelpl. * [1]	26	23	34,7	TPD iov VROM 1984 rapp.218.229	18,6	27,3	34,6	44,7	49,6	48,3		
D00255	Dak:50 wol/gesloten plaat [1]	150	25	34,0	TPD iov DGMR 1983 rapp.120.273	19,0	26,5	30,5	41,5	49,5	58,0		
D00256	Dak:50 wol/geperf 106.4 plaat [1]	150	25	29,9	TPD iov DGMR 1983 rapp.120.273	19,8	23,5	24,5	31,0	34,0	54,0		
D00257	Dak:50 PS/geperf 106.3 plaat [1]	150	25	27,1	TPD iov DGMR 1983 rapp.120.273	26,5	25,5	23,0	23,5	30,0	45,0		
D00258	Dak:50 PS/geperf 120.4 plaat [1]	150	25	25,5	TPD iov DGMR 1983 rapp.120.273	28,3	26,0	22,0	21,5	28,0	41,0		
D00259	Dak:50 PS/geperf 120.3 plaat [1]	150	25	27,7	TPD iov DGMR 1983 rapp.120.273	27,3	26,0	24,0	23,5	31,5	44,0		
D00260	Dubbele st.gevel.RT90 gesloten elem. ...	0	21	23,3	Thyssen Bausysteme. 7/9/1978	6,5	17,0	25,0	38,0	43,0	43,0		
D00261	Dubbele st.gevel.RT145 gesloten elem...	0	32	17,8	Thyssen Bausysteme. april 1979	0,0	17,0	34,0	42,0	43,0	45,0		
D00262	Dubbele st.gevel.RTL90 bi.doos perf. [1]	0	18	21,0	Thyssen Bausysteme. maart 1979	7,0	13,0	17,0	25,0	37,0	39,0		
D00263	Dubbele st.gevel.bi.plaat perfo3 [1]	170	0	20,8	SAB profiel Ysselstein. 9	5,0	13,0	20,5	29,0	35,0	37,5		
D00264	Dubbele st.gevel.BR65 bi.doos perf.1 [1]	85	0	20,4	SAB profiel Ysselstein. 9	6,5	12,5	18,5	23,5	28,0	27,0		
D00290	Uitz-tuimel type B2. glas 3-9-4 [1]	0	0	23,2	TNO/TPD 5-4-1983 (10)	17,5	19,0	20,0	22,0	24,0	32,0		
D00295	Plat dak DP1: hout en isolatie [1]	0	0	21,7	Verkeerslawaai en woningen '84	7,0	16,0	25,0	26,0	24,0	30,0		
D00296	Plat dak DP2: hout/isolatie/grind [1]	0	0	27,0	Verkeerslawaai en woningen '84	15,0	21,0	27,0	27,0	29,0	34,0		
D00297	Plat dak DP3: hout/isolatie/spouw [1]	0	0	29,3	Verkeerslawaai en woningen '84	18,5	22,0	24,0	29,0	39,0	47,0		
D00298	Plat dak DP4: hout/iso./spouw/grind [1]	0	0	32,3	Verkeerslawaai en woningen '84	21,5	25,0	27,0	32,0	42,0	50,0		
D00299	Plat dak DP5: beton (100 mm)/isolatie [2]	0	225	41,2	Verkeerslawaai en woningen '84	26,0	36,0	39,0	44,0	50,0	55,0		
D00300	Plat dak DP6: lichtbeton (150 mm) [1]	0	100	38,2	Verkeerslawaai en woningen '84	31,0	33,0	35,0	36,0	41,0	47,0		
D00301	Plat dak DP7: lichtbeton (300 mm) [2]	0	200	40,1	Verkeerslawaai en woningen '84	25,0	35,0	38,0	42,0	48,0	53,0		
D00302	Pannendak DH1: kierdicht dakbeschoot ...	0	0	26,1	Verkeerslawaai en woningen '84	17,0	20,0	20,0	26,0	33,0	40,0		
D00303	Pannendak DH2:geiso.dakplaten pur/pl...	0	0	26,4	Verkeerslawaai en woningen '84	16,0	20,0	20,0	28,0	34,0	40,0		
D00304	Pannendak DH3: geisoleerde dakplate...	0	0	25,2	Verkeerslawaai en woningen '84	11,0	17,0	22,0	29,0	38,0	42,0		
D00305	Pannendak DH4: dakbeschoot + min.wo...	0	0	28,4	Verkeerslawaai en woningen '84	13,0	21,0	26,0	37,0	40,0	44,0		
D00306	Pannendak DH5a: dakbeschoot + min.w...	0	0	19,4	Verkeerslawaai en woningen '84	2,0	15,0	28,0	38,0	43,0	46,0		
D00307	Pannendak DH5b: dakbeschoot + min.w...	0	0	25,7	Verkeerslawaai en woningen '84	9,0	19,0	29,0	38,0	43,0	46,0		
D00308	Pannendak DH5c: dakbeschoot + min.w...	0	0	32,1	Verkeerslawaai en woningen '84	17,0	24,0	31,0	38,0	43,0	46,0		
D00309	Pannendak DH6a: zelfdr.dooskonstr. [1]	0	0	24,9	Verkeerslawaai en woningen '84	9,5	17,0	23,0	32,0	41,0	47,0		
D00310	Pannendak DH6b: zelfdr.dooskonstr. [1]	0	0	25,7	Verkeerslawaai en woningen '84	9,0	19,0	29,0	38,0	43,0	47,0		
D00311	Pannendak DH7a:geiso.dakpl/spw+min...	0	0	31,0	Verkeerslawaai en woningen '84	18,5	24,0	25,0	35,0	41,0	44,0		
D00312	Pannendak DH7b:geiso.dakpl/spw+min...	0	0	31,9	Verkeerslawaai en woningen '84	16,0	25,0	30,0	43,0	49,0	52,0		
D00313	Pannendak DH8-b: balklaag h.o.h.1.0...	0	0	33,9	Verkeerslawaai en woningen '84	18,0	27,0	32,0	45,0	51,0	54,0		
D00314	Pannendak DH9a:gasbetonelem. 80kg/...	0	80	34,6	Verkeerslawaai en woningen '84	23,5	27,0	30,0	34,0	44,0	50,0		
D00315	Pannendak DH9b:gasbetonele. 150kg/...	0	150	36,5	Verkeerslawaai en woningen '84	21,0	31,0	34,0	40,0	50,0	58,0		
D00316	Pannendak DH9c:gasbetonele. 200kg/...	0	200	40,4	Verkeerslawaai en woningen '84	25,0	35,0	38,0	43,0	51,0	58,0		
D00317	Pannendak DH10:grindbetonelem.+PU...	0	225	40,8	Verkeerslawaai en woningen '84	25,0	35,0	39,0	45,0	53,0	58,0		
D00370	Faay type VP 54 scheidingswand [1]	54	32	34,0	Lichtveld en Buis 38.114-8 '82	26,0	29,0	31,5	35,0	35,7	36,0	Faay Vianen BV	0347 376624
D00371	Faay type IW 100 scheidingswand [1]	100	52	31,6	Lichtveld en Buis 38.114-8 '82	15,2	24,7	34,2	41,0	44,1	46,1	Faay Vianen BV	0347 376624
D00372	Faay type IW 148 scheidingswand [1]	148	64	36,3	Lichtveld en Buis 38.114-8 '82	20,9	30,3	31,9	49,1	51,0	55,1	Faay Vianen BV	0347 376624
D00380	Metalstud MS 100 15 /70 min.wol/ 15 [1]	100	32	39,9	KUL Lab Akoest. 1-9-76 nr 1154	23,4	33,4	43,4	51,0	57,5	47,2		
D00382	BP1: enkelvoudig paneel [1]	0	10	22,9	Verkeerslawaai en woningen '84	10,0	15,0	20,0	25,0	30,0	30,0		
D00383	BP2a: Sandw wol150+pl.mat 50-85 m...	50	20	22,9	Verkeerslawaai en woningen '84	24,0	23,0	22,0	17,0	33,0	43,0		
D00384	BP2b: Sandw wol100+pl.mat 50-85 m...	50	20	22,9	Verkeerslawaai en woningen '84	15,0	20,0	14,0	30,0	41,0	50,0		
D00385	BP2c: Sandw PS-pl+pl.mat 50-65 mm ...	50	20	25,9	Verkeerslawaai en woningen '84	18,0	22,0	26,0	30,0	24,0	37,0		
D00386	BP2d: Sandw PUR-schuim+plmat 45-7...	45	20	27,2	Verkeerslawaai en woningen '84	18,0	22,0	26,0	30,0	31,0	26,0		
D00387	BP2e: Sandw kurkpl+plmat 65-75 mm ...	65	20	27,3	Verkeerslawaai en woningen '84	18,0	22,0	26,0	29,0	27,0	35,0		
D00388	BP2f: Sandw schuimglas+plmat 45-85 ...	45	20	27,1	Verkeerslawaai en woningen '84	16,0	20,0	24,0	27,0	31,0	36,0		
D00389	BP3a: Lichte spwkonstr.+wol 70-90 [1]	70	20	21,7	Verkeerslawaai en woningen '84	5,0	15,0	25,0	35,0	41,0	44,0		
D00390	BP3b: Spouwkonstr.+wol 110-160 mm [1]	0	30	25,3	Verkeerslawaai en woningen '84	9,0	18,0	27,0	35,0	41,0	44,0		
D00391	BP3c: Spouwkonstr.+wol 160 mm [1]	160	40	28,2	Verkeerslawaai en woningen '84	12,0	21,0	30,0	37,0	41,0	44,0		
D00392	BP4: Spwkonstr zware bepl. 170-210 ...	170	55	31,6	Verkeerslawaai en woningen '84	15,0	25,0	35,0	40,0	45,0	50,0		
D00393	BP5: Spouwkonstr.+wol 170-210 mm [1]	170	55	33,0	Verkeerslawaai en woningen '84	16,0	27,0	38,0	45,0	50,0	50,0		
D00394	DP8: plafond verend bevestigd [1]	0	0	36,2	Verkeerslawaai en woningen '84	22,0	28,0	34,0	38,0	48,0	52,0		
D00427	Poroton isol.steen.niet gepleisterd [2]	132	156	33,8	TPD 906.430 juli 1979	18,9	28,9	31,5	36,0	40,7	47,5		
D00428	Poroton isol.steen.afgepleisterd [2]	152	185	37,3	TPD 906.430 juli 1979	24,1	34,1	34,1	35,9	44,4	50,4		
D00429	Siporex-wand 125 mm onafgewerkt [1]	125	77	33,4	dokumentatie Siporex	25,0	27,0	29,0	31,0	40,0	47,0		
D00430	Siporex-wand 150 mm onafgewerkt [1]	150	93	35,7	dokumentatie Siporex	28,0	30,0	30,0	34,0	42,0	50,0		
D00431	Siporex-wand 200 mm onafgewerkt [1]	200	108	37,7	dokumentatie Siporex	25,5	30,0	33,0	39,0	47,0	53,0		
D00439	Bruynzeel 2001-46dB Intersysteem [1]	95	26	29,0	TPD rapport 120.204. 3-6-1981	11,4	26,8	42,2	52,3	43,2	49,1	Bruynzeel Intersysteem BV	0165 526526
D00440	Bruynzeel 2001-49dB Intersysteem [1]	95	26	27,5	TPD rapport 120.204. 3-6-1981	9,8	25,6	41,4	52,9	50,4	49,3	Bruynzeel Intersysteem BV	0165 526526
D00441	Bruynzeel type VA-301 MS 3000 [1]	97	30	23,8	TPD rapp. 320.360-N. jan 1984	7,1	17,0	26,6	36,9	47,4	44,7	Bruynzeel Intersysteem BV	0165 526526
D00442	Bruynzeel type VA 304 MS 3000 [1]	97	31	16,9	TPD rapp. 320.360-N. jan 1984	-0,9	17,5	35,9	46,5	50,6	50,8	Bruynzeel Intersysteem BV	0165 526526
D00443	Bruynzeel type VA 307 MS 3000 [1]	97	32	19,3	TPD rapp. 320.360-N. jan 1984	1,4	20,6	39,8	49,3	52,4	52,2	Bruynzeel Intersysteem BV	0165 526526
D00444	Bruynzeel type VA 309 MS 3000 [1]	97	35	23,8	TPD rapp. 320.360-N. jan 1984	6,0	24,3	42,6	49,8	52,2	54,4	Bruynzeel Intersysteem BV	0165 526526
D00445	Bruynzeel type VA 311 MS 3000 [1]	97	38	25,0	TPD 320.360-N. jan 19								

Elementen

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Leverancier</i>	<i>Telefoon</i>
D00591	Binnendeur Std. ZO71 Vervo Bruynzee...	40	0	25,7	v.Dorsser '83 rap.2809	18,5	22,0	25,0	29,0	26,0	26,0		
D00592	Binnendeur 35dB ZO71 Vervo Bruynze...	40	0	27,4	v.Dorsser '83 rap.2809	19,0	23,0	27,0	30,0	28,0	28,0		
D00593	Binnendeur 42dB1 ZO71 VervoBruynz....	40	0	30,8	v.Dorsser '83 rap.2809	17,5	23,0	27,0	34,0	39,0	40,0		
D00594	Binnendeur 42dB2 ZO71 VervoBruynz...	40	0	30,9	v.Dorsser '83 rap.2809	18,0	24,0	26,0	36,0	38,0	39,0		
D00595	Multipanel 6-4-6 Bruynzeel [1]	16	8	28,3	v.Dorsser '87 rap.6652.A	17,9	21,5	23,9	28,8	32,9	36,0		
D00596	Multipanel 7-7-7 Bruynzeel [1]	20	10	30,1	v.Dorsser '87 rap.6103.B	20,8	23,6	25,6	29,3	34,7	38,3		
D00597	Multipanel 6-4-6 Bruynzeel [1]	17	5	29,5	v.Dorsser '87 rap.6103.A	21,0	23,7	24,6	29,1	33,5	36,4		
D00598	Multipanel 7-8-7 Bruynzeel [1]	21	24	33,2	v.Dorsser '87 rap.6103.A	24,4	27,1	28,5	32,5	37,5	40,6		
D00599	Norm+ sandwichpaneel (v.Dam b.v.) [1]	0	23	29,3	TNO/TPD '87 rap.723.124	17,3	22,2	27,1	31,2	35,7	31,0	Fabriek van Plaatwerken van Dam BV	0180-441800
D00600	Norm+ sandwichp. rand+afdichting [1]	0	23	29,2	TNO/TPD '87 rap.723.124	16,4	22,1	27,8	31,6	35,9	31,5		
D00601	Dakelement Unilin/Isover HMW12N2.5...	0	13	24,1	BCA '90 rap.15324	6,7	19,9	33,1	40,1	42,2	44,2		
D00618	Kz 100 mm wand [2]	100	195	35,4	PeutzAssociates '89 rap.A 304-3	21,2	31,2	32,2	37,8	40,9	42,5		
D00619	Kz 100 mm.1 zijde gevuld wand [2]	100	195	37,8	PeutzAssociates '89 rap.A 304-3	23,5	34,3	33,5	39,2	46,1	49,7		
D00620	Kz 100 mm.2 zijden gevuld wand [2]	100	195	38,0	PeutzAssociates '89 rap.A 304-3	23,6	34,5	33,6	39,7	46,9	50,3		
D00621	Kz 100 mm.2xgevuld.1xfilm wand [2]	100	195	37,1	PeutzAssociates '89 rap.A 304-3	22,5	33,6	32,5	39,7	46,3	49,6		
D00622	Kz 100 mm.2xgevuld.2xfilm wand [2]	100	195	37,8	PeutzAssociates '89 rap.A 304-3	23,3	34,4	33,3	40,1	46,6	49,6		
D00623	Kz 100 mm.2xvul+film.gekit wand [2]	100	195	38,3	PeutzAssociates '89 rap.A 304-3	23,8	34,4	33,8	40,3	47,5	53,4		
D00624	Kz 230 mm.2x filmlaag wand [2]	230	445	47,8	PeutzAssociates '89 rap.A 304-1	31,9	41,9	46,7	53,0	58,6	65,6		
D00625	Kz 240 mm.2x filmlaag wand [2]	240	460	46,8	PeutzAssociates '89 rap.A 304-1	30,6	40,6	47,0	52,6	58,7	65,9		
D00626	Kz 265 mm.2x filmlaag wand [2]	265	510	47,7	PeutzAssociates '89 rap.A 304-1	31,6	41,6	47,6	53,3	58,6	65,8		
D00627	Kz 300 mm.2x filmlaag wand [2]	300	575	48,9	PeutzAssociates '89 rap.A 304-1	32,8	42,8	48,6	54,9	60,5	67,2		
D00656	Dakelement 50kg/m2 Akoestiroof [1]	128	50	38,6	TNO/TPD '85 rap. 518.031/1	21,5	33,0	44,0	56,0	63,0	70,0		
D00660	Betonvloer 110 mm [2]	110	999	41,9	TPD feb'85 rap. 418.235	25,8	35,8	43,2	46,2	51,5	57,3		
D00661	Betonvloer +zwevende vloer [2]	170	999	50,9	TPD feb'85 rap. 418.235	34,5	44,5	51,1	58,9	67,0	74,9		
D00664	Litonit scheidingswand [1]	0	17	25,5	PeutzAssociates '84 rap.A 226-1	8,0	22,0	36,0	45,0	48,0	52,0		
D00665	Litonit + Akoestifoam scheidingswand [1]	0	17	46,0	PeutzAssociates '84 rap.A 226-2	29,0	40,0	50,0	62,0	68,0	70,0		
D00666	Kalkzandsteenwand 220 mm [2]	220	999	48,4	PeutzAssociates '85 rap.A 226-6	33,0	43,0	45,0	53,0	60,0	67,0		
D00667	Kzsteenwand + 1gips voorzetwand [2]	363	999	55,9	PeutzAssociates '85 rap.A 226-6	39,0	49,0	62,0	73,0	83,0	92,0		
D00668	Kzsteenwand + 2gips voorzetwand [2]	375	999	64,6	PeutzAssociates '85 rap.A 226-6	48,0	58,0	66,0	74,0	84,0	91,0		
D00669	Houten vloer [1]	170	23	23,6	TPD juli'86 rap.518.034/3	11,5	16,0	20,0	25,0	29,0	32,0		
D00670	Houten vloer+zwevende vloer [1]	237	50	36,9	TPD juli'86 rap.518.034/3	20,0	31,0	40,0	53,0	58,0	64,0		
D00671	Houten vl+zw.vloer+plafond [1]	0	100	44,0	TPD juli'86 rap.518.034/3	27,5	37,0	45,0	56,0	65,0	72,0		
D00672	Houten vl+zw.vloer fermacel+plafond [1]	0	100	47,6	TPD juli'86 rap.518.034/3	31,5	40,0	48,0	57,0	64,0	71,0		
D00694	Betonwand 160 mm enkelvoudig [2]	160	368	43,0	Geluidwering in woningbouw '92	27,0	37,0	41,0	50,0	59,0	66,0		
D00695	Betonwand 180 mm enkelvoudig [2]	180	414	43,4	Geluidwering in woningbouw '92	27,0	37,0	43,0	52,0	61,0	68,0		
D00696	Betonwand 200 mm enkelvoudig [2]	200	460	44,5	Geluidwering in woningbouw '92	28,0	38,0	45,0	54,0	62,0	69,0		
D00697	Betonwand 220 mm enkelvoudig [2]	220	506	45,7	Geluidwering in woningbouw '92	29,0	39,0	48,0	57,0	64,0	71,0		
D00698	Betonwand 230 mm enkelvoudig [2]	230	529	45,7	Geluidwering in woningbouw '92	29,0	39,0	48,0	57,0	64,0	71,0		
D00699	Betonwand 240 mm enkelvoudig [2]	240	552	46,6	Geluidwering in woningbouw '92	30,0	40,0	49,0	57,0	65,0	72,0		
D00700	Betonwand 260 mm enkelvoudig [2]	260	598	47,6	Geluidwering in woningbouw '92	31,0	41,0	50,0	58,0	66,0	73,0		
D00701	Kz-steenwand 200 mm enkelvoudig [2]	200	350	42,8	Geluidwering in woningbouw '92	27,0	37,0	40,0	50,0	58,0	65,0		
D00702	Kz-steenwand 214 mm enkelvoudig [2]	214	375	43,0	Geluidwering in woningbouw '92	27,0	37,0	41,0	51,0	59,0	66,0		
D00703	Kz-steenwand 240 mm enkelvoudig [2]	240	420	44,2	Geluidwering in woningbouw '92	28,0	38,0	43,0	53,0	61,0	68,0		
D00704	Kz-steenwand 260 mm enkelvoudig [2]	260	455	44,5	Geluidwering in woningbouw '92	28,0	38,0	45,0	54,0	62,0	69,0		
D00705	Kz-steenwand 265 mm enkelvoudig [2]	265	470	44,5	Geluidwering in woningbouw '92	28,0	38,0	45,0	54,0	62,0	69,0		
D00706	Kz-steenwand 300 mm enkelvoudig [2]	300	525	45,6	Geluidwering in woningbouw '92	29,0	39,0	48,0	56,0	64,0	71,0		
D00707	Kz-steenwand 327 mm enkelvoudig [2]	327	572	46,7	Geluidwering in woningbouw '92	30,0	40,0	49,0	58,0	65,0	72,0		
D00708	Kz 100-30-100 ontk. spouwmuur [2]	230	351	53,0	Geluidwering in woningbouw '92	38,0	50,0	48,0	56,0	81,0	98,0		
D00709	Kz 100-30-100 rand spouwmuur [2]	230	351	49,5	Geluidwering in woningbouw '92	35,0	46,0	45,0	51,0	61,0	70,0		
D00710	Kz 120-50-120 ontk. spouwmuur [2]	290	420	57,9	Geluidwering in woningbouw '92	42,0	52,0	55,0	65,0	89,0	99,9		
D00711	Kz 120-50-120 rand spouwmuur [2]	290	420	50,3	Geluidwering in woningbouw '92	35,0	45,0	47,0	54,0	63,0	71,0		
D00712	Kz 100-50-100 iso/ontk spouwmuur [2]	250	351	59,0	Geluidwering in woningbouw '92	44,0	56,0	54,0	62,0	87,0	99,0		
D00713	Kz 100-50-100 iso/20a spouwmuur [2]	250	351	55,5	Geluidwering in woningbouw '92	40,0	50,0	52,0	60,0	79,0	93,0		
D00714	Kz 100-50-100 iso/40a spouwmuur [2]	250	351	55,5	Geluidwering in woningbouw '92	40,0	50,0	52,0	60,0	79,0	93,0		
D00715	Beton 80-30-80 ontk. spouwmuur [2]	190	368	50,9	Geluidwering in woningbouw '92	36,0	46,0	46,0	55,0	80,0	98,0		
D00716	Beton 80-30-80 rand spouwmuur [2]	190	368	48,6	Geluidwering in woningbouw '92	34,0	44,0	44,0	51,0	61,0	69,0		
D00717	Wand 2x2gips/wol 100 mm/hout [1]	0	17	54,6	Geluidwering in woningbouw '92	38,0	48,0	58,0	66,0	66,0	68,0		
D00718	Wand 2x1gips/wol 200 mm/hout [1]	0	17	49,3	Geluidwering in woningbouw '92	32,5	43,0	52,0	64,0	80,0	84,0		
D00719	Wand 2x1gips/wol 250 mm/hout [1]	0	17	48,2	Geluidwering in woningbouw '92	31,0	43,0	53,0	67,0	79,0	85,0		
D00720	Wand 2x1gips/wol 300 mm/hout [1]	0	17	52,8	Geluidwering in woningbouw '92	35,5	48,0	60,0	73,0	82,0	86,0		
D00721	Betonvloer 150 mm [2]	150	402	46,2	Geluidwering in woningbouw '92	31,0	41,0	42,0	52,0	60,0	67,0		
D00722	Betonvloer 180 mm [2]	180	471	47,2	Geluidwering in woningbouw '92	31,0	41,0	46,0	55,0	63,0	70,0		
D00723	Betonvloer 200 mm [2]	200	517	48,2	Geluidwering in woningbouw '92	32,0	42,0	47,0	56,0	64,0	71,0		
D00724	Betonvloer 220 mm [2]	220	563	48,5	Geluidwering in woningbouw '92	32,0	42,0	49,0	58,0	65,0	72,0		
D00725	Betonvloer 280 mm [2]	280	701	51,5	Geluidwering in woningbouw '92	35,0	45,0	53,0	61,0	68,0	75,0		
D00726	Betonvloer 300 mm [2]	300	747	52,5	Geluidwering in woningbouw '92	36,0	46,0	54,0	62,0	69,0	76,0		
D00727	Lichte wand beton 70 mm [2]	70	161	35,7	Geluidwering in woningbouw '92	22,0	35,0	32,0	34,0	44,0	53,0		
D00728	Lichte wand beton 100 mm [2]	100	230	38,7	Geluidwering in woningbouw '92	24,0	35,0	34,0	41,0	51,0	59,0		
D00729	Lichte wand beton 120 mm [2]	120	276	40,8	Geluidwering in woningbouw '92	26,0	36,0	36,0	45,0	54,0	62,0		
D00730	Lichte wand beton 140 mm [2]	140	322	41,6	Geluidwering in woningbouw '92	26,0	36,0	38,0	48,0	56,0	64,0		
D00731	Lichte wand kz 70 mm [1]	70	123	37,0	Geluidwering in woningbouw '92	36,0	35,0	34,0	33,0	40,0	50,0		
D00732	Lichte wand kz 100 mm [2]	100	175	37,6	Geluidwering in woningbouw '92	24,0	35,0	34,0	36,0	47,0	55,0		
D00733	Lichte wand kz 120 mm [2]	120	210	38,5	Geluidwering in woningbouw '92	24,0	35,0	34,0	40,0	50,0	58,0		
D00734	Gasbetonwand 70 mm [1]	70	56	29,9	Geluidwering in woningbouw '92	25,0	29,0	33,0	31,0	28,0	35,0		
D00735	Gasbetonwand 100 mm [1]	100	80	32,2	Geluidwering in woningbouw '92	30,0	32,0	34,0	29,0	32,0	41,0		
D00736	Gasbetonwand 140 mm [1]	140	112	34,3	Geluidwering in woningbouw '92	34,0	33,0	32,0	30,0	37,0	46,0		
D00737	Gasbetonwand 160 mm [1]	160	128	35,5	Geluidwering in woningbouw '92	35,0	34,0	31,0	32,0	39,0	47,0		
D00738	Gasbetonwand 200 mm [2]	200	160	35,8	Geluidwering in woningbouw '92	22,0	34,0	32,0	35,0	43,0	51,0		
D00739	Gipsblokwand 70 mm [1]	70	67	30,1	Geluidwering in woningbouw '92	29,0	29,0	29,0	26,0	32,0	41,0		
D00740	Gipsblokwand 100 mm [1]	100	96	32,7	Geluidwering in woningbouw '92	30,5	30,0	28,0	29,0	38,0	47,0		
D00741	Gipsblokwand 140 mm [1]	140	134	35,6	Geluidwering in woningbouw '92	27,5	30,0	29,0	35,0	44,0	52,0		
D00742	Wand 2x1/sp.50 mm/hout 600 mm hoh...	0	17	23,2	Geluidwering in woningbouw '92	8,0	15,0	22,0	29,0	35,0	40,0		
D00743	Wand 2x1/wol50 mm/hout 600 mm hoh...	0	17	26,9	Geluidwering in woningbouw '92	10,5	20,0	27,0	39,0	47,0	51,0		
D00744	Wand 2x1/sp.50 mm/hout 300 mm hoh ...	0	17	26,6	Geluidwering in woningbouw '92	14,0	19,0	22,0	29,0	35,0	40,0		
D00745	Wand 2x1/wol50 mm/hout 300 mm [1]	0	17	28,5	Geluidwering in woningbouw '92	13,0	21,0	26,0	37,0	44,0	48,0		
D00746	Wand 2x1/sp.50 mm/m.s. 600 mm hoh ...	0	17	23,2	Geluidwering in woningbouw '92	8,0	15,0	22,0	29,0	35,0	40,0		
D00747	Wand 2x1/wol50 mm/m.s. 600 mm hoh ...	0	17	25,6	Geluidwering in woningbouw '92	9,0	19,0	27,0	39,0	47,0	54,0		
D00748	Wand 2x2/wol50 mm/m.s. 600 mm hoh ...	0	17	31,2	Geluidwering in woningbouw '92	14,0	26,0	38,0	48,0	56,0	66,0		
D00749	Wand 2x2/sp.100 mm/m.s.600 mm hoh...	0	17	33,2	Geluidwering in woningbouw '92	16,0	28,0	39,0	52,0	64,0	77,0		

Elementen

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Leverancier</i>	<i>Telefoon</i>
D00761	Vloer 340 mm b=1200 mm Cassettevlo...	340	150	34,0	Geluidwering in woningbouw '92	21,0	32,0	31,0	33,0	38,0	48,0		
D00762	Vloer 350 mm b=1200 mm Cassettevlo...	350	200	36,2	Geluidwering in woningbouw '92	23,0	33,0	33,0	35,0	42,0	52,0		
D00763	Vloer 380 mm b=1200 mm Cassettevlo...	380	260	38,3	Geluidwering in woningbouw '92	23,0	33,0	36,0	40,0	50,0	58,0		
D00764	Combinatievloer 200 mm [2]	200	180	35,9	Geluidwering in woningbouw '92	23,0	33,0	33,0	34,0	42,0	51,0		
D00765	Gasbetonvloer 200 mm [2]	200	230	38,9	Geluidwering in woningbouw '92	24,0	34,0	35,0	43,0	47,0	55,0		
D00766	Lichtbeton vloer 200 mm [2]	200	290	41,2	Geluidwering in woningbouw '92	26,0	36,0	37,0	47,0	52,0	60,0		
D00767	Honingraat/2x hardboard sandwich	83	11	9,1	Geluidwering in woningbouw '92	0,0	1,0	8,0	9,0	11,0	19,0		
D00768	Honingraat/2x triplex sandwich [1]	87	10	10,5	Geluidwering in woningbouw '92	2,5	5,0	6,0	10,0	13,0	22,0		
D00770	Honingraat/2x gipskarton sandwich [1]	85	29	22,8	Geluidwering in woningbouw '92	9,5	15,0	20,0	26,0	29,0	30,0		
D00771	Honingraat/2xtriplex+hwc sandwich [1]	64	33	30,2	Geluidwering in woningbouw '92	16,0	22,0	27,0	34,0	41,0	47,0		
D00773	PS schuim/2x staal sandwich [1]	62	22	10,7	Geluidwering in woningbouw '92	-7,0	10,0	27,0	25,0	30,0	35,0		
D00774	PS schuim/2x gipskarton sandwich [1]	79	26	21,8	Geluidwering in woningbouw '92	12,0	17,0	22,0	20,0	25,0	24,0		
D00775	PS schuim/2x hardboard sandwich [1]	68	13	19,7	Geluidwering in woningbouw '92	10,0	15,0	20,0	24,0	26,0	17,0		
D00776	PUR schuim/2x gipskarton sandwich [1]	49	21	24,2	Geluidwering in woningbouw '92	12,0	17,0	22,0	23,0	30,0	41,0		
D00777	PUR schuim/2x aluminium sandwich [1]	32	6	16,8	Geluidwering in woningbouw '92	4,0	10,0	16,0	18,0	20,0	24,0		
D00779	Steenwol/2x staal sandwich [1]	64	16	26,4	Geluidwering in woningbouw '92	9,0	22,0	35,0	40,0	48,0	54,0		
D00780	Buitendeur 38 mm [1]	38	27	29,6	Geluidwering in woningbouw '92	19,0	24,0	29,0	30,0	31,0	34,0		
D00781	Buitendeur 38.4-6-4.klein glasopp. [1]	38	27	30,4	Geluidwering in woningbouw '92	23,0	25,0	27,0	28,0	34,0	38,0		
D00782	Buitendeur 38.4-6-4.groot glasopp. [1]	38	25	28,3	Geluidwering in woningbouw '92	23,5	24,0	24,0	25,0	34,0	37,0		
D00783	Buitendeur 38.4-12-8.klein glasopp. [1]	38	30	29,9	Geluidwering in woningbouw '92	16,0	23,0	30,0	31,0	35,0	37,0		
D00784	Buitendeur 38.4-12-8.groot glasopp. [1]	38	31	31,9	Geluidwering in woningbouw '92	21,0	25,0	28,0	33,0	36,0	39,0		
D00785	Buitendeur 54 mm [1]	54	40	32,4	Geluidwering in woningbouw '92	23,0	27,0	31,0	31,0	34,0	40,0		
D00786	Buitendeur 54.4-6-4.klein glasopp. [1]	54	35	29,8	Geluidwering in woningbouw '92	24,0	25,0	26,0	27,0	34,0	38,0		
D00787	Buitendeur 54.4-6-4.groot glasopp. [1]	54	31	28,5	Geluidwering in woningbouw '92	25,0	25,0	24,0	25,0	34,0	37,0		
D00788	Buitendeur 54.4-12-8.klein glasopp. [1]	54	43	33,8	Geluidwering in woningbouw '92	23,0	27,0	31,0	35,0	37,0	38,0		
D00789	Buitendeur 54.4-12-8.groot glasopp. [1]	54	42	33,8	Geluidwering in woningbouw '92	22,0	27,0	32,0	35,0	39,0	36,0		
D00790	Betonsteenwand 190 mm [2]	413	190	42,6	MPA NRW feb'92 rap. A 20649091	27,0	37,0	40,1	47,0	55,9	63,4		
D00791	Betonsteenwand 100 mm [1]	220	100	41,2	PeutzAssociates '83 rap. A 202	29,2	33,9	38,6	42,9	46,3	45,0	MBI	0413-349400
D00792	Fermacell 1S15 geen kit [1]	0	17	31,4	PeutzAssociates '89 rap.A 331-1	16,9	24,0	30,3	38,2	43,0	33,7		
D00793	Fermacell 1S15 1x kit [1]	0	17	32,6	PeutzAssociates '89 rap.A 331-1	16,5	25,1	33,0	42,3	51,4	49,1		
D00794	Fermacell 1S11 geen kit [1]	0	17	37,4	PeutzAssociates '89 rap.A 331-1	24,3	31,6	37,2	46,2	49,9	35,6		
D00795	Fermacell 1S11 1x kit [1]	0	17	40,1	PeutzAssociates '89 rap.A 331-1	24,8	32,3	37,7	47,4	58,1	55,3		
D00796	Fermacell 1S11 2x kit [1]	0	17	41,3	PeutzAssociates '89 rap.A 331-1	26,4	33,5	37,8	47,7	60,6	62,7		
D00797	Fermacell 1S115 1x kit [1]	0	17	36,1	PeutzAssociates '89 rap.A 331-1	19,7	29,7	35,7	49,8	58,0	56,1		
D00798	Fermacell 1S11 100 1xkit [1]	0	17	35,2	PeutzAssociates '89 rap.A 331-1	18,5	28,8	39,1	49,4	49,8	48,5		
D00799	Fermacell 1S11 100 2xkit [1]	0	17	36,6	PeutzAssociates '89 rap.A 331-1	20,0	29,7	38,1	49,1	59,0	59,6		
D00800	Fermacell 1S/H32 2xkit [1]	0	17	37,1	PeutzAssociates '89 rap.A 331-1	19,6	33,7	47,8	57,9	64,0	64,8		
D00995	Houten vloer planken [1]	0	0	19,3	KUL '89 rap.89/14/2	15,8	16,6	13,8	18,2	22,0	24,6		
D00996	Houten vloer multiplex [1]	0	0	27,5	KUL '89 rap.89/14/2	21,1	23,5	24,6	28,4	27,8	31,1		
D00997	Houten vl. planken+tapijt [1]	0	0	20,6	KUL '89 rap.89/14/2	16,4	17,7	16,3	20,4	21,3	26,9		
D00998	Houten vl. multipl+tapijt [1]	0	0	26,0	KUL '89 rap.89/14/2	20,8	22,9	25,0	27,0	24,8	31,9		
D00999	Houten vl+rockwool+parket [1]	0	0	28,4	KUL '89 rap.89/14/2	12,4	20,9	28,2	38,0	44,9	55,8		
D01000	Vloer+rockw.+parket+tapijt [1]	0	0	29,5	KUL '89 rap.89/14/2	13,7	21,6	29,0	37,4	43,5	53,8		
D01105	Deur D1: 38 mm [1]	38	18	24,8	Geluidwering Gevels Herzien '89	16,0	20,0	24,0	26,0	26,0	26,0		
D01106	Deur D2: 38 mm massief [1]	38	27	29,1	Geluidwering Gevels Herzien '89	20,0	24,0	28,0	29,0	30,0	34,0		
D01107	Deur D4: 65 mm zwaar [1]	65	33	37,1	Geluidwering Gevels Herzien '89	22,0	29,0	36,0	42,0	48,0	50,0		
D01132	Spaanplaat/rwol 80/Phonisol [1]	122	0	38,8	PeutzAssociates '87 rap.AA 259	23,1	30,9	38,1	46,6	55,6	63,2		
D01133	Spaanplaat/rwol 80/dikell [1]	122	0	37,9	PeutzAssociates '87 rap.AA 259	21,8	30,3	37,8	47,3	55,8	63,8		
D01134	Spaanplaat/rwol 50/dikell [1]	92	0	31,3	PeutzAssociates '87 rap.AA 259	14,0	26,4	38,8	46,9	55,8	61,4		
D01135	Spaanplaat/foam 50/dikell [1]	92	0	33,5	PeutzAssociates '87 rap.AA 259	16,5	27,4	38,3	46,3	55,5	62,8		
D01136	Spaanplaat/rwol 50/dikell 10 [1]	102	0	36,7	PeutzAssociates '87 rap.AA 259	23,0	30,8	37,7	46,5	56,2	63,5		
D01248	Tectomat dakelement 170 mm min.wol ...	0	0	30,8	LBP'92 rapport 61.160	14,1	24,4	34,7	42,1	42,7	46,3	Tectomat BV	0314-381447
D01249	Tectomat dakelement 120 mm min.wol ...	0	0	30,4	LBP'92 rapport 61.160	13,8	23,7	33,6	40,2	43,9	46,0	Tectomat BV	0314-381447
D01250	Tectomat dakelement 100 mm min.wol ...	0	0	24,9	LBP'92 rapport 61.160	7,6	20,2	32,8	39,5	43,9	45,1	Tectomat BV	0314-381447
D01414	Dak: staal 106 [1]	106	9	16,6	PeutzAssociates'91 rap. A 330-2	11,7	13,2	9,3	16,2	24,7	23,4		
D01415	Dak: bitumen/iso60/staal106 [1]	170	24	28,7	PeutzAssociates'91 rap. A 330-2	14,1	20,6	26,5	33,7	37,0	44,4		
D01416	Dak: pvc/iso60/staal106P3 perforatie [1]	170	21	20,9	PeutzAssociates'91 rap. A 330-2	7,5	13,2	15,9	24,6	37,6	45,8		
D01417	Dak: staal 106P4 perforatie [1]	106	9	4,9	PeutzAssociates'91 rap. A 330-2	5,5	5,0	3,8	4,1	4,9	6,4		
D01418	Dak: pvc/iso60/staal106P4 perforatie [1]	170	21	21,7	PeutzAssociates'91 rap. A 330-2	8,3	14,0	16,7	25,4	37,5	45,6		
D01419	Dak: bit/iso60/staal106P4 perforatie [1]	170	24	28,2	PeutzAssociates'91 rap. A 330-2	18,2	22,0	25,8	29,6	29,1	37,9		
D01420	Dak Isobouw S-PLS 3/3 (sandwich) [1]	105	0	22,5	KOMO attest'94 nu mmer 20288/94	15,5	18,0	16,0	23,0	26,0	48,0	Isobouw Systems BV	0493-498111
D01421	Dak Isobouw S-PLS 8/8 (sandwich) [1]	113	0	26,3	KOMO attest'94 nu mmer 20288/94	14,5	19,0	21,0	28,0	34,0	50,0	Isobouw Systems BV	0493-498111
D01422	Dak Isobouw S-PLS 8/12 (sandwich) [1]	117	0	28,1	KOMO attest'94 nu mmer 20288/94	16,0	20,0	24,0	28,0	39,0	50,0	Isobouw Systems BV	0493-498111
D01526	Sasmox SS6 12 mm/geenwol spaanpla...	0	17	19,7	VTT'86 (Finland) rap.LV/67488	2,3	15,4	28,2	41,7	53,4	48,6	CemPlaat B.V.	
D01527	Sasmox SS7 10 mm/geenwol spaanpla...	0	17	20,9	VTT'86 (Finland) rap.LV/6199	3,7	15,6	26,6	39,5	51,2	58,9	CemPlaat B.V.	
D01528	Sasmox SS7 12 mm/geenwol spaanpla...	0	17	16,1	VTT'86 (Finland) rap.LV/6748	-1,7	15,7	33,1	44,4	54,6	46,5	CemPlaat B.V.	
D01529	Sasmox SS8 12 mm/geenwol spaanpla...	0	17	28,5	VTT'86 (Finland) rap.LV/619	11,8	22,1	30,0	42,8	54,5	60,9	CemPlaat B.V.	
D01530	Sasmox SS11 2x10 mm/geenwol spaan...	0	17	32,3	VTT'86 (Finland) rap.LV/619	15,5	25,8	34,5	46,5	57,6	65,6	CemPlaat B.V.	
D01531	Sasmox SS11 2x12 mm/geenwol spaan...	0	17	32,7	VTT'86 (Finland) rap.LV/6748	15,2	28,7	42,2	52,3	64,0	56,6	CemPlaat B.V.	
D01532	Sasmox SS14 10 mm/wol spaanplaat [1]	0	17	16,6	VTT'86 (Finland) rap.LV/619	-1,3	18,7	38,7	51,2	60,9	64,9	CemPlaat B.V.	
D01533	Sasmox SS14 15 mm/wol spaanplaat [1]	0	17	26,9	VTT'87 (Finland) rap.LV/7226	9,0	28,1	47,2	59,7	67,9	50,5	CemPlaat B.V.	
D01534	Sasmox SS15 10 mm/wol spaanplaat [1]	0	17	24,8	VTT'86 (Finland) rap.LV/6170	7,1	23,0	38,9	47,8	61,2	66,6	CemPlaat B.V.	
D01535	Sasmox SS15 12 mm/wol spaanplaat [1]	0	17	30,8	VTT'86 (Finland) rap.LV/619	13,5	25,8	38,1	49,2	61,3	65,3	CemPlaat B.V.	
D01536	Sasmox SS17 2x10 mm/wol spaanplaa...	0	17	36,5	VTT'86 (Finland) rap.LV/6170	18,7	35,4	52,1	62,0	67,5	70,6	CemPlaat B.V.	
D01537	Sasmox SS17 12 mm/wol spaanplaat [1]	0	17	28,0	VTT'86 (Finland) rap.LV/6748	10,2	27,9	45,6	56,7	64,6	59,1	CemPlaat B.V.	
D01538	Sasmox SS19 2x10 mm/wol spaanplaa...	0	17	32,6	VTT'86 (Finland) rap.LV/619	15,1	28,6	41,0	55,6	63,2	68,9	CemPlaat B.V.	
D01539	Sasmox SS19 2x12 mm/wol spaanplaa...	0	17	38,8	VTT'86 (Finland) rap.LV/6748	21,3	34,8	48,3	59,6	68,4	60,1	CemPlaat B.V.	
D01540	Sasmox SW7 10 mm/geenwol spaanpl...	0	17	22,9	VTT'86 (Finland) rap.LV/6168	5,7	17,8	29,9	36,0	44,4	50,2	CemPlaat B.V.	
D01541	Sasmox SW8 12 mm/geenwol spaanpl...	0	17	30,2	VTT'86 (Finland) rap.LV/619	14,0	22,8	31,6	37,6	44,2	49,3	CemPlaat B.V.	
D01542	Sasmox SW13 10 mm/wol spaanplaat [1]	0	17	20,9	VTT'86 (Finland) rap.LV/6168	3,2	18,9	34,6	40,2	47,5	52,6	CemPlaat B.V.	
D01543	Sasmox SW14 12 mm/wol spaanplaat [1]	0	17	21,8	VTT'86 (Finland) rap.LV/6170	4,1	20,8	37,5	41,0	46,4	47,6	CemPlaat B.V.	
D01544	Sasmox SW15 12 mm/wol spaanplaat [1]	0	17	29,5	VTT'86 (Finland) rap.LV/619	12,4	23,7	35,0	41,9	48,5	52,3	CemPlaat B.V.	
D01545	Sasmox SW19 2x 10 mm/wol spaanpla...	0	17	35,8	VTT'86 (Finland) rap.LV/6168	19,2	29,3	39,4	43,2	50,9	59,2	CemPlaat B.V.	
D01546	Sasmox SW22 10 mm/wol spaanplaat [1]	0	17	31,8	VTT'86 (Finland) rap.LV/6168	14,0	31,1	48,2	58,2	63,2	68,2	CemPlaat B.V.	
D01547	Sasmox SW22 12 mm/wol spaanplaat [1]	0	17	36,1	VTT'86 (Finland) rap.LV/6170	18,4	34,6	50,8	61,7	65,8	69,3	CemPlaat B.V.	
D01548	Sasmox SW23 2x10 mm/wol spaanpla...	0	17	48,7	VTT'86 (Finland) rap.LV/6168	31,4	43,9	56,4	63,5	66,9	69,9	CemPlaat B.V.	
D01552	Luxalon panel 50 mm enkele naaddicht...	50	11	22,0	EMPA No.48606 - Dubendorf/ZH	14,5	17,2	19,6	22,6	24,6	22,4	Luxalon Gevelsystemen Nederland	0594-515333
D01553													

Elementen

Id	Omschrijving	Dikte [mm]	Gewicht [kg/m²]	RA [dB(A)]	Bron	63	125	250	500	1000	2000	Leverancier	Telefoon
D01743	Houten vloer+rw+ivi+gkp (Nevima)	265	50	43,5	KUL'95 rapport P.V. 3781	27,1	36,1	44,0	57,3	66,8	72,6	Nevima BV	+31 (0) 33 461 12 45
D01744	Houten vloer+is+ivi+gkp (Nevima)	265	47	47,1	KUL'95 rapport P.V. 3760	31,7	37,8	47,9	56,8	66,9	74,4	Nevima BV	+31 (0) 33 461 12 45
D01745	Houten vloer+ic+ivi+gkp (Nevima)	265	55	45,6	KUL'95 rapport P.V. 3759	29,3	37,6	47,5	63,1	71,6	74,7	Nevima BV	+31 (0) 33 461 12 45
D01746	BP1: Enkelvoudig paneel [1]	0	10	22,9	Geluidwering Gevels Herzien '89	10,0	15,0	20,0	25,0	30,0	30,0		
D01747	BP2a: Sandw.wol150+pl.mat;d= 50-85 ...	50	20	22,9	Geluidwering Gevels Herzien '89	24,0	23,0	22,0	17,0	33,0	43,0		
D01748	BP2b: Sandw.wol100+pl.mat;d= 50-85 ...	50	20	22,9	Geluidwering Gevels Herzien '89	15,0	20,0	14,0	30,0	41,0	50,0		
D01749	BP2c: Sandw.PS+pl.mat;d= 50-65 mm [1]	50	20	25,9	Geluidwering Gevels Herzien '89	18,0	22,0	26,0	30,0	24,0	37,0		
D01750	BP2d: Sandw.PUR+pl.mat;d= 45-75 m...	45	20	27,2	Geluidwering Gevels Herzien '89	18,0	22,0	26,0	30,0	31,0	26,0		
D01751	BP2e: Sandw.kurk+pl.mat;d= 65-75 m...	65	20	27,3	Geluidwering Gevels Herzien '89	18,0	22,0	26,0	29,0	27,0	35,0		
D01752	BP2f: Sandw.schuimgl+pl.mat;d=45-85 ...	45	20	27,1	Geluidwering Gevels Herzien '89	16,0	20,0	24,0	27,0	31,0	36,0		
D01753	BP3a: Lichte spwconstr.+wol 70-90 m...	70	20	21,7	Geluidwering Gevels Herzien '89	5,0	15,0	25,0	35,0	41,0	44,0		
D01754	BP3b: Spouwconstr.+wol 110-160 mm ...	110	30	25,3	Geluidwering Gevels Herzien '89	9,0	18,0	27,0	35,0	41,0	44,0		
D01755	BP3c: Spouwconstr.+wol 160-180 mm ...	160	40	28,2	Geluidwering Gevels Herzien '89	12,0	21,0	30,0	37,0	41,0	44,0		
D01756	BP4: Spwconstr.zware bepl. 170-210 ...	170	55	31,6	Geluidwering Gevels Herzien '89	15,0	25,0	35,0	40,0	45,0	50,0		
D01757	BP5: Spwconstr.wol verend 170-200 m...	170	55	33,0	Geluidwering Gevels Herzien '89	16,0	27,0	38,0	45,0	50,0	50,0		
D01758	Merford deur MN 41 geluidisolerend	75	25	31,0	TNO'96 rapport HAG-RPT-960124	15,4	21,8	36,4	44,1	40,6	41,8	Merford Bouw- en Verwarmingskompo...	0183-643804
D01759	Merford deur MN 47 geluidisolerend	75	35	32,9	TNO'96 rapport HAG-RPT-960125	16,7	24,6	38,2	44,2	47,7	50,9	Merford Bouw- en Verwarmingskompo...	0183-643804
D01760	Merford deur MN 53 geluidisolerend	75	45	35,3	TNO'96 rapport HAG-RPT-960126	17,7	34,2	42,3	51,0	54,9	56,0	Merford Bouw- en Verwarmingskompo...	0183-643804
D01788	Kozijn K1 kunststof/aluminium K031 [1]	50	0	29,1	publicatie GGG'97 (onbekend)	16,5	22,0	25,0	33,0	35,0	35,0		
D01789	Kozijn hout (minimum) K032 [1]	0	0	31,3	TPD/TNO'85 rapportnr. 507.034	23,0	26,0	29,0	29,0	34,0	40,0		
D01790	Kozijn Wavira dubbele kierd. K033 [1]	0	0	32,6	publicatie GGG'97 (raming)	24,5	28,0	28,0	35,0	34,0	37,0		
D01791	K2: houten of dubbelwandig kunststof k...	50	0	32,5	Geluidwering Gevels Herzien '89	22,0	26,0	28,0	34,0	36,0	40,0		
D01792	K3: dikke kozijnen en ramen van divers...	80	0	36,3	Geluidwering Gevels Herzien '89	28,0	31,0	34,0	34,0	39,0	44,0		
D01793	Kozijn hout (gemiddeld) K037A [1]	0	0	36,3	TPD/TNO'85 rapportnr. 507.034	28,0	31,0	34,0	34,0	39,0	44,0		
D01956	Rockwool MS 50 gipskarton 8.7 kg/m2 ...	0	17	26,1	PeutzAssociées'99 rap. A 869-1	11,0	18,2	23,6	32,6	43,1	38,8	Rockwool	475-353035
D01967	Nevima wand standaard	100	175	33,7	KUL'95 rapport P.V. 3762	18,1	28,6	30,8	38,1	46,6	53,7	Nevima BV	+31 (0) 33 461 12 45
D01968	Nevima wand+40 mm IVL-regel+spouw ...	165	222	44,3	KUL'95 rapport P.V. 3787	27,0	39,8	50,1	65,1	75,2	83,3	Nevima BV	+31 (0) 33 461 12 45
D01969	Nevima wand+60 mm IVL-regel+spouw ...	185	223	43,6	KUL'95 rapport P.V. 3786	25,9	42,4	50,1	63,5	71,8	82,5	Nevima BV	+31 (0) 33 461 12 45
D01970	Nevima wand+80 mm IVL-regel+spouw ...	205	224	41,9	KUL'95 rapport P.V. 3785	24,0	46,5	53,8	66,6	70,9	81,3	Nevima BV	+31 (0) 33 461 12 45
D01971	Nevima wand+50 mm IVL-metaalregel+...	205	223	42,6	KUL'95 rapport P.V. 3766	24,7	47,8	55,2	70,0	80,2	92,9	Nevima BV	+31 (0) 33 461 12 45
D01972	Nevima wand+50 mm IVL-metaalregel+...	205	224	45,1	KUL'95 rapport P.V. 3780	27,3	47,1	54,4	68,7	80,4	92,6	Nevima BV	+31 (0) 33 461 12 45
D01973	Nevima wand+50 mm IVL-metaalregel+...	205	226	43,3	KUL'95 rapport P.V. 3764	25,5	45,1	53,0	68,4	81,1	93,6	Nevima BV	+31 (0) 33 461 12 45
D01974	Nevima wand+50 mm IVL-metaalregel+...	285	227	50,1	KUL'95 rapport P.V. 3784	32,4	48,1	59,2	72,5	84,7	96,2	Nevima BV	+31 (0) 33 461 12 45
D01975	Nevima houten vloer+sp+ivi+sp	298	53	32,8	KUL'95 rapport P.V. 3788	15,3	28,7	42,8	48,5	57,6	64,5	Nevima BV	+31 (0) 33 461 12 45
D01999	Isodek bouwpaneel 140 VO [1]	0	0	26,3	LBP'94 rapport 61.171.4	10,7	18,9	23,8	35,4	45,7	43,6	Isodek Dakbouw BV	020-5829900
D02000	Isodek bouwpaneel 203 VO [1]	0	0	29,5	LBP'94 rapport 61.171.4	14,1	21,4	28,7	35,5	46,0	44,0	Isodek Dakbouw BV	020-5829900
D02001	Isodek bouwpaneel 210 VO [1]	0	0	28,7	LBP'94 rapport 61.171.4	13,8	20,7	26,1	34,5	42,6	40,2	Isodek Dakbouw BV	020-5829900
D02013	Merford deur MF 51 geluidisolerend/br...	75	49	30,3	Cauberg-Huygen'99 rap 991169-1A	12,5	30,6	41,6	48,8	54,9	53,3	Merford Bouw- en Verwarmingskompo...	0183-643804
D02014	Merford deur MD 55 geluidisolerend	100	49	42,8	Cauberg-Huygen'99 rap 991169-1A	25,6	41,0	46,3	49,9	56,3	54,6	Merford Bouw- en Verwarmingskompo...	0183-643804
D02015	Merford deur MD 56 L geluidisolerend	100	68	48,7	Cauberg-Huygen'99 rap 991169-1A	34,2	43,0	47,1	50,0	56,4	55,3	Merford Bouw- en Verwarmingskompo...	0183-643804
D02097	Alcoa RT 52 met beglazing WS 34/44 ...	34	0	38,8	IFT Rosenheim'98 Nr. 161 20647/9.0.0	32,1	29,9	33,3	41,6	44,4	45,8	Alcoa	+31(0)416300300
D02098	Alcoa RT 52 met beglazing WS 28/38	28	0	31,8	IFT Rosenheim'98 Nr. 161 20647/9.1.0	29,2	23,6	24,2	36,4	42,7	41,4	Alcoa	+31(0)416300300
D02099	Alcoa RT 52 met beglazing WS-M 42/52	42	0	40,8	IFT Rosenheim'98 Nr. 161 20647/9.3.0	30,9	32,9	36,1	42,8	46,1	47,5	Alcoa	+31(0)416300300
D02101	Alcoa RT 62 met beglazing WS 28/38	28	0	31,8	IFT Rosenheim'98 Nr. 161 20647/8.2.0	28,9	23,9	24,0	36,9	42,7	41,9	Alcoa	+31(0)416300300
D02102	Alcoa RT 62 met beglazing WS 34/44 ...	34	0	38,3	IFT Rosenheim'98 Nr. 161 20647/8.3.0	31,4	29,5	32,8	41,6	43,5	45,3	Alcoa	+31(0)416300300
D02103	Alcoa RT 72 met beglazing WS-M 46/5...	34	0	42,6	IFT Rosenheim'98 Nr. 161 20647/6.0.0	31,4	35,0	41,5	43,7	45,1	48,7	Alcoa	+31(0)416300300
D02104	Alcoa RT 72 met beglazing WS 34/44 ...	28	0	38,8	IFT Rosenheim'98 Nr. 161 20647/6.1.0	31,4	29,6	34,0	42,1	43,4	45,7	Alcoa	+31(0)416300300
D02105	Alcoa RT 72 met beglazing WS 28/38	28	0	32,8	IFT Rosenheim'98 Nr. 161 20647/2.2.0	29,5	24,0	25,7	36,8	42,5	41,7	Alcoa	+31(0)416300300
D02106	Alcoa RT 72.1 met beglazing WS 28/38	28	0	33,3	IFT Rosenheim'98 Nr. 161 20647/1.1.0	30,7	24,6	26,3	36,0	42,2	42,9	Alcoa	+31(0)416300300
D02108	DHG Silenko geluidwerende panelen ...	90	0	32,8	Peutzassociées'01 rap A 1080-2	21,7	22,1	29,4	36,9	43,3	48,1	DHG Nederland BV	3146 474 28 06
D02109	DHG Silenko geluidwerende panelen A...	25	0	31,4	Peutzassociées'01 rap A 1080-2	24,3	21,7	27,1	31,9	38,0	44,5	DHG Nederland BV	3146 474 28 06
D02110	Jazo Comprophone 57/2 aluminium gel...	84	42	34,2	Peutzassociées'93 rap A 424-3	28,0	30,9	25,9	36,8	42,2	49,0	JAZO Zevenaar	0316 59 29 11
D02111	Jazo Comprophone 22/2 aluminium gel...	50	42	32,8	Peutzassociées'93 rap A 424-3	28,8	27,2	28,7	32,1	35,1	40,8	JAZO Zevenaar	0316 59 29 11
D02112	Maars wand Style Line Finesse '107' [1]	0	17	30,9	Peutzassociées'93 rap A 515-3	13,4	27,7	42,0	48,1	49,8	50,0	Maars Projecten BV	0341 465221
D02113	G+H montage geluidwerende stalen de...	56	60	29,5	Fraunhofer Instituut'91 nr. P-BA 3/1991	12,0	26,0	40,0	48,0	50,0	54,0	G+H Montage BV	073 6210810
D02256	Nevima pannendakconstructie standaard	0	0	19,2	Cauberg-Huygen Rapport 2002.1932-2	15,2	14,6	12,1	19,0	26,7	25,4	Nevima BV	+31 (0) 33 461 12 45
D02257	Nevima pannendakconstructie met IVL...	0	0	48,5	Cauberg-Huygen Rapport 2002.1932-2	37,7	39,0	42,6	54,6	64,1	66,1	Nevima BV	+31 (0) 33 461 12 45
D02263	Gyproc MS 100/1.75.1.A	100	0	29,0	TNO-rapport DGT-RPT-020027-08	14,6	17,7	35,7	47,2	57,2	51,2	BPB Nederland B.V.	0347-325100
D02270	Gyproc MS 100/2.50.2.A	100	0	35,6	TNO-rapport DGT-RPT-020027-12	19,1	27,5	40,4	52,4	60,4	56,5	BPB Nederland B.V.	0347-325100
D02272	Gyproc MS 125/2.75.2.A	125	0	33,8	TNO-rapport DGT-RPT-020027-14	16,5	28,7	42,3	51,5	60,0	57,1	BPB Nederland B.V.	0347-325100
D02276	Gyproc MS 125/3.50.3.A	0	0	39,1	TNO-rapport DGT-RPT-020027-18	21,7	35,7	44,7	57,8	61,9	59,1	BPB Nederland B.V.	0347-325100
D02287	Gyproc MS 145/2.45*45.2.A	145	0	34,4	TNO-rapport DGT-RPT-020027-23	17,1	28,5	49,5	60,8	67,5	66,3	BPB Nederland B.V.	0347-325100
D02289	Gyproc MS 155/2.50*50.2.A	155	0	34,4	TNO-rapport DGT-RPT-020027-25	17,1	29,0	49,6	60,8	67,5	66,3	BPB Nederland B.V.	0347-325100
D02291	Gyproc MS 205/2.75*75.2.AA	205	0	40,5	TNO-rapport DGT-RPT-020027-28	22,8	38,1	51,9	64,6	73,0	74,2	BPB Nederland B.V.	0347-325100
D02292	Gyproc MS 255/2.100*100.2.AA	0	0	42,9	TNO-rapport DGT-RPT-020027-30	25,6	37,3	52,1	62,7	69,1	70,1	BPB Nederland B.V.	0347-325100
D02305	Rigidur MS 70 RD/1.45.1	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02306	Rigidur MS 70 RD/1.45.1.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02307	Rigidur MS 75 RD/1.50.1	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02308	Rigidur MS 75 RD/1.50.1.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02309	Rigidur MS 100 RD/1.75.1	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02310	Rigidur MS 100 RD/1.75.1.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02311	Rigidur MS 125 RD/1.100.1.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02312	Rigidur MS 100 RD/2.50.2	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02313	Rigidur MS 100 RD/2.50.2.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02314	Rigidur MS 125 RD/2.75.2	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02315	Rigidur MS 125 RD/2.75.2.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02316	Rigidur MS 150 RD/2.100.2	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02317	Rigidur MS 150 RD/2.100.2.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02318	Rigidur MS 145 RD/2.45*45.2.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02319	Rigidur MS 145 RD/2.45*45.2.AA	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02320	Rigidur MS 155 RD/2.50*50.2.A	0	0	0,0		0,0	0,0	0,0	0,0	0,0	0,0	BPB Nederland B.V.	0347-325100
D02321	Rigidur MS 1												

Elementen

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Leverancier</i>	<i>Telefoon</i>
D02401	enkele kier- en naaddichting (bestaand...	0	0	30,0	Herziene Rekenmethode Geluidwerin...	30,0	30,0	30,0	30,0	30,0	30,0		
D02402	dubbele kier- en naaddichting (bestaan...	0	0	35,0	Herziene Rekenmethode Geluidwerin...	35,0	35,0	35,0	35,0	35,0	35,0		
D02403	speciale kier- en naaddichting (bestaa...	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02404	daken met kierend dakbeschot (bestaa...	0	0	30,0	Herziene Rekenmethode Geluidwerin...	30,0	30,0	30,0	30,0	30,0	30,0		
D02405	daken met kierdicht dakbeschot (besta...	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02406	enkele kier- en naaddichting (nieuwbo...	0	0	35,0	Herziene Rekenmethode Geluidwerin...	35,0	35,0	35,0	35,0	35,0	35,0		
D02407	dubbele kier- en naaddichting (nieuwb...	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02408	speciale kier- en naaddichting (nieuwb...	0	0	50,0	Herziene Rekenmethode Geluidwerin...	50,0	50,0	50,0	50,0	50,0	50,0		
D02409	enkelschalig dakelementen (nieuwbouw)	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02410	overige dakconstructies (nieuwbouw)	0	0	55,0	Herziene Rekenmethode Geluidwerin...	55,0	55,0	55,0	55,0	55,0	55,0		
D02411	speciale gevallen waarbij de kier- en n...	0	0	60,0	Herziene Rekenmethode Geluidwerin...	60,0	60,0	60,0	60,0	60,0	60,0		
D02412	kozijn-steen: tweezijdig gekit met afdek...	0	0	55,0	Herziene Rekenmethode Geluidwerin...	55,0	55,0	55,0	55,0	55,0	55,0		
D02413	kozijn-steen: schuimband met afdeklat	0	0	50,0	Herziene Rekenmethode Geluidwerin...	50,0	50,0	50,0	50,0	50,0	50,0		
D02414	kozijn-steen: alleen afdeklat	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02415	dakraamkast-dakbeschot: geen extra a...	0	0	25,0	Herziene Rekenmethode Geluidwerin...	25,0	25,0	25,0	25,0	25,0	25,0		
D02416	dakraamkast-dakbeschot: geen extra a...	0	0	30,0	Herziene Rekenmethode Geluidwerin...	30,0	30,0	30,0	30,0	30,0	30,0		
D02417	dakraamkast-dakbeschot: dichting met ...	0	0	35,0	Herziene Rekenmethode Geluidwerin...	35,0	35,0	35,0	35,0	35,0	35,0		
D02418	dakraamkast-dakbeschot: dichting met ...	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02419	suskast-kozijn/raam: gekit	0	0	50,0	Herziene Rekenmethode Geluidwerin...	50,0	50,0	50,0	50,0	50,0	50,0		
D02420	suskast-kozijn/raam: alleen schuimband	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02421	suskast-kozijn/raam: alleen schuimband	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02422	suskast-kozijn/raam: alleen schuimband	0	0	50,0	Herziene Rekenmethode Geluidwerin...	50,0	50,0	50,0	50,0	50,0	50,0		
D02423	ramen: niet te openen	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02424	ramen: dubbele dichting	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02425	ramen: dubbele dichting	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02426	ramen: dubbele dichting	0	0	50,0	Herziene Rekenmethode Geluidwerin...	50,0	50,0	50,0	50,0	50,0	50,0		
D02427	ramen: enkele dichting door buisprofiel...	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02428	ramen: enkele dichting door buisprofiel...	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02429	ramen: enkele dichting door buisprofiel...	0	0	25,0	Herziene Rekenmethode Geluidwerin...	25,0	25,0	25,0	25,0	25,0	25,0		
D02430	ramen: enkele dichting door lipprofiel ...	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02431	ramen: enkele dichting door lipprofiel ...	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02432	ramen: enkele dichting door lipprofiel ...	0	0	35,0	Herziene Rekenmethode Geluidwerin...	35,0	35,0	35,0	35,0	35,0	35,0		
D02433	ramen: enkele dichting door lipprofiel ...	0	0	25,0	Herziene Rekenmethode Geluidwerin...	25,0	25,0	25,0	25,0	25,0	25,0		
D02434	ramen: geen dichting, spleet 1-5 mm	0	0	20,0	Herziene Rekenmethode Geluidwerin...	20,0	20,0	20,0	20,0	20,0	20,0		
D02435	ramen: geen dichting, spleet 1-5 mm	0	0	25,0	Herziene Rekenmethode Geluidwerin...	25,0	25,0	25,0	25,0	25,0	25,0		
D02436	deuren: tochtband en geen extra dichti...	0	0	25,0	Herziene Rekenmethode Geluidwerin...	25,0	25,0	25,0	25,0	25,0	25,0		
D02437	deuren: tochtband en geen extra dichti...	0	0	30,0	Herziene Rekenmethode Geluidwerin...	30,0	30,0	30,0	30,0	30,0	30,0		
D02438	deuren: enkele aanslag rondom, divers...	0	0	35,0	Herziene Rekenmethode Geluidwerin...	35,0	35,0	35,0	35,0	35,0	35,0		
D02439	deuren: enkele aanslag rondom, divers...	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02440	deuren: dubbele aanslag rondom	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02441	dakramen: raam-op-kast, enkel profiel	0	0	30,0	Herziene Rekenmethode Geluidwerin...	30,0	30,0	30,0	30,0	30,0	30,0		
D02442	dakramen: raam-op-kast, enkel profiel	0	0	35,0	Herziene Rekenmethode Geluidwerin...	35,0	35,0	35,0	35,0	35,0	35,0		
D02443	dakramen: raam-in-kast, enkel profiel	0	0	40,0	Herziene Rekenmethode Geluidwerin...	40,0	40,0	40,0	40,0	40,0	40,0		
D02444	dakramen: raam-in-kast, enkel profiel	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02445	dakramen: drielvoudig profiel	0	0	50,0	Herziene Rekenmethode Geluidwerin...	50,0	50,0	50,0	50,0	50,0	50,0		
D02446	dakramen: drielvoudig profiel	0	0	55,0	Herziene Rekenmethode Geluidwerin...	55,0	55,0	55,0	55,0	55,0	55,0		
D02447	gesloten beglaasd, droog beglaasd, sc...	0	0	55,0	Herziene Rekenmethode Geluidwerin...	55,0	55,0	55,0	55,0	55,0	55,0		
D02448	droog beglaasd, band met/zonder topaf...	0	0	50,0	Herziene Rekenmethode Geluidwerin...	50,0	50,0	50,0	50,0	50,0	50,0		
D02449	droog beglaasd, band met/zonder topaf...	0	0	45,0	Herziene Rekenmethode Geluidwerin...	45,0	45,0	45,0	45,0	45,0	45,0		
D02450	Geen dichting [3]	0	999	19,2	Geluidwering Grote Gemeenten '97	19,0	19,0	23,0	24,0	19,0	17,0		
D02451	V-profiel, indrukking 2 mm [3]	0	999	24,2	Geluidwering Grote Gemeenten '97	24,0	24,0	28,0	29,0	24,0	22,0		
D02452	O-profiel, indrukking 3 mm [3]	0	999	29,4	Geluidwering Grote Gemeenten '97	35,0	35,0	36,0	34,0	28,0	28,0		
D02453	V-profiel, indrukking 8 mm [3]	0	999	34,4	Geluidwering Grote Gemeenten '97	39,0	39,0	41,0	40,0	33,0	33,0		
D02454	O-profiel, indrukking 3.5 mm [3]	0	999	39,5	Geluidwering Grote Gemeenten '97	41,0	41,0	44,0	44,0	38,0	39,0		
D02455	dubbele dichting, indrukking 3.5 mm [3]	0	999	44,9	Geluidwering Grote Gemeenten '97	41,0	41,0	45,0	46,0	44,0	48,0		
D02456	alleen naad [3]	0	999	44,2	Geluidwering Grote Gemeenten '97	35,0	35,0	40,0	45,0	50,0	60,0		
D02457	band+lat [3]	0	999	48,6	Geluidwering Grote Gemeenten '97	37,0	37,0	48,0	56,0	60,0	65,0		
D02458	eenzijdig gekit [3]	0	999	54,6	Geluidwering Grote Gemeenten '97	45,0	45,0	50,0	60,0	60,0	65,0		
D02459	lat, tweezijdig gekit [3]	0	999	59,6	Geluidwering Grote Gemeenten '97	50,0	50,0	55,0	65,0	65,0	70,0		
D02460	kroonband: los [3]	0	999	31,3	Geluidwering Grote Gemeenten '97	29,0	29,0	34,0	35,0	31,0	30,0		
D02461	alleen lat [3]	0	999	44,2	Geluidwering Grote Gemeenten '97	35,0	35,0	40,0	45,0	50,0	60,0		
D02462	lipprofiel bij kunststof hoek slecht (A) [3]	0	999	44,3	Geluidwering Grote Gemeenten '97	34,0	34,0	41,0	46,0	54,0	60,0		
D02463	lipprofiel bij kunststof hoek slecht (B) [3]	0	999	44,9	Geluidwering Grote Gemeenten '97	36,0	36,0	41,0	44,0	53,0	61,0		
D02464	kroonband 0 N/m [3]	0	999	44,3	Geluidwering Grote Gemeenten '97	32,0	32,0	50,0	57,0	60,0	65,0		
D02465	lipprofiel in houten raam [3]	0	999	47,9	Geluidwering Grote Gemeenten '97	38,0	38,0	45,0	59,0	51,0	55,0		
D02466	kroonband+plakband top [3]	0	999	48,0	Geluidwering Grote Gemeenten '97	36,0	36,0	50,0	59,0	60,0	60,0		
D02467	kroonband 200 N/m [3]	0	999	48,6	Geluidwering Grote Gemeenten '97	37,0	37,0	48,0	56,0	60,0	65,0		
D02468	3 mm schuimband bij neusdorpel [3]	0	999	49,1	Geluidwering Grote Gemeenten '97	45,0	45,0	44,0	52,0	50,0	53,0		
D02469	kroonband 600 N/m [3]	0	999	48,8	Geluidwering Grote Gemeenten '97	37,0	37,0	49,0	58,0	60,0	65,0		
D02470	kroonband met neusdorpel [3]	0	999	49,8	Geluidwering Grote Gemeenten '97	40,0	40,0	45,0	55,0	57,0	60,0		
D02471	3 mm schuimband+topafdichting+neus...	0	999	50,3	Geluidwering Grote Gemeenten '97	45,0	45,0	45,0	53,0	52,0	55,0		
D02472	kroonband [3]	0	999	50,2	Geluidwering Grote Gemeenten '97	40,0	40,0	47,0	54,0	56,0	62,0		
D02473	lipprofiel in kunststofraam [3]	0	999	52,6	Geluidwering Grote Gemeenten '97	43,0	43,0	50,0	52,0	60,0	65,0		
D02474	5 mm schuimband+neusdorpel [3]	0	999	52,1	Geluidwering Grote Gemeenten '97	41,0	41,0	50,0	60,0	60,0	64,0		
D02475	schuimband met thiokoltop [3]	0	999	54,4	Geluidwering Grote Gemeenten '97	45,0	45,0	50,0	57,0	60,0	65,0		
D02476	5 mm schuimband+thiokoltop+neusdor...	0	999	54,1	Geluidwering Grote Gemeenten '97	45,0	45,0	49,0	60,0	59,0	62,0		
D02477	lippprofiel in kunststofraam [3]	0	999	54,4	Geluidwering Grote Gemeenten '97	45,0	45,0	50,0	57,0	60,0	65,0		
D02478	3 mm schuimband met stoeldorpel [3]	0	999	55,0	Geluidwering Grote Gemeenten '97	45,0	45,0	53,0	57,0	60,0	65,0		
D02479	vol en zat [3]	0	999	60,0	Geluidwering Grote Gemeenten '97	50,0	50,0	58,0	62,0	65,0	70,0		
D02480	kozijn steen: alleen afdeklat [3]	0	999	45,2	NPR 5272:2003	36,0	36,0	41,0	46,0	51,0	58,0		
D02481	kozijn-steen: schuimband+afdeklat [3]	0	999	50,2	NPR 5272:2003	41,0	41,0	46,0	51,0	56,0	63,0		
D02482	kozijn-steen: tweezijdig gekit + afdeklat...	0	999	55,2	NPR 5272:2003	46,0	46,0	51,0	56,0	61,0	68,0		
D02483	dakraam-beschot: geen extra dichting [3]	0	999	24,6	NPR 5272:2003	19,0	19,0	22,0	25,0	26,0	27,0		
D02484	dakraam-beschot: band- of kitdichting [3]	0	999	34,6	NPR 5272:2003	29,0	29,0	32,0	35,0	36,0	37,0		
D02485	suskast-kozijn/raam: kit (droge beglazi...	0	999	50,0	NPR 5272:2003	46,0	46,0	49,0	52,0	53,0	48,0		
D02486	droge beglazing: band met/zonder topa...	0	999	48,5	NPR 5272:2003	38,0	38,0	45,0	52,0	58,0	60,0		
D02487	gesloten beglazing of droog + schuimb...	0	999	53,5	NPR 5272:2003	45,0	45,0	50,0	54,0	58,0	60,0		
D02488	bij ramen geen dichting: spleetbreedte ...	0	999	19,7	NPR 5272:2003	19,0	19,0	21,0	22,0	20,0	18,0		
D02489	bij ramen 'normale' kierdichting: kozijn...	0	999	29,6	NPR 5272:2003	24,0	24,0	27,0	30,0	31,0	32,0		
D02490	bij ramen 'normale' kierdichting: kozijn...	0	999	29,8	NPR 5272:2003	28,0	28,0	31,0	33,0	34,0	26,0		
D02491	lipprofiel, indrukking 2 mm - 6 mm [3]	0	999	24,7	NPR 5272:2003	24,0	24,0	28,0	30,0	25,0	22,0		
D02492	lipprofiel, indrukking > 8 mm [3]	0	999	34,4	NPR 5272:2003	39,0	39,0	41,0	40,0	33,0	33,0		
D02493	bij ramen buisprofiel, indrukking 2 mm -...	0	999	29,4	NPR 5272:2003	35,0	35,0	36,0	34,0	28,0	28,0		
D02494	bij ramen buisprofiel, indrukking > 4 m...	0	999	39,5	NPR 5272:2003	41,0	41,0						

Elementen

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Leverancier</i>	<i>Telefoon</i>
D02501	bij deuren met enkele aanslag rondom ...	0	999	35,0	NPR 5272:2003	31,0	31,0	34,0	37,0	38,0	33,0		
D02502	bij deuren met dubbele aanslag rondom...	0	999	40,0	NPR 5272:2003	36,0	36,0	39,0	42,0	43,0	38,0		
D02503	bij dakraam-op-kast met enkel profiel [3]	0	999	29,7	NPR 5272:2003	29,0	29,0	31,0	32,0	30,0	28,0		
D02504	bij dakraam-in-kast met enkel profiel [3]	0	999	40,0	NPR 5272:2003	36,0	36,0	39,0	42,0	43,0	38,0		
D02505	bij dakraam met drievoudig profiel [3]	0	999	50,0	NPR 5272:2003	46,0	46,0	49,0	52,0	53,0	48,0		
D02577	Phonotech DK-45 constructie 4110 [1]	62	19	20,2	Phonotech sept 2006	2,4	20,0	37,6	53,6	58,8	56,7	phonotech	+32(0)87333034
D02578	Phonotech DK-45 constructie 4120 [1]	74	36	30,5	Phonotech sept 2006	13,2	25,5	37,6	50,1	55,8	56,7	Phonotech	+32(0)87333034
D02579	Phonotech DK-45 constructie 4125 [1]	78	42	34,2	Phonotech sept 2006	17,2	29,0	40,6	52,6	57,8	41,7	Phonotech	+32(0)87333034
D02580	Phonotech DK-65 constructie 4210 [1]	82	20	18,8	Phonotech sept 2006	0,9	21,2	41,5	54,7	58,3	56,6	Phonotech	+32(0)87333034
D02581	Phonotech DK-65 constructie 4220 [2]	94	376	33,6	Phonotech sept 2006	16,7	26,7	41,5	51,2	55,3	56,6	Phonotech	+32(0)87333034
D02582	Phonotech DK-65 constructie 4225 [1]	98	43	33,5	Phonotech sept 2006	15,9	30,2	44,5	53,7	57,3	58,6	Phonotech	+32(0)87333034
D02583	Phonotech DK-85 constructie 4310 [1]	102	22	23,9	Phonotech sept 2006	6,1	23,8	41,5	54,7	58,3	56,6	Phonotech	+32(0)87333034
D02584	Phonotech DK-85 constructie 4320 [1]	114	39	34,4	Phonotech sept 2006	17,1	29,3	41,5	51,2	55,3	56,6	Phonotech	+32(0)87333034
D02585	Phonotech DK-85 constructie 4325 [1]	118	45	38,3	Phonotech sept 2006	21,1	32,8	44,5	53,7	57,3	58,6	Phonotech	+32(0)87333034
D02586	Phonotech DK-45 constructie 4130 [1]	62	19	28,5	Phonotech sept 2006	10,9	25,0	39,1	52,6	59,3	56,5	Phonotech	+32(0)87333034
D02587	Phonotech DK-45 constructie 4140 [1]	74	36	36,1	Phonotech sept 2006	18,9	30,5	42,1	51,6	58,3	58,5	Phonotech	+32(0)87333034
D02588	Phonotech DK-45 constructie 4145 [1]	78	42	39,9	Phonotech sept 2006	22,9	34,0	45,1	54,1	60,3	60,5	Phonotech	+32(0)87333034
D02589	Phonotech DK-65 constructie 4230 [1]	82	20	30,5	Phonotech sept 2006	13,1	26,2	39,3	52,2	59,0	54,6	Phonotech	+32(0)87333034
D02590	Phonotech DK-65 constructie 4240 [1]	94	38	38,0	Phonotech sept 2006	21,1	31,7	42,3	51,2	58,0	56,6	Phonotech	+32(0)87333034
D02591	Phonotech DK-65 constructie 4245 [1]	98	43	41,8	Phonotech sept 2006	25,1	35,2	45,3	53,7	60,0	58,6	Phonotech	+32(0)87333034
D02592	Phonotech DK-85 constructie 4330 [1]	102	22	32,2	Phonotech sept 2006	14,6	28,8	43,0	53,7	58,8	56,4	Phonotech	+32(0)87333034
D02593	Phonotech DK-85 constructie 4340 [1]	114	39	39,7	Phonotech sept 2006	22,6	34,3	46,0	52,7	57,8	58,4	Phonotech	+32(0)87333034
D02594	Phonotech DK-85 constructie 4345 [1]	118	45	43,6	Phonotech sept 2006	26,6	37,8	49,0	55,2	59,8	60,4	Phonotech	+32(0)87333034
D02595	Phonotech DK-45 constructie 4650 [1]	62	19	51,2	Phonotech sept 2006	34,7	44,7	51,0	64,7	78,8	80,9	Phonotech	+32(0)87333034
D02596	Phonotech DK-65 constructie 4750 [1]	82	20	52,7	Phonotech sept 2006	35,7	47,7	54,5	71,7	83,0	79,4	Phonotech	+32(0)87333034
D02597	Phonotech DK-85 constructie 4850 [1]	102	22	56,3	Phonotech sept 2006	39,7	49,7	57,0	69,7	82,0	82,9	Phonotech	+32(0)87333034
D02770	Alara-Lukagro AL-D 45 (draaideur)	0	0	35,5	Rapport Peutz A-1659-2-RA en Caube...	19,0	32,0	41,0	40,0	42,0	49,0	Alara Lukagro	018 466 1700
D02771	Alara-Lukagro AL-D 50 (draaideur)	0	0	28,9	Rapport Peutz A-1659-2-RA en Caube...	11,0	36,0	43,0	47,0	51,0	51,0	Alara Lukagro	018 466 1700
D02772	Alara-Lukagro AL-D 52 (draaideur)	0	0	34,8	Rapport Peutz A-1659-2-RA en Caube...	17,0	36,0	46,0	49,0	52,0	54,0	Alara Lukagro	018 466 1700
D02773	Alara-Lukagro AL-D 54 (draaideur)	0	0	38,7	Rapport Peutz A-1659-2-RA en Caube...	21,0	41,0	48,0	52,0	55,0	55,0	Alara Lukagro	018 466 1700
D02774	Alara-Lukagro AL-D 56 (draaideur)	0	0	45,9	Rapport Peutz A-1659-2-RA en Caube...	29,0	43,0	49,0	52,0	56,0	59,0	Alara Lukagro	018 466 1700
D02775	Alara-Lukagro AL-D/D47-B (brandwere...	0	0	34,5	Rapport University of Salford AT/95/5...	23,0	22,0	38,0	48,0	51,0	48,0	Alara Lukagro	018 466 1700
D02776	Alara-Lukagro AL-D/D54-B (brandwere...	0	0	42,3	Rapport University of Salford AT/95/5...	26,0	35,0	44,0	51,0	56,0	58,0	Alara Lukagro	018 466 1700
D02777	Alara-Lukagro AL-D/S44_H44 (hef- en ...	0	0	40,6	Rapport LGAI Technologocal Center 9...	29,0	36,0	43,0	41,0	41,0	48,0	Alara Lukagro	018 466 1700
D02778	Alara-Lukagro AL-D/S50_H50 (hef- en ...	0	0	44,7	Rapport LGAI Technologocal Center 9...	33,0	37,0	41,0	45,0	51,0	55,0	Alara Lukagro	018 466 1700
D02779	Alara-Lukagro AL-D/S52_H52 (hef- en ...	0	0	41,2	Rapport LGAI Technologocal Center 9...	25,0	34,0	43,0	49,0	52,0	61,0	Alara Lukagro	018 466 1700
D02809	Velux CSP 0073Q [1]	0	0	29,4		26,3	27,2	22,9	29,1	32,3	38,7	Velux Nederland B.V.	030-6629629
D02831	Sch'co AWS 65 draaikiepraam 'flöchen...	59	30	30,4	ift Rosenheim 161 31811/Z40 uit 2006	20,0	24,6	24,0	33,9	35,9	39,2	Sch'co	0297-233 673
D02832	Sch'co AWS 65 draaikiepraam midden ...	59	30	30,7	ift Rosenheim 161 31811/Z40 uit 2006	19,0	24,2	24,5	34,7	39,8	39,5	Sch'co	0297-233 673
D02833	Sch'co AWS 65 draaikiepraam 'flöchen...	59	30	30,4	ift Rosenheim 161 31811/Z40 uit 2006	19,4	24,3	23,6	34,2	39,5	39,7	Sch'co	0297-233 673
D02844	Alcoa RT 62 met beglazing WS-M 46/5...	46	0	42,5	IFT Rosenheim'98 Nr. 161 20647/8.1.0	30,8	35,0	40,6	43,7	46,3	48,4	Alcoa	+ 31 (0) 416 300 300
D02976	Akoestiregel 1x12.5 gipskarton + MD4...	152	0	33,8	Peutz rapport A2406-1-RA 8 mei 2013	16,4	29,3	44,2	56,1	63,9	61,7		
D02977	Akoestiregel 2x12.5 gipskarton + MD4...	165	0	34,8	Peutz rapport A2406-1-RA 8 mei 2013	17,0	34,9	48,5	59,4	64,9	65,3		
D02978	Akoestiregel 3x12.5 gipskarton + MD4...	177	0	37,5	Peutz rapport A2406-1-RA 8 mei 2013	19,7	38,1	50,5	60,4	65,9	66,5		
D02979	Akoestiregel 1x12.5 gipskarton + MD6...	172	0	34,1	Peutz rapport A2406-1-RA 8 mei 2013	16,3	33,6	46,5	58,4	66,6	64,8		
D02980	Akoestiregel 2x12.5 gipskarton + MD6...	185	0	37,9	Peutz rapport A2406-1-RA 8 mei 2013	20,0	39,6	51,1	61,5	67,1	68,9		
D02981	Akoestiregel 3x12.5 gipskarton + MD6...	197	0	41,9	Peutz rapport A2406-1-RA 8 mei 2013	24,1	43,0	53,0	62,0	68,3	69,5		
D02982	Akoestiregel 1x12.5 gipskarton + MD1...	232	0	36,9	Peutz rapport A2406-1-RA 8 mei 2013	19,1	36,9	48,9	59,4	67,3	67,4		
D02983	Akoestiregel 2x12.5 gipskarton + MD1...	245	0	42,7	Peutz rapport A2406-1-RA 8 mei 2013	25,0	42,5	52,7	62,3	67,7	70,9		
D02984	Akoestiregel 3x12.5 gipskarton + MD1...	257	0	46,7	Peutz rapport A2406-1-RA 8 mei 2013	29,1	45,4	54,1	62,7	68,5	71,0		
D02985	Akoestiregel KZS 215 + MD40 + PE wo...	267	0	49,5	Peutz rapport A2406-1-RA 8 mei 2013	34,4	39,0	53,4	71,4	78,1	74,1		
D02986	Akoestiregel KZS 215 + MD40 + PE wo...	267	0	49,4	Peutz rapport A2406-1-RA 8 mei 2013	35,9	37,9	50,3	69,7	82,3	88,9		
D02987	Akoestiregel KZS 215 + MD40 + PE wo...	280	0	50,8	Peutz rapport A2406-1-RA 8 mei 2013	33,8	44,3	56,7	73,9	82,6	90,6		
D02988	Akoestiregel KZS 215 + MD40 + PE wo...	292	0	52,4	Peutz rapport A2406-1-RA 8 mei 2013	35,0	48,4	60,0	74,3	82,0	89,4		
D02989	Akoestiregel KZS 215 + MD60 + PE wo...	282	0	50,5	Peutz rapport A2406-1-RA 8 mei 2013	34,2	41,8	56,6	73,5	86,8	93,3		
D02990	Akoestiregel KZS 215 + MD60 + PE wo...	300	0	51,7	Peutz rapport A2406-1-RA 8 mei 2013	34,1	48,9	62,1	76,9	85,8	92,9		
D02991	Akoestikon KZS + MD60 + PE wol + 3x...	312	0	54,8	Peutz rapport A2406-1-RA 8 mei 2013	37,1	52,9	63,9	77,4	86,1	93,8		
D02992	Akoestiregel KZS 215 + MD120 + PE w...	347	0	51,1	Peutz rapport A2406-1-RA 8 mei 2013	33,5	47,9	61,6	78,0	90,1	99,7		
D02993	Akoestiregel KZS 215 + MD120 + PE w...	360	0	56,1	Peutz rapport A2406-1-RA 8 mei 2013	38,4	54,0	66,1	80,6	89,7	99,9		
D02994	Akoestiregel KZS 215 + MD120 + PE w...	372	0	61,8	Peutz rapport A2406-1-RA 8 mei 2013	44,6	56,6	67,3	81,2	90,8	99,9		
D02995	Akoestiregel KZS 215 + MXT120 + ste...	247	0	50,7	Peutz rapport A2406-1-RA 8 mei 2013	32,9	50,1	62,4	80,4	90,8	99,9		
D02996	Akoestiregel KZS 215 + MXT120 + ste...	360	0	56,2	Peutz rapport A2406-1-RA 8 mei 2013	38,5	54,6	65,4	81,5	90,6	99,9		
D02997	Akoestikon KZS + MXT120 + 3x12.5 gl...	372	0	61,2	Peutz rapport A2406-1-RA 8 mei 2013	43,9	56,4	67,7	82,2	90,6	99,9		
D02999	Akoestiregel KZS 215 + MXT120 + ste...	372	0	61,2	Peutz rapport A2406-1-RA 8 mei 2013	43,9	56,4	67,7	82,2	90,6	99,9		
D03000	Akoestiregel KZS 215 + MXT220 + ste...	447	0	55,1	Peutz rapport A2406-1-RA 8 mei 2013	37,4	53,3	64,0	80,3	92,7	99,9		
D03001	Akoestiregel KZS 215 + MXT220 + ste...	460	0	61,0	Peutz rapport A2406-1-RA 8 mei 2013	43,8	55,7	67,1	80,8	92,4	99,9		
D03002	Akoestiregel KZS 215 + MXT220 + ste...	472	0	63,7	Peutz rapport A2406-1-RA 8 mei 2013	46,7	57,2	68,2	81,6	92,8	99,9		
D03003	Akoestiregel KZS 100 + MD40 + PE wo...	152	0	43,0	Peutz rapport A2406-1-RA 8 mei 2013	31,1	31,1	42,1	59,8	77,1	84,9		
D03004	Akoestiregel KZS 100 + MD40 + PE wo...	165	0	46,9	Peutz rapport A2406-1-RA 8 mei 2013	31,6	37,1	48,1	63,9	76,6	86,0		
D03005	Akoestiregel KZS 100 + MD40 + PE wo...	177	0	48,1	Peutz rapport A2406-1-RA 8 mei 2013	31,4	41,1	50,7	65,0	77,4	85,7		
D03006	Akoestiregel KZS 100 + MD60 + PE wo...	172	0	45,4	Peutz rapport A2406-1-RA 8 mei 2013	30,5	35,0	46,4	63,4	80,7	89,4		
D03007	Akoestiregel KZS 100 + MD60 + PE wo...	185	0	48,5	Peutz rapport A2406-1-RA 8 mei 2013	31,7	41,7	52,7	67,4	80,8	91,2		
D03008	Akoestiregel KZS 100 + MD60 + PE wo...	197	0	50,8	Peutz rapport A2406-1-RA 8 mei 2013	33,9	43,9	55,2	68,9	81,0	90,5		
D03009	Akoestikon KZS 100 + MD 120 + PE w...	232	0	47,8	Peutz rapport A2406-1-RA 8 mei 2013	31,6	39,1	52,0	68,2	83,6	94,5		
D03010	Akoestiregel KZS 100 + MD120 + PE w...	232	0	47,8	Peutz rapport A2406-1-RA 8 mei 2013	31,6	39,1	52,0	68,2	83,6	94,5		
D03011	Akoestiregel KZS 100 + MD120 + PE w...	245	0	52,1	Peutz rapport A2406-1-RA 8 mei 2013	35,1	45,6	58,7	72,1	82,5	93,6		
D03012	Akoestiregel KZS 100 + MD120 + PE w...	257	0	55,3	Peutz rapport A2406-1-RA 8 mei 2013	38,4	48,5	61,5	73,5	84,1	97,0		
D03013	Akoestiregel KZS 100 + MXT120 + ste...	232	0	47,6	Peutz rapport A2406-1-RA 8 mei 2013	30,3	42,9	54,4	72,5	86,8	99,4		
D03014	Akoestiregel KZS 100 + MXT120 + ste...	245	0	52,0	Peutz rapport A2406-1-RA 8 mei 2013	34,5	48,3	58,3	74,3	86,0	99,9		
D03015	Akoestiregel KZS 100 + MXT120 + ste...	257	0	54,4	Peutz rapport A2406-1-RA 8 mei 2013	37,0	50,3	60,5	75,0	86,2	99,9		
D03016	Akoestiregel KZS 100 + MXT220 + ste...	332	0	49,7	Peutz rapport A2406-1-RA 8 mei 2013	32,3	45,9	54,8	71,4	84,8	99,9		
D03017	Akoestiregel KZS 100 + MXT220 + ste...	345	0	53									

Elementen

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Leverancier</i>	<i>Telefoon</i>
D03036	Akoestikon Akoestiroof S+	200	0	33,6	Peutz rapport A2454-2 4 maart 2013	16,1	30,4	41,9	50,6	59,1	65,2		
D03037	Akoestikon Akoestiroof S+ met gipsplaat	212	0	33,8	Peutz rapport A2454-2 28 februari 2013	16,0	34,8	46,1	54,0	60,5	67,2		
D03038	Akoestikon Akoestiroof S+ met gipsplaat	230	0	38,5	Peutz rapport A2454-2 4 maart 2013	20,8	38,6	45,6	52,4	60,7	67,9		
D03080	Interselect 100 [1]	100	0	23,8	Peutz rapport A 1580-2-RA	6,3	20,0	33,7	45,1	53,0	47,9	Interwand Eibergen BV	0545-438400
D03081	Interselect 100 G [1]	100	0	33,9	Peutz rapport A 1580-2-RA	16,7	28,4	40,1	48,6	57,8	54,9	Interwand Eibergen BV	0545-438400
D03082	Interline SO [1]	95	0	38,1	Peutz rapport A 1416-2	21,4	32,3	43,2	50,1	49,4	47,3	Interwand Eibergen BV	0545-438400
D03083	Interline MO [1]	95	0	30,2	Peutz rapport A 1416-2	13,0	25,4	37,8	46,3	49,1	41,3	Interwand Eibergen BV	0545-438400
D03084	Interline MO G [1]	95	0	36,2	Peutz rapport 1416-7	19,4	30,0	40,6	48,4	52,6	51,4	Interwand Eibergen BV	0545-438400
D03093	Interwand glasdeur gelaagd glas 55.3 ...	0	28	20,2	Peutz rapport A 1953-1	13,4	15,7	18,0	19,6	21,7	22,7	Interwand Eibergen BV	0545-438400
D03094	Interwand schuifdeur met glas 44A1 [1]	0	0	26,5	Peutz rapport A 1752-1-RA	21,7	24,0	26,3	25,6	26,2	30,4	Interwand Eibergen BV	0545-438400
D03095	Interwand Reinaerd deur VS 33dB [1]	0	0	25,9	Peutz rapport A 1812-6-RA	18,3	21,5	24,7	28,0	25,9	28,3	Interwand Eibergen BV	0545-438400
D03096	Interwand glasdeur 10mm met valdorp...	0	27	27,9	Peutz rapport A 1953-1	19,6	23,9	28,2	31,0	28,2	28,4	Interwand Eibergen BV	0545-438400
D03097	Interwand Reinaerd deur 3FA [1]	0	0	28,5	Peutz rapport A 1812-6-A	18,4	22,6	25,8	31,0	34,1	28,0	Interwand Eibergen BV	0545-438400
D03098	Interwand stalen deur [1]	0	0	19,7	Peutz rapport A 1509-1-RA	12,8	16,1	19,4	21,4	20,1	20,3	Interwand Eibergen BV	0545-438400
D03099	Interwand Reinaerd deur 2R 42dB [1]	0	0	23,2	Peutz rapport A 1812-6-RA	8,7	16,2	23,7	26,7	28,8	28,5	Interwand Eibergen BV	0545-438400
D03100	Interwand glasdeur Variant 10	0	0	25,4	Peutz rapport	13,7	20,2	25,6	25,4	29,2	27,1	Interwand Eibergen BV	0545-438400
D03101	Interwand houten deur 55mm met vald...	0	33	27,3	Peutz rapport A 1953-1	20,8	24,0	27,2	26,7	27,4	30,5	Interwand Eibergen BV	0545-438400
D03102	Interwand stalen deur met valdorpel [1]	0	0	26,4	Peutz rapport A 1509	15,7	20,0	24,3	27,6	29,3	29,7	Interwand Eibergen BV	0545-438400
D03103	Interwand glasdeur 3.3.1 met valdorpel...	93	0	27,6	Peutz rapport A 1703-1-RA	19,4	23,0	26,2	30,3	29,2	27,4	Interwand Eibergen BV	0545-438400
D03104	Interwand glasdeur 3.3.A1, met valdorp...	93	0	28,2	Peutz rapport A 1703-1-RA	19,5	23,2	26,4	30,6	29,7	29,0	Interwand Eibergen BV	0545-438400
D03105	Interwand deur Variant 4 met 2x valdor...	0	0	28,8	Peutz rapport A 2441-1-RA	12,5	27,1	29,3	32,7	37,3	35,9	Interwand Eibergen BV	0545-438400
D03106	Interwand houten deur 55mm zonder v...	55	0	24,4	Peutz rapport A 1953-1	18,1	20,8	23,5	24,4	24,9	26,5		
D03107	Interwand glasdeur 3.3.1, zonder valdo...	93	0	24,7	Peutz rapport A 1703-1-RA	16,7	19,8	22,9	26,1	26,5	25,2	Interwand Eibergen BV	0545-438400
D03108	Interwand Reinaerd kanaalspaan, zon...	0	0	22,2	Peutz rapport A 1703-4-RA	16,0	18,7	21,4	23,7	22,2	23,4	Interwand Eibergen BV	0545-438400
D03109	Interwand deur Variant 2 met 2x valdor...	0	0	31,7	Peutz rapport A 2441-2-RA	17,3	27,0	29,8	33,6	37,6	37,8	Interwand Eibergen BV	0545-438400
D03110	Interwand Reinaerd kanaalspaan met ...	93	0	24,6	Peutz rapport A 1703-4-RA	19,4	22,3	25,2	27,7	23,9	25,0	Interwand Eibergen BV	0545-438400
D03111	Interwand schuifdeur met glas 33.A.1 [1]	0	0	22,0	Peutz rapport A 1752-1-RA	19,5	21,0	22,5	21,5	20,7	27,4	Interwand Eibergen BV	0545-438400
D03112	Interwand houten deur, stalen kozijn, 3 ...	0	0	25,4	Peutz rapport A 2040-1	13,6	19,1	19,3	30,1	32,4	35,2	Interwand Eibergen BV	0545-438400
D03113	Interwand Reinaerd 2R 42dB met vald...	0	0	24,7	Peutz rapport A 1812-6-RA	8,5	17,6	26,7	35,2	36,2	35,1	Interwand Eibergen BV	0545-438400
D03114	Interwand Reinaerd VS 33dB met vald...	0	0	27,8	Peutz rapport A 1812-6-RA	19,1	23,3	27,5	30,9	27,5	30,3	Interwand Eibergen BV	0545-438400
D03115	Interwand glasdeur variant 2A gelaagd ...	0	0	30,9	Peutz rapport A 1953-1	21,4	24,5	27,6	30,3	35,7	34,3	Interwand Eibergen BV	0545-438400
D03116	Interwand Reinaerd 3FA 38dB met val...	0	0	30,2	Peutz rapport A 1812-A-RA	18,2	23,1	26,3	33,0	35,8	34,6	Interwand Eibergen BV	0545-438400
D03117	Interwand DK 65mm glasdeur	0	0	25,6	Peutz rapport A 2441-3-RA	15,3	18,9	24,8	25,9	29,1	27,6	Interwand Eibergen BV	0545-438400
D03118	Interwand glasdeur 3.3.A1, zonder vald...	93	0	25,7	Peutz rapport A 1703-1-RA	17,6	20,7	23,4	27,0	27,4	26,9	Interwand Eibergen BV	0545-438400
D03119	Interwand DK 65mm glasdeur 33.A2, ki...	0	0	21,0	Peutz rapport A 2443-3-RA	13,6	16,8	20,5	22,1	21,1	23,3	Interwand Eibergen BV	0545-438400
D03120	Interwand DK 65mm variant 9: Glas 33...	0	0	25,8	Peutz rapport A 2441-3-RA	15,2	21,0	25,4	25,3	29,1	27,2	Interwand Eibergen BV	0545-438400
D03121	Interwand DK 65mm variant 10: Glas 3...	0	0	25,4	Peutz rapport A 2441-3-RA	13,7	20,2	25,6	25,4	29,2	27,1	Interwand Eibergen BV	0545-438400
D03122	Unidek Kolibri zonder verlaagd plafond...	0	0	20,8	Level Acoustics LA.130906.M01	10,0	14,4	17,2	23,2	22,3	38,9	Kingspan Unidek	+31 (0) 492 378 111
D03123	Unidek Kolibri met verlaagd plafond [1]	0	0	24,4	Level Acoustics LA.130906.M01	7,5	18,2	27,1	39,6	42,5	46,4	Kingspan Unidek	+31 (0) 492 378 111
D03124	Unidek Kolibri R met verlaagd plafond [1]	0	0	25,1	Level Acoustics LA.130906.M01	8,5	18,5	26,0	38,5	45,2	53,0	Kingspan Unidek	+31 (0) 492 378 111
D03127	Unidek Kolibrie DLG [1]	0	0	25,2	Level Acoustics LA.130906.M01	10,3	17,7	23,3	32,5	31,6	39,9	Kingspan Unidek	+31 (0) 492 378 111
D03177	Velux GGL 0062 dakvenster [1]	0	0	38,7	Velux (DELTA rapport T204478)	23,4	31,1	38,8	43,1	48,4	50,3	Velux	
D03178	Velux GGL 0066 dakvenster [1]	0	0	36,4	Velux (CSTB rapport AC12-26040520/4)	23,0	28,4	33,6	39,3	43,8	44,2	Velux	
D03179	Velux GGL 0070 dakvenster [1]	0	0	35,9	Velux (DELTA rapport TC-100071)	26,2	29,5	30,7	36,1	41,6	43,6	Velux	
D03234	Merford deur MN 56 geluidsisolerend	75	0	41,3	T.N.O. - rapportnummer HAG-RPT-96...	24,0	41,0	45,0	49,0	56,0	57,0	Merford bouw	183643870
D03235	Merford houten deur MH37 [1]	40	0	31,4	rapport G020902.2/ T990622.11 A.B....	15,4	26,2	37,0	39,3	37,4	36,1	Merford bouw	183643870
D03236	Merford houten deur MH 42	43	0	37,5	rapport T020128.8 A.B.O. Rosenheim...	26,7	29,9	31,8	39,7	46,0	45,4	Merford bouw	183643870
D03237	Merford houten deur MH45	71	0	37,5	rapport P040108.9 A.B.O. Rosenheim...	27,4	25,7	38,6	42,6	46,4	45,5	Merford bouw	183643870
D03238	Merford houten deur MH47	71	0	39,9	rapport P040108.4 A.B.O. Rosenheim...	31,6	28,1	38,6	44,9	49,7	46,8	Merford bouw	183643870
D03295	Unidek Aero	210	0	24,9	Peutz: rapportnummer A 2746-3-RA-0...	19,2	21,2	23,6	20,7	28,0	43,4	Kingspan Unidek	+31 (0) 492 378 111
D03296	Unidek Aero met dakpannen	210	0	26,8	Peutz: rapportnummer A 2746-3-RA-0...	16,2	15,2	24,1	34,7	41,7	51,8	Kingspan Unidek	+31 (0) 492 378 111
D03297	Unidek Aero Passief	240	25	25,3	Peutz: rapportnummer A 2746-3-RA-0...	21,6	22,9	22,3	20,4	33,9	36,9	Kingspan Unidek	+31 (0) 492 378 111
D03298	Unidek Aero Passief met dakpannen	240	25	29,1	Peutz: rapportnummer A 2746-3-RA-0...	20,1	17,2	26,7	33,8	47,5	48,9	Kingspan Unidek	+31 (0) 492 378 111
D03299	Unidek Aero PD / Unidek Aero Riet / U...	280	26	24,5	Peutz: rapportnummer A 2746-3-RA-0...	21,8	23,0	21,6	19,0	48,5	47,7	Kingspan Unidek	+31 (0) 492 378 111
D03300	Unidek Aero PD / Unidek Aero Riet / U...	280	26	29,2	Peutz: rapportnummer A 2746-3-RA-0...	20,5	17,8	26,0	31,7	55,6	56,3	Kingspan Unidek	+31 (0) 492 378 111
D03301	Unidek Aero PD / Unidek Aero Riet / U...	280	26	28,0	Peutz: rapportnummer A 2746-3-RA-0...	22,0	19,2	22,6	26,5	53,6	59,8	Kingspan Unidek	+31 (0) 492 378 111
D03302	Unidek RenoAero	200	10	16,7	Peutz: rapportnummer A 2746-3-RA-0...	16,4	16,5	16,9	16,5	14,7	35,4	Kingspan Unidek	+31 (0) 492 378 111
D03303	Unidek RenoAero met dakpannen	200	10	24,4	Peutz: rapportnummer A 2746-3-RA-0...	20,8	14,8	18,3	27,1	30,6	47,0	Kingspan Unidek	+31 (0) 492 378 111
D03304	Unidek RenoAero PD / Unidek RenoAe...	210	17	23,4	Peutz: rapportnummer A 2746-3-RA-0...	17,9	19,1	21,3	19,8	25,9	44,0	Kingspan Unidek	+31 (0) 492 378 111
D03305	Unidek RenoAero PD / Unidek RenoAe...	210	17	26,7	Peutz: rapportnummer A 2746-3-RA-0...	19,8	15,5	22,0	31,2	37,8	52,2	Kingspan Unidek	+31 (0) 492 378 111
D03306	Unidek RenoAero PD / Unidek RenoAe...	210	17	25,5	Peutz: rapportnummer A 2746-3-RA-0...	19,4	16,9	21,5	23,6	31,8	55,5	Kingspan Unidek	+31 (0) 492 378 111
D03307	Unidek Kolibrie Rf 30	212	26	26,6	Peutz: rapportnummer A 2746-3-RA-0...	19,8	22,1	24,8	22,8	30,1	39,4	Kingspan Unidek	+31 (0) 492 378 111
D03308	Unidek Kolibrie Rf 30 met dakpannen	212	26	29,6	Peutz: rapportnummer A 2746-3-RA-0...	20,9	17,6	26,4	37,4	43,4	48,9	Kingspan Unidek	+31 (0) 492 378 111
D03309	Unidek Sips element	140	19	23,7	Peutz rapportnummer A 2576-2-RA-00...	23,1	24,5	23,8	17,5	39,1	50,9	Kingspan Unidek	+31 (0)492 378 111
D03310	Unidek Sips element + 12.5 mm Ferma...	152	33	30,2	Peutz rapportnummer A 2576-2-RA-00...	24,2	29,3	26,6	25,0	46,9	60,3	Kingspan Unidek	+31 (0)492 378 111
D03311	Unidek Sips element + 12.5 mm Ferma...	176	34	34,0	Peutz rapportnummer A 2576-2-RA-00...	24,9	26,0	28,6	32,7	51,7	63,1	Kingspan Unidek	+31 (0)492 378 111
D03312	Unidek Sips element + 12.5 mm Ferma...	176	38	34,6	Peutz rapportnummer A 2576-2-RA-00...	23,9	22,8	33,3	39,3	60,8	67,5	Kingspan Unidek	+31 (0)492 378 111
D03376	Sch'co schuifdeursysteem ASS70BE	300	45	38,1	Sch'co:rapportnummer AC7609_ASS...	28,6	29,9	37,9	40,0	39,1	44,8	Sch'co Nederland BV	+31 297 233 670
D03377	Sch'co schuifdeursysteem ASS70BE VI	0	45	38,9	Sch'co: rapportnummer AC7607_ASS...	29,2	32,0	39,3	40,5	39,3	44,8	Sch'co Nederland BV	+31 297 233 670
D03383	Alara Lukagro geluidsisolerende deur A...	0	0	39,1	Cauberg-Huygen Luchtgeluidisolatie ...	21,4	41,1	47,7	51,8	55,1	55,3	Alara Lukagro	0184-661 700
D03384	Alara Lukagro geluidsisolerende deur A...	0	0	48,9	Cauberg-Huygen Luchtgeluidisolatie ...	33,9	45,0	47,6	51,7	54,9	55,2	Alara Lukagro	0184-661 700
D03385	Alara Lukagro geluidsisolerende deur A...	0	0	45,5	Cauberg-Huygen Luchtgeluidisolatie ...	28,6	42,8	48,5	52,1	55,7	58,6	Alara Lukagro	0184-661 700
D03386	Alara Lukagro geluidsisolerende deur A...	0	0	35,3	Peutz Luchtgeluidisolatie deur type A...	18,7	32,0	40,6	39,7	42,5	49,3	Alara Lukagro	0184-661 700
D03387	Alara Lukagro geluidsisolerende deur A...	0	0	29,3	Cauberg-Huygen Luchtgeluidisolatie ...	11,4	35,6	43,4	47,3	50,5	50,8	Alara Lukagro	0184-661 700
D03388	Alara Lukagro geluidsisolerende deur A...	0	0	34,5	Cauberg-Huygen Luchtgeluidisolatie ...	16,7	35,5	46,1	48,7	52,4	54,0	Alura Lukagro	0184-661 700
D03393	Alara Lukagro paneel AL-O 180A [1]	0	0	43,0	Peutz Luchtgeluidisolatie panelen typ...	26,2	36,4	45,9	56,8	68,1	79,4	Alara Lukagro	0184-661 700
D03394	Alara Lukagro paneel AL-O 80A [1]	84	0	30,6	Peutz Luchtgeluidisolatie panelen AL-...	15,1	22,7	29,2	37,9	45,6	49,3	Alara Lukagro	0184-661 700
D03395	Alara Lukagro paneel AL-O 100D [1]	106	0	33,9	Peutz luchtgeluidisolatie panelen type...	19,0	25,6	32,2	38,1	48,7	52,5	Alara Lukagro	0184-661 700
D03396	Alara Lukagro paneel AL-O 100B [1]	104	0	32,5	Peutz luchtgeluidisolatie panelen type...	18,1	24,1	30,1	35,5	47,3	52,5	Alara Lukagro	0184-661 700
D03397	Phonotech W-DK40	91	31	34,9	Liege 2018/7202	24,5	22,0	39,1	54,4	59,5	6		

Elementen

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Leverancier</i>	<i>Telefoon</i>
D03418	Phonotech TP90-DK140-PB	296	65	44,2	Liege 2018/7213	27,0	38,2	53,6	65,8	70,6	73,0	Phonotech	+32(0)87333034
D03419	Phonotech TP90-DK140K-UArena	999	116	60,3	Liege AC15-26058385/1-Rev01	42,6	59,2	72,3	83,4	93,4	95,6	Phonotech	+32(0)87333034
D03420	Phonotech TP90-DK140K-UArena Bis	999	101	57,0	Liege AC15-26058385/2-Rev01	39,4	53,3	71,9	82,1	87,7	94,6	Phonotech	+32(0)87333034
D03421	Phonotech TP90-DK80S [1]	0	0	29,1	Liege 2010/5741	11,3	28,0	44,7	58,2	64,1	68,9	Phonotech	+32(0)87333034
D03422	Phonotech TP90-RW-DK80S	0	0	42,5	Liege 2011/5939	26,4	34,4	44,0	56,4	60,5	62,6	Phonotech	+32(0)87333034
D03423	Phonotech TP90-RW-DK80S	0	0	42,5	Liege 2011/5939	26,4	34,4	44,0	56,4	60,5	62,6	Phonotech	+32(0)87333034
D03424	Phonotech TP90-RW-DK80-PB	0	0	44,1	Liege 2011/5939	27,3	38,6	45,7	57,1	61,2	62,1	Phonotech	+32(0)87333034
D03425	Phonotech TP160-DK40	254	48	38,0	Liege 2018/7330	25,0	25,7	49,2	66,5	70,1	70,2	Phonotech	+32(0)87333034
D03426	Phonotech TP160-DK60 [1]	264	49	24,9	Phonotech 2018	7,0	28,0	49,0	64,0	71,0	69,0	Phonotech	+32(0)87333034
D03427	Phonotech TP160-DK80	284	50	39,5	Liege 2018/7233	23,4	30,2	51,1	66,9	70,7	73,2	Phonotech	+32(0)87333034
D03428	Phonotech TP160-DK100 [1]	304	52	25,9	Phonotech 2018	8,0	31,0	54,0	66,0	71,0	71,0	Phonotech	+32(0)87333034
D03429	Phonotech TP160-DK120 [1]	324	54	27,9	Phonotech 2018	10,0	33,0	56,0	66,0	72,0	71,0	Phonotech	+32(0)87333034
D03430	Phonotech TP160-DK140	344	55	42,9	Pliege 2018/7235	26,0	35,5	56,5	66,4	70,3	72,9	Phonotech	+32(0)87333034
D03431	Phonotech TP160-DK160 [1]	364	56	30,9	Phonotech 2018	13,0	35,0	57,0	66,0	72,0	71,0	Phonotech	+32(0)87333034
D03432	Phonotech TP160-DK180 [1]	384	58	32,9	Phonotech 2018	15,0	36,0	57,0	66,0	72,0	71,0	Phonotech	+32(0)87333034
D03433	Phonotech TP160-DK200 [1]	404	59	32,9	Phonotech 2018	15,0	36,0	57,0	66,0	72,0	71,0	Phonotech	+32(0)87333034
D03434	Phonotech TP160-DK220	424	60	42,2	Liege 2018/7331	24,8	36,9	57,7	66,3	70,3	72,9	Phonotech	+32(0)87333034
D03435	Phonotech TP160-DK80DF	304	51	42,6	Liege 2018/7234	26,3	33,5	54,2	67,7	70,8	73,2	Phonotech	+32(0)87333034
D03436	Phonotech TP160-FC-DK80	280	58	40,8	Liege 2018/7236	24,9	31,1	53,0	66,7	70,2	70,6	Phonotech	+32(0)87333034
D03437	Phonotech SD106-DK40	200	44	36,5	Liege 2018/7328	23,7	24,2	41,8	56,8	62,0	60,5	Phonotech	+32(0)87333034
D03438	Phonotech SD106-DK60 [1]	210	45	32,8	Phonotech 2018	15,5	29,0	40,0	56,0	62,0	41,0	Phonotech	+32(0)87333034
D03439	Phonotech SD106-DK80	230	46	38,2	Liege 2018/7228	23,5	27,2	44,0	57,7	63,1	64,0	Phonotech	+32(0)87333034
D03440	Phonotech SD106-DK100 [1]	250	48	37,4	Phonotech 2018	20,0	33,0	44,0	59,0	64,0	63,0	Phonotech	+32(0)87333034
D03441	Phonotech SD106-DK120 [1]	270	49	39,8	Phonotech 2018	22,5	35,0	46,0	60,0	65,0	64,0	Phonotech	+32(0)87333034
D03442	Phonotech SD106-DK140	290	51	42,1	Liege 2018/7229	25,6	34,0	49,7	59,6	64,4	67,3	Phonotech	+32(0)87333034
D03443	Phonotech SD106-DK160 [1]	310	52	40,8	Phonotech 2018	23,5	36,0	48,0	61,0	66,0	65,0	Phonotech	+32(0)87333034
D03444	Phonotech SD106-DK180 [1]	330	54	40,8	Phonotech 2018	23,5	36,0	48,0	61,0	66,0	65,0	Phonotech	+32(0)87333034
D03445	Phonotech SD106-DK200 [1]	350	55	40,8	Phonotech 2018	23,5	36,0	48,0	61,0	66,0	65,0	Phonotech	+32(0)87333034
D03446	Phonotech SD106-DK220	370	55	41,6	Liege 2018/7329	24,5	35,1	50,5	60,2	63,9	67,1	Phonotech	+32(0)87333034
D03447	Phonotech SDP150-RW-PB-DK180-PB	518	98	42,1	Liege 2016/6952	24,5	40,7	47,5	58,3	61,6	64,7	Phonotech	+32(0)87333034
D03448	Phonotech WW-PH40-FG [1]	84	0	23,1	Phonotech 2018	5,3	22,6	39,9	50,8	55,2	55,6	Phonotech	+32(0)87333034
D03449	Phonotech WW-FG-PH40-FG [1]	97	0	30,0	Phonotech 2018	12,3	27,6	42,9	50,1	54,4	57,6	Phonotech	+32(0)87333034
D03450	Phonotech WW-CP-PH40-FG [1]	96	0	30,9	Phonotech 2018	13,3	28,1	42,9	49,8	54,2	57,6	Phonotech	+32(0)87333034
D03451	Phonotech WW-PH60-FG [1]	104	0	25,2	Phonotech 2018	7,5	23,8	40,1	50,4	54,9	57,7	Phonotech	+32(0)87333034
D03452	Phonotech WW-FG-PH60-FG [1]	117	0	31,8	Phonotech 2018	14,2	28,8	43,4	49,7	54,1	56,0	phonotech	+32(0)87333034
D03453	Phonotech WW-CP-PH60-FG [1]	116	0	32,7	Phonotech 2018	15,2	29,3	43,4	49,4	53,9	55,7	Phonotech	+32(0)87333034
D03454	Phonotech WW-PH80-FG [1]	124	0	26,8	Phonotech 2018	9,0	26,4	43,8	51,9	54,7	55,5	Phonotech	+32(0)87333034
D03455	Phonotech WW-FG-PH80-FG [1]	137	0	33,6	Phonotech 2018	16,0	31,4	46,8	51,2	53,9	57,5	Phonotech	+32(0)87333034
D03456	Phonotech CC-PH40-FG [1]	165	0	48,8	Phonotech 2018	32,0	42,3	51,8	62,9	74,4	80,0	Phonotech	+32(0)87333034
D03457	Phonotech CC-PH60-FG [1]	185	0	50,3	Phonotech 2018	33,0	45,3	55,3	69,9	78,9	82,5		
D03458	Phonotech CC-PH80-FG [1]	205	0	53,7	Phonotech 2018	36,8	47,3	57,8	67,9	77,9	82,0	Phonotech	+32(0)87333034
D03459	Phonotech C-W-PH40-FG [1]	84	0	23,1	Phonotech 2018	5,3	22,6	39,9	50,8	55,2	55,6	Phonotech	+32(0)87333034
D03460	Phonotech C-W-FG-PH40-FG [1]	97	0	30,0	Phonotech 2018	12,3	27,6	42,9	50,1	54,4	57,6	Phonotech	+32(0)87333034
D03461	Phonotech C-W-CP-PH40-FG [1]	96	0	30,9	Phonotech 2018	13,3	28,1	42,9	49,8	54,2	57,6	Phonotech	+32(0)87333034
D03462	Phonotech C-W-PH60-FG [1]	104	0	25,0	Phonotech 2018	7,2	23,8	40,4	50,4	54,9	57,7	Phonotech	+32(0)87333034
D03463	Phonotech C-W-FG-PH60-FG [1]	117	0	32,0	Phonotech 2018	14,5	28,8	43,1	49,7	54,1	56,0	Phonotech	+32(0)87333034
D03464	Phonotech C-W-CP-PH60-FG [1]	116	0	33,0	Phonotech 2018	15,5	29,3	43,1	49,4	53,9	55,7	Phonotech	+32(0)87333034
D03465	Phonotech C-W-PH80-FG [1]	124	0	26,8	Phonotech 2018	9,0	26,4	43,8	51,9	54,7	55,5	Phonotech	+32(0)87333034
D03466	Phonotech C-W-FG-PH80-FG [1]	137	0	33,6	Phonotech 2018	16,0	31,4	46,8	51,2	53,9	57,5	Phonotech	+32(0)87333034
D03467	Phonotech C-W-CP-PH80-FG [1]	136	0	34,6	Phonotech 2018	17,0	31,9	46,8	50,9	53,7	57,5	Phonotech	+32(0)87333034
D03468	Phonotech C-W-PH40-FG-TI [1]	0	0	17,6	Phonotech 2018	-0,2	17,6	35,4	49,3	52,7	53,8	Phonotech	+32(0)87333034
D03469	Phonotech C-W-G-PH40-FG-TI [1]	0	0	19,6	Phonotech 2018	1,8	20,1	38,4	50,3	52,7	55,8	Phonotech	+32(0)87333034
D03470	Phonotech C-W-FG-PH40-FG-TI [1]	0	0	24,5	Phonotech 2018	6,8	22,6	38,4	48,6	51,9	55,8	Phonotech	+32(0)87333034
D03471	Phonotech C-W-CP-PH40-FG-TI [1]	0	0	25,5	Phonotech 2018	7,8	23,1	38,4	48,3	51,7	55,8	Phonotech	+32(0)87333034
D03472	Phonotech C-W-PH60-FG-TI [1]	0	0	19,8	Phonotech 2018	2,0	18,8	35,6	48,9	52,4	55,9	Phonotech	+32(0)87333034
D03473	Phonotech C-W-G-PH60-FG-TI [1]	0	0	21,8	Phonotech 2018	4,0	21,3	38,6	49,9	52,4	55,9	Phonotech	+32(0)87333034
D03474	Phonotech C-W-FG-PH60-FG-TI [1]	0	0	26,6	www.phonotech.com	9,0	23,8	38,6	48,2	51,6	54,2	Phonotech	+32(0)87333034
D03475	Phonotech C-W-CP-PH60-FG-TI [1]	0	0	27,6	Phonotech 2018	10,0	24,3	38,6	47,9	51,4	53,9	Phonotech	+32(0)87333034
D03476	Phonotech C-W-PH80-FG-TI [1]	0	0	21,3	Phonotech 2018	3,5	21,4	39,3	50,4	52,2	53,7	Phonotech	+32(0)87333034
D03477	Phonotech C-W-G-PH80-FG-TI [1]	0	0	23,3	Phonotech 2018	5,5	23,9	42,3	51,4	52,2	55,7	Phonotech	+32(0)87333034
D03478	Phonotech C-W-FG-PH80-FG-TI [1]	0	0	28,2	Phonotech 2018	10,5	26,4	42,3	49,7	51,4	55,7	Phonotech	+32(0)87333034
D03479	Phonotech C-W-CP-PH80-FG-TI [1]	0	0	29,2	Phonotech 2018	11,5	26,9	42,3	49,4	51,2	55,7	Phonotech	+32(0)87333034
D03480	Phonotech WB100-PH40-FG [1]	165	0	48,8	Phonotech 2018	32,0	42,3	51,8	62,9	74,4	80,0	Phonotech	+32(0)87333034
D03481	Phonotech WW-CP-PH80-FG [1]	136	0	34,6	Phonotech 2018	17,0	31,9	46,8	50,9	53,7	57,5	Phonotech	+32(0)87333034
D03482	Phonotech WB100-PH60-FG [1]	185	0	50,3	Phonotech 2018	33,0	45,3	55,3	69,9	78,9	82,5	Phonotech	+32(0)87333034
D03483	Phonotech WB100-PH80-FG [1]	205	0	53,7	Phonotech 2018	36,8	47,3	57,8	67,9	77,9	82,0	Phonotech	+32(0)87333034
D03484	Phonotech WB200-PH40-FG [1]	265	0	48,9	Phonotech 2018	31,3	45,7	58,7	74,6	86,4	95,0	Phonotech	+32(0)87333034
D03485	Phonotech WB200-PH60-FG [1]	285	0	50,0	Phonotech 2018	32,3	48,7	62,2	81,6	90,9	97,5	Phonotech	+32(0)87333034
D03486	Phonotech WB200-PH80-FG [1]	305	0	53,9	Phonotech 2018	36,3	50,7	64,7	79,6	89,9	97,0	Phonotech	+32(0)87333034
D03487	Phonotech WB280-PH40-FG [1]	345	0	49,0	Phonotech 2018	31,3	46,7	60,7	77,6	91,4	99,9	Phonotech	+32(0)87333034
D03488	Phonotech WB280-PH60-FG [1]	365	0	50,1	Phonotech 2018	32,3	49,7	64,2	84,6	95,9	99,9	Phonotech	+32(0)87333034
D03489	Phonotech WB280-PH80-FG [1]	385	0	54,0	Phonotech 2018	36,3	51,7	66,7	82,6	94,9	99,9	Phonotech	+32(0)87333034
D03698	Velux CVP 73Q [1]	0	0	29,5	CSTB AC14-26053169	17,1	21,5	25,6	30,4	37,4	44,1		
D03699	Velux CFP 73U [1]	0	0	31,1	AC11-26034593/10	20,9	24,2	27,5	29,0	39,1	43,8		
D03701	Velux GGU 62 [1]	0	0	33,7	DELTA test report no. 100/1653	19,7	25,5	31,3	36,2	44,5	45,3		
D03702	Velux GGU 68/69 [1]	0	0	31,7	CSTB test report no: AC17-26069920-...	20,1	24,2	27,3	32,5	38,7	41,2		
D03703	Velux GGU 70 [1]	0	0	30,5	DELTA rapport TC-100071	21,3	24,7	24,6	31,5	36,3	36,8		
D03704	Velux GGL 62 [1]	0	0	33,7	DELTA test report no. 100/1653	19,7	25,5	31,3	36,2	44,5	45,3		
D03705	Velux GGL 70 [1]	0	0	30,5	DELTA rapport TC-100071	21,3	24,7	24,6	31,5	36,3	36,8		
D03708	Habito 12.5 gips	100	0	29,8	Peutz M 6030-12 09-12-2015	15,0	19,8	30,7	40,0	49,7	39,3	Saint-Gobain Gyproc Nederland	0347 - 325 165
D03709	Habito 2x 12.5 gips	125	0	34,5	Peutz M 6030-12 09-12-2015	17,3	29,9	38,6	51,0	58,1	49,5	Saint-Gobain Gyproc Nederland	0347 - 325 165
D03710	Habito 12.5 gips + 60mm glaswol	100	0	31,5	Peutz M 6030-12 09-12-2015	14,1	27,0	44,6	58,3	66,7	4		

Glas

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Opbouw</i>	<i>Spouw</i>	<i>Laminaat</i>
D00044	Glas 4-12-4/1/4 pvb.luchtgevuld (GDL)	25	30	28,9	Geluidwering Gevels Herzien '89	21,4	23,0	22,0	30,0	36,0	39,0	4 12 9	Lucht	pvb, 1 zijdig
D00045	Glas 8-12-4/1/4 pvb.luchtgevuld (GDL)	29	40	30,8	Geluidwering Gevels Herzien '89	23,5	24,0	25,0	32,0	35,0	38,0	8 12 9	Lucht	pvb, 1 zijdig
D00046	Glas 6-16-4/1/4 pvb.luchtgevuld (GDL)	31	35	30,9	Geluidwering Gevels Herzien '89	22,5	23,0	25,0	33,0	37,0	40,0	6 16 9	Lucht	pvb, 1 zijdig
D00047	Glas 8-16-4/1/4 pvb.luchtgevuld (GDL)	33	40	31,6	Geluidwering Gevels Herzien '89	23,4	24,0	26,0	34,0	36,0	39,0	8 16 9	Lucht	pvb, 1 zijdig
D00048	Glas 6-20-6/1/6 pvb.luchtgevuld (GDL)	39	45	32,7	Geluidwering Gevels Herzien '89	23,8	25,0	27,0	35,0	39,0	39,0	6 20 13	Lucht	pvb, 1 zijdig
D00058	Glas 4/1/4-12-4/1/4 luchtgev.gelam. (G...	30	40	30,8	Geluidwering Gevels Herzien '89	22,5	24,0	25,0	32,0	35,0	41,0	9 12 9	Lucht	pvb, 2 zijdig
D00059	Glas 4/1/4-16-4/1/4 luchtgev.gelam. (G...	34	40	31,6	Geluidwering Gevels Herzien '89	22,5	24,0	26,0	34,0	36,0	42,0	9 16 9	Lucht	pvb, 2 zijdig
D00060	Glas 4/1/4-12-5/2/5 luchtgev..gelam. (G...	33	45	33,0	onbekend	23,5	26,0	27,0	35,0	39,0	42,0	9 12 12	Lucht	pvb, 2 zijdig
D00061	Glas 4/1/4-20-6/2/6 luchtgev..gelam. (G...	43	50	35,3	Geluidwering Gevels Herzien '89	23,9	28,0	30,0	39,0	41,0	45,0	9 20 14	Lucht	pvb, 2 zijdig
D00114	Enkel glas 4 mm (GE 4)	4	10	25,9	Geluidwering Gevels Herzien '89	15,0	19,0	23,0	26,0	30,0	32,0	4 0 0	n.v.t	Niet
D00115	Enkel glas 6 mm (GE 6)	6	15	26,9	Geluidwering Gevels Herzien '89	17,3	21,0	25,0	28,0	31,0	27,0	6 0 0	n.v.t	Niet
D00116	Enkel glas 8 mm (GE 8)	8	20	28,2	Geluidwering Gevels Herzien '89	18,9	23,0	26,0	30,0	32,0	28,0	8 0 0	n.v.t	Niet
D00117	Enkel glas 12 mm (GE 12)	12	30	28,4	Geluidwering Gevels Herzien '89	21,2	25,0	28,0	31,0	27,0	34,0	12 0 0	n.v.t	Niet
D00144	PH 1250/40 schuifraam 5/40/5 mm	50	0	29,9	TPD rapporten sept./okt. '84	19,5	22,4	24,5	29,8	40,8	40,7	5 40 5	Lucht	Niet
D00145	PH 1250/70 schuifraam 5/70/5 mm	80	0	33,4	TPD rapporten sept./okt. '84	19,7	23,8	31,0	38,5	47,0	44,8	5 70 5	Lucht	Niet
D00146	PH 1250/70 +randabsorptie.schuifraam	80	0	34,6	TPD rapporten sept./okt. '84	20,7	24,9	33,2	40,4	49,0	43,6	5 70 5	Lucht	Niet
D00147	PH 1250/70+randabs.kier. schuifraam	80	0	19,7	TPD rapporten sept./okt. '84	8,4	12,4	14,1	20,7	30,5	30,9	5 70 5	Lucht	Niet
D00148	PH 1250/120 schuifraam 5/120/5 mm	130	0	35,8	TPD rapporten sept./okt. '84	19,9	27,7	38,6	44,1	47,9	45,2	5 120 5	Lucht	Niet
D00149	PH 1250/120+randabsorptie.schuifraam	130	0	36,8	TPD rapporten sept./okt. '84	20,9	28,7	40,0	45,2	49,2	47,3	5 120 5	Lucht	Niet
D00150	PH 1250/170 schuifraam 5/170/5 mm	180	0	36,4	TPD rapporten sept./okt. '84	19,6	32,5	39,3	44,9	50,7	44,0	5 170 5	Lucht	Niet
D00151	PH 1250/170+randabsorptie.schuifraam	180	0	37,7	TPD rapporten sept./okt. '84	20,6	34,3	41,2	48,7	52,8	48,6	5 170 5	Lucht	Niet
D00152	PH 1250/70+randabs.tochtr. schuifraam	80	0	20,7	TPD rapporten sept./okt. '84	5,7	12,2	20,7	25,9	30,4	31,1	5 70 5	Lucht	Niet
D00318	Glas 4-6-4 (GDL)	14	20	26,3	Geluidwering Gevels Herzien '89	18,3	22,0	23,0	23,0	32,0	34,0	4 6 4	Lucht	Niet
D00319	Glas 4-6-6 (GDL)	16	25	28,1	Geluidwering Gevels Herzien '89	20,0	24,0	24,0	26,0	33,0	33,0	4 6 6	Lucht	Niet
D00320	Glas 4-6-8 (GDL)	18	30	28,4	Geluidwering Gevels Herzien '89	21,4	25,0	24,0	27,0	32,0	32,0	4 6 8	Lucht	Niet
D00321	Glas 4-12-4 (GDL)	20	20	27,9	Geluidwering Gevels Herzien '89	18,3	21,0	22,0	28,0	36,0	38,0	4 12 4	Lucht	Niet
D00322	Glas 4-12-6 (GDL)	22	25	28,0	Geluidwering Gevels Herzien '89	20,0	22,0	21,0	29,0	37,0	37,0	4 12 6	Lucht	Niet
D00323	Glas 4-12-8 (GDL)	24	30	28,8	Geluidwering Gevels Herzien '89	21,4	23,0	22,0	30,0	36,0	36,0	4 12 8	Lucht	Niet
D00324	Glas 6-12-6 (GDL)	24	30	28,1	Geluidwering Gevels Herzien '89	21,4	23,0	21,0	31,0	36,0	31,0	6 12 6	Lucht	Niet
D00325	Glas 4-16-4 (GDL)	24	20	26,8	Geluidwering Gevels Herzien '89	18,3	21,0	19,0	30,0	38,0	39,0	4 16 4	Lucht	Niet
D00326	Glas 4-12-10 (GDL)	26	35	29,2	Geluidwering Gevels Herzien '89	22,5	24,0	23,0	30,0	34,0	34,0	4 12 10	Lucht	Niet
D00327	Glas 6-12-8 (GDL)	26	35	28,9	Geluidwering Gevels Herzien '89	22,5	24,0	23,0	31,0	35,0	30,0	6 12 8	Lucht	Niet
D00328	Glas 4-16-6 (GDL)	26	25	27,8	Geluidwering Gevels Herzien '89	20,0	22,0	20,0	31,0	38,0	39,0	4 16 6	Lucht	Niet
D00329	Glas 6-12-10 (GDL)	28	40	29,9	Geluidwering Gevels Herzien '89	23,5	24,0	24,0	32,0	34,0	34,0	6 12 10	Lucht	Niet
D00330	Glas 4-16-8 (GDL)	28	30	29,8	Geluidwering Gevels Herzien '89	21,4	23,0	23,0	32,0	37,0	39,0	4 16 8	Lucht	Niet
D00331	Glas 6-16-6 (GDL)	28	30	29,9	Geluidwering Gevels Herzien '89	21,4	23,0	24,0	32,0	38,0	33,0	6 16 6	Lucht	Niet
D00332	Glas 4-20-4 (GDL)	28	20	27,5	Geluidwering Gevels Herzien '89	18,3	21,0	20,0	31,0	39,0	41,0	4 20 4	Lucht	Niet
D00333	Glas 6-12-12 (GDL)	30	45	30,2	Geluidwering Gevels Herzien '89	24,4	25,0	25,0	32,0	33,0	33,0	6 12 12	Lucht	Niet
D00334	Glas 8-12-10 (GDL)	30	45	29,7	Geluidwering Gevels Herzien '89	24,4	24,0	25,0	33,0	32,0	31,0	8 12 10	Lucht	Niet
D00335	Glas 4-16-10 (GDL)	30	35	30,3	Geluidwering Gevels Herzien '89	22,5	24,0	24,0	32,0	36,0	36,0	4 16 10	Lucht	Niet
D00336	Glas 6-16-8 (GDL)	30	35	30,3	Geluidwering Gevels Herzien '89	22,5	23,0	25,0	33,0	37,0	32,0	6 16 8	Lucht	Niet
D00337	Glas 4-20-6 (GDL)	30	25	29,6	Geluidwering Gevels Herzien '89	20,0	22,0	23,0	32,0	40,0	40,0	4 20 6	Lucht	Niet
D00338	Glas 8-12-12 (GDL)	32	45	30,7	Geluidwering Gevels Herzien '89	25,2	25,0	26,0	33,0	33,0	33,0	8 12 12	Lucht	Niet
D00339	Glas 6-16-10 (GDL)	32	40	31,3	Geluidwering Gevels Herzien '89	23,5	24,0	26,0	33,0	36,0	36,0	6 16 10	Lucht	Niet
D00340	Glas 4-20-8 (GDL)	32	30	30,8	Geluidwering Gevels Herzien '89	21,4	23,0	25,0	33,0	38,0	38,0	4 20 8	Lucht	Niet
D00341	Glas 6-20-6 (GDL)	32	30	30,9	Geluidwering Gevels Herzien '89	21,4	23,0	26,0	33,0	39,0	34,0	6 20 6	Lucht	Niet
D00342	Glas 4-24-4 (GDL)	32	20	29,1	Geluidwering Gevels Herzien '89	18,3	21,0	23,0	32,0	40,0	41,0	4 24 4	Lucht	Niet
D00343	Glas 6-16-12 (GDL)	34	45	31,2	Geluidwering Gevels Herzien '89	24,3	24,0	26,0	34,0	35,0	35,0	6 16 12	Lucht	Niet
D00344	Glas 8-16-10 (GDL)	34	45	30,9	Geluidwering Gevels Herzien '89	24,0	24,0	27,0	34,0	34,0	32,0	8 16 10	Lucht	Niet
D00345	Glas 4-20-10 (GDL)	34	35	31,1	Geluidwering Gevels Herzien '89	22,5	23,0	26,0	33,0	37,0	37,0	4 20 10	Lucht	Niet
D00346	Glas 6-20-8 (GDL)	34	35	31,2	Geluidwering Gevels Herzien '89	22,3	23,0	27,0	34,0	38,0	33,0	6 20 8	Lucht	Niet
D00347	Glas 4-24-6 (GDL)	34	25	30,9	Geluidwering Gevels Herzien '89	20,0	22,0	26,0	33,0	41,0	41,0	4 24 6	Lucht	Niet
D00348	Glas 8-16-12 (GDL)	36	50	31,9	Geluidwering Gevels Herzien '89	24,7	25,0	27,0	35,0	35,0	35,0	8 16 12	Lucht	Niet
D00349	Glas 6-20-10 (GDL)	36	40	32,0	Geluidwering Gevels Herzien '89	23,1	24,0	27,0	35,0	37,0	37,0	6 20 10	Lucht	Niet
D00350	Glas 4-24-8 (GDL)	36	30	31,4	Geluidwering Gevels Herzien '89	21,3	23,0	26,0	34,0	39,0	39,0	4 24 8	Lucht	Niet
D00351	Glas 6-24-6 (GDL)	36	30	31,4	Geluidwering Gevels Herzien '89	21,1	23,0	27,0	34,0	40,0	35,0	6 24 6	Lucht	Niet
D00352	Glas 6-20-12 (GDL)	38	45	31,9	Geluidwering Gevels Herzien '89	23,8	24,0	27,0	35,0	36,0	36,0	6 20 12	Lucht	Niet
D00353	Glas 8-20-10 (GDL)	38	45	31,6	Geluidwering Gevels Herzien '89	23,5	24,0	28,0	36,0	35,0	33,0	8 20 10	Lucht	Niet
D00354	Glas 4-24-10 (GDL)	38	35	31,7	Geluidwering Gevels Herzien '89	22,3	23,0	27,0	34,0	38,0	38,0	4 24 10	Lucht	Niet
D00355	Glas 6-24-8 (GDL)	38	35	31,7	Geluidwering Gevels Herzien '89	21,9	23,0	28,0	35,0	39,0	34,0	6 24 8	Lucht	Niet
D00356	Glas 8-20-12 (GDL)	40	50	32,5	Geluidwering Gevels Herzien '89	24,2	25,0	28,0	36,0	36,0	36,0	8 20 12	Lucht	Niet
D00357	Glas 6-24-10 (GDL)	40	40	32,6	Geluidwering Gevels Herzien '89	22,7	24,0	28,0	36,0	38,0	38,0	6 24 10	Lucht	Niet
D00358	Glas 6-24-12 (GDL)	42	45	32,1	Geluidwering Gevels Herzien '89	23,4	23,0	28,0	36,0	37,0	37,0	6 24 12	Lucht	Niet
D00359	Glas 8-24-10 (GDL)	42	45	32,2	Geluidwering Gevels Herzien '89	23,2	24,0	29,0	37,0	36,0	34,0	8 24 10	Lucht	Niet
D00360	Glas 8-24-12 (GDL)	44	50	33,1	Geluidwering Gevels Herzien '89	24,0	25,0	29,0	37,0	37,0	37,0	8 24 12	Lucht	Niet
D00361	Glas 6-1-5 gelamineerd (GE)	12	28	30,6	Geluidwering Gevels Herzien '89	20,2	24,0	28,0	31,0	33,0	37,0	12 0 0	n.v.t	pvb, 1 zijdig
D00362	Glas 7-1-6 gelamineerd (GE)	14	33	31,6	Geluidwering Gevels Herzien '89	21,2	25,0	29,0	32,0	34,0	39,0	14 0 0	n.v.t	pvb, 1 zijdig
D00363	Glas 8-1-7 gelamineerd (GE)	16	38	32,0	Geluidwering Gevels Herzien '89	22,1	26,0	29,0	32,0	34,0	41,0	16 0 0	n.v.t	pvb, 1 zijdig
D00364	Glas 10-1-9 gelamineerd (GE)	20	48	33,4	Geluidwering Gevels Herzien '89	23,4	27,0	30,0	33,0	36,0	44,0	20 0 0	n.v.t	pvb, 1 zijdig
D00471	Glas 4-12-5	21	23	28,3	Berekendlawaai _woningen/ LBP	19,2	22,0	22,0	29,0	36,0	36,0	4 12 5	Lucht	Niet
D00628	Meta-glas 5-47-5. 1kier (schuifraam) [1]	57	25	29,6	v.Dorsser '86 rap. 5107.B	15,7	21,8	26,2	34,1	40,4	37,2	5 47 5	Lucht	Niet
D00629	Meta-glas 5-81-5. 2kier (schuifraam) [1]	91	0	26,8	v.Dorsser '86 rap. 5107.B	9,8	21,5	33,2	37,0	43,9	39,5	5 81 5	Lucht	Niet
D00630	Meta-glas 5-125-5. 2kier(schuifraam) [1]	135	0	37,3	v.Dorsser '86 rap. 5107.B	23,8	30,2	36,6	40,3	44,8	39,4	5 125 5	Lucht	Niet
D00631	Meta-glas 5-125-5.resona(schuifraam) ...	135	0	38,1	v.Dorsser '86 rap. 5107.B	25,7	31,1	35,9	41,9	44,4	39,6	5 125 5	Lucht	Niet
D00632	Meta-glas 5-125-5.absorp(schuifraam) ...	135	0	36,4	v.Dorsser '86 rap. 5107.B	21,7	28,7	35,0	42,7	44,5	42,9	5 125 5	Lucht	Niet
D00633	Meta-glas 5-188-5. 2kier(schuifraam) [1]	198	0	38,9	v.Dorsser '86 rap. 5107.B	25,9	31,9	36,5	44,0	45,4	41,0	5 188 5	Lucht	Niet
D00634	Meta-glas 5-188-5.absorp(schuifraam) ...	198	0	40,8	v.Dorsser '86 rap. 5107.B	27,2	33,3	38,7	45,6	47,4	45,0	5 188 5	Lucht	Niet
D00635	Meta-glas 5-81-5. 1kier (schuifraam) [1]	91	0	25,3	v.Dorsser dec'85 rap.5107.A	8,8	18,7	28,6	33,4	41,1	35,6	5 81 5	Lucht	Niet
D00636	Meta-glas 6-160-4 (voorzetraam) [1]	170	0	39,5	v.Dorsser apr'90 rap.887420.A	25,9	31,9	36,1	44,0	49,3	45,2	6 160 4	Lucht	Niet
D00637	Meta-glas 8-160-4 (voorzetraam) [1]	172	0	40,0	v.Dorsser apr'90 rap.887420.A	26,5								

Glas

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Opbouw</i>	<i>Spouw</i>	<i>Laminaat</i>
D00804	Glazen b.steen 30x30x10	100	0	36,8	Institut fur Technische Physik	29,0	35,0	35,6	42,7	35,8	38,7	0 0 0	n.v.t	Niet
D01003	Glas 6-12-4/1/4 pvb.luchtgevuld	27	0	30,1	Geluidwering Gevels Herzien '89	22,0	24,0	24,0	31,0	35,0	38,0	6 12 9	Lucht	pvb, 1 zijdig
D01004	Glas 4-12-6/1/6 pvb.luchtgevuld (GDL)	29	0	30,3	Geluidwering Gevels Herzien '89	23,1	25,0	24,0	31,0	36,0	36,0	4 12 13	Lucht	pvb, 1 zijdig
D01005	Glas 4-16-4/1/4 pvb.luchtgevuld (GDL)	29	0	29,7	Geluidwering Gevels Herzien '89	20,7	23,0	23,0	32,0	37,0	40,0	4 16 9	Lucht	pvb, 1 zijdig
D01006	Glas 6-12-6/1/6 pvb.luchtgevuld (GDL)	31	0	31,0	Geluidwering Gevels Herzien '89	24,0	25,0	25,0	32,0	36,0	36,0	6 12 13	Lucht	pvb, 1 zijdig
D01007	Glas 8-12-6/1/6 pvb.luchtgevuld (GDL)	33	0	31,8	Geluidwering Gevels Herzien '89	24,8	26,0	26,0	33,0	36,0	36,0	8 12 13	Lucht	pvb, 1 zijdig
D01008	Glas 4-16-6/1/6 pvb.luchtgevuld (GDL)	33	0	31,1	Geluidwering Gevels Herzien '89	23,1	24,0	25,0	32,0	38,0	38,0	4 16 13	Lucht	pvb, 1 zijdig
D01009	Glas 4-20-4/1/4 pvb.luchtgevuld (GDL)	33	0	30,8	Geluidwering Gevels Herzien '89	20,7	23,0	25,0	33,0	38,0	41,0	4 20 9	Lucht	pvb, 1 zijdig
D01010	Glas 6-16-6/1/6 pvb.luchtgevuld (GDL)	35	0	32,1	Geluidwering Gevels Herzien '89	24,0	25,0	26,0	34,0	38,0	38,0	6 16 13	Lucht	pvb, 1 zijdig
D01011	Glas 6-20-4/1/4 pvb.luchtgevuld (GDL)	35	0	31,8	Geluidwering Gevels Herzien '89	22,0	23,0	27,0	34,0	38,0	41,0	6 20 9	Lucht	pvb, 1 zijdig
D01012	Glas 8-16-6/1/6 pvb.luchtgevuld (GDL)	37	0	32,6	Geluidwering Gevels Herzien '89	24,5	25,0	27,0	35,0	38,0	38,0	8 16 13	Lucht	pvb, 1 zijdig
D01013	Glas 4-20-6/1/6 pvb.luchtgevuld (GDL)	37	0	31,7	Geluidwering Gevels Herzien '89	23,1	24,0	26,0	33,0	39,0	39,0	4 20 13	Lucht	pvb, 1 zijdig
D01014	Glas 8-20-4/1/4 pvb.luchtgevuld (GDL)	37	0	31,9	Geluidwering Gevels Herzien '89	22,6	24,0	27,0	33,0	37,0	40,0	8 20 9	Lucht	pvb, 1 zijdig
D01015	Glas 4-24-4/1/4 pvb.luchtgevuld (GDL)	37	0	31,4	Geluidwering Gevels Herzien '89	20,7	23,0	26,0	34,0	39,0	42,0	4 24 9	Lucht	pvb, 1 zijdig
D01016	Glas 6-24-4/1/4 pvb.luchtgevuld (GDL)	39	0	32,2	Geluidwering Gevels Herzien '89	21,6	23,0	28,0	35,0	39,0	42,0	6 24 9	Lucht	pvb, 1 zijdig
D01017	Glas 8-20-6/1/6 pvb.luchtgevuld (GDL)	41	0	33,5	Geluidwering Gevels Herzien '89	24,2	26,0	28,0	36,0	39,0	39,0	8 20 13	Lucht	pvb, 1 zijdig
D01018	Glas 4-24-6/1/6 pvb.luchtgevuld (GDL)	41	0	32,4	Geluidwering Gevels Herzien '89	23,1	24,0	27,0	34,0	40,0	40,0	4 24 13	Lucht	pvb, 1 zijdig
D01019	Glas 8-24-4/1/4 pvb.luchtgevuld (GDL)	41	0	32,6	Geluidwering Gevels Herzien '89	22,3	24,0	28,0	36,0	38,0	41,0	8 24 9	Lucht	pvb, 1 zijdig
D01020	Glas 6-24-6/1/6 pvb.luchtgevuld (GDL)	43	0	33,3	Geluidwering Gevels Herzien '89	23,4	25,0	28,0	36,0	40,0	40,0	6 24 13	Lucht	pvb, 1 zijdig
D01021	Glas 8-24-6/1/6 pvb.luchtgevuld (GDL)	45	0	34,0	Geluidwering Gevels Herzien '89	24,0	26,0	29,0	37,0	40,0	40,0	8 24 13	Lucht	pvb, 1 zijdig
D01075	Glas 4/1/4-12-6/1/6 luchtgev.gelam.(G...	34	0	31,9	Geluidwering Gevels Herzien '89	24,4	26,0	26,0	33,0	36,0	39,0	9 12 13	Lucht	pvb, 2 zijdig
D01076	Glas 4/1/4-16-6/1/6 luchtgev..gelam. (G...	38	0	33,0	Geluidwering Gevels Herzien '89	24,2	26,0	27,0	35,0	38,0	41,0	9 16 13	Lucht	pvb, 2 zijdig
D01077	Glas 4/1/4-20-4/1/4 luchtgev..gelam. (G...	38	0	32,2	Geluidwering Gevels Herzien '89	22,2	24,0	27,0	35,0	37,0	43,0	9 20 9	Lucht	pvb, 2 zijdig
D01078	Glas 4/1/4-20-6/1/6 luchtgev..gelam. (G...	42	0	33,8	Geluidwering Gevels Herzien '89	23,9	27,0	28,0	36,0	39,0	42,0	9 20 13	Lucht	pvb, 2 zijdig
D01079	Glas 4/1/4-24-4/1/4 luchtgev..gelam. (G...	42	0	32,9	Geluidwering Gevels Herzien '89	22,0	25,0	28,0	36,0	38,0	44,0	9 24 9	Lucht	pvb, 2 zijdig
D01080	Glas 4/1/4-24-6/1/6 luchtgev..gelam. (G...	46	0	34,4	Geluidwering Gevels Herzien '89	23,7	27,0	29,0	37,0	40,0	43,0	9 24 13	Lucht	pvb, 2 zijdig
D01081	Glas 4/1/4-12-6/2/6 luchtgev..gelam. (G...	35	0	33,3	Geluidwering Gevels Herzien '89	24,4	27,0	27,0	36,0	38,0	42,0	9 12 14	Lucht	pvb, 2 zijdig
D01082	Glas 4/1/4-16-5/2/5 luchtgev..gelam. (G...	37	0	33,8	Geluidwering Gevels Herzien '89	23,5	26,0	28,0	37,0	40,0	44,0	9 16 12	Lucht	pvb, 2 zijdig
D01083	Glas 4/1/4-16-6/2/6 luchtgev..gelam. (G...	39	0	34,7	Geluidwering Gevels Herzien '89	24,2	28,0	29,0	37,0	40,0	44,0	9 16 14	Lucht	pvb, 2 zijdig
D01084	Glas 4/1/4-20-5/2/5 luchtgev..gelam. (G...	41	0	34,5	Geluidwering Gevels Herzien '89	23,1	27,0	29,0	38,0	41,0	45,0	9 20 12	Lucht	pvb, 2 zijdig
D01085	Glas 4/1/4-24-5/2/5 luchtgev..gelam. (G...	45	0	35,0	Geluidwering Gevels Herzien '89	22,9	27,0	30,0	39,0	42,0	46,0	9 24 12	Lucht	pvb, 2 zijdig
D01086	Glas 4/1/4-24-6/2/6 luchtgev..gelam. (G...	47	0	35,8	Geluidwering Gevels Herzien '89	23,7	28,0	31,0	40,0	42,0	46,0	9 24 14	Lucht	pvb, 2 zijdig
D01108	Glas 4-40-4 voorzetraam (GDR)	48	0	30,6	Geluidwering Gevels Herzien '89	18,0	21,0	27,0	35,0	42,0	44,0	4 40 4	Lucht	Niet
D01109	Glas 4-40-6 voorzetraam (GDR)	50	0	31,8	Geluidwering Gevels Herzien '89	19,5	22,0	28,0	36,0	43,0	44,0	4 40 6	Lucht	Niet
D01110	Glas 4-40-8 voorzetraam (GDR)	52	0	32,3	Geluidwering Gevels Herzien '89	20,6	22,0	29,0	37,0	42,0	44,0	4 40 8	Lucht	Niet
D01111	Glas 6-40-6 voorzetraam (GDR)	52	0	32,3	Geluidwering Gevels Herzien '89	20,6	22,0	30,0	37,0	43,0	38,0	6 40 6	Lucht	Niet
D01112	Glas 4-40-10 voorzetraam (GDR)	54	0	32,8	Geluidwering Gevels Herzien '89	21,5	23,0	29,0	37,0	41,0	41,0	4 40 10	Lucht	Niet
D01113	Glas 6-40-8 voorzetraam (GDR)	54	0	32,4	Geluidwering Gevels Herzien '89	21,4	22,0	30,0	38,0	42,0	37,0	6 40 8	Lucht	Niet
D01114	Glas 6-40-10 voorzetraam (GDR)	56	0	33,4	Geluidwering Gevels Herzien '89	22,1	23,0	31,0	38,0	41,0	41,0	6 40 10	Lucht	Niet
D01115	Glas 6-40-12 voorzetraam (GDR)	58	0	34,3	Geluidwering Gevels Herzien '89	23,1	25,0	31,0	39,0	40,0	40,0	6 40 12	Lucht	Niet
D01116	Glas 4-80-4 voorzetraam (GDR)	88	0	31,2	Geluidwering Gevels Herzien '89	18,2	20,0	31,0	39,0	46,0	48,0	4 80 4	Lucht	Niet
D01117	Glas 4-80-6 voorzetraam (GDR)	90	0	33,4	Geluidwering Gevels Herzien '89	19,8	23,0	32,0	40,0	47,0	47,0	4 80 6	Lucht	Niet
D01118	Glas 4-80-8 voorzetraam (GDR)	92	0	34,6	Geluidwering Gevels Herzien '89	20,8	25,0	33,0	40,0	46,0	46,0	4 80 8	Lucht	Niet
D01119	Glas 6-80-6 voorzetraam (GDR)	92	0	35,0	Geluidwering Gevels Herzien '89	20,9	26,0	33,0	41,0	47,0	42,0	6 80 6	Lucht	Niet
D01120	Glas 4-80-10 voorzetraam (GDR)	94	0	35,2	Geluidwering Gevels Herzien '89	21,5	26,0	33,0	41,0	45,0	45,0	4 80 10	Lucht	Niet
D01121	Glas 6-80-8 voorzetraam (GDR)	94	0	35,7	Geluidwering Gevels Herzien '89	21,7	27,0	34,0	42,0	46,0	41,0	6 80 8	Lucht	Niet
D01122	Glas 6-80-10 voorzetraam (GDR)	96	0	36,4	Geluidwering Gevels Herzien '89	22,8	27,0	35,0	42,0	45,0	45,0	6 80 10	Lucht	Niet
D01123	Glas 6-80-12 voorzetraam (GDR)	98	0	36,7	Geluidwering Gevels Herzien '89	24,0	27,0	35,0	42,0	44,0	44,0	6 80 12	Lucht	Niet
D01124	Glas 4-160-4 voorzetraam (GDR)	168	0	34,3	Geluidwering Gevels Herzien '89	18,2	27,0	35,0	42,0	50,0	52,0	4 160 4	Lucht	Niet
D01125	Glas 4-160-6 voorzetraam (GDR)	170	0	35,7	Geluidwering Gevels Herzien '89	19,8	28,0	36,0	43,0	51,0	51,0	4 160 6	Lucht	Niet
D01126	Glas 4-160-8 voorzetraam (GDR)	172	0	36,8	Geluidwering Gevels Herzien '89	21,1	29,0	37,0	44,0	50,0	50,0	4 160 8	Lucht	Niet
D01127	Glas 6-160-6 voorzetraam (GDR)	172	0	36,8	Geluidwering Gevels Herzien '89	20,9	30,0	37,0	45,0	50,0	45,0	6 160 6	Lucht	Niet
D01128	Glas 4-160-10 voorzetraam (GDR)	174	0	37,4	Geluidwering Gevels Herzien '89	22,3	29,0	37,0	44,0	48,0	48,0	4 160 10	Lucht	Niet
D01129	Glas 6-160-8 voorzetraam (GDR)	174	0	37,0	Geluidwering Gevels Herzien '89	21,1	30,0	38,0	45,0	49,0	44,0	6 160 8	Lucht	Niet
D01130	Glas 6-160-10 voorzetraam (GDR)	176	0	38,1	Geluidwering Gevels Herzien '89	22,3	31,0	38,0	46,0	48,0	48,0	6 160 10	Lucht	Niet
D01131	Glas 6-160-12 voorzetraam (GDR)	178	0	38,7	Geluidwering Gevels Herzien '89	23,4	31,0	39,0	46,0	47,0	47,0	6 160 12	Lucht	Niet
D01247	PH 1260 4-15-4 mm schuifpui	23	0	25,9	PeutzAssociates'93 Lab.meting	18,3	20,0	19,0	27,0	33,0	36,0	4 15 4	Lucht	Niet
D01575	Arho kozijn 4-12-6 mm glas (schuifr)	22	42	30,4	TNO/TUE'95 rap. 95-CBO-R0223	20,0	25,9	25,7	32,5	33,3	35,1	4 12 6	Lucht	Niet
D01576	Arho kozijn 6-20-4/2/4 glas(schuifr) [1]	36	52	33,9	TNO/TUE'95 rap. 95-CBO-R0223	23,0	27,7	32,4	35,6	36,6	36,2	6 20 10	Lucht	Niet
D01577	Arho kozijn met sandwich (schuifr) [1]	73	40	35,0	TNO/TUE'95 rap. 95-CBO-R0223	22,9	30,1	37,3	36,8	35,7	39,8	1 70 2	Lucht	Niet
D01705	Iglas 4-6-8 mm; luchtgevuld	18	0	29,6	TNO'95 rap.TPD-HAI-RPT-9500099	21,4	22,9	24,3	28,7	36,6	38,0	4 6 8	Lucht	Niet
D01706	Iglas 4-9-8 mm; luchtgevuld	21	0	30,5	TNO'95 rap.TPD-HAI-RPT-9500099	21,4	22,3	25,7	30,4	39,3	37,0	4 9 8	Lucht	Niet
D01707	Iglas 4-12-10 mm; luchtgevuld+verh.	26	0	30,2	TNO'95 rap.TPD-HAI-RPT-9500099	22,5	23,7	22,9	32,0	39,4	42,8	4 12 10	Lucht	Niet
D01723	Iglas 6-15-10 mm; luchtgevuld	31	0	32,3	TNO'95 rap.TPD-HAI-RPT-9500099	23,5	23,7	27,2	34,1	39,9	37,8	6 15 10	Lucht	Niet
D01797	SGG Climalit Acoustic 21/32 L	21	23	28,9	TNO'97 rp.TNO/TUE 97-CBO-R0368	24,6	23,1	21,5	29,2	39,2	37,4	5 12 4	Lucht	Niet
D01798	SGG Climalit Acoustic 20/30 L	20	20	26,9	TNO'97 rp.TNO/TUE 97-CBO-R0368	21,8	23,8	19,3	26,1	36,7	39,0	4 12 4	Lucht	Niet
D01800	SGG Climalit Acoustic 27/36 LST	27	35	32,2	TNO'97 rp.TNO/TUE 97-CBO-R0368	28,4	23,2	25,7	36,1	41,8	37,1	6 12 9	Lucht	pvb, 1 zijdig
D01801	SGG Climalit Acoustic 33/37L opbouw ...	33	45	33,6	TNO'97 rp.TNO/TUE 97-CBO-R0368	29,3	24,8	30,2	38,0	37,5	34,8	10 15 8	Lucht	Niet
D01802	SGG Climalit Acoustic 30/36 L 8-20-5	30	45	32,4	TNO'97 rp.TNO/TUE 97-CBO-R0368	28,2	23,3	28,0	37,1	37,0	34,3	10 12 8	Lucht	Niet
D01803	SGG Climalit Acoustic 31/36 L opbouw ...	31	40	33,1	TNO'97 rp.TNO/TUE 97-CBO-R0368	28,4	24,9	27,6	35,6	39,8	35,9	10 15 6	Lucht	Niet
D01804	SGG Climalit Acoustic 28/35 L 106	28	40	31,8	TNO'97 rp.TNO/TUE 97-CBO-R0368	27,1	23,6	25,7	34,5	39,1	35,5	10 12 6	Lucht	Niet
D01805	SGG Climalit Acoustic 29/34 L opbouw ...	29	35	30,7	TNO'97 rp.TNO/TUE 97-CBO-R0368	26,3	21,6	24,9	35,9	40,5	32,7	8 15 6	Lucht	Niet
D01806	SGG Climalit Acoustic 26/34 L	26	35	30,6	TNO'97 rp.TNO/TUE 97-CBO-R0368	26,8	22,6	24,4	34,8	40,1	32,5	8 12 6	Lucht	Niet
D01807	SGG Climalit Acoustic 33/35 L	33	33	31,3	TNO'97 rp.TNO/TUE 97-CBO-R0368	26,2	20,8	27,3	33,8	41,5	35,4	8 20 5	Lucht	Niet
D01808	SGG Climalit Acoustic 28/35 L opbouw ...	28	33	31,1	TNO'97 rp.TNO/TUE 97-CBO-R0368	28,2	21,4	25,7	33,5	41,1	35,7	8 15 5	Lucht	Niet
D01809	SGG Climalit Acoustic 25/34 L 64 opbou...	25	20	30,6	TNO'97 rp.TNO/TUE 97-CBO-R0368	28,9	22,6	23,6	32,8	40,6	36,0	6 15 4	Lucht	Niet
D01810	SGG Climalit Acoustic 22/33 L	22	25	29,1	TNO'97 rp.TNO/TUE 97-CBO-R0368	26,4	23,5	21,5	29,5					

Glas

Id	Omschrijving	Dikte [mm]	Gewicht [kg/m²]	RA [dB(A)]	Bron	63	125	250	500	1000	2000	Opbouw	Spouw	Laminaat
D02204	SGG Climalit Acoustic 27/37 LST	27	35	31,5	TNO-rapport DGT-RPT-030006	25,5	24,5	24,1	33,1	42,0	42,5	6 12 9	Lucht	pvb, 1 zijdig
D02205	SGG Climalit Silence 34/42 AST	34	45	36,9	TNO-rapport DGT-RPT-030006	29,4	27,7	31,6	40,2	42,4	46,1	10 15 9	Lucht	pvb, 1 zijdig
D02206	SGG Climalit Silence 32/40 AST	32	40	33,9	TNO-rapport DGT-RPT-030006	27,7	23,8	28,2	36,7	46,1	43,5	6 15 11	Lucht	pvb, 1 zijdig
D02207	SGG Climalit Silence 27/38 AST	27	35	32,0	TNO-rapport DGT-RPT-030006	27,9	24,0	24,4	34,7	45,1	43,6	6 12 9	Lucht	pvb, 1 zijdig
D02208	SGG Climalit Acoustic 22/34 K	22	25	29,0	TNO-rapport DGT-RPT-030043	24,7	23,9	20,7	30,9	45,1	39,5	4 12 6	Gas	Niet
D02209	SGG Climalit Acoustic 17/33 L	17	25	29,1	TNO-rapport DGT-RPT-030043	26,4	24,8	22,2	27,5	38,0	37,1	4 7 6	Lucht	Niet
D02210	SGG Climalit Acoustic 19/33 L	19	25	28,9	TNO-rapport DGT-RPT-030043	26,8	24,3	21,7	27,7	38,6	37,8	4 9 6	Lucht	Niet
D02211	SGG Climalit Acoustic 22/33 L	22	25	28,7	TNO-rapport DGT-RPT-030043	23,8	24,1	20,9	29,0	40,4	38,2	4 12 6	Lucht	Niet
D02212	SGG Climalit Acoustic 25/33 L	25	25	28,4	TNO-rapport DGT-RPT-030043	24,6	22,5	20,6	29,4	41,2	39,2	4 15 6	Lucht	Niet
D02213	SGG Climalit Acoustic 30/34 L	30	25	28,5	TNO-rapport DGT-RPT-030043	24,0	19,2	21,9	30,8	41,7	38,3	4 20 6	Lucht	Niet
D02214	SGG Climalit Acoustic 34/35 (L)	34	25	28,8	TNO-rapport DGT-RPT-030043	22,8	19,2	22,4	31,7	42,4	38,6	4 24 6	Lucht	Niet
D02215	SGG Climalit Acoustic 22/33 A	22	25	28,5	TNO-rapport DGT-RPT-030043	23,5	24,3	21,1	27,6	40,1	38,9	4 12 6	Gas	Niet
D02216	SGG Climalit Acoustic 25/32 A	25	25	27,4	TNO-rapport DGT-RPT-030043	22,8	23,3	19,4	27,5	40,9	39,3	4 15 6	Gas	Niet
D02217	SGG Climalit Acoustic 30/34 A	30	25	28,4	TNO-rapport DGT-RPT-030043	24,8	21,1	20,9	29,8	42,0	39,5	4 20 6	Gas	Niet
D02218	SGG Climalit Acoustic 25/34 (L)	25	25	29,4	TNO-rapport DGT-RPT-030043	24,3	23,8	22,2	29,2	40,1	39,2	4 15 6	Lucht	Niet
D02219	SGG Climalit Acoustic 30/36 LST	30	35	31,8	TNO-rapport DGT-RPT-030043	27,8	22,1	26,2	35,7	41,4	35,8	9 15 6	Lucht	pvb, 1 zijdig
D02220	SGG Climalit Acoustic 31/36 (L)	31	40	32,6	TNO-rapport DGT-RPT-030043	27,8	24,1	27,0	34,8	39,7	35,8	6 15 10	Lucht	Niet
D02221	SGG Climalit Acoustic 40/38 (L)	40	40	34,1	TNO-rapport DGT-RPT-030043	25,1	25,4	31,0	37,0	39,9	35,9	6 24 10	Lucht	Niet
D02222	SGG Climalit Silence 52/50 AST opbou...	52	65	42,3	TNO-rapport DGT-RPT-030043	26,6	37,5	40,9	46,4	51,0	53,0	13 24 15	Lucht	pvb, 2 zijdig
D02223	SGG Climalit Silence 36/43 AST	36	50	38,5	TNO-rapport DGT-RPT-030043	28,9	30,0	34,2	40,4	42,9	48,4	9 15 12	Lucht	pvb, 1 zijdig
D02224	SGG Climalit Silence 41/45 AST	41	50	39,4	TNO-rapport DGT-RPT-030043	27,9	31,0	36,5	41,9	43,1	48,8	9 20 12	Lucht	pvb, 1 zijdig
D02225	SGG Climalit Silence 45/45 AST	45	60	39,7	TNO-rapport DGT-RPT-030043	26,0	36,0	37,4	43,1	42,4	46,6	13 20 12	Lucht	pvb, 1 zijdig
D02226	SGG Climalit Silence 49/45 AST	49	60	40,8	TNO-rapport DGT-RPT-030043	27,7	37,0	38,6	43,7	42,7	47,1	13 24 12	Lucht	pvb, 1 zijdig
D02227	SGG Climalit Silence 41/42 AST	41	50	36,6	TNO-rapport DGT-RPT-030043	27,7	26,2	32,4	40,8	45,1	43,4	13 20 8	Lucht	pvb, 1 zijdig
D02228	SGG Climalit Acoustic 37/40 LST	37	50	35,4	TNO-rapport DGT-RPT-030043	25,5	27,0	31,9	38,9	39,2	40,4	9 15 13	Lucht	Niet
D02229	SGG Climalit Acoustic 32/34 LST	32	40	29,3	TNO-rapport DGT-RPT-030043	25,6	20,4	22,9	32,4	38,0	35,3	9 15 8	Lucht	Niet
D02230	SGG Climalit Acoustic 28/35 L	28	33	30,7	TNO-rapport DGT-RPT-030043	29,3	22,3	24,1	32,6	41,3	36,2	5 15 8	Lucht	Niet
D02231	SGG Climalit Acoustic 36/37 L	36	40	33,9	TNO-rapport DGT-RPT-030043	26,6	25,3	30,5	36,5	39,1	35,4	6 20 10	Lucht	Niet
D02232	SGG Climalit Acoustic 33/36 L	33	33	31,7	TNO-rapport DGT-RPT-030043	27,8	21,5	27,5	33,7	41,5	35,6	5 20 8	Lucht	Niet
D02233	SGG Climalit Acoustic 37/37 L	37	33	32,1	TNO-rapport DGT-RPT-030043	26,3	21,1	28,8	34,5	42,3	37,0	5 24 8	Lucht	Niet
D02234	SGG Climalit Acoustic 20/29 L	20	20	25,8	TNO-rapport DGT-RPT-030043	20,8	23,8	17,9	25,3	36,1	39,1	4 12 4	Lucht	Niet
D02235	SGG Climalit Acoustic 21/33 L	21	23	28,9	TNO-rapport DGT-RPT-030043	24,5	23,9	21,1	29,6	39,4	37,8	4 12 5	Lucht	Niet
D02236	SGG Climalit Acoustic 24/33 L	24	23	28,6	TNO-rapport DGT-RPT-030043	24,3	23,1	20,6	30,1	40,3	39,0	4 15 5	Lucht	Niet
D02237	SGG Climalit Acoustic 33/36 LST opbo...	33	40	30,8	TNO-rapport DGT-RPT-030043	28,4	22,5	23,7	33,6	40,3	38,2	9 15 9	Lucht	Niet
D02238	SGG Climalit Silence 24/36 AST	24	28	30,7	TNO-rapport DGT-RPT-030043	26,2	24,1	22,8	32,7	44,0	45,8	7 12 5	Lucht	Niet
D02239	SGG Climalit Silence 19/36 AST	19	28	31,2	TNO-rapport DGT-RPT-030043	26,2	25,8	23,9	30,8	41,4	44,5	7 7 5	Lucht	Niet
D02240	SGG Climalit Silence 30/39 AST	30	35	32,8	TNO-rapport DGT-RPT-030043	28,1	23,1	26,4	35,7	46,3	44,6	9 15 6	Lucht	Niet
D02241	SGG Climalit Silence 32/41 AST	32	40	34,4	TNO-rapport DGT-RPT-030043	27,9	24,4	28,4	38,3	46,7	45,2	9 15 8	Lucht	Niet
D02242	SGG Climalit Silence 39/44 AST	39	45	38,5	TNO-rapport DGT-RPT-030043	28,0	28,9	34,3	41,4	46,2	47,5	9 20 10	Lucht	Niet
D02243	SGG Stadip Silence 55.A2 AST opbou...	11	25	34,1	TNO-rapport DGT-RPT-030043	25,0	28,1	28,4	34,5	39,6	40,7	11 0 0	n.v.t	pvb, 1 zijdig
D02244	SGG Stadip Silence 66.A2 AST opbou...	13	30	35,2	TNO-rapport DGT-RPT-030043	26,2	29,2	29,8	35,4	40,4	42,0	13 0 0	n.v.t	pvb, 1 zijdig
D02245	SGG Stadip Silence 68.A2 AST	15	35	36,0	TNO-rapport DGT-RPT-030043	25,9	30,5	30,8	36,4	40,7	43,6	15 0 0	n.v.t	pvb, 1 zijdig
D02246	SGG Stadip Silence 88.A2 AST opbou...	17	40	37,0	TNO-rapport DGT-RPT-030043	26,7	32,0	31,7	37,2	41,2	45,6	17 0 0	n.v.t	pvb, 1 zijdig
D02247	SGG Stadip opbouw 44.2	9	20	30,6	TNO-rapport DGT-RPT-030043	22,6	24,2	25,9	31,9	36,2	32,5	9 0 0	n.v.t	pvb, 1 zijdig
D02248	SGG Stadip Silence 33.A1 AST opbou...	7	15	30,8	TNO-rapport DGT-RPT-030043	23,2	24,2	24,8	31,3	36,4	39,4	6 0 0	n.v.t	pvb, 1 zijdig
D02249	SGG Stadip opbouw 88.2	17	40	33,1	TNO-rapport DGT-RPT-030043	22,2	29,3	31,0	35,0	33,3	42,8	17 0 0	n.v.t	pvb, 1 zijdig
D02250	SGG Stadip opbouw 55.2	11	25	32,2	TNO-rapport DGT-RPT-030043	23,3	29,2	27,4	33,7	34,8	35,1	11 0 0	n.v.t	pvb, 1 zijdig
D02251	SGG Stadip opbouw 66.2	13	30	32,8	TNO-rapport DGT-RPT-030043	23,1	30,1	29,4	34,6	33,2	38,2	13 0 0	n.v.t	pvb, 1 zijdig
D02252	SGG Stadip Silence 33.A2 AST opbou...	7	15	30,8	TNO-rapport DGT-RPT-030043	22,0	24,5	25,0	31,1	36,5	39,4	7 0 0	n.v.t	pvb, 1 zijdig
D02253	SGG Stadip Silence 44.A2 AST opbou...	9	20	32,7	TNO-rapport DGT-RPT-030043	25,2	25,8	26,9	33,1	38,2	39,9	9 0 0	n.v.t	pvb, 1 zijdig
D02254	SGG Stadip opbouw 33.2	7	15	29,5	TNO-rapport DGT-RPT-030043	22,9	23,3	23,8	30,7	35,5	31,8	7 0 0	n.v.t	pvb, 1 zijdig
D02255	SGG Stadip opbouw 33.1	7	15	29,0	TNO-rapport DGT-RPT-030043	20,7	22,2	24,1	30,7	35,4	30,7	6 0 0	n.v.t	pvb, 1 zijdig
D02533	AGC Phonibel ST 3141	31	35	34,3	IFT Rozenheim 040305.Z29b	33,4	23,2	28,6	38,7	48,7	48,2	6 16 9	Lucht	pvb, 1 zijdig
D02535	AGC Phonibel ST 3342	33	40	35,4	IFT Rozenheim 040305.Z25b	30,5	24,5	29,9	39,6	47,4	48,4	8 16 9	Lucht	pvb, 1 zijdig
D02538	AGC Phonibel ST 3743	37	50	37,6	IFT Rozenheim 040305.Z13b	34,0	26,9	32,8	40,4	46,9	45,6	8 16 13	Lucht	pvb, 1 zijdig
D02539	AGC Phonibel ST 3843	38	50	36,5	IFT Rozenheim 040305.Z16b	31,0	25,3	32,0	41,4	47,7	45,3	8 16 14	Lucht	pvb, 1 zijdig
D02542	AGC Phonibel ST 3545	35	45	37,5	IFT Rozenheim 040305.Z02b	30,9	26,2	33,2	42,7	46,7	50,9	10 16 9	Lucht	pvb, 1 zijdig
D02543	AGC Phonibel ST 3445	34	50	39,2	IFT Rozenheim 040305.Z20b	34,2	29,7	33,2	41,5	46,6	52,5	13 12 9	Lucht	pvb, 2 zijdig
D02544	AGC Phonibel ST 3846	38	50	39,4	IFT Rozenheim 040305.Z09b	31,1	29,1	34,9	42,4	47,0	52,9	13 16 9	Lucht	pvb, 2 zijdig
D02546	AGC Phonibel ST 3447	34	50	39,6	IFT Rozenheim 040305.Z23b	35,8	27,9	35,0	44,1	53,1	55,7	9 12 13	Lucht	pvb, 2 zijdig
D02548	AGC Phonibel ST 3849	38	50	40,1	IFT Rozenheim 040305.Z27b	35,4	27,6	38,0	45,8	54,1	56,0	9 16 13	Lucht	pvb, 2 zijdig
D02549	AGC Phonibel ST 3949	39	50	40,0	IFT Rozenheim 040305.Z15b	32,3	27,8	37,6	46,5	55,7	56,1	10 16 14	Lucht	pvb, 2 zijdig
D02551	AGC Phonibel ST 4250	42	50	41,3	IFT Rozenheim 040305.Z22b	33,9	28,9	39,6	46,9	54,9	56,5	9 20 13	Lucht	pvb, 2 zijdig
D02552	AGC Phonibel ST 4150/2	41	60	42,1	IFT Rozenheim 040428.Z06b	33,7	30,5	40,0	45,4	52,5	55,2	17 15 9	Lucht	pvb, 2 zijdig
D02553	AGC Phonibel ST 4551	45	70	44,3	IFT Rozenheim 040428.Z02b	30,9	35,6	42,8	46,7	52,0	52,0	17 15 13	Lucht	pvb, 2 zijdig
D02555	AGC Stratophone 33.2	7	15	30,3	WTGB (rapportnummer onbekend)	19,1	22,1	26,5	31,6	36,1	39,6	0 0 0	n.v.t	pvb, 1 zijdig
D02557	AGC Stratophone 44.2	9	20	32,7	WTGB (rapportnummer onbekend)	19,5	26,6	29,9	34,1	38,1	39,1	0 0 0	n.v.t	pvb, 1 zijdig
D02558	AGC Stratophone 44.4	10	20	32,6	WTGB (rapportnummer onbekend)	21,8	24,1	28,7	34,3	38,5	40,0	0 0 0	n.v.t	pvb, 1 zijdig
D02560	AGC Stratophone 55.2	11	25	34,4	WTGB (rapportnummer onbekend)	24,2	26,7	31,1	35,5	38,8	39,2	0 0 0	n.v.t	pvb, 1 zijdig
D02562	AGC Stratophone 66.2	13	30	36,1	WTGB (rapportnummer onbekend)	25,2	29,1	32,7	37,7	40,3	40,2	0 0 0	n.v.t	pvb, 1 zijdig
D02563	AGC Stratophone 88.2	17	40	36,9	WTGB (rapportnummer onbekend)	25,5	32,3	35,1	36,8	38,6	45,4	0 0 0	n.v.t	pvb, 1 zijdig
D02572	SGG Climalit Silence 30/40 AST	30	35	33,2	DGT-RPT-040048	26,7	23,1	27,4	36,2	45,7	44,6	9 15 7	Lucht	pvb, 2 zijdig
D02573	SGG Climalit Silence 30/40 AST	30	35	33,1	DGT-RPT-040034	26,7	23,1	27,0	36,6	46,7	45,8	7 15 9	Lucht	pvb, 2 zijdig
D02574	SGG Climalit Silence 33/42 AST [1]	33	40	32,1	DGT-RPT-040034	16,9	24,4	29,5	39,4	47,5	47,3	9 15 9	Lucht	pvb, 2 zijdig
D02575	SGG Climalit Silence 33/43 AST opbou...	33	40	36,3	DGT-RPT-040034	28,7	25,5	31,3	40,0	50,7	53,5	9 15 9	Lucht	pvb, 2 zijdig
D02576	SGG Climalit Silence 39/45 AST	39	45	38,9	DGT-RPT-040034	27,8	28,8	35,8	42,1	47,2	48,7	10 20 9	Lucht	pvb, 1 zijdig
D02661	SGG voorzetraam 86.2(2)/24/66.2 115...	180	95	47,7	Peutz rapport ATI 876-1 d.d. 21 oktob...	34,2	38,7	43,8	55,6	58,1	58,5	13 115 52	Lucht	pvb, 2 zijdig
D02662	SGG voorzetraam 86.2(2)/24/66.2 115...	180	95	48,1	Peutz rapport ATI 876-1 d.d. 21 oktob...	34,7	39,3	43,9	55,8	58,4	58,5	13 115 52	Lucht	pvb, 2 zijdig
D02663	SGG voorzetraam 86.2(2)/24/66.2 115...	180	95	42,7	Peutz rapport ATI 876-1 d.d. 21 oktob...	29,1	34,6	40,0	46,					

Glas

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Opbouw</i>	<i>Spouw</i>	<i>Laminaat</i>
D02847	Meta-glas M-View balkonbeglazing 8 m...	8	0	16,7	Peutz RPT-A 2044-2-RA uit 2010	13,5	14,0	14,5	14,8	17,9	20,4	0 0 0	n.v.t	Niet
D02848	Meta-glas M-View balkonbeglazing 10 ...	10	0	19,5	Peutz RPT-A 2044-2-RA uit 2010	17,8	17,7	17,6	16,9	20,6	24,1	0 0 0	n.v.t	Niet
D02849	Meta-glas M-View balkonbeglazing 10 ...	10	0	17,6	Peutz RPT-A 2044-2-RA uit 2010	14,8	15,1	15,4	15,5	18,6	21,6	0 0 0	n.v.t	Niet
D02850	Meta-glas M-View balkonbeglazing 12 ...	12	0	19,9	Peutz RPT-A 2044-2-RA uit 2010	21,2	20,0	18,8	17,4	20,0	25,7	0 0 0	n.v.t	Niet
D02851	Meta-glas M-View balkonbeglazing 12 ...	12	0	17,4	Peutz RPT-A 2044-2-RA uit 2010	14,6	15,0	15,4	15,2	18,2	22,0	0 0 0	n.v.t	Niet
D02852	Meta-glas Total Glas 1A deurpaneel [1]	150	0	30,0	Peutz RPT-A 2044-3-RA uit 2010	15,3	24,7	34,1	34,7	34,5	32,3	55 40 55	Lucht	Niet
D02853	Meta-glas volglazen binnenwanden gla...	139	46	36,2	Peutz RPT-A 1190-1 uit 2002	21,6	28,3	33,5	41,7	46,1	47,2	44 40 55	Lucht	pvb, 2 zijdig
D02854	Meta-glas volglazen binnenwanden gla...	150	51	37,6	Peutz RPT-A 1190-1 uit 2002	23,8	29,7	34,2	41,6	46,1	48,0	55 40 55	Lucht	pvb, 2 zijdig
D02855	Meta-glas volglazen binnenwanden gla...	139	61	39,1	Peutz RPT-A 1190-1 uit 2002	26,5	31,5	35,1	41,6	45,3	48,4	44 40 55	Lucht	pvb, 2 zijdig
D02870	Solarlux balkonbeglazing SL 25 met ki...	8	0	22,4	Nusing Prüfbericht Nr. 08.2005.14	13,2	17,4	21,6	23,0	24,2	23,5	8 0 0	n.v.t	Niet
D02871	Solarlux balkonbeglazing SL 25 zonder...	8	0	14,6	Nusing Prüfbericht Nr. 08.2005.15	6,9	9,5	12,1	14,4	16,2	17,9	8 0 0	Lucht	Niet
D02872	Solarlux balkonbeglazing SL 25R met k...	8	0	23,3	Nusing Prüfbericht Nr. 08.2005.12	13,7	17,7	21,7	23,5	25,7	25,6	8 0 0	Lucht	Niet
D02873	Solarlux balkonbeglazing SL 25R zond...	8	0	22,7	Nusing Prüfbericht Nr. 08.2005.13	13,5	17,5	21,5	22,8	24,6	25,1	8 0 0	Lucht	Niet
D02874	Solarlux vouwwand SL 45 met glas 66...	12	0	32,7	Nusing Prüfbericht Nr. FN 12/2011.01	24,6	27,1	28,2	32,2	35,6	39,4	12 0 0	n.v.t	pvb, 1 zijdig
D02875	Solarlux vouwwand SL 65 met Akustex ...	27	0	31,5	Nusing Prüfbericht Nr. 10.2003.4	21,9	26,2	24,5	34,9	38,1	38,3	8 15 4	Lucht	Niet
D02876	Solarlux vouwwand SL 66 met Akustex...	29	0	31,0	Nusing Prüfbericht Nr. 08.2005.10	18,5	23,8	26,1	34,4	38,1	40,4	4 15 10	Lucht	Niet
D02877	Solarlux vouwwand SL 66 met Akustex ...	35	0	32,6	Nusing Prüfbericht Nr. 08.2005.11	18,7	24,6	28,8	36,5	43,0	46,0	11 15 9	Lucht	Niet
D02878	Solarlux vouwwand SL 70e met Akuste...	31	0	32,5	Nusing Prüfbericht Nr. 10.2003.1	17,0	24,9	31,2	40,7	45,2	43,3	0 0 0	Lucht	Niet
D02879	Solarlux vouwwand SL 70e met Isolara 2...	9	0	27,3	Nusing Prüfbericht Nr. 10.2003.2	19,1	22,4	19,9	29,1	35,2	39,2	0 0 0	n.v.t	Niet
D02880	Solarlux vouwwand SL 70e met Akuste...	35	0	35,4	Nusing Prüfbericht Nr. 08.2005.5	20,1	27,5	34,3	42,4	46,9	48,5	11 15 9	Lucht	Niet
D02881	Solarlux vouwwand SL 80 met Akustex ...	29	0	32,9	Nusing Prüfbericht Nr. 08.2005.6	23,5	27,4	26,2	35,2	38,5	41,8	4 15 10	Lucht	Niet
D02882	Solarlux vouwwand SL 80 met Akustex ...	35	0	37,6	Nusing Prüfbericht Nr. 08.2005.7	23,9	29,5	34,9	40,7	45,7	49,7	11 15 9	Lucht	Niet
D02883	Solarlux voorzetgevel modular met SL ...	8	0	25,0	Nusing Prüfbericht Nr. 08.2005.1	20,0	22,1	24,2	25,2	25,0	26,8	8 0 0	n.v.t	Niet
D02884	Solarlux voorzetgevel modular met SL ...	8	0	28,0	Nusing Prüfbericht Nr. 08.2005.2	23,4	24,5	25,1	26,8	30,0	30,1	8 0 0	n.v.t	Niet
D02885	Solarlux voorzetgevel modular met SL ...	8	0	19,5	Nusing Prüfbericht Nr. 08.2005.3	15,3	16,4	16,9	18,6	20,3	22,4	8 0 0	n.v.t	Niet
D02886	Solarlux voorzetgevel modular met SL ...	8	0	22,2	Nusing Prüfbericht Nr. 08.2005.4	20,3	21,1	21,3	22,8	22,0	23,2	8 0 0	n.v.t	Niet
D03076	Interwand 10mm gehard glas [1]	3	25	28,2	Peutz rapport A 1703-2-RA	23,6	26,3	27,9	31,8	26,9	29,9	0 0 0	Lucht	Niet
D03077	Interwand akoestisch gelaagd glas 5.5...	0	26	31,4	Peutz rapport A 1709-2-RA	23,9	26,5	28,2	31,8	32,9	34,4	0 0 0	Lucht	pvb, 1 zijdig
D03078	Interwand 12mm gehard glas [1]	12	31	28,8	Peutz rapport A 1703-2-RA	25,6	28,1	29,9	33,2	26,3	34,2	0 0 0	Lucht	Niet
D03079	Interwand akoestisch gelaagd glas 6.6...	0	30	32,5	Peutz rapport A 1703-2-RA	25,9	28,2	30,1	32,9	32,5	38,8	0 0 0	Lucht	pvb, 1 zijdig
D03086	Interwand Line; 6 mm Vetroflam + 6 m...	93	0	26,9	Peutz rapport 1601-1-A	9,9	20,9	31,9	38,8	47,1	45,8	0 0 0	Lucht	pvb, 1 zijdig
D03087	Interwand Line; 2 x 3.3.1. blank gelaag...	93	0	19,5	Peutz rapport 1601-2-RA	2,0	15,6	29,2	36,0	45,8	38,7	0 0 0	Lucht	pvb, 1 zijdig
D03088	Interwand Line; 3.3.1. mm blank gelaag...	0	0	36,4	Peutz rapport 1601-2-RA	21,3	28,4	35,5	39,8	50,3	55,9	0 0 0	Lucht	pvb, 2 zijdig
D03089	Interglas Variant 6: AG-06 [1]	93	0	33,8	Peutz rapport A 863	18,8	25,5	32,2	38,5	47,2	48,3	0 0 0	Lucht	pvb, 1 zijdig
D03090	Interglas Variant 1: AG-01 [1]	93	0	24,8	Peutz rapport A 863	9,8	16,6	23,4	29,3	36,6	41,3	0 0 0	Lucht	Niet
D03091	Interglas Variant 2: AG-02 [1]	93	0	29,1	Peutz rapport A 863	15,6	21,0	26,4	30,9	39,0	38,2	0 0 0	Lucht	Niet
D03092	Interglas Variant 5: AG-05 [1]	93	0	28,1	Peutz rapport A 863	11,7	22,0	32,3	37,3	41,5	33,9	0 0 0	Lucht	Niet
D03287	Alcoa AA 4110 enkel schuivend met S...	25	25	30,9	TNO IS-RPT-050077 uit 2005	24,9	24,9	23,3	33,3	38,5	40,1	6 15 4	Gas	Niet
D03288	Alcoa AA 4110 enkel schuivend met S...	30	35	33,5	TNO IS-RPT-050077 uit 2005	20,8	25,2	29,6	38,6	41,4	39,3	6 15 44	Gas	pvb, 1 zijdig
D03289	Alcoa AA 4110 enkel schuivend met S...	30	35	34,6	TNO IS-RPT-050077 uit 2005	24,8	24,7	30,1	39,3	42,1	43,6	0 15 44	Gas	pvb, 1 zijdig
D03290	Alcoa AA 4110 enkel schuivend met S...	33	40	34,2	TNO IS-RPT-050077 uit 2005	21,7	25,5	30,6	38,9	41,6	41,7	0 15 44	Gas	pvb, 2 zijdig
D03291	Alcoa AA 4110 enkel schuivend met S...	37	50	36,5	TNO IS-RPT-050077 uit 2005	25,6	27,7	33,8	40,0	40,3	42,7	0 15 44	Gas	pvb, 2 zijdig
D03292	Alcoa AA 4110 enkel schuivend met S...	35	45	37,5	TNO IS-RPT-050077 uit 2005	25,9	27,9	34,6	41,8	43,3	46,4	0 0 0	Gas	pvb, 2 zijdig
D03293	Alcoa AA 4110 enkel schuivend met S...	37	40	36,4	TNO IS-RPT-050077 uit 2005	22,8	28,2	34,2	41,0	42,8	44,5	0 0 0	Gas	pvb, 2 zijdig
D03294	Alcoa AA 4110 enkel schuivend met S...	36	50	37,7	TNO IS-RPT-050077 uit 2005	25,4	29,3	35,3	41,3	41,9	45,1	0 0 0	Gas	pvb, 2 zijdig
D03317	Thermobel TG Stratobel 4-12-4-12-33...	39	36	25,7	AGC Pocket	10,1	17,7	24,3	33,0	43,7	47,6	0 0 0	Lucht	pvb, 1 zijdig
D03318	Thermobel TG 4-12-4-12-4 [1]	36	30	25,6	AGC Pocket	13,9	18,7	19,0	28,4	41,6	46,7	0 0 0	Lucht	Niet
D03319	Thermobel TG 6-12-6-12-6 [1]	42	45	25,9	AGC Pocket	11,3	18,5	21,9	32,9	40,3	36,7	0 0 0	Lucht	Niet
D03320	Thermobel TG 6-15-4-15-4 [1]	44	35	21,6	AGC Pocket	4,8	15,0	25,2	33,0	43,5	42,2	0 0 0	Lucht	Niet
D03321	Thermobel TG 8-12-4-12-4 [1]	40	40	28,6	AGC Pocket	14,0	20,6	25,1	33,8	44,3	48,0	0 0 0	Lucht	Niet
D03322	Thermobel TG 8-12-4-12-6 [1]	42	45	30,2	AGC Pocket	15,0	22,2	28,8	36,7	44,0	40,1	0 0 0	Lucht	Niet
D03323	Thermobel TG Stratobel 6-16-4-16-44...	51	46	25,7	AGC Pocket	9,0	18,9	28,8	38,2	45,1	41,6	0 0 0	Lucht	pvb, 1 zijdig
D03324	Thermobel TG Stratobel 44.2-12-6-12...	48	57	25,0	AGC Pocket	7,9	19,6	31,3	39,0	44,9	43,6	0 0 0	Lucht	pvb, 1 zijdig
D03325	Thermobel TG Stratobel 8-16-4-16-55...	55	56	34,6	AGC Pocket	21,0	27,7	31,8	41,2	39,7	39,7	0 0 0	Lucht	pvb, 1 zijdig
D03326	Thermobel TG Stratobel 8-16-6-16-55...	57	61	31,4	AGC Pocket	15,4	23,9	31,1	41,0	49,1	50,5	0 0 0	Lucht	pvb, 1 zijdig
D03327	Thermobel TG Stratobel 66.2-16-6-16...	60	67	35,3	AGC Pocket	20,2	27,8	34,3	43,0	42,6	45,7	0 0 0	Lucht	pvb, 1 zijdig
D03328	Thermobel TG Stratobel 8-16-6-16-44...	55	56	32,4	AGC Pocket	18,5	24,9	28,3	37,8	42,3	42,1	0 0 0	Lucht	pvb, 1 zijdig
D03329	Thermobel TG 10-12-4-12-6 [1]	44	50	31,7	AGC Pocket	18,0	24,0	27,5	36,0	41,8	42,9	0 0 0	Lucht	Niet
D03330	Thermobel TG Stratophone 4-12-4-12...	41	41	29,0	AGC Pocket	14,1	21,2	25,7	35,4	46,4	49,5	0 0 0	Lucht	pvb, 1 zijdig
D03331	Thermobel TG Stratophone 6-12-4-12...	43	46	25,6	AGC Pocket	8,6	19,4	30,2	38,6	47,2	45,9	0 0 0	Lucht	pvb, 1 zijdig
D03332	Thermobel TG Stratophone 8-12-4-12...	45	51	31,4	AGC Pocket	15,5	23,6	31,0	39,9	49,2	51,1	0 0 0	Lucht	pvb, 1 zijdig
D03333	Thermobel TG Stratophone 44.2-12-4...	46	52	31,4	AGC Pocket	15,4	23,9	31,1	41,0	49,1	50,5	0 0 0	Lucht	pvb, 1 zijdig
D03334	Thermobel TG Stratophone 10-12-4-12...	47	56	32,1	AGC Pocket	15,9	24,8	32,4	42,6	46,1	49,8	0 0 0	Lucht	pvb, 1 zijdig
D03335	Thermobel TG Stratophone 8-16-6-16...	57	61	37,5	AGC Pocket	23,9	30,3	32,5	43,2	47,9	46,7	0 0 0	Lucht	pvb, 1 zijdig
D03336	Thermobel TG Stratophone 44.2st-12...	46	52	34,6	AGC Pocket	18,8	26,9	33,5	43,2	54,8	59,5	0 0 0	Lucht	pvb, 1 zijdig
D03337	Thermobel TG Stratophone 10-12-6-12...	49	61	37,6	AGC Pocket	24,3	30,0	32,7	41,5	48,4	52,1	0 0 0	Lucht	pvb, 1 zijdig
D03338	Thermobel TG Stratophone 10-16-6-16...	61	71	42,0	AGC Pocket	32,0	36,1	36,2	44,4	46,8	48,7	0 0 0	Lucht	pvb, 1 zijdig
D03339	Thermobel TG Stratophone 44.2st-10...	46	62	35,0	AGC Pocket	18,9	27,4	35,9	44,1	53,0	55,2	0 0 0	Lucht	pvb, 1 zijdig
D03340	Thermobel TG Stratophone 44.2st-12...	52	67	34,9	AGC Pocket	18,4	27,9	36,9	47,0	53,9	54,6	0 0 0	Lucht	pvb, 1 zijdig
D03341	Thermobel TG Stratophone 88.2st-12...	60	87	40,0	AGC Pocket	23,6	33,2	42,8	49,3	52,5	52,8	0 0 0	Lucht	pvb, 1 zijdig
D03342	Planibel 6 mm [1]	6	15	26,5	AGC Pocket	14,5	19,5	23,4	29,5	35,5	27,6	6 0 0	Lucht	Niet
D03343	Planibel 8 mm [1]	8	20	28,4	AGC Pocket	17,1	22,1	25,1	32,2	35,6	28,7	8 0 0	Lucht	Niet
D03344	Stratobel 44.2 [1]	9	21	31,4	AGC Pocket	22,4	25,8	26,4	32,6	36,8	33,8	9 0 0	Lucht	pvb, 1 zijdig
D03345	Stratobel 66.2 [1]	13	31	31,5	AGC Pocket	20,8	25,3	28,2	34,4	33,2	38,3	13 0 0	Lucht	pvb, 1 zijdig
D03346	Stratophone 33.2st [1]	7	16	32,3	AGC Pocket	22,3	25,5	28,4	32,0	37,1	39,2	7 0 0	Lucht	pvb, 1 zijdig
D03347	Stratophone 44.2st [1]	9	21	33,6	AGC Pocket	22,9	26,6	29,9	34,1	38,1	39,2	9 0 0	Lucht	pvb, 1 zijdig
D03348	Stratophone 55.2st [1]	11	26	35,5	AGC Pocket	26,5	29,3	31,5	35,0	39,6	40,3	11 0 0	Lucht	pvb, 1 zijdig
D03349	Stratophone 66.2st [1]	13	31	36,0	AGC Pocket	24,8	29,1	32,7	37,4	40,3	40,2	13 0 0	Lucht	pvb, 1 zijdig
D03350	Stratophone 88.2st [1]	17	41	38,1	AGC Pocket	31,1	33,2	35,3	37,4	39,1	44,5	17 0 0	Lucht	pvb, 1 zijdig
D03351	Thermobel 4-16-4 [1]	24	20	24,8	AGC Pocket	17,9	20,5	16,8	25,7	36,4	41,4	4 16 4	Lucht	Niet
D03352	Thermobel 6-15-6 [1]	27	30	27,5	AGC Pocket	16,8	21,5	21,4	31,0	38,7	30,8	6 15 6	Lucht	Niet
D03353	Thermobel 6-15-4 [1													

Glas

<i>Id</i>	<i>Omschrijving</i>	<i>Dikte [mm]</i>	<i>Gewicht [kg/m²]</i>	<i>RA [dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>Opbouw</i>	<i>Spouw</i>	<i>Laminaat</i>
D03373	Thermobel Stratophone 88.2st-15-44.2...	41	62	37,4	AGC Pocket	21,0	30,5	40,0	45,4	52,5	55,2	17 16 9	Lucht	pvb, 1 zijdig
D03374	Thermobel Stratophone 66.2-16-66.2st...	42	62	37,8	AGC Pocket	21,5	30,4	39,3	46,7	53,9	54,0	13 16 13	Lucht	pvb, 1 zijdig
D03375	Thermobel Stratophone 88.2-16-66.2st...	46	72	43,5	AGC Pocket	28,2	35,9	43,6	47,8	52,6	55,1	17 16 13	Lucht	pvb, 1 zijdig
D03706	Vacûm glas Fineo 8	0	0	29,4	190118 AC8008 AGC FINEO 8 4()4	21,9	18,2	26,8	32,0	37,4	38,2	0 0 0	Gas	Niet
D03707	Vacûm glas Fineo 10	0	0	32,1	190118 AC8010 AGC FINEO 10 6()4	26,4	25,3	26,7	34,1	38,6	33,5	0 0 0	Gas	Niet
D03720	Trisolide Phon II 38/40	40	0	30,9	IFT, Rosenheim 12-001778-PR03-PB...	30,5	19,5	25,6	34,9	47,4	45,3	0 0 0	Gas	Niet
D03721	Trisolide Phon II 38/44	44	0	30,5	IFT, Rosenheim 12-001778-PR03-PB...	30,6	18,2	26,7	35,4	47,8	45,8	0 0 0	Gas	Niet
D03722	Trisolide Phon II 38/44-B	44	0	30,5	PFB, Rosenheim 2019-05-0019-P28-...	27,3	19,7	24,5	34,8	49,1	58,1	0 0 0	Gas	Niet
D03723	Trisolide Phon II 38/46	46	0	30,0	PFB, Rosenheim 2019-05-0019-P43-...	28,2	17,9	26,1	35,2	46,4	45,0	0 0 0	Gas	Niet
D03724	Trisolide Phon II 39/52	52	0	31,2	IFT, Rosenheim 10-001847-PR01-PB...	30,9	19,2	26,9	35,3	47,9	49,2	0 0 0	Gas	Niet
D03725	Trisolide Phon II 40/42	42	0	34,1	IFT, Rosenheim PB 8-H01-04-de-02 (...)	34,3	23,6	28,3	37,1	45,3	44,1	0 0 0	Gas	Niet
D03726	Trisolide Phon II 40/48	48	0	32,8	PFB-Rosenheim 2019-05-0019-P27-M...	28,6	23,5	25,7	37,2	45,2	49,8	0 0 0	Gas	Niet
D03727	Trisolide Phon II 41/43	43	0	35,1	IFT, Rosenheim 17000639-PR01-PB0...	34,4	25,3	28,8	36,8	47,3	45,4	0 0 0	Gas	Niet
D03728	Trisolide Phon II 41/45	45	0	34,6	IFT, Rosenheim 10-001847-PR01-PB...	33,2	25,2	27,9	36,9	46,0	48,4	0 0 0	Gas	Niet
D03729	Trisolide Phon II 41/47	47	0	34,7	IFT, Rosenheim 10-001847-PR01-PB...	32,7	25,6	27,7	37,9	45,7	46,8	0 0 0	Gas	Niet
D03730	Trisolide Phon II 42/47	47	0	35,7	IFT, Rosenheim PB 12-H01-04-de-02 ...	31,4	24,8	31,3	38,3	43,1	47,7	0 0 0	Gas	Niet
D03731	Trisolide Phon II 42/47-B	47	0	34,3	PFB-Rosenheim 2019-05-0019-P32-M...	28,1	24,2	28,1	38,1	49,1	49,9	0 0 0	Gas	Niet
D03732	Trisolide Phon II 42/48-B	48	0	34,0	PFB-Rosenheim 2019-05-0019-P33-M...	28,9	22,7	28,6	39,4	52,4	54,8	0 0 0	Gas	Niet
D03733	Trisolide Phon II 42/49	49	0	36,7	IFT, Rosenheim PB 11-H01-04-de-02 ...	31,1	26,4	33,4	39,9	40,7	44,6	0 0 0	Gas	Niet
D03734	Trisolide Phon II 42/51	51	0	35,1	IFT, Rosenheim 12-001778-PR03-PB...	31,0	25,7	28,1	39,9	46,3	45,9	0 0 0	Gas	Niet
D03735	Trisolide Phon II 42/51-B	51	0	34,7	PFB-Rosenheim 2019-05-0019-P40-M...	28,1	23,1	31,4	39,5	43,4	44,5	0 0 0	Gas	Niet
D03736	Trisolide Phon II 43/51	51	0	37,9	IFT, Rosenheim 10-001847-PR01-PB...	31,9	30,1	31,2	40,3	44,3	49,3	0 0 0	Gas	Niet
D03737	Trisolide Phon II 44/50	50	0	36,6	PFB-Rosenheim 2019-05-0019-P31-M...	29,3	25,2	31,6	42,3	55,3	61,1	0 0 0	Gas	Niet
D03738	Trisolide Phon II 45/49	49	0	38,4	IFT, Rosenheim 12-001778-PR03-PB...	32,2	29,4	32,0	40,7	48,4	49,4	0 0 0	Gas	Niet
D03739	Trisolide Phon II 45/51	51	0	38,0	PFB-Rosenheim 2019-05-0019-P41-M...	28,3	28,5	32,2	41,5	49,3	54,3	0 0 0	Gas	Niet
D03740	Trisolide Phon II 45/65	65	0	40,7	IFT-Rosenheim 10-001847-PR01-PB0...	31,6	34,7	36,8	41,3	42,1	53,9	0 0 0	Gas	Niet
D03741	Trisolide Phon II 46/52	52	0	38,8	PFB-Rosenheim 2019-05-0019-P30-M...	28,4	29,1	33,3	43,3	50,1	55,4	0 0 0	Gas	Niet
D03742	Trisolide Phon S 41/42	42	0	34,5	IFT-Rosenheim PB 7-H01-04-de-02 (d...	29,4	22,7	30,7	38,2	49,5	51,1	0 0 0	Gas	Niet
D03743	Trisolide Phon S 45/47	47	0	38,5	IFT-Rosenheim PB 10-H01-04-de-02 (...)	32,0	27,8	33,7	41,7	48,8	49,3	0 0 0	Gas	Niet
D03744	Trisolide Phon S 49/51	51	0	40,8	IFT-Rosenheim PB 9-H01-04-de-02 (d...	29,9	30,4	36,5	45,4	54,5	57,9	0 0 0	Gas	Niet

Ventilatievoorzieningen

<i>Id</i>	<i>Omschrijving</i>	<i>RqA</i> [dB(A)]	<i>C</i> [dm³/s]	<i>DnA</i> [dB(A)]	<i>Bron</i>	63	125	250	500	1000	2000	<i>H</i>	<i>D</i>	<i>L</i>
D01472	CA Turbolux 107 standaard ventilatie [1]	-3,0	14,00	25,5	TPD jun'94 projectnr. 420068	23,5	25,3	27,1	26,6	23,5	31,2	107	0	1000
D01473	CA Turbolux 142 standaard ventilatie [1]	-1,8	23,00	24,6	TPD jun'94 projectnr. 420068	20,8	22,8	24,8	24,3	24,7	25,4	142	0	1000
D01474	Climacomfort (Heycop) [1]	-2,6	22,10	24,0	v.Dorsser'94 rap. Ke931975.R02	28,6	26,8	24,0	23,3	24,6	23,2	102	0	1000 Heycop Systemen B.V.
D01475	Heycop Climacomfort HDV [1]	-1,5	22,60	25,0	v.Dorsser'94 rap. Ke931975.R02	29,7	27,9	25,3	24,3	25,4	24,4	102	0	1000 Heycop Systemen B.V.
D01476	Heycop Climadecor ventilatierooster [1]	-1,4	21,00	25,4	v.Dorsser'94 rap. Ke931975.R02	31,5	29,2	26,2	24,6	24,9	26,3	102	0	1000 Heycop Systemen B.V.
D01477	Heycop Climadecor HDV vent.rooster [1]	-1,4	20,80	25,4	v.Dorsser'94 rap. Ke931975.R02	31,5	29,2	26,5	24,6	25,0	25,9	102	0	1000 Heycop Systemen B.V.
D01478	Heycop Climacomfort Plus [1]	2,8	24,70	28,8	v.Dorsser'94 rap. Ke931975.R02	34,3	31,2	27,3	25,1	29,8	36,9	102	0	1000 Heycop Systemen B.V.
D01479	Heycop Climacomfort HDV Plus [1]	2,6	22,50	29,1	v.Dorsser'94 rap. Ke931975.R02	34,3	31,3	27,5	25,4	30,0	37,1	102	0	1000 Heycop Systemen B.V.
D01480	Heycop Climadecor Plus suskast [1]	1,3	22,40	27,8	v.Dorsser'94 rap. Ke931975.R02	33,5	30,3	26,3	24,0	28,7	37,0	102	0	1000 Heycop Systemen B.V.
D01481	Heycop Climadecor HDV Plus suskast ...	2,8	21,70	29,4	v.Dorsser'94 rap. Ke931975.R02	35,2	32,0	28,2	25,6	30,2	38,9	102	0	1000 Heycop Systemen B.V.
D01579	Buva Slidestream (EC-12-ZR) [1]	-1,4	11,60	27,9	v.Dorsser'95 rap. Ke395104.R01	26,4	26,1	25,5	25,5	31,1	28,9	90	50	1000 Buva Rationele Bouwproducten BV
D01580	Buva Whitco 5 mm raamuitzetter+raa...	-1,9	11,90	27,3	v.Dorsser'95 rap. Ke394135.R01	25,6	26,5	26,9	28,3	29,0	25,4	670	25	1135 Buva Rationele Bouwproducten BV
D01581	Buva Whitco 10 mm raamuitzetter+raa...	-2,3	16,90	25,4	v.Dorsser'95 rap. Ke394135.R01	24,1	24,9	25,2	26,5	26,8	23,6	670	25	1135 Buva Rationele Bouwproducten BV
D01582	Buva Whitco 15 mm raamuitzetter+raa...	-1,9	22,60	24,6	v.Dorsser'95 rap. Ke394135.R01	24,2	24,6	24,2	25,5	25,6	23,1	670	25	1135 Buva Rationele Bouwproducten BV
D01583	Buva Whitco 20 mm raamuitzetter+raa...	-1,6	27,20	24,1	v.Dorsser'95 rap. Ke394135.R01	23,3	23,8	23,5	24,8	24,8	23,0	670	25	1135 Buva Rationele Bouwproducten BV
D01584	Buva Whitco 25 mm raamuitzetter+raa...	-2,5	26,10	23,4	v.Dorsser'95 rap. Ke394135.R01	23,2	23,4	22,7	23,8	23,8	22,8	670	25	1135 Buva Rationele Bouwproducten BV
D01696	AluArt type 65/08/0 op houten kalf [1]	-0,4	8,00	30,6	v.Dorsser'95 rap. Ke395131.R01	35,0	32,8	30,6	27,6	30,9	34,6	65	82	1000 AluArt Aluminium B.V.
D01697	AluArt type 65/09/-1 op houten kalf [1]	-1,3	9,30	29,0	v.Dorsser'95 rap. Ke395131.R01	32,6	30,4	28,2	26,0	29,8	32,3	65	82	1000 AluArt Aluminium B.V.
D01698	AluArt type 65/10/1 op houten kalf [1]	0,5	9,50	30,7	v.Dorsser'95 rap. Ke395131.R01	31,8	31,1	30,4	29,3	30,3	33,5	65	117	1000 AluArt Aluminium B.V.
D01699	AluArt type 420 vlinderrooster [1]	-4,3	15,80	23,8	v.Dorsser'94 rap. Ke941077.R02	27,4	26,6	25,8	24,2	22,2	25,7	60	80	1000 AluArt Aluminium B.V.
D01700	AluArt type 420+ontdr.vlinderrooster [1]	-3,4	16,50	24,4	v.Dorsser'94 rap. Ke941077.R02	28,8	27,6	26,4	24,9	22,8	26,6	60	80	1000 AluArt Aluminium B.V.
D01701	AluArt type 420-2 vlinderrooster [1]	-2,3	15,90	25,7	v.Dorsser'94 rap. Ke941077.R03	31,4	29,4	25,6	25,4	24,8	27,5	92	120	1000 AluArt Aluminium B.V.
D01702	AluArt type 122/10/11 op houten kalf [1]	9,8	9,50	40,1	v.Dorsser'95 rap. Ke395131.R02	32,2	35,8	34,8	43,0	41,2	46,9	122	120	1000 AluArt Aluminium B.V.
D01703	AluArt type 122/17/8 op houten kalf [1]	7,4	17,00	35,1	v.Dorsser'95 rap. Ke395131.R02	27,6	30,7	28,3	36,9	40,1	40,6	122	120	1000 AluArt Aluminium B.V.
D01704	AluArt type Isosus-35,10 suskast [1]	5,0	10,00	35,0	v.Dorsser'93 rap. Ke931691.R01	33,2	33,0	29,4	32,7	39,0	42,1	110	142	1000 AluArt Aluminium B.V.
D02004	Duco Ducoton 10 'ZR' [1]	-3,4	10,30	26,5	Cauberg-Huygen 2008083-01	23,4	25,9	28,4	26,9	25,6	27,6	94	0	1000 Duco Ventilation .Sun Control
D02005	Duco DucoTon 10A 'ZR' [1]	-2,8	9,50	27,4	v.Dorsser'94 rap Ke394.141.R03	34,7	31,9	28,2	26,4	25,7	34,4	94	0	1000 Duco Ventilation .Sun Control
D02006	Duco DucoTon 18 [1]	-4,2	18,50	23,1	v.Dorsser'92 rap Sa921.669.R03	25,5	25,7	25,9	22,6	21,9	25,1	135	0	1000 Duco Ventilation .Sun Control
D02007	Duco DucoTon 18A [1]	-2,5	17,70	25,0	v.Dorsser'94 rap Ke394.141.R03	28,1	27,0	25,2	24,9	23,8	27,4	135	0	1000 Duco Ventilation .Sun Control
D02056	Alu Art Inventus 48/10/1.5 schuifventila...	1,3	9,90	31,3	v.Dorsser'97 rap Ke396129.R02	30,2	32,2	34,2	29,4	30,2	36,9	48	152	1000 AluArt Aluminium B.V.
D02057	Alu Art Inventus 48/12/-1.3schuifventila...	-1,6	12,00	27,7	v.Dorsser'97 rap Ke396129.R02	28,2	29,4	30,6	25,7	26,9	30,8	48	152	1000 AluArt Aluminium B.V.
D02058	Alu Art Inventus 65/10/1.3 schuifventila...	1,1	9,50	31,3	v.Dorsser'97 rap Ke396129.R02	29,8	32,2	34,6	29,4	30,3	36,2	65	152	1000 AluArt Aluminium B.V.
D02059	Alu Art Inventus 65/10/-1.7 schuifventil...	-1,9	10,50	27,9	v.Dorsser'97 rap Ke396129.R02	27,8	29,1	30,4	25,8	27,1	32,1	65	152	1000 AluArt Aluminium B.V.
D02060	Alu Art Inventus 100/12/0.6 schuifventil...	0,5	11,90	29,8	v.Dorsser'97 rap Ke396129.R02	33,5	32,7	31,9	27,4	29,0	34,1	100	152	1000 AluArt Aluminium B.V.
D02061	Alu Art Inventus 100/15/-1 schuifventila...	-1,1	14,70	27,2	v.Dorsser'97 rap Ke396129.R02	29,4	29,7	30,0	24,9	26,7	30,3	100	152	1000 AluArt Aluminium B.V.
D02069	Heycop Climacoust GT1-100 suskast [1]	6,9	10,10	36,9	v.Dorsser'99 rap Ke.K98.1680.R01	32,3	34,3	35,7	38,3	41,8	34,1	110	130	1000 Heycop Systemen B.V.
D02070	Heycop Climacoust GT1-150 suskast [1]	7,6	22,10	34,2	v.Dorsser'99 rap Ke.K98.1680.R01	32,1	32,9	33,1	34,5	37,0	32,2	110	130	1000 Heycop Systemen B.V.
D02071	Heycop Climacoust GT1-200 suskast [1]	6,4	25,00	32,4	v.Dorsser'99 rap Ke.K98.1680.R01	30,6	31,4	31,7	33,0	33,8	31,0	110	130	1000 Heycop Systemen B.V.
D02072	Heycop Climacoust GT1-250 suskast [1]	5,3	26,90	31,0	v.Dorsser'99 rap Ke.K98.1680.R01	29,6	30,1	30,2	31,1	31,9	30,3	110	130	1000 Heycop Systemen B.V.
D02073	Heycop Climacoust GT2-100 suskast [1]	11,0	13,90	39,5	v.Dorsser'99 rap Ke.K98.1680.R01	30,7	34,1	34,9	40,9	44,0	41,4	110	170	1000 Heycop Systemen B.V.
D02074	Heycop Climacoust GT2-150 suskast [1]	10,2	20,20	37,1	v.Dorsser'99 rap Ke.K98.1680.R01	29,0	31,8	32,7	37,4	41,1	39,9	110	170	1000 Heycop Systemen B.V.
D02075	Heycop Climacoust GT2-200 suskast [1]	9,5	26,30	35,3	v.Dorsser'99 rap Ke.K98.1680.R01	29,8	31,7	29,7	35,5	38,9	38,2	110	170	1000 Heycop Systemen B.V.
D02076	Heycop Climacoust GT2-250 suskast [1]	7,2	27,00	32,9	v.Dorsser'99 rap Ke.K98.1680.R01	29,8	30,6	27,8	32,2	35,7	35,4	110	170	1000 Heycop Systemen B.V.
D02077	Heycop Climacoust GT3-100 suskast [1]	12,9	13,90	41,5	v.Dorsser'99 rap Ke.K98.1680.R01	30,9	35,2	37,9	43,9	44,9	44,6	110	210	1000 Heycop Systemen B.V.
D02078	Heycop Climacoust GT3-150 suskast [1]	10,9	18,80	38,2	v.Dorsser'99 rap Ke.K98.1680.R01	29,4	32,7	33,4	39,4	41,7	41,5	110	210	1000 Heycop Systemen B.V.
D02079	Heycop Climacoust GT3-200 suskast [1]	10,4	24,60	36,5	v.Dorsser'99 rap Ke.K98.1680.R01	29,8	32,2	31,2	37,1	39,2	40,4	110	210	1000 Heycop Systemen B.V.
D02080	Heycop Climacoust GT3-250 suskast [1]	8,6	26,20	34,4	v.Dorsser'99 rap Ke.K98.1680.R01	30,2	31,4	29,5	33,8	36,9	38,1	110	210	1000 Heycop Systemen B.V.
D02081	Heycop Climacoust GT4-100 suskast [1]	12,8	13,20	41,6	v.Dorsser'99 rap Ke.K98.1680.R01	27,6	34,2	37,9	47,5	49,7	51,3	110	250	1000 Heycop Systemen B.V.
D02082	Heycop Climacoust GT4-150 suskast [1]	11,5	18,70	38,8	v.Dorsser'99 rap Ke.K98.1680.R01	25,3	31,5	35,5	43,9	44,8	45,8	110	250	1000 Heycop Systemen B.V.
D02083	Heycop Climacoust GT4-200 suskast [1]	11,0	24,40	37,1	v.Dorsser'99 rap Ke.K98.1680.R01	27,1	31,2	31,6	39,4	41,5	43,3	110	250	1000 Heycop Systemen B.V.
D02084	Heycop Climacoust GT4-250 suskast [1]	9,8	25,50	35,7	v.Dorsser'99 rap Ke.K98.1680.R01	27,7	30,6	29,8	36,5	39,9	42,0	110	250	1000 Heycop Systemen B.V.
D02085	Heycop Climacoust GT5-100 suskast [1]	13,7	12,90	42,6	v.Dorsser'99 rap Ke.K98.1680.R01	27,8	35,6	40,6	51,2	51,0	48,0	110	290	1000 Heycop Systemen B.V.
D02086	Heycop Climacoust GT5-150 suskast [1]	12,8	20,00	39,8	v.Dorsser'99 rap Ke.K98.1680.R01	26,7	32,6	36,5	44,4	45,1	45,6	110	290	1000 Heycop Systemen B.V.
D02087	Heycop Climacoust GT5-200 suskast [1]	10,9	23,90	37,1	v.Dorsser'99 rap Ke.K98.1680.R01	26,0	30,7	32,0	40,2	41,2	45,3	110	290	1000 Heycop Systemen B.V.
D02088	Heycop Climacoust GT5-250 suskast [1]	9,8	26,70	35,6	v.Dorsser'99 rap Ke.K98.1680.R01	24,3	28,8	30,4	37,8	41,2	43,5	110	290	1000 Heycop Systemen B.V.
D02089	Heycop Climacoust GT6-100 suskast [1]	14,5	13,40	43,2	v.Dorsser'99 rap Ke.K98.1680.R01	27,7	35,8	41,8	52,1	53,6	54,1	110	330	1000 Heycop Systemen B.V.
D02090	Heycop Climacoust GT6-150 suskast [1]	13,3	18,50	40,7	v.Dorsser'99 rap Ke.K98.1680.R01	26,2	33,4	37,2	47,9	49,6	49,2	110	330	1000 Heycop Systemen B.V.
D02091	Heycop Climacoust GT6-200 suskast [1]	11,8	24,20	38,0	v.Dorsser'99 rap Ke.K98.1680.R01	25,0	31,3	34,0	44,0	42,5	44,2	110	330	1000 Heycop Systemen B.V.
D02092	Heycop Climacoust GT6-250 suskast [1]	10,2	25,40	36,2	v.Dorsser'99 rap Ke.K98.1680.R01	23,2	29,3	31,3	41,6	42,2	45,0	110	330	1000 Heycop Systemen B.V.
D02093	Heycop Climacoust GT7-100 suskast [1]	16,0	12,50	45,0	v.Dorsser'99 rap Ke.K98.1680.R01	30,5	37,3	42,2	51,0	53,6	57,8	110	370	1000 Heycop Systemen B.V.
D02094	Heycop Climacoust GT7-150 suskast [1]	14,0	17,70	41,5	v.Dorsser'99 rap Ke.K98.1680.R01	26,4	33,8	40,1	48,6	49,8	53,5	110	370	1000 Heycop Systemen B.V.
D02095	Heycop Climacoust GT7-200 suskast [1]	12,0	23,60	38,2	v.Dorsser'99 rap Ke.K98.1680.R01	24,2	31,4	34,3	45,8	44,0	49,3	110	370	1000 Heycop Systemen B.V.
D02096	Heycop Climacoust GT7-250 suskast [1]	11,3	25,10	37,3	v.Dorsser'99 rap Ke.K98.1680.R01	25,0	30,6	32,7	41,9	41,0	47,4	110	370	1000 Heycop Systemen B.V.
D02131	Duco DucoTop 50 'ZR' [1]	-2,6	14,80	25,7	v.Dorsser'96 rap Ke396.208.R01	31,5	29,7	27,9	23,1	25,3	29,3	50	0	1000 Duco Ventilation .Sun Control
D02506	Buva SusStream Luna 14-ZR [1]	11,5	14,40	39,9	Rapport Sight P030007-06-01	28,3	32,7	33,9	41,6	54,0	57,0	105	170	1000 BUVA rationele bouwproducten B.V.
D02507	Buva SusStream Luna 24-ZR [1]	10,9	24,00	37,1	Rapport Sight P030007-06-01	27,7	31,4	32,4	38,9	42,9	38,4	105	170	1000 BUVA rationele bouwproducten B.V.
D02508	Buva SusStream Luna 26-ZR [1]	10,1	25,80	36,0	Rapport Sight P030007-06-01	26,3	30,3	30,2	38,4	41,2	40,2	105	170	1000 BUVA rationele bouwproducten B.V.
D02509	Buva SusStream Luna 27-ZR [1]	8,3	27,40	33,9	Rapport Sight P030007-06-01	26,7	29,1	28,1	34,0	39,6	37,6	105	170	1000 BUVA rationele bouwproducten B.V.
D02510	Buva SusStream Marsa 14-ZR [1]	11,7	14,20	40,2	Rapport Sight P030007-06-01	26,8	32,6	35,3	44,3	51,0	56,6	105	210	1000 BUVA rationele bouwproducten B.V.
D02511	Buva SusStream Marsa 22-ZR [1]	11,1	21,50	37,8	Rapport Sight P030007-06-01	26,6	31,3	30,9	40,8	49,7	53,3	105	210	1000 BUVA rationele bouwproducten B.V.
D02512	Buva SusStream Marsa 27-ZR [1]	12,9	27,00	38,6	Rapport Sight P030007-06-01	28,7	32,4	32,3	39,8	45,5	48,6	105	210	1000 BUVA rationele bouwproducten B.V.
D02513	Buva SusStream Marsa 28-ZR [1]	8,3	27,60	33,8	Rapport Sight P030007-06-01	26,1	29,1	26,3	35,1	43,2				

Ventilatievoorzieningen

<i>Id</i>	<i>Omschrijving</i>	<i>RqA</i> <i>[dB(A)]</i>	<i>C</i> <i>[dm³/s]</i>	<i>DnA</i> <i>[dB(A)]</i>	<i>Bron</i>	63	125	250	500	1000	2000	<i>H</i>	<i>D</i>	<i>L</i>	
D02694	Buva SusStream Luna HD-100 [1]	9,7	9,40	39,9	contactpersoon Raf Cox	28,3	32,7	33,9	41,6	54,0	57,0	0	0	1000	BUVA rationale bouwproducten B.V.
D02695	Buva SusStream Luna HD-150 [1]	9,0	15,60	37,1	contactpersoon Raf Cox	27,7	31,4	32,4	38,9	42,9	38,4	0	0	1000	BUVA rationale bouwproducten B.V.
D02696	Buva SusStream Luna HD-200 [1]	8,2	16,70	36,0	contactpersoon Raf Cox	26,3	30,3	30,2	38,4	41,2	40,2	0	0	1000	BUVA rationale bouwproducten B.V.
D02697	Buva SusStream Luna HD-250 [1]	6,4	17,80	33,9	contactpersoon Raf Cox	26,7	29,1	28,1	34,0	39,6	37,6	0	0	1000	BUVA rationale bouwproducten B.V.
D02698	Buva SusStream Marsa HD-100 [1]	9,8	9,20	40,2	contactpersoon Raf Cox	26,8	32,6	35,3	44,3	51,0	56,6	0	0	1000	BUVA rationale bouwproducten B.V.
D02699	Buva SusStream Marsa HD-150 [1]	9,2	14,00	37,8	contactpersoon Raf Cox	26,6	31,3	30,9	40,8	49,7	53,3	0	0	1000	BUVA rationale bouwproducten B.V.
D02700	Buva SusStream Marsa HD-200 [1]	11,0	17,50	38,6	contactpersoon Raf Cox	28,7	32,4	32,3	39,8	45,5	48,6	0	0	1000	BUVA rationale bouwproducten B.V.
D02701	Buva SusStream Marsa HD-250 [1]	6,4	17,90	33,8	contactpersoon Raf Cox	26,1	29,1	26,3	35,1	43,2	44,1	0	0	1000	BUVA rationale bouwproducten B.V.
D02702	Buva SusStream Terra HD-100 [1]	9,7	8,50	40,4	contactpersoon Raf Cox	25,3	32,8	37,3	47,8	57,1	62,5	0	0	1000	BUVA rationale bouwproducten B.V.
D02703	Buva SusStream Terra HD-150 [1]	10,8	13,40	39,5	contactpersoon Raf Cox	24,8	31,9	35,5	46,1	55,2	62,1	0	0	1000	BUVA rationale bouwproducten B.V.
D02704	Buva SusStream Terra HD-200 [1]	8,9	16,90	36,6	contactpersoon Raf Cox	24,4	30,0	29,9	41,3	49,9	51,9	0	0	1000	BUVA rationale bouwproducten B.V.
D02705	Buva SusStream Terra HD-250 [1]	7,5	17,60	35,0	contactpersoon Raf Cox	24,9	29,2	27,6	37,8	47,4	50,4	0	0	1000	BUVA rationale bouwproducten B.V.
D02706	Buva SusStream Suna HD-100 [1]	13,0	7,60	44,2	contactpersoon Raf Cox	30,6	36,6	40,0	48,7	58,1	50,7	0	0	1000	BUVA rationale bouwproducten B.V.
D02707	Buva SusStream Suna HD-150 [1]	13,1	11,30	42,5	contactpersoon Raf Cox	30,4	36,5	36,3	48,7	49,4	51,6	0	0	1000	BUVA rationale bouwproducten B.V.
D02708	Buva SusStream Suna HD-200 [1]	10,2	16,30	38,1	contactpersoon Raf Cox	24,6	31,0	32,5	43,9	51,9	56,1	0	0	1000	BUVA rationale bouwproducten B.V.
D02709	Buva SusStream Suna HD-250 [1]	8,8	17,20	36,5	contactpersoon Raf Cox	23,3	29,9	30,2	43,2	49,3	53,8	0	0	1000	BUVA rationale bouwproducten B.V.
D02710	Buva Topstream 14-ZR [1]	-1,7	14,30	26,8	contactpersoon Raf Cox	30,9	29,5	28,1	23,6	27,2	29,9	0	0	1000	BUVA rationale bouwproducten
D02711	Buva Topstream 21-ZR [1]	-0,8	21,10	26,0	contactpersoon Raf Cox	31,0	29,3	27,6	23,5	25,8	28,4	0	0	1000	BUVA rationale bouwproducten B.V.
D02712	Buva Fitstream 11-ZR [1]	-1,2	11,40	28,2	contactpersoon Raf Cox	31,6	30,1	28,0	27,1	26,8	35,4	0	0	1000	BUVA rationale bouwproducten B.V.
D02713	Buva Fitstream 14-ZR [1]	-0,5	13,90	28,1	contactpersoon Raf Cox	31,4	29,9	28,2	26,9	26,6	35,1	0	0	1000	BUVA rationale bouwproducten B.V.
D02714	Buva Fitstream 16-ZR [1]	0,2	16,50	28,1	contactpersoon Raf Cox	30,6	29,3	27,7	26,8	26,9	34,0	0	0	1000	BUVA rationale bouwproducten B.V.
D02715	Buva Fitstream 21-ZR [1]	0,8	20,90	27,6	contactpersoon Raf Cox	30,7	29,3	27,6	26,6	26,2	33,1	0	0	1000	BUVA rationale bouwproducten B.V.
D02716	Buva SunStream 140 [1]	0,0	13,70	28,7	contactpersoon Raf Cox	36,5	32,9	28,8	25,7	28,8	32,4	0	0	1000	BUVA rationale bouwproducten B.V.
D02717	Buva SunStream 170 [1]	0,3	14,10	28,8	contactpersoon Raf Cox	35,4	32,5	28,4	26,7	28,4	32,5	0	0	1000	BUVA rationale bouwproducten B.V.
D02718	Buva SunStream 200 [1]	1,3	13,20	30,1	contactpersoon Raf Cox	34,9	33,3	27,8	30,1	29,2	33,6	0	0	1000	BUVA rationale bouwproducten B.V.
D02738	Duco Ducoklep 15 ZR [1]	-3,9	15,20	24,3	Cauberg Huygen 20080446-01 (19/06...	22,8	24,2	25,6	24,9	23,3	25,7	95	0	1000	Duco
D02742	Duco DucoFit 50 ZR [1]	-1,2	18,30	26,2	Cauberg Huygen 2006.0606	24,5	26,8	29,1	23,6	26,0	29,9	50	81	1000	Duco
D02743	Duco DucoSmart 60 [1]	-0,1	12,70	28,9	Sight HO 208	28,1	29,0	29,9	28,9	29,1	28,4	75	0	1000	Duco
D02745	Duco FireMax EW 30 / 15 'ZR' [1]	5,9	21,10	32,6	Contactpersoon duco Brecht Wittouck	34,8	32,9	31,0	27,9	36,2	40,5	97	127	1000	Duco Ventilation .Sun Control
D02746	Duco FireMax EW 90 / 15 ZR [1]	5,5	19,60	32,6	Contactpersoon duco Brecht Wittouck	34,8	32,9	31,0	27,9	36,2	40,5	105	145	1000	Duco
D02747	Duco FireMax EW 90 / 20 ZR [1]	1,2	23,70	27,5	Contactpersoon duco Brecht Wittouck	35,3	33,2	31,1	27,9	24,8	38,6	105	145	1000	Duco
D02780	Acoustair AGV type 52 (vaste lengte 52...	6,7	7,40	38,0	van Dorsser BV, rapport 4325.A	29,6	33,2	32,4	40,4	40,8	43,4	20	0	520	Acoustair B.V.
D02781	Acoustair AGV type 62 (vaste lengte 62...	6,7	8,90	37,2	van Dorsser BV, rapport 4325.A	28,8	32,4	31,6	39,6	40,0	42,6	20	0	620	Acoustair B.V.
D02782	Acoustair AGV type 74 (vaste lengte 74...	6,7	10,60	36,4	van Dorsser BV, rapport 4325.A	28,0	31,6	30,8	38,8	39,2	41,8	20	0	740	Acoustair B.V.
D02783	Acoustair AGV type 90 (vaste lengte 90...	6,8	12,90	35,6	van Dorsser BV, rapport 4325.A	27,2	30,8	30,0	38,0	38,4	41,0	20	0	900	Acoustair B.V.
D02784	Acoustair AGV type 110 (vaste lengte 1...	6,7	15,70	34,7	van Dorsser BV, rapport 4325.A	26,3	29,9	29,1	37,1	37,5	40,1	20	0	1100	Acoustair B.V.
D02785	Acoustair AGV type 130 (vaste lengte 1...	6,6	18,20	34,0	van Dorsser BV, rapport 4325.A	25,6	29,2	28,4	36,4	36,8	39,4	20	0	1300	Acoustair B.V.
D02786	Acoustair AGV 2000 type 2053C (vaste...	6,8	7,50	38,0	van Dorsser BV, rapport 4325.A	29,6	33,2	32,4	40,4	40,8	43,4	20	0	530	Acoustair B.V.
D02787	Acoustair AGV 2000 type 2064F (vaste...	6,8	9,00	37,2	van Dorsser BV, rapport 4325.A	28,8	32,4	31,6	39,6	40,0	42,6	20	0	640	Acoustair B.V.
D02788	Acoustair AGV 2000 type 2076M (vast...	6,7	10,70	36,4	van Dorsser BV, rapport 4325.A	28,0	31,6	30,8	38,8	39,2	41,8	20	0	760	Acoustair B.V.
D02789	Acoustair AGV 2000 type 2092P (vaste...	6,8	13,00	35,6	van Dorsser BV, rapport 4325.A	27,2	30,8	30,0	38,0	38,4	41,0	20	0	920	Acoustair B.V.
D02790	Acoustair AGV 2000 type 2112S (vaste...	6,7	15,80	34,7	van Dorsser BV, rapport 4325.A	26,3	29,9	29,1	37,1	37,5	40,1	20	0	1120	Acoustair B.V.
D02791	Acoustair AGV 2000 type 2132U (vaste...	6,7	18,30	34,0	van Dorsser BV, rapport 4325.A	25,6	29,2	28,4	36,4	36,8	39,4	20	0	1320	Acoustair B.V.
D02792	Acoustair Aeropac SN	17,4	16,70	45,2	Kramer Schalltechnik GmbH Bericht ...	34,6	44,5	39,1	44,2	51,9	53,6	0	0	0	Acoustair B.V.
D02810	Renson Multicoust 14 ZR	4,7	14,00	33,3	A-2016_ES_74-H060-42544_E.pdf	31,3	35,5	28,9	29,5	37,2	41,4	0	0	0	Renson
D02811	Renson Multicoust 18 ZR	5,8	18,00	33,2	A-2016_ES_74-H060-42544_E.pdf	31,3	35,4	28,8	29,6	36,8	40,7	0	0	0	Renson
D02812	Renson Multicoust 22 ZR	5,9	21,70	32,5	A-2016_ES_74-H060-42544_E.pdf	30,7	35,0	28,6	29,3	35,3	37,5	0	0	0	Renson
D02856	Duco Twin 50 Medio 'ZR' [1]	0,8	13,50	29,5	Cauberg - Huygen 2003.2582	28,1	29,0	29,9	28,8	30,2	29,1	50	0	1000	Duco Ventilation .Sun Control
D02857	Duco Twin 50 Largo 'ZR' [1]	-0,5	14,50	27,9	Cauberg-Huygen 2003.2582	28,9	29,7	30,5	24,9	29,3	28,4	50	0	1000	Duco Ventilation .Sun Control
D02858	Duco Flat 12 'ZR' [1]	-3,5	11,50	25,9	rapport PEUTZ A 1980-1-RA dd 18-0...	27,1	27,2	27,3	24,3	25,6	27,3	95	0	1000	Duco Ventilation .Sun Control
D02860	Duco Twin 120 Corto 'ZR'AK [1]	3,3	11,90	32,5	Peutz A 2016-1-RA uit 2010	30,1	30,2	28,8	30,4	34,4	37,5	120	207	1000	Duco Ventilation .Sun Control
D02861	Duco Twin 120 Basso 'ZR' AK [1]	3,1	13,40	31,8	Peutz A 2016-1-RA uit 2010	29,8	29,3	27,0	28,4	36,8	39,4	120	227	1000	Duco Ventilation .Sun Control
D02862	Duco Twin 120 Medio 'ZR' AK [1]	5,8	13,60	34,5	Peutz A 2016-1-RA uit 2010	30,5	30,9	28,5	31,8	41,1	46,1	120	247	1000	Duco Ventilation .Sun Control
D02863	Duco Twin 120 Alto 'ZR' AK [1]	6,6	13,30	35,3	Peutz A 2016-1-RA uit 2010	29,0	30,5	29,0	33,5	43,2	47,6	120	267	1000	Duco Ventilation .Sun Control
D02864	Duco Twin 120 Largo 'ZR' AK [1]	8,6	13,40	37,3	Peutz A 2016-1-RA uit 2010	29,3	31,5	31,1	36,0	46,5	52,8	120	287	1000	Duco VEntilation .Sun Control
D02865	Duco Twin 120 Corto 'ZR' [1]	4,0	18,60	31,3	Peutz A 2016-1-RA uit 2010	30,1	29,9	27,9	29,5	33,6	33,0	120	207	1000	Duco Ventilation .Sun Control
D02866	Duco Twin 120 Basso 'ZR' [1]	3,1	18,20	30,5	Peutz A 2016-1-RA uit 2010	30,0	29,2	25,7	27,7	36,2	33,4	120	227	1000	Duco Ventilation .Sun Control
D02867	Duco Twin 120 Medio 'ZR' [1]	3,6	18,20	31,0	Peutz A 2016-1-RA uit 2010	29,7	29,4	26,0	28,9	35,8	33,1	120	247	1000	Duco Ventilation .Sun Control
D02868	Duco Twin 120 Alto 'ZR' [1]	5,0	18,70	32,3	Peutz A 2016-1-RA uit 2010	29,4	29,6	26,2	30,1	38,8	37,7	120	267	1000	Duco Ventilation .Sun Control
D02869	Duco Twin 120 Largo 'ZR' [1]	6,9	18,50	34,2	Peutz A 2016-1-RA uit 2010	28,9	30,4	27,5	33,4	40,4	41,6	120	287	1000	Duco Ventilation .Sun Control
D02905	Duco Reno Top 60 ZR [1]	-0,6	12,10	28,6	Cauberg Huygen 20110892-05	25,4	27,1	28,8	26,7	29,0	31,1	60	119	1000	Duco
D02906	Duco Reno Top 60 ZR AK [1]	0,2	12,10	29,4	Cauberg-Huygen 20110892-05	25,1	27,0	28,9	26,8	29,9	36,0	60	119	1000	Duco
D02923	Duco GlasMax 10 ZR [1]	5,7	15,90	33,7	Peutz A 2198-1-RA-001 dd 7 novemb...	36,3	33,7	31,1	28,6	39,2	46,4	97	127	1000	Duco
D02924	Duco GlasMax 15 ZR [1]	5,9	21,10	32,6	Peutz A 2198-1-RA-001 dd 7 novemb...	34,8	32,9	31,0	27,9	36,2	40,5	97	127	1000	Duco
D02925	Duco GlasMax 20 ZR [1]	6,1	24,10	32,3	Peutz A 2198-1-RA-001 dd 7 novemb...	35,3	33,2	31,1	27,9	34,8	38,6	97	127	1000	Duco
D02926	Duco GlasMax 25 ZR [1]	0,9	28,60	26,4	Cauberg Huygen 20110892-05	22,7	24,7	26,7	24,9	26,8	28,0	97	127	1000	Duco
D02927	RoofMax ZR [1]	3,1	9,50	33,3	Peutz BA 1944-2-RA dd 6 oktober 2009	37,9	35,1	29,3	29,6	35,7	47,7	0	0	0	Duco
D02934	Renson VariaCoust 170-14 ZR [1]	12,2	14,10	40,7	Samenvattend rapport VariaCoust 201...	37,3	38,4	33,5	40,7	45,9	47,5	0	0	0	Renson
D02935	Renson VariaCoust 170-18 ZR [1]	10,7	20,90	37,5	Samenvattend rapport VariaCoust 201...	37,9	37,8	30,7	37,6	41,0	41,5	0	0	0	Renson
D02936	Renson VariaCoust 170-22 ZR [1]	9,7	23,40	36,0	Samenvattend rapport VariaCoust 201...	39,3	38,2	30,7	36,1	37,0	39,5	0	0	0	Renson
D02937	Renson VariaCoust 170-28 ZR [1]	9,0	27,20	34,6	Samenvattend rapport VariaCoust 201...	39,8	37,8	29,4	33,8	35,9	38,6	0	0	0	Renson
D02938	Renson VariaCoust 210-14 ZR [1]	13,7	13,90	42,3	Samenvattend rapport VariaCoust 201...	36,1	38,4	35,1	43,0	48,3	50,6	0	0	0	Renson
D02939	Renson VariaCoust 210-18 ZR [1]	13,7	20,50	40,6	Samenvattend rapport VariaCoust 201...	37,1	38,3	33,5	40,8	44,7	47,6	0	0	0	Renson
D02940	Renson VariaCoust 210-22 ZR [1]	13,4	23,10	39,8	Samenvattend rapport VariaCoust 201...	39,2	39,1	32,9	39,0	43,8	47,2	0	0	0	Renson
D02941	Renson VariaCoust 210-28 ZR [1]	10,3	26,90	36,0	Samenvattend rapport VariaCoust 201...	38,9	37,6	29,6	35,0	38,4	42,9	0	0	0	Renson
D02942	Renson VariaCoust 250-14 ZR [1]	14,8	13,60	43,5	Samenv										

Ventilatievoorzieningen

<i>Id</i>	<i>Omschrijving</i>	<i>RqA</i> [dB(A)]	<i>C</i> [dm³/s]	<i>DnA</i> [dB(A)]	<i>Bron</i>	63	125	250	500	1000	2000	<i>H</i>	<i>D</i>	<i>L</i>
D02968	Duco DucoTop 60 'ZR' Grando AK	1,5	12,60	30,5	PEUTZ A 2431-1-RA d.d. 14 februari 2...	31,5	33,8	29,7	26,5	31,6	39,4	60	188	1000 Duco Ventilation .Sun Control
D02969	Duco DucoTop 60 'ZR' Corto AK+	-2,4	8,90	28,1	PEUTZ A 2431-1-RA d.d. 14 februari 2...	30,5	33,2	30,8	24,7	27,6	36,3	60	88	1000 Duco Ventilation .Sun Control
D02970	Duco DucoTop 60 'ZR' Basso AK+	-0,6	8,30	30,2	PEUTZ A 2431-1-RA d.d. 14 februari 2...	30,7	34,4	31,5	26,3	30,4	40,9	60	108	1000 Duco Ventilation .Sun Control
D02971	Duco DucoTop 60 'ZR' Medio AK+	1,2	8,10	32,1	PEUTZ A 2431-1-RA d.d. 14 februari 2...	32,7	34,7	32,1	28,1	32,8	43,0	60	128	1000 Duco Ventilation .Sun Control
D02972	Duco DucoTop 60 'ZR' Alto AK+	1,8	8,10	32,7	PEUTZ A 2431-1-RA d.d. 14 februari 2...	33,1	35,0	31,7	29,2	33,1	41,9	60	148	1000 Duco Ventilation .Sun Control
D02973	Duco DucoTop 60 'ZR' Largo AK+	3,8	7,70	34,9	PEUTZ A 2431-1-RA d.d. 14 februari 2...	33,6	35,9	32,5	31,1	36,5	47,9	60	168	1000 Duco Ventilation .Sun Control
D02974	Duco DucoTop 60 'ZR' Grando AK+	5,4	7,90	36,4	PEUTZ A 2431-1-RA d.d. 14 februari 2...	33,6	36,8	33,7	32,4	38,8	49,3	60	188	1000 Duco Ventilation .Sun Control
D02975	Duco RoofMax 'ZR' [1]	3,2	9,50	33,5	Peutz BA 1944-2-RA dd 6 oktober 2009	37,7	35,1	29,0	30,0	35,7	47,7	0	0	Duco Ventilation .Sun Control
D03131	Buva SusStream Kosma 11-ZR [1]	16,8	11,10	46,3	Buva	31,0	39,2	42,9	55,6	65,6	63,1	115	330	3000 Buva
D03132	Buva SusStream Kosma 15-ZR [1]	16,4	14,80	44,7	Buva	32,1	38,0	38,3	49,8	63,7	58,0	115	330	3000 Buva
D03133	Buva SusStream Kosma 21-ZR [1]	15,8	20,50	42,6	Buva	34,3	37,2	35,3	43,1	57,6	53,9	115	330	3000 Buva
D03134	Buva SusStream Kosma 26-ZR [1]	13,7	26,30	39,5	Buva	35,6	36,4	32,0	38,1	54,8	50,6	115	330	3000 Buva
D03142	Ventilatie RMG2012	0,0	0,00	0,0	Rekenmethode RMG2012 Artikel 6.4 li...	0,0	0,0	0,0	0,0	0,0	0,0	0	0	0
D03180	Duco DucoMax Corto 10 'ZR'	9,2	13,00	38,1	Contactpersoon duco Brecht Wittouck	33,5	31,5	31,6	40,6	45,9	40,4	105	205	1000 Duco Ventilation .Sun Control
D03181	Duco DucoMax Corto 15 'ZR'	7,9	20,70	34,8	Contactpersoon duco Brecht Wittouck	30,9	29,2	28,9	35,0	40,1	37,9	105	205	1000 Duco Ventilation .Sun Control
D03182	Duco DucoMax Corto 20 'ZR'	7,8	26,90	33,5	Contactpersoon duco Brecht Wittouck	29,9	28,6	27,9	32,7	38,5	36,8	105	205	1000 Duco Ventilation .Sun Control
D03183	Duco DucoMax Corto 25 'ZR'	7,6	32,00	32,6	Contactpersoon duco Brecht Wittouck	29,4	28,0	27,3	31,8	37,0	35,2	105	205	1000 Duco Ventilation .Sun Control
D03184	Duco DucoMax Medio 10 'ZR'	9,4	11,20	38,9	Contactpersoon duco Brecht Wittouck	33,2	32,5	31,2	42,8	48,5	45,9	105	255	1000 Duco Ventilation .Sun Control
D03185	Duco DucoMax Medio 15 'ZR'	8,3	17,70	35,8	Contactpersoon duco Brecht Wittouck	31,5	30,7	28,4	37,2	42,6	43,3	105	255	1000 Duco Ventilation .Sun Control
D03186	Duco DucoMax Medio 20 'ZR'	8,3	25,60	34,2	Contactpersoon duco Brecht Wittouck	30,7	29,1	26,8	35,6	40,8	41,6	105	255	1000 Duco Ventilation .Sun Control
D03187	Duco DucoMax Medio 25 'ZR'	8,1	30,80	33,2	Contactpersoon duco Brecht Wittouck	29,9	28,6	26,2	33,7	38,6	39,8	105	255	1000 Duco Ventilation .Sun Control
D03188	Duco DucoMax Alto 10 'ZR'	9,9	11,90	39,1	Contactpersoon duco Brecht Wittouck	36,9	32,4	30,7	44,8	52,3	50,2	105	305	1000 Duco Ventilation .Sun Control
D03189	Duco DucoMax Alto 15 'ZR'	9,1	17,50	36,6	Contactpersoon duco Brecht Wittouck	34,8	30,7	28,6	39,1	45,9	47,1	105	305	1000 Duco Ventilation .Sun Control
D03190	Duco DucoMax Alto 20 'ZR'	9,4	26,30	35,2	Contactpersoon duco Brecht Wittouck	33,4	30,2	27,2	36,7	43,5	44,5	105	305	1000 Duco Ventilation .Sun Control
D03191	Duco DucoMax Alto 25 'ZR'	8,7	29,70	34,0	Contactpersoon duco Brecht Wittouck	32,3	29,7	26,2	35,1	41,0	42,1	105	305	1000 Duco Ventilation .Sun Control
D03192	Duco DucoMax Largo 10 'ZR'	14,1	11,90	43,4	Contactpersoon duco Brecht Wittouck	41,5	34,8	36,2	45,5	54,4	56,1	105	355	1000 Duco Ventilation .Sun Control
D03193	Duco DucoMax Largo 15 'ZR'	11,2	17,90	38,6	Contactpersoon duco Brecht Wittouck	38,4	32,2	31,5	39,0	45,6	48,6	105	355	1000 Duco Ventilation .Sun Control
D03194	Duco DucoMax Largo 20 'ZR'	10,4	26,90	36,1	Contactpersoon duco Brecht Wittouck	36,9	30,9	28,6	36,3	44,0	45,0	105	355	1000 Duco Ventilation .Sun Control
D03195	Duco DucoMax Largo 25 'ZR'	9,4	28,90	34,8	Contactpersoon duco Brecht Wittouck	36,7	30,8	28,1	34,0	39,3	41,9	105	355	1000 Duco Ventilation .Sun Control
D03196	Duco DucoMax Corto 10 'ZR' HD	7,7	9,10	38,1	Contactpersoon duco Brecht Wittouck	33,5	31,5	31,6	40,6	45,9	40,4	105	205	1000 Duco Ventilation .Sun Control
D03197	Duco DucoMax Corto 15 'ZR' HD	6,4	14,50	34,8	Contactpersoon duco Brecht Wittouck	30,9	29,2	28,9	35,0	40,1	37,9	105	205	1000 Duco Ventilation .Sun Control
D03198	Duco DucoMax Corto 20 'ZR' HD	5,9	17,50	33,5	Contactpersoon duco Brecht Wittouck	29,9	28,6	27,9	32,7	38,5	36,8	105	205	1000 Duco Ventilation .Sun Control
D03199	Duco DucoMax Corto 25 'ZR' HD	5,7	20,80	32,6	Contactpersoon duco Brecht Wittouck	29,4	28,0	27,3	31,8	37,0	35,2	105	205	1000 Duco Ventilation .Sun Control
D03200	Duco DucoMax Medio 10 'ZR' HD	7,8	7,80	38,9	Contactpersoon duco Brecht Wittouck	33,2	32,5	31,2	42,8	48,5	45,9	105	255	1000 Duco Ventilation .Sun Control
D03201	Duco DucoMax Medio 15 'ZR' HD	6,8	12,40	35,8	Contactpersoon duco Brecht Wittouck	31,5	30,7	28,4	37,2	42,6	43,3	105	255	1000 Duco Ventilation .Sun Control
D03202	Duco DucoMax Medio 20 'ZR' HD	6,6	17,20	34,2	Contactpersoon duco Brecht Wittouck	30,7	29,1	26,8	35,6	40,8	41,6	105	255	1000 Duco Ventilation .Sun Control
D03203	Duco DucoMax Medio 25 'ZR' HD	6,2	20,00	33,2	Contactpersoon duco Brecht Wittouck	29,9	28,6	26,2	33,7	38,6	39,8	105	255	1000 Duco Ventilation .Sun Control
D03204	Duco DucoMax Alto 10 'ZR' HD	8,3	8,30	39,1	Contactpersoon duco Brecht Wittouck	36,9	32,4	30,7	44,8	52,3	50,2	105	305	1000 Duco Ventilation .Sun Control
D03205	Duco DucoMax Alto 15 'ZR' HD	7,5	12,30	36,6	Contactpersoon duco Brecht Wittouck	34,8	30,7	28,6	39,1	45,9	47,1	105	305	1000 Duco Ventilation .Sun Control
D03206	Duco DucoMax Alto 20 'ZR' HD	7,5	17,10	35,2	Contactpersoon duco Brecht Wittouck	33,4	30,2	27,2	36,7	43,5	44,5	105	305	1000 Duco Ventilation .Sun Control
D03207	Duco DucoMax Alto 25 'ZR' HD	6,8	19,30	34,0	Contactpersoon duco Brecht Wittouck	32,3	29,7	26,2	35,1	41,0	42,1	105	305	1000 Duco Ventilation .Sun Control
D03208	Duco DucoMax Largo 10 'ZR' HD	12,6	8,30	43,4	Contactpersoon duco Brecht Wittouck	41,5	34,8	36,2	45,5	54,4	56,1	105	355	1000 Duco Ventilation .Sun Control
D03209	Duco DucoMax Largo 15 'ZR' HD	9,6	12,50	38,6	Contactpersoon duco Brecht Wittouck	38,4	32,2	31,5	39,0	45,6	48,6	105	355	1000 Duco Ventilation .Sun Control
D03210	Duco DucoMax Largo 20 'ZR' HD	8,6	17,50	36,1	Contactpersoon duco Brecht Wittouck	36,9	30,9	28,6	36,3	44,0	45,0	105	355	1000 Duco Ventilation .Sun Control
D03211	Duco DucoMax Largo 25 'ZR' HD	7,5	18,80	34,8	Contactpersoon duco Brecht Wittouck	36,7	30,8	28,1	34,0	39,3	41,9	105	355	1000 Duco Ventilation .Sun Control
D03212	Duco SkyMax Corto 10 ZR	9,2	13,00	38,1	Contactpersoon Becht Wittouck	33,5	31,5	31,6	40,6	45,9	40,4	105	205	1000 Duco Ventilation .Sun Control
D03213	Duco SkyMax Corto 15 ZR	7,9	20,70	34,8	Contactpersoon Becht Wittouck	30,9	29,2	28,9	35,0	40,1	37,9	105	205	1000 Duco Ventilation .Sun Control
D03214	Duco SkyMax Corto 20 ZR	7,8	26,90	33,5	Contactpersoon Becht Wittouck	29,9	28,6	27,9	32,7	38,5	36,8	105	205	1000 Duco Ventilation .Sun Control
D03215	Duco SkyMax Corto 25 ZR	7,6	32,00	32,6	Contactpersoon Becht Wittouck	29,4	28,0	27,3	31,8	37,0	35,2	105	205	1000 Duco Ventilation .Sun Control
D03216	Duco SkyMax Medio 10 ZR	9,4	11,20	38,9	Contactpersoon Becht Wittouck	33,2	32,5	31,2	42,8	48,5	45,9	105	255	1000 Duco Ventilation .Sun Control
D03217	Duco SkyMax Medio 15 ZR	8,3	17,70	35,8	Contactpersoon Becht Wittouck	31,5	30,7	28,4	37,2	42,6	43,3	105	255	1000 Duco Ventilation .Sun Control
D03218	Duco SkyMax Medio 20 ZR	8,3	25,60	34,2	Contactpersoon Becht Wittouck	30,7	29,1	26,8	35,6	40,8	41,6	105	255	1000 Duco Ventilation .Sun Control
D03219	Duco SkyMax Medio 25 ZR	8,1	30,80	33,2	Contactpersoon Becht Wittouck	29,9	28,6	26,2	33,7	38,6	39,8	105	255	1000 Duco Ventilation .Sun Control
D03220	Duco SkyMax Alto 10 ZR	9,9	11,90	39,1	Contactpersoon Becht Wittouck	36,9	32,4	30,7	44,8	52,3	50,2	105	305	1000 Duco Ventilation .Sun Control
D03221	Duco SkyMax Alto 15 ZR	9,1	17,50	36,6	Contactpersoon Becht Wittouck	34,8	30,7	28,6	39,1	45,9	47,1	105	305	1000 Duco Ventilation .Sun Control
D03222	Duco SkyMax Alto 20 ZR	9,4	26,30	35,2	Contactpersoon Becht Wittouck	33,4	30,2	27,2	36,7	43,5	44,5	105	305	1000 Duco Ventilation .Sun Control
D03223	Duco SkyMax Alto 25 ZR	8,7	29,70	34,0	Contactpersoon Becht Wittouck	32,3	29,7	26,2	35,1	41,0	42,1	105	305	1000 Duco Ventilation .Sun Control
D03224	Duco SkyMax Largo 10 ZR	14,1	11,90	43,4	Contactpersoon Becht Wittouck	41,5	34,8	36,2	45,5	54,4	56,1	105	355	1000 Duco Ventilation .Sun Control
D03225	Duco SkyMax Largo 15 ZR	11,2	17,90	38,6	Contactpersoon Becht Wittouck	38,4	32,2	31,5	39,0	45,6	48,6	105	355	1000 Duco Ventilation .Sun Control
D03226	Duco SkyMax Largo 20 ZR	10,4	26,90	36,1	Contactpersoon Becht Wittouck	36,9	30,9	28,6	36,3	44,0	45,0	105	355	1000 Duco Ventilation .Sun Control
D03227	Duco SkyMax Largo 25 ZR	9,4	28,90	34,8	Contactpersoon Becht Wittouck	36,7	30,8	28,1	34,0	39,3	41,9	105	355	1000 Duco Ventilation .Sun Control
D03228	Innoventus G2, 100F [1]	25,2	60,00	47,4	Rapport Peutz A 1368-1	34,2	40,5	43,7	53,2	51,0	60,0	0	0	Brink Climate Systems
D03229	Innoventus G2, 120F [1]	23,2	68,00	44,8	Rapport Peutz A 1368-1	33,2	38,3	39,5	48,6	49,2	57,0	0	0	Brink Climate Systems
D03230	Sonair F+, G2 [1]	26,6	82,00	47,5	Rapport Peutz A 1368-1	33,1	40,0	44,7	53,9	53,7	61,8	0	0	Brink Climate Systems
D03231	Sonair F+, F6 [1]	24,4	53,00	47,1	Rapport Peutz A 1368-1	32,0	40,1	45,7	56,3	53,8	55,4	0	0	Brink Climate Systems
D03232	Sonair A+, G2 [1]	25,5	67,00	47,2	Rapport Peutz A 1368-1	35,1	40,4	44,1	51,0	50,0	54,6	0	0	Brink Climate Systems
D03233	Sonair A+, F6 [1]	24,1	50,00	47,1	Rapport Peutz A 1368-1	34,4	40,4	44,8	52,5	50,2	51,8	0	0	Brink Climate Systems
D03239	Renson Invisivent NL AK basic [1]	3,6	10,60	33,4	VL132 - Invisivent Evo AK Basic (ope...	38,2	36,5	33,8	31,5	32,5	36,8	0	0	Renson
D03240	Renson Invisivent NL AK High [1]	6,1	7,30	37,5	VL134 - Invisivent Evo AK High (open ...	42,3	39,8	36,9	34,9	37,1	43,6	0	0	Renson
D03242	Duco GlasMax 'ZR' 5 Pa [1]	3,8	54,90	26,4	Cauberg - Huygen 20110892-05	22,7	24,7	26,7	24,9	26,8	28,0	97	127	1000 Duco Ventilation .Sun Control
D03243	Duco MiniMax 'ZR' 5 Pa [1]	6,1	49,60	29,2	Cauberg Huygen BS1/2005.0984/Awe...	20,8	23,8	22,9	29,8	34,9	35,7	105	100	1000 Duco Ventilation .Sun Control
D03244	Duco FireMax EW 30 / 20 'ZR' [1]	6,1	24,10	32,3	Contactpersoon duco Brecht Wittouck	35,3	33,2	31,1	27,9	34,8	38,6	97	127	1000 Duco Ventilation .Sun Control
D03245	Duco FireMax EW 30 / 25 'ZR' [1]	0,9	28,60	26,4	Contactpersoon duco Brecht Wittouck	22,7	24,7	26,7	24,9	26,8	28,0	97	127	1000 Duco Ventilation .Sun Control
D03249	Duco DucoTwin 120 Corto 'ZR' 5 Pa [1]	7,7	43,20	31,3	PEUTZ A 2016-1-RA 21-09-2010 + D...	30,1	29,9	27,9	29,5	33,6	33,0	120	207	1000 Duco Ventilation .Sun Control
D03250	Duco DucoTwin 120 Basso 'ZR' 5 Pa [1]	6,9	43,20	30,5	PEUTZ A 2016-1-RA 21-09-2010 + D...	30,0	29,2	25,7	27,7	36,2	33,4	120	227	1000 Duco Ventilation .Sun Control
D03251	Duco DucoTwin 120 Medio 'ZR' 5 Pa [1]	7,3	43,20	31,0	PEUTZ A 2016-1-RA 21-09-2010 + D...	29,7	29,4	26,0	28,9	35,8	33,1	120	247	1000 Duco Ventilation .Sun Control
D03252	Duco DucoTwin 120 Alto 'ZR' 5 Pa [1]	8,6	43,20	32,3	PEUTZ A 2016-1-RA 21-09-2010 + D...	29,4	29,6	26,2	30,1	38,8	37,7	120	267	1000 Duco Ventilation .Sun Control
D03253	Duco DucoTwin 120 Largo 'ZR' 5 Pa [1]	10,												

Ventilatievoorzieningen

<i>Id</i>	<i>Omschrijving</i>	<i>RqA</i> <i>[dB(A)]</i>	<i>C</i> <i>[dm³/s]</i>	<i>DnA</i> <i>[dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>H</i>	<i>D</i>	<i>L</i>	
D03379	ClimaRad S-Fan qv=16.7	13,9	16,70	41,7	Peutz Meetrapport A3518-2-RA-001	37,5	39,6	33,8	42,1	48,3	53,5	350	122	350	ClimaRad
D03380	ClimaRad S-Fan qv=25.0	15,6	25,00	41,7	Peutz Meetrapport A3518-2-RA-001	37,5	39,6	33,8	42,1	48,3	53,5	350	122	350	ClimaRad
D03381	ClimaRad S-Fan qv=33.3	16,9	33,30	41,7	Peuts Meetrapport A3518-2-RA-001	37,5	39,6	33,8	42,1	48,3	53,5	350	122	350	ClimaRad
D03382	ClimaRad S-Fan qv=41.7	17,9	41,70	41,7	Peutz Meetrapport A3518-2-RA-001	37,5	39,6	33,8	42,1	48,3	53,5	350	122	350	ClimaRad
D03389	Alara Lukagro buitenluchtrooster AL-R ...	0,0	0,00	15,1	Peutz Luchtgeluidisolatie roosters typ...	9,6	8,3	9,7	14,1	20,7	21,6	0	300	1087	Alara Lukagro
D03390	Alara Lukagro buitenluchtrooster AL-R ...	0,0	0,00	15,3	Peutz Luchtgeluidisolatie roosters typ...	10,0	7,4	9,4	15,4	22,1	24,2	0	300	1087	Alara Lukagro
D03391	Alara Lukagro buitenluchtrooster AL-R ...	0,0	0,00	19,4	Peutz Luchtgeluidisolatie roosters typ...	11,9	8,2	14,4	24,4	37,6	39,5	0	600	985	Alara Lukagro
D03392	Alara Lukagro buitenluchtrooster AL-R ...	0,0	0,00	10,8	Peutz Luchtgeluidisolatie rooster type ...	7,3	7,1	7,7	9,5	12,7	13,4	985	150	985	Alara Lukagro
D03490	Duco EasyFit 50 'ZR' [1]	-4,8	7,90	26,2		24,5	26,8	29,1	23,6	26,0	29,9	60	188	1000	Duco
D03493	Renson VariaCoust 330-18 ZR	-27,2	19,30	0,0		0,0	0,0	0,0	0,0	0,0	0,0	0	0	0	Renson
D03494	Renson VariaCoust 330-22 ZR	-26,6	22,10	0,0		0,0	0,0	0,0	0,0	0,0	0,0	0	0	0	Renson
D03495	Renson VariaCoust 330-28 ZR	-25,9	26,00	0,0		0,0	0,0	0,0	0,0	0,0	0,0	0	0	0	Renson
D03496	Renson FireCatch 14 [1]	-1,5	14,00	27,0	definaal rapport FireCatch EPC.pdf	47,7	40,1	29,3	25,0	25,5	33,5	0	0	0	Renson
D03497	Renson FireCatch 19	-27,2	19,00	0,0	definaal rapport FireCatch EPC.pdf	0,0	0,0	0,0	0,0	0,0	0,0	0	0	0	Renson
D03498	Renson Junior 150 ZR [1]	-4,7	11,70	24,7	P050080-01-concept 20091113	29,4	29,0	28,6	25,3	22,5	28,2	0	0	0	Renson
D03499	Renson MultiTop EPC 21 [1]	4,8	21,20	31,5	090416-145-R-HV-rd concept rapport ...	47,5	42,7	33,7	33,2	30,5	30,7	0	0	0	Renson
D03500	Renson MultiAir EPC Classic 14 [1]	-2,2	14,10	26,3	HO202-01 - definitief	30,6	29,3	28,0	26,4	24,4	31,0	0	0	0	Renson
D03501	Renson MultiAir EPC Classic 18 [1]	-1,1	18,00	26,3	HO202-01 - definitief	30,6	29,3	28,0	26,4	24,4	31,0	0	0	0	Renson
D03502	Renson MultiAir EPC Classic 21 [1]	-0,7	19,70	26,3	HO202-01 - definitief	30,6	29,3	28,0	26,4	24,4	31,0	0	0	0	Renson
D03503	Renson MultiAir EPC Design 14 [1]	-2,2	14,10	26,3	HO202-01 - definitief	30,6	29,3	28,0	26,4	24,4	31,0	0	0	0	Renson
D03504	Renson MultiAir EPC Design 18 [1]	-1,1	18,00	26,3	HO202-01 - definitief	30,6	29,3	28,0	26,4	24,4	31,0	0	0	0	Renson
D03505	Renson MultiAir EPC Design 21 [1]	-0,7	19,70	26,3	HO202-01 - definitief	30,6	29,3	28,0	26,4	24,4	31,0	0	0	0	Renson
D03506	Renson FlexAir EPC 14 [1]	-4,5	14,00	24,1	R085025aaA4 em_00_000_geluidtec...	27,4	27,5	27,6	24,5	22,5	25,5	0	0	0	Renson
D03507	Renson FlexAir EPC 18 [1]	-3,4	18,00	24,1	R085025aaA4 em_00_000_geluidtec...	27,4	27,5	27,6	24,5	22,5	25,5	0	0	0	Renson
D03508	Renson FlexAir EPC 23 [1]	-2,3	22,90	24,1	R085025aaA4 em_00_000_geluidtec...	27,4	27,5	27,6	24,5	22,5	25,5	0	0	0	Renson
D03509	Renson TC 60 [1]	-1,7	12,30	27,4	AC2002001 TC60 open position	25,4	26,2	25,4	27,9	27,9	27,9	0	0	0	Renson
D03510	Renson THK90 [1]	-1,4	11,60	27,9	VL022 TH90, THAK90 12-03-1996 (V...	26,4	26,1	25,5	25,5	31,1	28,9	0	0	0	Renson
D03511	Renson Invisivent NL [1]	-3,5	10,80	26,2	VL125 - Invisivent EVO - volledge be...	28,2	28,3	28,4	27,6	24,8	26,8	0	0	0	Renson
D03512	Renson Invisivent NL HF [1]	-2,4	14,10	26,1	VL131 - Invisivent Evo Highflow 65 - v...	28,8	29,9	31,0	26,9	23,8	30,5	0	0	0	Renson
D03513	Renson Invisivent NL AK Ultra [1]	7,7	5,50	40,3	VL156 - Invisivent Evo AK Ultra (open...	53,2	47,3	37,5	35,5	43,3	54,6	0	0	0	Renson
D03514	Renson Invisivent NL HR Basic [1]	3,6	10,60	33,4	VL132 - Invisivent Evo AK Basic (ope...	38,2	36,5	34,8	31,5	32,5	36,8	0	0	0	Renson
D03515	Renson Invisivent NL HR High [1]	6,1	7,30	37,5	VL134 - Invisivent Evo AK High (open ...	42,3	39,8	36,9	34,9	37,1	43,6	0	0	0	Renson
D03516	Renson Invisivent NL HR Ultra [1]	7,2	5,50	39,8	VL156 - Invisivent Evo AK Ultra (open...	53,2	47,3	37,5	35,5	41,3	54,6	0	0	0	Renson
D03517	Renson Invisivent AIR Light	-0,6	10,60	29,1	VL183 - Renson Invisivent Air Light - ...	25,4	33,5	31,6	28,3	27,6	33,7	0	0	0	Renson
D03518	Renson Invisivent AIR Basic	2,7	10,60	32,4	VL185 - Renson Invisivent Air Basic - ...	25,7	36,0	33,7	28,9	32,8	42,6	0	0	0	Renson
D03519	Renson Invisivent COMFORT Basic	-2,0	3,40	32,7	VL187 - Renson Invisivent Comfort Ba...	27,1	36,5	33,6	28,8	33,5	43,4	0	0	0	Renson
D03520	Renson Invisivent COMFORT High	0,3	2,30	36,6	VL189 - Renson Invisivent Comfort Hi...	28,6	38,5	35,5	32,4	39,4	55,1	0	0	0	Renson
D03521	Renson Invisivent COMFORT Ultra	1,5	1,90	38,7	VL191 - Renson Invisivent Comfort Ult...	28,7	39,1	36,1	34,6	44,5	61,6	0	0	0	Renson
D03522	Renson Invisivent AIR HR Basic	2,6	10,40	32,4	VL185 - Renson Invisivent Air Basic - ...	25,7	36,0	33,7	28,9	32,8	42,6	0	0	0	Renson
D03523	Renson Invisivent COMFORT HR Basic	-2,4	3,10	32,7	VL187 - Renson Invisivent Comfort Ba...	27,1	36,5	33,6	28,8	33,5	43,4	0	0	0	Renson
D03524	Renson Invisivent COMFORT HR High	0,1	2,20	36,6	VL189 - Renson Invisivent Comfort Hi...	28,6	38,5	35,5	32,4	39,4	55,1	0	0	0	Renson
D03525	Renson Invisivent COMFORT HR Ultra	1,3	1,80	38,7	VL191 - Renson Invisivent Comfort Ult...	28,7	39,1	36,1	34,6	44,5	61,6	0	0	0	Renson
D03526	Duco FireMax EW 90 / 25 ZR [1]	0,9	28,60	26,4	Contactpersoon duco Brecht Wittouck	22,7	24,7	26,7	24,9	26,8	28,0	105	145	1000	Duco
D03527	Silenzio Retro met Duco Buitenrooster ...	9,4	9,00	39,9	Contactpersoon duco Brecht Wittouck	35,7	37,4	33,7	40,8	42,3	44,7	0	0	0	
D03528	Silenzio Retro zonder Duco buitenroost...	10,2	10,70	39,9	Contactpersoon duco Brecht Wittouck	35,7	37,4	33,7	40,8	42,3	44,7	0	0	0	
D03529	Ducotop 50 'ZR' met Ducofilter [1]	-3,3	12,60	25,7	Contactpersoon duco Brecht Wittouck	31,5	29,7	27,9	23,1	25,3	29,3	0	0	0	
D03530	Duco TronicTop 50 [1]	-2,6	14,80	25,7	Contactpersoon duco Brecht Wittouck	31,5	29,7	27,9	23,1	25,3	29,3	0	0	0	
D03531	DucoTon 10 'ZR' met Ducofilter [1]	-4,1	8,70	26,5	Contactpersoon duco Brecht Wittouck	23,4	25,9	28,4	26,9	25,6	27,6	0	0	0	
D03532	DucoKlep 15 'ZR' met Ducofilter [1]	-4,6	12,90	24,3	Contactpersoon duco Brecht Wittouck	22,8	24,2	25,6	24,9	23,3	25,7	0	0	0	
D03533	DucoLine 10 'ZR' met Ducofilter [1]	-3,7	9,10	26,7	Contactpersoon duco Brecht Wittouck	24,6	26,4	28,0	30,0	24,7	29,4	0	0	0	
D03534	DucoLine 17 'ZR' met Ducofilter [1]	-2,1	14,80	26,2	Contactpersoon duco Brecht Wittouck	22,0	24,7	27,4	28,5	24,7	28,3	0	0	0	
D03535	Ducoline 23 'ZR' met Ducofilter [1]	-1,6	19,20	25,5	Contactpersoon duco Brecht Wittouck	20,9	23,9	26,9	28,1	24,5	26,3	0	0	0	
D03537	Duco TronicGlasmax 10 [1]	5,7	15,90	33,7	Contactpersoon duco Brecht Wittouck	36,3	33,7	31,1	28,6	39,2	46,4	0	0	0	
D03538	Duco TronicGlasmax 15 [1]	5,9	21,10	32,6	Contactpersoon duco Brecht Wittouck	34,8	32,9	31,0	27,9	36,2	40,5	0	0	0	
D03539	Duco TronicGlasmax 20 [1]	0,6	24,10	26,8	Contactpersoon duco Brecht Wittouck	35,3	33,2	31,1	27,9	24,8	28,6	0	0	0	
D03540	Duco TronicGlasmax 25 [1]	0,9	28,60	26,4	Contactpersoon duco Brecht Wittouck	22,7	24,7	26,7	24,9	26,8	28,0	0	0	0	
D03541	Duco TronicMinimax 15 [1]	2,5	19,60	29,5	Contactpersoon duco Brecht Wittouck	21,0	24,4	23,5	31,2	33,9	35,0	0	0	0	
D03542	Duco TronicMinimax 10 [1]	2,0	14,70	30,3	Contactpersoon duco Brecht Wittouck	21,6	25,0	23,8	31,9	36,0	37,6	0	0	0	
D03543	Duco TronicMinimax 20 [1]	2,9	23,70	29,2	Contactpersoon duco Brecht Wittouck	20,8	23,8	22,9	29,8	34,9	35,7	0	0	0	
D03544	Duco DucoTop 60 'ZR' Flens Alto [1]	-3,0	12,80	25,9	Contactpersoon duco Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0	
D03545	Duco DucoTop 60 'ZR' Flens Alto AK [1]	1,8	13,10	30,6	Contactpersoon duco Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0	
D03546	Duco DucoTop 60 'ZR' Flens Alto AK+ [1]	5,6	8,10	36,5	Contactpersoon duco Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0	
D03547	Duco DucoTop 60 'ZR' Flens Basso [1]	-3,0	12,90	25,9	Contactpersoon duco Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0	
D03548	Duco DucoTop 60 'ZR' Flens Basso AK...	1,8	13,30	30,6	Contactpersoon duco Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0	
D03549	Duco DucoTop 60 'ZR' Flens BASSO AK...	5,7	8,30	36,5	Contactpersoon duco Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0	
D03550	Duco DucoTop 60 'ZR' Flens Corto [1]	-3,0	12,90	25,9	Contactpersoon duco Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0	
D03551	Duco DucoTop 60 'ZR' Flens Corto AK ...	1,9	13,50	30,6	Contactpersoon duco Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0	
D03552	Duco Ducotop 60 'ZR' Flens Corto AK+...	6,0	8,90	36,5	Contactpersoon duco Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0	
D03553	Duco DucoTop 60 'ZR' Flens Grando [1]	-3,0	12,80	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0	
D03554	Duco DucoTop 60 'ZR' Flens Grando A...	1,6	12,60	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0	
D03555	Duco DucoTop 60 'ZR' Flens Grando A...	5,5	7,90	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0	
D03556	Duco DucoTop 60 'ZR' Flens Largo [1]	-3,0	13,00	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0	
D03557	Duco DucoTop 60 'ZR' Flens Largo AK ...	1,7	12,90	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0	
D03558	Duco DucoTop 60 'ZR' Flens Largo AK...	5,4	7,70	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0	
D03559	Duco DucoTop 60 'ZR' Flens Medio [1]	-3,1	12,60	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0	
D03560	Duco DucoTop 60 'ZR' Flens Medio AK...	1,8	13,00	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0	
D03561	Duco DucoTop 60 'ZR' Flens Medio AK...	5,6	8,10	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0	
D03562	Duco TronicMax Corto 10	9,2	13,00	38,1	Contactpersoon: Brecht Wittouck	33,5	31,5	31,6	40,6	45,9	40,4	0	0	0	
D03563	Duco TronicMax Corto 15	7,9	20,70	34,8	Contactpersoon: Brecht Wittouck	30,9	29,2	28,9	35,0	40,1	37,9	0	0	0	
D03564	Duco TronicMax Corto 20	7,8	26,90	33,5	Contactpersoon: Brecht Wittouck	29,9	28,6	27,9	32,7	38,5	36,8	0	0	0	
D03565	Duco TronicMax Corto 25	7,6	32,00	32,6	Contactpersoon: Brecht Wittouck	29,4	28,0	27							

Ventilatievoorzieningen

<i>Id</i>	<i>Omschrijving</i>	<i>RqA</i> [dB(A)]	<i>C</i> [dm³/s]	<i>DnA</i> [dB(A)]	<i>Bron</i>	63	125	250	500	1000	2000	<i>H</i>	<i>D</i>	<i>L</i>
D03586	Duco TronicMax Alto 10 HD	8,3	8,30	39,1	Contactpersoon: Brecht Wittouck	36,9	32,4	30,7	44,8	52,3	50,2	0	0	0
D03587	Duco TronicMax Alto 15 HD	7,5	12,30	36,6	Contactpersoon: Brecht Wittouck	34,8	30,7	28,6	39,1	45,9	47,1	0	0	0
D03588	Duco TronicMax Alto 20 HD	7,4	17,10	35,0	Contactpersoon: Brecht Wittouck	33,4	30,2	27,0	36,7	43,5	44,5	0	0	0
D03589	Duco TronicMax Alto 25 HD	6,8	19,30	34,0	Contactpersoon: Brecht Wittouck	32,3	29,7	26,2	35,1	41,0	42,1	0	0	0
D03590	Duco TronicMax Largo 10 HD	12,6	8,30	43,4	Contactpersoon: Brecht Wittouck	41,5	34,8	36,2	45,5	54,4	56,1	0	0	0
D03591	Duco TronicMax Largo 15 HD	9,6	12,50	38,6	Contactpersoon: Brecht Wittouck	38,4	32,2	31,5	39,0	45,6	48,6	0	0	0
D03592	Duco TronicMax Largo 20 HD	8,6	17,50	36,1	Contactpersoon: Brecht Wittouck	36,9	30,9	28,6	36,3	44,0	45,0	0	0	0
D03593	Duco TronicMax Largo 25 HD	7,5	18,80	34,8	Contactpersoon: Brecht Wittouck	36,7	30,8	28,1	34,0	39,3	41,9	0	0	0
D03594	Duco DucoTop 60 'ZR' Corto met Duco...	-4,5	11,00	25,1	Contactpersoon: Brecht Wittouck	30,9	29,9	29,0	22,4	24,3	29,8	0	0	0
D03595	Duco DucoTop 60 'ZR' Basso met Duc...	-4,4	11,00	25,2	Contactpersoon: Brecht Wittouck	29,6	30,3	28,4	22,9	24,7	27,7	0	0	0
D03596	Duco DucoTop 60 'ZR' Medio met Duco...	-3,8	10,70	25,9	Contactpersoon: Brecht Wittouck	28,8	30,5	28,5	23,5	25,7	27,7	0	0	0
D03597	Duco DucoTop 60 'ZR' Alto met DucoFi...	-3,4	10,90	26,3	Contactpersoon: Brecht Wittouck	29,4	30,4	28,1	23,4	26,5	28,5	0	0	0
D03598	Duco DucoTop 60 'ZR' Largo met Duco...	-3,2	11,10	26,4	Contactpersoon: Brecht Wittouck	29,9	30,3	28,2	24,0	26,2	28,7	0	0	0
D03599	Duco DucoTop 60 'ZR' Grando met Du...	-2,8	10,90	26,8	Contactpersoon: Brecht Wittouck	29,0	31,2	27,8	24,3	26,7	29,4	0	0	0
D03600	Duco DucoTop 60 'ZR' Corto AK met D...	-3,3	11,50	26,1	Contactpersoon: Brecht Wittouck	29,4	31,5	29,0	22,4	25,9	34,2	0	0	0
D03601	Duco DucoTop 60 'ZR' Basso AK met D...	-1,9	11,30	27,6	Contactpersoon: Brecht Wittouck	29,8	32,2	30,0	23,8	27,6	34,9	0	0	0
D03602	Duco DucoTop 60 'ZR' Medio AK met D...	-1,2	11,10	28,3	Contactpersoon: Brecht Wittouck	30,0	32,4	30,1	24,2	28,9	35,7	0	0	0
D03603	Duco DucoTop 60 'ZR' Alto AK met Duc...	0,2	11,10	29,7	Contactpersoon: Brecht Wittouck	30,8	33,3	30,3	25,5	30,7	38,0	0	0	0
D03604	Duco DucoTop 60 'ZR' Largo AK met D...	1,0	11,00	30,6	Contactpersoon: Brecht Wittouck	31,8	33,9	30,3	26,3	31,7	41,1	0	0	0
D03605	Duco DucoTop 60 'ZR' Grando AK met ...	0,8	10,70	30,5	Contactpersoon: Brecht Wittouck	31,5	33,8	29,7	26,5	31,6	39,4	0	0	0
D03606	Duco DucoTop 60 'ZR' Corto AK+ met ...	-3,1	7,60	28,1	Contactpersoon: Brecht Wittouck	30,5	33,2	30,8	24,7	27,6	36,3	0	0	0
D03607	Duco DucoTop 60 'ZR' Basso AK+ met ...	-1,3	7,10	30,2	Contactpersoon: Brecht Wittouck	30,7	34,4	31,5	26,3	30,4	40,9	0	0	0
D03608	Duco DucoTop 60 'ZR' Medio AK+ met ...	0,5	6,90	32,1	Contactpersoon: Brecht Wittouck	32,7	34,7	32,1	28,1	32,8	43,0	0	0	0
D03609	Duco DucoTop 60 'ZR' Alto AK+ met Du...	1,1	6,90	32,7	Contactpersoon: Brecht Wittouck	33,1	35,0	31,7	29,2	33,1	41,9	0	0	0
D03610	Duco DucoTop 60 'ZR' Largo AK+ met ...	3,1	6,50	34,9	Contactpersoon: Brecht Wittouck	33,6	35,9	32,5	31,1	36,5	47,9	0	0	0
D03611	Duco DucoTop 60 'ZR' Grando AK+ me...	4,7	6,70	36,4	Contactpersoon: Brecht Wittouck	33,6	36,8	33,7	32,4	38,8	49,3	0	0	0
D03612	Duco Twin 120 'ZR' AK Corto [1]	1,8	14,50	30,1	Contactpersoon Brecht Wittouck	33,4	31,0	28,2	26,3	32,3	35,2	0	0	0
D03613	Duco Twin 120 'ZR' AK Basso [1]	2,6	14,50	30,9	Contactpersoon Brecht Wittouck	33,0	31,1	28,1	27,4	33,5	35,5	0	0	0
D03614	Duco Twin 120 'ZR' AK Medio [1]	3,4	14,50	31,8	Contactpersoon Brecht Wittouck	30,9	30,0	28,7	28,3	35,1	36,1	0	0	0
D03615	Duco Twin 120 'ZR' AK Alto [1]	5,2	14,50	33,6	Contactpersoon Brecht Wittouck	30,8	30,6	29,7	30,3	37,5	39,6	0	0	0
D03616	Duco Twin 120 'ZR' AL :argo [1]	6,1	14,50	34,4	Contactpersoon Brecht Wittouck	29,4	30,3	29,8	32,2	38,4	40,6	0	0	0
D03617	Duco Twin 120 'ZR' AK+ Medio [1]	4,6	11,70	33,9	Contactpersoon Brecht Wittouck	31,4	31,0	28,8	30,2	40,5	45,0	0	0	0
D03618	Duco Twin 120 'ZR' AK+ Alto [1]	4,6	11,70	34,0	Contactpersoon Brecht Wittouck	30,1	30,4	29,7	31,1	37,3	42,7	0	0	0
D03619	Duco Twin 120 'ZR' AK+ Largo [1]	5,7	11,70	35,0	Contactpersoon Brecht Wittouck	29,4	30,3	29,8	32,1	41,3	47,7	0	0	0
D03620	Tronictwin 120 AK Corto [1]	1,8	14,50	30,1	Contactpersoon Brecht Wittouck	33,4	31,0	28,2	26,3	32,3	35,2	0	0	0
D03621	Tronictwin 120 AK Basso [1]	2,6	14,50	30,9	Contactpersoon Brecht Wittouck	33,0	31,1	28,1	27,4	33,5	35,5	0	0	0
D03622	Tronictwin 120 AK Medio [1]	3,4	14,50	31,8	Contactpersoon Brecht Wittouck	30,9	30,0	28,7	28,3	35,1	36,1	0	0	0
D03623	Tronictwin 120 AK Alto [1]	5,2	14,50	33,6	Contactpersoon Brecht Wittouck	30,8	30,6	29,7	30,3	37,5	39,6	0	0	0
D03624	Tronictwin 120 AK Largo [1]	6,1	14,50	34,4	Contactpersoon Brecht Wittouck	29,4	30,3	29,8	32,2	38,4	40,6	0	0	0
D03625	Tronictwin 120 AK+ Medio [1]	4,6	11,70	33,9	Contactpersoon Brecht Wittouck	31,4	31,0	28,8	30,2	40,5	45,0	0	0	0
D03626	Tronictwin 120 AK+ Alto [1]	4,6	11,70	34,0	Contactpersoon Brecht Wittouck	30,1	30,4	29,7	31,1	37,3	42,7	0	0	0
D03627	Tronictwin 120 AK+ Largo [1]	5,7	11,70	35,0	Contactpersoon Brecht Wittouck	29,4	30,3	29,8	32,1	41,3	47,7	0	0	0
D03628	Duco DucoMax 'ZR' 5 Pa Corto 10	10,8	18,60	38,1	Contactpersoon Brecht Wittouck	33,5	31,5	31,6	40,6	45,9	40,4	0	0	0
D03629	Duco DucoMax 'ZR' 5 Pa Corto 15	10,1	34,30	34,8	Contactpersoon Brecht Wittouck	30,9	29,2	28,9	35,0	40,1	37,9	0	0	0
D03630	Duco DucoMax 'ZR' 5 Pa Corto 20	9,6	41,00	33,5	Contactpersoon Brecht Wittouck	29,9	28,6	27,9	32,7	38,5	36,8	0	0	0
D03631	Duco DucoMax 'ZR' 5 Pa Corto 25	10,7	65,90	32,6	Contactpersoon Brecht Wittouck	29,4	28,0	27,3	31,8	37,0	35,2	0	0	0
D03632	Duco DucoMax 'ZR' 5 Pa Medio 10	11,6	18,60	38,9	Contactpersoon Brecht Wittouck	33,2	32,5	31,2	42,8	48,5	45,9	0	0	0
D03633	Duco DucoMax 'ZR' 5 Pa Medio 15	11,2	34,30	35,8	Contactpersoon Brecht Wittouck	31,5	30,7	28,4	37,2	42,6	43,3	0	0	0
D03634	Duco DucoMax 'ZR' 5 Pa Medio 20	10,4	41,00	34,2	Contactpersoon Brecht Wittouck	30,7	29,1	26,8	35,6	40,8	41,6	0	0	0
D03635	Duco DucoMax 'ZR' 5 Pa Medio 25	11,4	65,90	33,2	Contactpersoon Brecht Wittouck	29,9	28,6	26,2	33,7	38,6	39,8	0	0	0
D03636	Duco DucoMax 'ZR' 5 Pa Alto 10	11,8	18,60	39,1	Contactpersoon Brecht Wittouck	36,9	32,4	30,7	44,8	52,3	50,2	0	0	0
D03637	Duco DucoMax 'ZR' 5 Pa Alto 15	12,0	34,30	36,6	Contactpersoon Brecht Wittouck	34,8	30,7	28,6	39,1	45,9	47,1	0	0	0
D03638	Duco DucoMax 'ZR' 5 Pa Alto 20	11,3	41,00	35,2	Contactpersoon Brecht Wittouck	33,4	30,2	27,2	36,7	43,5	44,5	0	0	0
D03639	Duco DucoMax 'ZR' 5 Pa Alto 25	12,2	65,90	34,0	Contactpersoon Brecht Wittouck	32,3	29,7	26,2	35,1	41,0	42,1	0	0	0
D03640	Duco DucoMax 'ZR' 5 Pa Largo 10	16,1	18,60	43,4	Contactpersoon Brecht Wittouck	41,5	34,8	36,2	45,5	54,4	56,1	0	0	0
D03641	Duco DucoMax 'ZR' 5 Pa Largo 15	14,0	34,30	38,6	Contactpersoon Brecht Wittouck	38,4	32,2	31,5	39,0	45,6	48,6	0	0	0
D03642	Duco DucoMax 'ZR' 5 Pa Largo 20	12,3	41,00	36,1	Contactpersoon Brecht Wittouck	36,9	30,9	28,6	36,3	44,0	45,0	0	0	0
D03643	Duco DucoMax 'ZR' 5 Pa Largo 25	13,0	65,90	34,8	Contactpersoon Brecht Wittouck	36,7	30,8	28,1	34,0	39,3	41,9	0	0	0
D03644	Duco DucoTop 60 'ZR' Flens Alto met ...	-3,7	10,90	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0
D03645	Duco DucoTop 60 'ZR' Flens Alto AK m...	1,1	11,10	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0
D03646	Duco DucoTop 60 'ZR' Flens Alto AK+ ...	4,9	6,90	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0
D03647	Duco DucoTop 60 'ZR' Flens Basso me...	-3,7	11,00	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0
D03648	Duco DucoTop 60 'ZR' Flens Basso AK...	1,1	11,30	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0
D03649	Duco DucoTop 60 'ZR' Flens Basso AK...	5,0	7,10	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0
D03650	Duco DucoTop 60 'ZR' Flens Corto met...	-3,7	11,00	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0
D03651	Duco DucoTop 60 'ZR' Flens Corto AK ...	1,2	11,50	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0
D03652	Duco DucoTop 60 'ZR' Flens Corto AK...	5,3	7,60	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0
D03653	Duco DucoTop 60 'ZR' Flens Grando m...	-3,7	10,90	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0
D03654	Duco DucoTop 60 'ZR' Flens Grando A...	0,9	10,70	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0
D03655	Duco DucoTop 60 'ZR' Flens Grando A...	4,8	6,70	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0
D03656	Duco DucoTop 60 'ZR' Flens Largo met...	-3,7	11,10	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0
D03657	Duco DucoTop 60 'ZR' Flens Largo AK ...	1,0	11,00	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0
D03658	Duco DucoTop 60 'ZR' Flens Largo AK...	4,6	6,50	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0
D03659	Duco DucoTop 60 'ZR' Flens Medio me...	-3,8	10,70	25,9	Contactpersoon Brecht Wittouck	32,5	30,5	28,5	23,5	25,7	27,7	0	0	0
D03660	Duco DucoTop 60 'ZR' Flens Medio AK...	1,1	11,10	30,6	Contactpersoon Brecht Wittouck	37,5	33,9	30,3	26,3	31,7	41,1	0	0	0
D03661	Duco DucoTop 60 'ZR' Flens Medio AK...	4,9	6,90	36,5	Contactpersoon Brecht Wittouck	39,0	36,8	33,7	32,4	38,8	49,3	0	0	0
D03662	Duco Twin 120 'ZR' AK Corto met Duco...	1,0	12,30	30,1	Contactpersoon Brecht Wittouck	33,4	31,0	28,2	26,3	32,3	35,2	0	0	0
D03663	Duco Twin 120 'ZR' AK Basso met Duc...	1,8	12,30	30,9	Contactpersoon Brecht Wittouck	33,0	31,1	28,1	27,4	33,5	35,5	0	0	0
D03664	Duco Twin 120 'ZR' AK Medio met Duc...	2,7	12,30	31,8	Contactpersoon Brecht Wittouck	30,9	30,0	28,7	28,3	35,1	36,1	0	0	0
D03665	Duco Twin 120 'ZR' AK Alto met DucoFi...	4,5	12,30	33,6	Contactpersoon Brecht Wittouck	30,8	30,6	29,7	30,3	37,5	39,6	0	0	0
D03666	Duco Twin 120 'ZR' AK Largo met Duc...	5,3	12,30	34,4	Contactpersoon Brecht Wittouck	29,4	30,3	29,8	32,2	38,4	40,6	0	0	0
D03667	Duco Twin 120 'ZR' AK+ Medio met Du...	3,8	9,90	33,9	Contactpersoon Brecht Wittouck	31,4	31,0	28,8	30,2	40,5	45,0	0	0	0
D03668	Duco Twin 120 'ZR' AK+ Alto met Duco...	3,9	9,90	34,0	Contactpersoon Brecht Wittouck	30,1	30,4	29,7	31,1	37,3	42,7	0	0	0
D03669	Duco Twin 120 'ZR' AK+ Largo met Du...	4,9	9,90	35,0	Contactpersoon Brecht Wittouck	29,4	30,3	29,8	32,1	41,3	47,7	0	0	0
D03670	TronicTwin 120 AK Corto met DucoFilt...	1,0	12,30	3										

Ventilatievoorzieningen

<i>Id</i>	<i>Omschrijving</i>	<i>RqA</i> <i>[dB(A)]</i>	<i>C</i> <i>[dm³/s]</i>	<i>DnA</i> <i>[dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>H</i>	<i>D</i>	<i>L</i>
D03687	Duco Twin 120 'ZR' AK+ Largo 5 Pa [1]	12,2	30,80	37,3	Contactpersoon Brecht Wittouck	29,3	31,5	31,1	36,0	46,5	52,8	0	0	0
D03688	TronicTwin 120 AK Corto 5 Pa [1]	7,7	43,20	31,3	Contactpersoon Brecht Wittouck	30,1	29,9	27,9	29,5	33,6	33,0	0	0	0
D03689	TronicTwin 120 AK Basso 5Pa [1]	6,9	43,20	30,5	Contactpersoon Brecht Wittouck	29,9	29,2	25,7	27,7	36,2	33,4	0	0	0
D03690	TronicTwin 120 AK Medio 5 Pa [1]	7,3	43,20	31,0	Contactpersoon Brecht Wittouck	29,6	29,4	26,0	28,9	35,8	33,1	0	0	0
D03691	TronicTwin 120 AK Alto 5 Pa [1]	8,6	43,20	32,3	Contactpersoon Brecht Wittouck	29,4	29,6	26,2	30,1	38,8	37,7	0	0	0
D03692	TronicTwin 120 AK Largo 5 Pa [1]	10,6	43,20	34,2	Contactpersoon Brecht Wittouck	28,9	30,4	27,5	33,4	40,4	41,6	0	0	0
D03693	TronicTwin 120 AK+ Corto 5 Pa [1]	-35,5	30,80	-10,4	Contactpersoon Brecht Wittouck	-28,4	0,2	28,8	30,4	34,4	37,5	0	0	0
D03694	TronicTwin 120 AK+ Basso 5 Pa [1]	6,7	30,80	31,8	Contactpersoon Brecht Wittouck	29,8	29,3	27,0	28,4	36,8	39,4	0	0	0
D03695	TronicTwin 120 AK+ Medio 5 Pa [1]	9,4	30,80	34,5	Contactpersoon Brecht Wittouck	30,4	30,9	28,5	31,8	41,1	46,1	0	0	0
D03696	TronicTwin 120 AK+ Alto 5 Pa [1]	10,2	30,80	35,3	Contactpersoon Brecht Wittouck	29,0	30,5	29,0	33,5	43,2	47,6	0	0	0
D03697	TronicTwin 120 AK+ Largo 5 Pa [1]	12,2	30,80	37,3	Contactpersoon Brecht Wittouck	29,3	31,5	31,1	36,0	46,5	52,8	0	0	0
D03748	Duco Glasvent AK	3,0	15,60	31,1	Daidalos Peutz A-2023LAB-023-I841-I...	29,6	29,6	29,8	27,0	33,8	36,8	0	0	1000 Duco
D03749	Duco Glasvent AK+	1,7	10,70	31,4	Daidalos Peutz A-2023LAB-023-I841-I...	29,9	30,1	30,3	27,6	33,4	37,7	0	0	1000 Duco

Ventilatievoorzieningen oud

<i>Id</i>	<i>Omschrijving</i>	<i>Sh</i> <i>[mm]</i>	<i>Doorlaat</i> <i>[m²/m]</i>	<i>RA</i> <i>[dB(A)]</i>	<i>Bron</i>	<i>63</i>	<i>125</i>	<i>250</i>	<i>500</i>	<i>1000</i>	<i>2000</i>	<i>H</i>	<i>D</i>	<i>L</i>	
D00369	Ventilatievoorziening. ongedempt	0	0,9999	0,0	Verkeerslawaaï en woningen '84	0,0	0,0	0,0	0,0	0,0	0,0	999	0	1000	
D00398	Ventilatioerooster met vliegengaas	0	0,5000	-3,0	Verkeerslawaaï en woningen '84	-3,0	-3,0	-3,0	-3,0	-3,0	-3,0	999	0	1000	
D00531	Climacoust S	70	0,0094	9,6	Verkeerslawaaï en woningen '84	0,0	2,0	4,0	9,0	21,0	29,0	700	70	500	Heycop Systemen B.V.
D02016	Merford AKR 150 gevelventilatioerooster...	99	0,7500	8,9	Cauberg-Huygen'99 rap 991169-1A	2,7	4,6	4,4	8,4	11,4	12,8	0	147	0	Merford Bouw- en Verwarmingskompo...
D02017	Merford AKR 300 gevelventilatioerooster...	99	0,7500	12,2	Cauberg-Huygen'99 rap 991169-1A	1,6	5,4	6,5	13,0	19,3	22,7	0	293	0	Merford Bouw- en Verwarmingskompo...
D02018	Merford AKR 350 gevelventilatioerooster...	99	0,7500	10,2	Cauberg-Huygen'99 rap 991169-1A	1,9	4,7	6,3	10,3	13,0	13,9	0	286	0	Merford Bouw- en Verwarmingskompo...
D02019	Merford AKR 500 gevelventilatioerooster...	99	0,7500	13,1	Cauberg-Huygen'99 rap 991169-1A	-0,5	5,2	9,3	16,5	22,9	26,4	0	497	0	Merford Bouw- en Verwarmingskompo...
D02020	Merford AKR HMH gevelventilatioeroost...	99	0,7500	14,1	Cauberg-Huygen'99 rap 991169-1A	1,7	6,8	11,9	16,6	16,9	24,6	0	497	0	Merford Bouw- en Verwarmingskompo...
D02107	DHG Silenko Type DD-60WA afvoerve...	0	0,2204	31,0	Peutzassocies'01 rap A 1080-1	17,7	19,1	36,4	45,1	53,9	56,3	580	580	2080	DHG Nederland BV